# UserErrorHisClientRunFailed with error -805 from DB2

Last updated by | Veena Pachauri | Mar 8, 2023 at 11:22 PM PST

## 202047 UserErrorHisClientRunFailed with error-805 from DB2

Friday, January 10, 2020
2:04 PM

| SME | |
|---|---|
| **Symptoms** | Below is the error while running ADF pipeline from DB2. { 'errorCode': '2200', 'message': 'Failure happened on 'Source' side. ErrorCode=UserErrorHisClientRunFailed,'Type=Microsoft.DataTransfer.Common.Shared.HybridDeliver from client. Sql code: -805,Source=Microsoft.DataTransfer.ClientLibrary.Db2Connector,''Type=Microsoft.HostIntegration.Dr package corresponding to an SQL statement execution request was not found. SQLSTATE=51002 SQLCODE=-805,Source=Microsoft.HostIntegration.Drda.Requester,'', 'failureType': 'UserError', 'target' |
| **Cause** | Possible causes below: As the DB2 driver has been upgraded, it may use another package collection   NULLID.PACKAGENAME with high privilege lacking. Customer has changed another user to run the pipeline, so he lacks the permissoin to create new pac |
| **Resolution** | The customer's ADF developer was able to change the DB2 connection definition, specifying "NULLID to match the package collection that the DB2 administration team requires (security, use of host reso DB2 Driver |
| **More Information** | 119121024002590 - Data Factory gets an 805 when trying to access DB2  (ICM 166545014) |

Created with Microsoft OneNote 2016.

**How good have you found this content?**