[OData]Failed to create odata connection Last updated by | Veena Pachauri | Mar 8, 2023 at 11:59 PM PST

201061 - [OData]Connection failed			
		ASC Onboard	
Monday, July 22, 2019			
06:40			

SME	()		
Symptoms	Customer wants to read data from OData, and hit error like this:		
	Connection failed		
	Kusto Query:		
	CustomLogEvent		
	where ActivityId == <inputactivityid></inputactivityid>		
	where Message contains 'Connection Failed'		
	or		
	CustomLogEvent		
	where ActivityId == <inputactivityid></inputactivityid>		
	where Message contains 'Failed to create odata connection'		
Cause	There could be various kinds of issues causing this:		
	1. The accounts don't have right permissions		
	2. The accounts cannot access one of the root URL(<your in="" linked="" service="" set="" the="" url="">) or the</your>		
	\$metadata(<your in="" linked="" odata="" service="" the="" url="">/\$metadata) of the odata service</your>		
	There is actually single sign on enabled while the customer is using basic authentication		
Resolution	Here is the solution:		
	1. All of these can be verified by trying to browser/postman to the odata endpoint(and odata		
	\$metadata url) directly.		
	2. Please ensure the browser cache were cleared before verifying this. When using postman,		
	please choose exactly the same authentication type you are choosing in the OData		
	connector.		
	3. To verify whether the Odata connector is working fine or not, you can doube verify using		
	the public Odata testing endpoints here: https://www.odata.org/odata-services/		

Created with Microsoft OneNote 2016.

How good have you found this content?



