Module Interface Specification for Mechatronics

Team #20, OpenASL Robert Zhu zhul49 Zifan Meng mengz17 Jiahui Chen chenj194 Kelvin Huynh huynhk12 Runze Zhu zhur25 Mirza Nafi Hasan hasanm21

January 18, 2023

1 Revision History

Date	Version	Notes
January 18, 2023	1.0	Everyone - Initial MIS Draft

2 Symbols, Abbreviations and Acronyms

See SRS Documentation at https://github.com/kelhuynh/OpenASL/blob/main/docs/SRS/SRS.pdf

Contents

1	Rev	vision History	i							
2	Syn	nbols, Abbreviations and Acronyms	ii							
3	Introduction									
4 Notation										
5	Mo	dule Decomposition	1							
6	Cor	nnection Between Requirements and Design	2							
7	MI	S of Motion Tracking Module (M1)	3							
	7.1	Module	3							
	7.2	Uses	3							
	7.3	Syntax	3							
		7.3.1 Exported Constants	3							
	7.4	Semantics	3							
		7.4.1 State Variables	3							
		7.4.2 Environment Variables	3							
		7.4.3 Assumptions	3							
		7.4.4 Access Routine Semantics	3							
8	MI	S of Coordinate Normalization Module (M2)	4							
	8.1	Module	4							
	8.2	Uses	4							
	8.3	Syntax	4							
		8.3.1 Exported Constants	4							
	8.4	Semantics	4							
		8.4.1 State Variables	4							
		8.4.2 Environment Variables	4							
		8.4.3 Assumptions	4							
		8.4.4 Access Routine Semantics	4							
		8.4.5 Local Functions	4							
9	MI	S of Coordinate Export Module (M3)	5							
	9.1	Module	5							
	9.2	Uses	5							
	9.3	Syntax	5							
	-	9.3.1 Exported Constants	5							
	9.4	Semantics	5							
		9.4.1 State Variables	5							

		9.4.2	Environme	nt Varial	oles .		 	 	 					5
		9.4.3	Assumption	ns			 	 	 					5
		9.4.4	Local Fund	tions			 	 	 		 •		•	5
10	MIS	of Vi	deo Captu	re Mod	ule (I	M4)								6
	10.1	Modul	e				 	 	 					6
														6
														6
			Exported (6
	10.4		$tics \dots$											6
	10.1		State Varia											6
			Environme											6
			Assumption											6
11	MIS	of Vi	deo Analy	sis Mod	ule (1	M5)								7
			e											7
														7
														7
	11.5	•												7
	11 /		Exported A											•
	11.4		tics											7
			State Varia											7
			Environme											7
			Assumption											7
			Access Rou											7
		11.4.5	Local Fund	tions			 	 	 					8

3 Introduction

The following document details the Module Interface Specifications for OpenASL, a device developed with the aim of translating sign language into text-to-speech, with the purpose of helping members of the deaf and mute community communicate with those who do not know sign language.

Complementary documents include the System Requirement Specifications and Module Guide. The full documentation and implementation can be found at https://github.com/kelhuynh/OpenASL/.

4 Notation

N/A

5 Module Decomposition

The following table is taken directly from the Module Guide document for this project.

Level 1	Level 2
Hardware-Hiding Module	Video Capture Module
Behaviour-Hiding Module	Text-to-Speech Module Key Point Classification Module - Communicates with ML module with data from coordinate normalization module Training Module - Communicates with ML module to update dataset Coordinate Export Module - Read data from video cap- ture and stores into file Motion Tracking Module - Controller (ties everything together)
Software Decision Module	Video Analysis Module - requires data to be used Machine Learning Module Coordinate Normalization Module

Table 1: Module Hierarchy

6 Connection Between Requirements and Design

The design of the system is intended to satisfy the requirements developed in the SRS. In this stage, the system is decomposed into modules. The connection between requirements and modules is listed in Table 2.

Req.	Modules
CFR1	m1, m4
CFR2	m5
MLFR1	m2
MLFR2	m3
MLFR3	m4
MLFR4	m6, m9, m10
MLFR5	m4
MLFR6	m4
MLFR7	m7, m8
NFR1	m5, m6, m7
NFR2	m1, m4
NFR3	m9
NFR4	m9
NFR5	m7
NFR6	m10
NFR7	m1, m4, m9

Table 2: Trace Between Requirements and Modules

7 MIS of Motion Tracking Module (M1)

7.1 Module

motionTrack

7.2 Uses

Video Capture, Coordinate Normalization, Coordinate Export, Video Analysis, Keypoint Classification, TTS

7.3 Syntax

7.3.1 Exported Constants

Name	In	Out	Exceptions
results	image	Object	-
hand_landmarks	-	Tuple of tuples	-
handedness	-	R	-

7.4 Semantics

7.4.1 State Variables

None

7.4.2 Environment Variables

f - file variable for coordinate export purposes

7.4.3 Assumptions

None

7.4.4 Access Routine Semantics

motionTrack():

- output: video consisting of overlay for hand gesture classification into ASL
- exception: exc := cv2.error

8 MIS of Coordinate Normalization Module (M2)

8.1 Module

Coordinate Normalization

8.2 Uses

Video Capture

8.3 Syntax

8.3.1 Exported Constants

Name	In	Out	Exceptions
pre_processed_landmark_list	landmark_list	Tuple of tuples	_

8.4 Semantics

8.4.1 State Variables

None

8.4.2 Environment Variables

None

8.4.3 Assumptions

None

8.4.4 Access Routine Semantics

pre_process_landmark(landmark_list):

- output: tuple of 20 tuples consisting of x and y coordinates for each hand joint
- exception: exc := ListIndexOutofBounds

8.4.5 Local Functions

• __calc_landmark_list

9 MIS of Coordinate Export Module (M3)

9.1 Module

Coordinate Export

9.2 Uses

Coordinate Normalization

9.3 Syntax

9.3.1 Exported Constants

Name	In	Out	Exceptions
keypoint.csv	-	File containing nor-	-
		malized coordinates	

9.4 Semantics

9.4.1 State Variables

None

9.4.2 Environment Variables

None

9.4.3 Assumptions

None

9.4.4 Local Functions

 \bullet __make_csv

10 MIS of Video Capture Module (M4)

10.1 Module

Video Capture

10.2 Uses

None

10.3 Syntax

10.3.1 Exported Constants

Name	In	Out	Exceptions
success	-	R	-
image	-	Object	-

10.4 Semantics

10.4.1 State Variables

None

10.4.2 Environment Variables

success - indicates that the camera input is initialized for use

10.4.3 Assumptions

There is an available camera connected to the system

11 MIS of Video Analysis Module (M5)

11.1 Module

Video Analysis

11.2 Uses

Coordinate Normalization, Video Capture

11.3 Syntax

11.3.1 Exported Access Programs

Name	In	Out	Exceptions
draw_bounding_rect	-	image	-
$draw_landmarks$	-	image	-
$draw_info_text$	-	image	-

11.4 Semantics

11.4.1 State Variables

None

11.4.2 Environment Variables

None

11.4.3 Assumptions

None

11.4.4 Access Routine Semantics

draw_bounding_rect(self, use_brect, image, brect):

- output: image with overlaid bounding rectangle around hand
- \bullet exception: exc := None

draw_landmarks(self, image, landmark_point):

- output: image with overlaid hand joints and connections
- exception: exc := None

 $draw_info_text(self, image, brect, handedness, hand_sign_text):$

 \bullet output: image with overlaid classifier label

• exception: exc := None

11.4.5 Local Functions

• __calc_bounding_rect