Module Interface Specification for Mechatronics

Team #20, OpenASL Robert Zhu zhul49 Zifan Meng mengz17 Jiahui Chen chenj194 Kelvin Huynh huynhk12 Runze Zhu zhur25 Mirza Nafi Hasan hasanm21

January 18, 2023

1 Revision History

Date	Version	Notes
January 18, 2023	1.0	Everyone - Initial MIS Draft

2 Symbols, Abbreviations and Acronyms

See SRS Documentation at https://github.com/kelhuynh/OpenASL/blob/main/docs/SRS/SRS.pdf

Contents

1	Revision History	j							
2	Symbols, Abbreviations and Acronyms ii Introduction 1 Notation 1								
3									
4									
5	Module Decomposition	1							
6	Connection Between Requirements and Design	2							
7	MIS of Motion Tracking Module (M1) 7.1 Module 7.2 Uses 7.3 Syntax 7.3.1 Exported Constants 7.4 Semantics 7.4.1 State Variables 7.4.2 Environment Variables 7.4.3 Assumptions 7.4.4 Access Routine Semantics	4 4 4 4 4 4 4 4 4							
8	MIS of Coordinate Normalization Module (M2) 8.1 Module								
9	MIS of Coordinate Export Module (M3) 9.1 Module 9.2 Uses 9.3 Syntax 9.3.1 Exported Constants 9.4 Semantics 9.4.1 State Variables	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8							

		9.4.2	En	viro	nm	ent	Va	rial	oles			 												8
		9.4.3	As	sun	ıpti	ons						 												8
		9.4.4	Lo	cal	Fur	nctio	ons																	8
10	MIS	of Vi	ideo	Ca	apt	ure	\mathbf{M}	od	ule	(N	[4)													9
	10.1	Modul	le .									 												9
	10.2	Uses										 												9
		Syntax																						9
		10.3.1	Ex	por	ted	Co	nsta	ants	3.			 												9
	10.4	Seman																						9
		10.4.1	Sta	ate	Var	iabl	es					 												9
		10.4.2	En	viro	onm	ent	Va	rial	oles			 												9
		10.4.3	As	sun	ıpti	ons						 												9
11	MIS	of Vi	ideo	A 1	nal	ysis	M	\mathbf{od}	ule	(N	15)													10
11		of Vi Modul				-				•							•			•				10 10
11	11.1	Modul	le .																					
11	11.1 11.2	Modul Uses	le .							•		 	•											10
11	11.1 11.2	Modul Uses Syntax	le x .	 						•		 					•		•				•	10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1	le . x . Ex	 por	ted	Aco	cess	 . Pr	ogr	ams		 	•	 	 	 		 			 			10 10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1 Seman	le . x . Ex	 por 	ted	Ace	cess	Pr	ogr	am	5.	 		 	 	· ·		 			 	 	 	10 10 10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1	le . x . Ex ntics Sta	on te	ted Var	Ace	cess		ogr	am		 		 	 	 		 			 	 	 	10 10 10 10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1 Seman 11.4.1 11.4.2	le . x . Ex ntics Sta En	por te	ted Var	Aco	cess es Va	Pr	ogr	am	5			 	 						 	 	 	10 10 10 10 10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1 Seman 11.4.1	le	por ate vire	ted Var onm	Acciablinent ons	cess es Va	Pr Pr	ogr ogr oles	am	5 .			· · · · · · · ·	 						 	 	 	10 10 10 10 10 10 10
11	11.1 11.2 11.3	Modul Uses Syntax 11.3.1 Seman 11.4.1 11.4.2 11.4.3	le	por ate vire sum cess	ted Var onm ipti	Ace iablations outi	cess es Va	Pr Pr rial	ogr oles	am	5				 · · · · · · · ·						 	 ·	 	10 10 10 10 10 10 10 10

3 Introduction

The following document details the Module Interface Specifications for OpenASL, a device developed with the aim of translating sign language into text-to-speech, with the purpose of helping members of the deaf and mute community communicate with those who do not know sign language.

Complementary documents include the System Requirement Specifications and Module Guide. The full documentation and implementation can be found at https://github.com/kelhuynh/OpenASL/.

4 Notation

N/A

5 Module Decomposition

The following table is taken directly from the Module Guide document for this project.

Level 1	Level 2
Hardware-Hiding Module	Video Capture Module
Behaviour-Hiding Module	Text-to-Speech Module Key Point Classification Module - Communicates with ML module with data from coordinate normalization module Training Module - Communicates with ML module to update dataset Coordinate Export Module - Read data from video cap- ture and stores into file Motion Tracking Module - Controller (ties everything together)
Software Decision Module	Video Analysis Module - requires data to be used Machine Learning Module Coordinate Normalization Module

Table 1: Module Hierarchy

6 Connection Between Requirements and Design

The design of the system is intended to satisfy the requirements developed in the SRS. In this stage, the system is decomposed into modules. The connection between requirements and modules is listed in Table ??.

7 MIS of Motion Tracking Module (M1)

7.1 Module

motionTrack

7.2 Uses

Video Capture, Coordinate Normalization, Coordinate Export, Video Analysis, Keypoint Classification, TTS

7.3 Syntax

7.3.1 Exported Constants

Name	In	Out	Exceptions
results	image	Object	-
hand_landmarks	-	Tuple of tuples	-
handedness	-	R	-

7.4 Semantics

7.4.1 State Variables

None

7.4.2 Environment Variables

f - file variable for coordinate export purposes

7.4.3 Assumptions

None

7.4.4 Access Routine Semantics

motionTrack():

• output: video consisting of overlay for hand gesture classification into ASL

• exception: exc := cv2.error

8 MIS of Coordinate Normalization Module (M2)

8.1 Module

Coordinate Normalization

8.2 Uses

Video Capture

8.3 Syntax

8.3.1 Exported Constants

Name	In	Out	Exceptions
pre_processed_landmark_list	landmark_list	Tuple of tuples	-

8.4 Semantics

8.4.1 State Variables

None

8.4.2 Environment Variables

None

8.4.3 Assumptions

None

8.4.4 Access Routine Semantics

pre_process_landmark(landmark_list):

- output: tuple of 20 tuples consisting of x and y coordinates for each hand joint
- \bullet exception: exc := ListIndexOutofBounds

8.4.5 Local Functions

 $\bullet \ _calc_landmark_list$

9 MIS of Coordinate Export Module (M3)

9.1 Module

Coordinate Export

9.2 Uses

Coordinate Normalization

9.3 Syntax

9.3.1 Exported Constants

Name	In	Out	Exceptions
keypoint.csv	-	File containing nor-	_
		malized coordinates	

9.4 Semantics

9.4.1 State Variables

None

9.4.2 Environment Variables

None

9.4.3 Assumptions

None

9.4.4 Local Functions

 \bullet __make_csv

10 MIS of Video Capture Module (M4)

10.1 Module

Video Capture

10.2 Uses

None

10.3 Syntax

10.3.1 Exported Constants

Name	In	Out	Exceptions
success	-	R	-
image	-	Object	-

10.4 Semantics

10.4.1 State Variables

None

10.4.2 Environment Variables

success - indicates that the camera input is initialized for use

10.4.3 Assumptions

There is an available camera connected to the system

11 MIS of Video Analysis Module (M5)

11.1 Module

Video Analysis

11.2 Uses

Coordinate Normalization, Video Capture

11.3 Syntax

11.3.1 Exported Access Programs

Name	In	Out	Exceptions
draw_bounding_rect	-	image	-
$draw_landmarks$	-	image	-
$draw_info_text$	-	image	-

11.4 Semantics

11.4.1 State Variables

None

11.4.2 Environment Variables

None

11.4.3 Assumptions

None

11.4.4 Access Routine Semantics

draw_bounding_rect(self, use_brect, image, brect):

• output: image with overlaid bounding rectangle around hand

• exception: exc := None

draw_landmarks(self, image, landmark_point):

 \bullet output: image with overlaid hand joints and connections

• exception: exc := None

draw_info_text(self, image, brect, handedness, hand_sign_text):

ullet output: image with overlaid classifier label

 \bullet exception: exc := None

11.4.5 Local Functions

 \bullet __calc_bounding_rect

12 Appendix

 $[{\bf Extra~information~if~required~--SS}]$