HTML

- HTML Structure
- HTML Elements
 - Block-level Elements
 - Inline Elements
 - o HTML Lists
 - Void Elements
 - HTML Forms
- HTML Attributes
- Multiple class names as an HTML attribute value
- Navigation within the webpage
- Getting URLs for our own Images
- Linking HTML and CSS Files

CSS

- CSS Properties
 - Text Properties
 - Background Properties
 - Font Properties
- CSS Box Model
- CSS Flexbox
- CSS Media Queries
- CSS Selectors
 - class selector
 - o id selector
 - universal selector
- CSS Inheritance
- CSS Colors
- CSS Specificity & Cascade
- CSS Units percentage, px, vh/vw
- CSS Gradients
- Inline Styles
- Reusability of CSS Rulesets
- Responsiveness

Bootstrap

- How to use Bootstrap
- Predefined Styles in Bootstrap
- Flexbox Properties
- Bootstrap Components
 - Carousel
 - Navbar
 - Modal
 - Spinner
 - Bootstrap Containers
- Bootstrap Utilities
 - o Embed
 - Bootstrap Flex Utilities
 - Bootstrap Display Utilities
 - Bootstrap Position Utilities
- Bootstrap Grid System
 - Container
 - Row
 - o Column
 - Creating Multiple Column Layouts
 - o Column Wrapping
 - The Layout at different Breakpoints
- Bootstrap Spacing Utilities
- Bootstrap Background Color Utilities
- Bootstrap Sizing Utilities
- Bootstrap Icons

SQLite

- Data
- Database
- Database Management System(DBMS)
 - Advantages
- Types of Databases
 - Relational Database
 - Non-Relational Database
- SQL Querying
 - Create
 - o Insert
 - Select
 - Update
 - o Delete Rows
 - o Drop Table
 - o Alter

- Comparison Operators =,>, <, >=, <=
- String Operations LIKE
- Logical Operators AND, OR, NOT
- IN, BETWEEN Operator
- ORDER BY, DISTINCT
- Pagination LIMIT, OFFSET clauses
- Aggregations COUNT, SUM, MIN, MAX, AVG
- Alias
- Group By, Group By with Having
- Expressions
- SQL Functions
- CASE Clause
- Set Operators
- Modelling Databases
 - o Entity, Attributes, Attributes of an Entity, Key Attribute, Entity Type,
 - Relationships
 - One-to-One Relationship
 - One-to-Many or Many-to-One Relationship
 - Many-to-Many Relationship
 - Cardinality Ratio
 - Creating a Relational Database
 - Primary Key
 - Foreign Key
- JOINS
 - Natural JOIN, Inner JOIN, Left JOIN, Right JOIN, Full Join, Cross Join, Self Join
- Views
- Subqueries
- Transactions ACID Properties
- Indexes

Python

- Variables and Data Types
- Inputs and Outputs Basics
- Type Conversion
- String Slicing
- Operators
 - Relational
 - Logical
 - o Arithmetic
- Conditional Statements
- Nested Conditional Statements
- Loops

- Nested Loops
- Loop Control Statements
- Patterns
- String Methods
- Comparing Strings & Naming Variables
- Rounding Numbers
- Floating Point Approximation
- Floating Point Errors
- Comments
- Lists, Tuple, Set, Dictionaries
- Tuples and Sequences
- List Slicing
- Nested Lists & String Formatting
- Functions
- Extended Slicing
- Arbitrary Function Arguments
- Built-in Functions
 - abs()
 - o all()
 - any()
 - reversed()
 - enumerate()
- List Methods
 - o copy()
 - reverse()
- Introduction to OOP
 - o Objects
 - Classes
 - Attributes & Methods
 - o Inheritance
 - Super Class & Sub Class
 - Composition
 - Overriding Methods
- Python Standard Library
- Built-in Functions
- Modules
- Map, Filter and Reduce
- Scope & Namespaces
- Errors & Exceptions
- Working With Dates & Times
- Problem Solving

JavaScript

- DOM and Event Fundamentals
 - Variables
 - Document Object Model (DOM)
 - Methods
 - Properties
 - Events
- Primitive Types & Conditionals
- Conversions
- String Manipulations
- Conditional Statements
- Comparison Operator
- Input Element and Math Functions
 - Math.random()
 - Math.ceil()
 - o HTML Input Element
- DOM Properties
- DOM Manipulations
- More DOM Manipulations
 - Creating an HTML Element
 - Accessing HTML element using id attribute
 - Appending to an HTML Element
 - Adding Event Listeners Dynamically
 - Providing Class Names Dynamically
 - Removing Class Names Dynamically
- Data Structures
- Arrays
- Functions
- Objects
 - Object Destructuring
 - Object Methods
- Todos Application
- JavaScript Built-in Functions
- Storage Mechanisms
- JavaScript Object Notation (JSON)
 - JS Object vs JSON Object
 - JSON Methods
- Array Methods
- Callbacks & Schedulers
- Event Listeners
- Hypertext Transfer Protocol (HTTP)
 - o HTTP Methods
 - o HTTP Version
 - HTTP Responses
 - Making HTTP Requests using Fetch

- HTTP Response Object Properties and Methods
- Modern JS Concepts
 - Spread Operator
 - Rest Parameter
 - Functions
 - Template Literal
 - Ternary Operator
 - Switch Statement
 - Arrow Functions
- Factory Function
- Constructor Property
- Built-in Constructor Function
- Instance Methods
- this
- Immutable and Mutable Values
- Variables
- Prototypal Inheritance
 - o Built-in Constructor Functions
 - Built-in Array Constructor Function
 - Prototype Property
 - o Built-in Function Constructor Function
 - Instance Specific and Prototype Properties
- JS Classes
 - Class
 - Inheritance in JS Classes
 - this in classes
- JS Promises
 - Synchronous and Asynchronous Execution
 - JS Promises
 - Async/Await

React JS

- 1. Components & Props
 - Component
 - Properties (Props)
 - Component is Reusable
 - **■** Component is Composable
 - Third-party Packages
 - create-react-app
 - Pre-Configured tools
- 2. Lists & Keys
 - Keys

- Keys as Props
- Users List Application
- 3. Class Component and State
 - Components
 - Functional Components
 - Class Components
 - React Events
 - State
 - Updating State
 - State Updates are Merged
 - **■** Functional Components vs Class Components
- 4. Conditional Rendering
 - Conditional Rendering
 - Using an If...Else Statement
 - Using Element Variables
 - Using Ternary Operators
 - Using Logical && Operator
 - Default Props
- 5. Class Component and State
 - setState() Object Syntax
 - Sending Function as Callback
 - Input Element
- 6. Third-Party Packages
 - Installing UUID
 - Importing of UUID
- 7. Component Life Cycle
 - Component Life Cycle Phases
 - Mounting Phase
 - Updating Phase
 - Unmounting Phase
- 8. Routing using React Router
 - Web Apps
 - React Routes
 - o API Calls
 - Introduction to React JS
 - React JS
 - Why React JS?
 - Advantages of React JS
 - Running JavaScript in HTML
 - Creating Elements using React JS
 - React CDN
 - React.createElement()
 - ReactDOM.render()
 - JSX

- Babel
- **■** Embedding Variables and Expressions in JSX
- Nesting JSX elements
- Fetch
- Route Props
 - Match
- 9. Authentication & Authorization
 - Client-Server Communication
 - Authentication
 - Authorization
 - Authentication Flow
 - Route Parameters
 - History
- 10. Authentication & Authorization Part 2
 - JWT Token
 - Storage Mechanisms
 - Cookies
 - Why Cookies?
 - **■** Local Storage
 - Cookies vs Local Storage
 - Third Party Package js-cookie
 - Redirect Component
 - withRouter
- 11. Authentication & Authorization Part 3
 - Router Switch
 - Wrapper Component
 - **■** Protected Route
- 12. Authentication & Authorisation Part 4
 - Integrating APIs
 - o API Call Possible Views
 - Success View
 - Failure View
 - Loading View
 - Best Practices
 - State Variable-isLoading
 - State Variable-apiStatus
 - Adding Initial State
- 13. React Concepts
 - Reconciliation
 - React Batch Updating
 - setState() Syntax
 - Children Prop
 - Passing Text as Children
 - Accessing Children

- Controlled vs Uncontrolled Input
- Props vs State
- State should be minimal
- User defined functions should be in the arrow function syntax
- Using Redirect Component in Callbacks or Event Listeners
- Using history.replace() in render() instead of Redirect Component
- Missing withRouter() to have history prop
- When request object keys are incorrect
- Not Updating the State when required
- setState() Callback Function
- React Icons
 - Installing React Icons
 - Searching React Icons
 - Importing React Icons

14. Third-Party Packages

- Third-Party Packages
 - Advantages
 - Selecting a Third-Party Package
- Third-Party Package
 - React Player
 - Recharts
 - React Chrono
 - React Slick
 - React Popup

15. React Context

- Prop Drilling
- React Context
 - Creating Context
 - **■** Context Properties
 - How to Access the Value?
- Consumer Component
 - Understanding Syntax
- Provider
 - Syntax
- Context Flow For Windows App
- Best Practice
- Context
- Using Context in methods

16. Styled Components

- Styling React Components
 - Using CSS
 - CSS-in-JS
- Styled Components
- Advantages of Styled Components

- Extending Styles
- The "as" prop
- Boolean Attribute

17. Common Mistakes

- Missing Export Statement
- Missing Import Statement
- Missing Extending the React Component Class
- class vs className
- o onclick vs onClick
- Event Listeners inside Class Component
- Passing Event Handler
- Modifying the State Directly
- Calling setState() from render()
- Invoking Event Handler
- setState() is Asynchronous
- React Component should return a single JSX element
 - Fragments
- Props are Read-only
- Rendering Promise Object
- Using Link and Route Components without BrowserRouter
- Providing Wrong Route Path
- Missing exact keyword
- Missing Switch
- Placing Common component inside Switch
- Providing the same PATH for multiple Routes
- Missing Colon(:) while providing Path Parameters
- Accessing Promise Object
- Ordering of Routes inside Switch

18. Best Practice

- Updating a Property of an Item inside List
- 19. Debugging using Developer tools
 - Debugging
 - Browser Developer Tools
 - React Developer Tools

20. Hooks

- useState Hook
- useEffect Hook
 - Making API calls with Hooks
 - Schedulers with Hooks and Race condition

Node JS

Introduction to Node JS

- MERN Stack
- Node JS
- Running JavaScript Using Node JS
 - Node REPL (Read-Eval-Print-Loop)
 - Node CLI
- Module
 - **■** Common JS Module Exports
 - Default Exports
 - Named Exports
 - **Modern JS Module Exports**
 - Default Exports
 - Named Exports
- Core Modules
 - Path
- Package
 - Node Package Manager (NPM)
- Steps to create a Node JS Project
- Third-Party Packages
 - date-fns
- Introduction to Express JS
 - HTTP Server
 - Server-side Web Frameworks
 - Express JS
 - Network Call using Express JS
 - Handling HTTP Request
 - Testing Network calls
 - Network Call to get a Today's Date
 - Network Call to get HTML content as an HTTP Response
 - Sending file as an HTTP Response
 - Application Programming Interface (API)
 - Database
 - SQLite
 - SQLite CLI
 - SQLite Methods
 - Open
 - Executing SQL Queries
 - SQL Third-party packages
 - Connecting SQLite Database from Node JS to get the books from Goodreads Website
 - SQLite Database Initialization
 - Goodreads Get Books API
 - SQLite Methods
 - get()
 - run()

- Node JS Third-party packages
 - Nodemon
- GoodReads API
 - Get Book
 - Add Book
 - Update Book
 - Delete Book
 - Get Author Books
- REST APIs
 - Get Books API
 - Filtering Books
 - REST APIs
 - Why Rest Principles?
 - **REST API Principles**
- Debugging Common Errors
 - Importing Unknown Modules
 - Starting Server in Multiple Terminals
 - Starting Server outside the directory
 - Accessing Wrong URL
 - Missing Function Call
 - o Importing Unknown File
 - Request Methods
 - Missing colon(:)
 - Accessing Path Parameters
 - Query Formatting
 - Replacing SQLite Methods
 - HTTP Request URL
 - Missing '?'
 - Missing '&' between Query Parameters
 - Replacing '&' with ',' in Query Parameters
 - Accessing Unknown Database
 - Accessing Wrong Port Number
- Authentication
 - Installing Third-party package bcrypt
 - Goodreads APIs for Specified Users
 - Register User API
 - Login User API
 - Authentication Mechanisms
 - Token Authentication mechanism
 - Access Token
 - How Token Authentication works?
 - JWT
 - How JWT works?
 - JWT Package

- Login User API by generating the JWT Token
- How to pass JWT Token?
- Get Books API with Token Authentication
- Middleware functions
 - Multiple Middleware functions
- Logger Middleware Implementation
 - **■** Defining a Middleware Function
 - Logger Middleware Function
 - Get Books API with Logger Middleware
- Authenticate Token Middleware
- o Get Books API with Authenticate Token Middleware
- Passing data from Authenticate Token Middleware
- Get User Profile API with Authenticate Token Middleware

MongoDB

Non Relational Databases(MongoDB)

- Introduction to MongoDB
- CRUD operations
- Querying Documents
- Agregations
- Nested Documents

Github

Setting Up a README.md with setup and run instructions:

Error Handling and Debugging:

Hosting Platforms: render, Netlify, or Vercel.