

HERE IS SOME OF OUR ORIGINAL CODE (ALL OF OUR CODE IS ORIGNIAL) HOME PAGE CODE

```
<!DOCTYPE
E html>

<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<link rel="icon" href="assets/images/favicon.ico">
<link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,800,900&di
splay=swap" rel="stylesheet">

<title>Car Wizard </title>

<!-- Bootstrap core CSS -->
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Additional CSS Files -->
<link rel="stylesheet" href="assets/css/fontawesome.css">
<link rel="stylesheet" href="assets/css/style.css">
<link rel="stylesheet" href="assets/css/owl.css">

</head>

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
  <div class="jumper">
    <div></div>
    <div></div>
    <div></div>
  </div>
</div>
```

```
<!-- ***** Preloader End ***** -->

<!-- Header -->
<header class="">
  <nav class="navbar navbar-expand-lg">
    <div class="container">
      <a class="navbar-brand" href="index.html"><h2>Car <em>Wizard</em></h2></a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item active">
            <a class="nav-link" href="index.html">Home
              <span class="sr-only">(current)</span>
            </a>
          </li>

          <li class="nav-item"><a class="nav-link" href="cars.html">Cars</a></li>

          <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact Us</a></li>

          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button"
aria-haspopup="true" aria-expanded="false">More</a>

            <div class="dropdown-menu">
              <a class="dropdown-item" href="team.html">Team</a>
              <a class="dropdown-item" href="testimonials.html">Testimonials</a>
              <a class="dropdown-item" href="terms.html">Terms</a>
              <a class="dropdown-item" href="index.html">Loan Calculator</a>
            </div>
          </li>
        </ul>
      </div>
    </div>
  </nav>
</header>
```

```
        </ul>
    </div>
</div>
</nav>
</header>
<!-- Start of HubSpot Embed Code -->
<script type="text/javascript" id="hs-script-loader" async defer src="//js-na1.hs-
scripts.com/24019134.js"></script>
<!-- End of HubSpot Embed Code -->
<!-- Page Content -->
<!-- Banner Starts Here -->
<div class="banner header-text">
    <div class="owl-banner owl-carousel">
        <div class="banner-item-01">
            <div class="text-content">
                <h4></h4>
                <h2></h2>
            </div>
        </div>
        <div class="banner-item-02">
            <div class="text-content">
                <h2></h2>
                <h4></h4>
            </div>
        </div>
        <div class="banner-item-03">
            <div class="text-content">
                <h2></h2>
                <h4></h4>
            </div>
        </div>
    </div>
</div>
<div class="latest-products">
```


<div class="col-lg-4 col-md-6">

<div class="product-item">

```
<a href="chev_blazer.html"></a>
```

[<h4>2019 Chevrolet Blazer Base </h4>](chev_blazer.html)

~~\$29,090~~ \$27,600

<small>

<i class="fa fa-cube"></i>

White

Views *Automatic*

</small>

</div>

</div>

<div class="best-features">

<div class="container">

<div class="row">

<div class="col-md-12">

<div class="section-heading">

Sponsors.

</div>

<div class="col-md-6">

Check Out Our Sponsors!

```

        <p>Thank you for your support!</p>
        <ul class="featured-list">
        </ul>
        <a href="about-us.html" class="filled-button">Read More</a>
    </div>
</div>
<div class="col-md-6">
    <div class="right-image">
        <img src="" alt="">
    </div>
</div>
</div>
</div>
</div>

<div class="services" style="background-image: url(assets/images/other-image-fullscren-1-1920x900.jpg);" >
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="section-heading">
                    <h2>What People Have to Say!</h2>

                    <a href="blog.html">Read More <i class="fa fa-angle-right"></i></a>
                </div>
            </div>

            <div class="col-lg-4 col-md-6">
                <div class="service-item">
                    <a class="services-item-image"></a>

                    <div class="down-content">
                        <h4><a>This Online Car Dealership treats it's customers well. If I Could, I would give it
6 stars.</a></h4>

```


Pritam & & & 12/16/2022 9:57
& & & 246

This car dealership gave me and my Dad, very good rates on our new cars.

Annalise & & & 12/17/2021 9:30
& & & 763

I just bought one of their used car's. Best place to go to. Good customer service!

Chris & & & 12/09/2022 8:37
& & & 114

```
<div class="happy-clients">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="section-heading">
          <h2> Some of our Clients</h2>

          <a href="testimonials.html">Read more <i class="fa fa-angle-right"></i></a>
        </div>
      </div>
    </div>
    <div class="col-md-12">
      <div class="owl-clients owl-carousel text-center">
        <div class="service-item">
          <div class="icon">
            <i class="fa fa-user"></i>
          </div>
          <div class="down-content">
            <h4>Oscar</h4>
            <p class="n-m"><em>"There was nice salesmen, and I was happy with the customer
service they provided. Thank you for the car!"</em></p>
          </div>
        </div>

        <div class="service-item">
          <div class="icon">
            <i class="fa fa-user"></i>
          </div>
          <div class="down-content">
            <h4>Myron</h4>
            <p class="n-m"><em>"I saw the car on the cover of the website and INSTANTLY knew
this website... was amazing!"</em></p>
          </div>
        </div>

        <div class="service-item">
          <div class="icon">
            <i class="fa fa-user"></i>
```

```
</div>

<div class="down-content">

  <h4>Caiden</h4>

  <p class="n-m"><em>"The online dealership was very useful. They helped me find an
affordable car."</em></p>

</div>

</div>
```

```
<div class="service-item">

  <div class="icon">

    <i class="fa fa-user"></i>

  </div>

  <div class="down-content">

    <h4>Owen</h4>

    <p class="n-m"><em>"Very Epic."</em></p>

  </div>

</div>
```

```
<div class="service-item">

  <div class="icon">

    <i class="fa fa-user"></i>

  </div>

  <div class="down-content">

    <h4>Colten</h4>

    <p class="n-m"><em>"This website for cars is amazing!!!"</em></p>

  </div>

</div>
```

```
<div class="service-item">

  <div class="icon">

    <i class="fa fa-user"></i>

  </div>

  <div class="down-content">

    <h4>Daryl</h4>

    <p class="n-m"><em>"This helped me find great cars at a reasonable
price!"</em></p>

  </div>

</div>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
```

```
<!-- Start of HubSpot Embed Code -->
```

```
<script type="text/javascript" id="hs-script-loader" async defer src="//js-na1.hs-
scripts.com/23991964.js"></script>
```

```
<!-- End of HubSpot Embed Code -->
```

```
<div class="call-to-action">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="inner-content">
          <div class="row">
            <div class="col-md-8">
              <h4>Have Any Questions?</h4>
              <p>Feel free to contact us! We are available 24 hours a day.</p>
            </div>
            <div class="col-lg-4 col-md-6 text-right">
              <a href="contact.html" class="filled-button">Contact Us</a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
<p style="padding: 10px; margin: 10px"></p>
```

```
<p style="padding: 10px; margin: 10px"></p>
```

```

<!-- Bootstrap core JavaScript -->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script type="module">
  // Import the functions you need from the SDKs you need
  import { initializeApp } from "https://www.gstatic.com/firebasejs/9.17.1/firebase-app.js";
  import { getAnalytics } from "https://www.gstatic.com/firebasejs/9.17.1/firebase-analytics.js";
  // TODO: Add SDKs for Firebase products that you want to use
  // https://firebase.google.com/docs/web/setup#available-libraries


  // Your web app's Firebase configuration
  // For Firebase JS SDK v7.20.0 and later, measurementId is optional
  const firebaseConfig = {
    apiKey: "AlzaSyAtqdf8ezGL4ky51x9rB6dbewiO_WewYIM",
    authDomain: "fir-75746.firebaseio.com",
    databaseURL: "https://fir-75746-default-rtdb.firebaseio.com",
    projectId: "fir-75746",
    storageBucket: "fir-75746.appspot.com",
    messagingSenderId: "124486815404",
    appId: "1:124486815404:web:d3177ff865e14661511909",
    measurementId: "G-321E7EP80R"
  };

  // Initialize Firebase
  const app = initializeApp(firebaseConfig);
  const analytics = getAnalytics(app);
</script>


<!-- Additional Scripts -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/owl.js"></script>
</html>

```

FIRST PAGE OF CARS

<!DOCTYPE

E html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta name="description" content="">

<meta name="author" content="">

<link rel="icon" href="assets/images/favicon.ico">

<link

href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,800,900&display=swap"

rel="stylesheet">

<title>Car Wizard</title>

<!-- Bootstrap core CSS -->

<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Additional CSS Files -->

<link rel="stylesheet" href="assets/css/fontawesome.css">

<link rel="stylesheet" href="assets/css/style.css">

<link rel="stylesheet" href="assets/css/owl.css">

</head>

<body>

<!-- ***** Preloader Start ***** -->

<div id="preloader">

<div class="jumper">

<div></div>

<div></div>

<div></div>

```
</div>

</div>

<!-- ***** Preloader End ***** -->

<!-- Header -->
<header class="">
  <nav class="navbar navbar-expand-lg">
    <div class="container">
      <a class="navbar-brand" href="index.html">
        <h2>Car <em>Wizard</em></h2>
      </a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive"
        aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="nav-link" href="index.html">Home
              <span class="sr-only">(current)</span>
            </a>
          </li>

          <li class="nav-item active"><a class="nav-link" href="cars.html">Cars</a></li>

          <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>

          <li class="nav-item"><a class="nav-link" href="contact.html">Contact Us</a></li>

          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button" aria-
haspopup="true"
              aria-expanded="false">More</a>

            <div class="dropdown-menu">
              <a class="dropdown-item" href="team.html">Team</a>
            </div>
          </li>
        </ul>
      </div>
    </div>
  </nav>
</header>

</div>
</div>
```

```
        <a class="dropdown-item" href="testimonials.html">Testimonials</a>
        <a class="dropdown-item" href="terms.html">Terms</a>
        <a class="dropdown-item" href="index.html">Loan Calculator</a>
    </div>
</li>

</ul>
</div>
</div>
</nav>
</header>

<!-- Start of HubSpot Embed Code -->
<script type="text/javascript" id="hs-script-loader" async defer src="//js-na1.hs-
scripts.com/24019134.js"></script>
<!-- End of HubSpot Embed Code -->

<!-- Page Content -->
<div class="page-heading about-heading header-text"
style="background-image: url(assets/images/heading-6-1920x500.jpg);">
<div class="container">
    <div class="row">
        <div class="col-md-12">
            <div class="text-content">
                <h4>Used</h4>
                <h2>Cars</h2>
            </div>
        </div>
    </div>
</div>
</div>

<div class="products">
<div class="container">
    <div class="row">
        <div class="col-md-3">
            <div class="contact-form">
                <form action="#">
```



```
<select id="condition">
  <option selected="selected">Condition</option>
  <option value="condition">Used</option>
</select>
```

```
<select id="year" onchange="getSelectedValueYear()">
  <option selected="selected">Year</option>
  <option value="2022">2022</option>
  <option value="2021">2021</option>
  <option value="2020">2020</option>
  <option value="2019">2019</option>
  <option value="2018">2018</option>
  <option value="2017">2017</option>
  <option value="2016">2016</option>
  <option value="2015">2015</option>
  <option value="2014">2014</option>
  <option value="2013">2013</option>
  <option value="2012">2012</option>
  <option value="2011">2011</option>
  <option value="2009">2009</option>
  <option value="2007">2007</option>
</select>
```

```
<select id="make" onchange="getSelectedValueMake()">
  <option selected="selected">Make</option>
  <option value="Acura">Acura</option>
  <option value="Audi">Audi</option>
  <option value="BMW">BMW</option>
  <option value="Chevrolet">Chevrolet</option>
  <option value="Ford">Ford</option>
  <option value="Honda">Honda</option>
  <option value="Hyundai">Hyundai</option>
  <option value="Jeep">Jeep</option>
  <option value="Kia">Kia</option>
  <option value="Nissan">Nissan</option>
  <option value="Ram">Ram</option>
  <option value="Toyota">Toyota</option>
```

```

<option value="Volkswagen">Volkswagen</option>
<option value="Volvo">Volvo</option>
<option value="Mazda">Mazda</option>
<option value="Mercedes-Benz">Mercedes-Benz</option>
<option value="Mini Coupe">Mini Coupe</option>
<option value="Infiniti">Infiniti</option>
<option value="Lexus">Lexus</option>
</select>

<select id="price" onchange="getSelectedValuePrice()">
  <option selected="selected">Price</option>
  <option value="0to5">$0-$5,000</option>
  <option value="5to10">$5,000-$10,000</option>
  <option value="15to20">$15,000-$20,000</option>
  <option value="20to25">$20,000-$25,000</option>
  <option value="25to30">$25,000-$30,000</option>
  <option value="30to35">$30,000-$35,000</option>
  <option value="40+">$40,000+</option>
</select>

<button type="button" class="filled-button btn-block">Search</button>
</form>
</div>
</div>

<div class="col-md-9">
  <div class="row">
    <div class="col-md-6">
      <div class="product-item 2016 Acura 15to20">
        <a href="acura_ilx.html"></a>
        <div class="down-content">

          <a href="acura_ilx.html">
            <h4>2016 Acura ILX </h4>
          </a>

          <h6><small><del> $20,535</del></small> $19,483</h6>

```


~~\$29,090~~ \$27,600

<p> 193 HP / / Chevrolet / / 2019 / / FWD</p>

<small>

31,879

```
<strong title="Author"><i class="fa fa-cube"></i>
```

White

Views Automatic

<div class="col-md-12">

```
<ul class="pages">
```

```
<li class="active"><a href="cars.html">1</a></li>
```

```
<li><a href="cars_2.html">2</a></li>
```

```
<li><a href="cars_3.html">3</a></li>
```

```
<li><a href="cars_4.html">4</a></li>
```

```
<li><a href="cars_5.html">5</a></li>
```

```
<li><a href="cars_5.html">5</a></li>
```

</div>

<footer>

<div class="container">

<div class="row">

<div class="col-md-12">

```
<div class="inner-content">
  <p>Copyright © 2022 car Wizzard</p>
</div>
</div>
</div>
</div>
</footer>
```

```
<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
  <div class="modal-dialog modal-lg" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Book Now</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <div class="contact-form">
          <form action="#" id="contact">
            <div class="row">
              <div class="col-md-6">
                <fieldset>
                  <input type="text" class="form-control" placeholder="Pick-up location" required="">
                </fieldset>
              </div>

              <div class="col-md-6">
                <fieldset>
                  <input type="text" class="form-control" placeholder="Return location" required="">
                </fieldset>
              </div>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
<div class="row">
  <div class="col-md-6">
    <fieldset>
      <input type="text" class="form-control" placeholder="Pick-up date/time" required="">
    </fieldset>
  </div>

  <div class="col-md-6">
    <fieldset>
      <input type="text" class="form-control" placeholder="Return date/time" required="">
    </fieldset>
  </div>
</div>

<input type="text" class="form-control" placeholder="Enter full name" required="">

<div class="row">
  <div class="col-md-6">
    <fieldset>
      <input type="text" class="form-control" placeholder="Enter email address"
required="">
    </fieldset>
  </div>

  <div class="col-md-6">
    <fieldset>
      <input type="text" class="form-control" placeholder="Enter phone" required="">
    </fieldset>
  </div>
</div>
</form>
</div>

<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-dismiss="modal">Cancel</button>
  <button type="button" class="btn btn-primary">Book Now</button>
</div>
```



```

    </div>
  </div>
</div>

<!-- Bootstrap core JavaScript -->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Additional Scripts -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/owl.js"></script>
<script src="assets/js/brandfilter.js"></script>
<script src="assets/js/yearfilter.js"></script>
<script src="assets/js/pricefilter.js"></script>
</body>

</html>

```

LOAN CALCULATOR

```
<!DOCTYPE
E html>
```

```
<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <link rel="icon" href="assets/images/favicon.ico">

```

```
<link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,800,900&di
splay=swap" rel="stylesheet">
```

```
<title>Car Wizard</title>
```

```
<!-- Bootstrap core CSS -->
```

```
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
```

```
<!-- Additional CSS Files -->
```

```
<link rel="stylesheet" href="assets/css/fontawesome.css">
```

```
<link rel="stylesheet" href="lstyle.css">
```

```
<link rel="stylesheet" href="assets/css/style.css">
```

```
<link rel="stylesheet" href="assets/css/owl.css">
```

```
</head>
```

```
<body>
```

```
<!-- ***** Preloader Start ***** -->
```

```
<div id="preloader">
```

```
<div class="jumper">
```

```
<div></div>
```

```
<div></div>
```

```
<div></div>
```

```
</div>
```

```
</div>
```

```
<!-- ***** Preloader End ***** -->
```

```
<!-- Start of HubSpot Embed Code -->
```

```
<script type="text/javascript" id="hs-script-loader" async defer src="//js-na1.hs-
scripts.com/24019134.js"></script>
```

```
<!-- End of HubSpot Embed Code -->
```

```
<!-- Header -->
```

```
<header class="">
```

```
<nav class="navbar navbar-expand-lg">
```

```
<div class="container">
```

```
<a class="navbar-brand" href="index.html"><h2>Car <em>Wizard</em></h2></a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
    <ul class="navbar-nav ml-auto">
        <li class="nav-item ">
            <a class="nav-link" href="index.html">Home
                <span class="sr-only">(current)</span>
            </a>
        </li>

        <li class="nav-item"><a class="nav-link" href="cars.html">Cars</a></li>

        <li class="nav-item"><a class="nav-link" href="about-us.html">About Us</a></li>

        <li class="nav-item"><a class="nav-link" href="contact.html">Contact Us</a></li>

        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button"
aria-haspopup="true" aria-expanded="false">More</a>

            <div class="dropdown-menu">
                <a class="dropdown-item" href="team.html">Team</a>
                <a class="dropdown-item" href="testimonials.html">Testimonials</a>
                <a class="dropdown-item" href="terms.html">Terms</a>
                <a class="dropdown-item" href="lindex.html">Loan Calculator</a>
            </div>
        </li>

    </ul>
</div>
</div>
</nav>
</header>
<html>
```

```
<body>

<div class="loan-calculator">

  <div class="top">

    <h2>Loan Calculator</h2>

    <form action="#">

      <div class="group">

        <div class="title">Amount</div>

        <input type="text" value="30000" class="loan-amount" />

      </div>

      <div class="group">

        <div class="title">Interest Rate</div>

        <input type="text" value="8.5" class="interest-rate" />

      </div>

      <div class="group">

        <div class="title">Tenure (in months)</div>

        <input type="text" value="240" class="loan-tenure" />

      </div>

    </form>

  </div>

  <div class="result">

    <div class="left">

      <div class="loan-emi">

        <h3>Loan EMI</h3>

        <div class="value">123</div>

      </div>

      <div class="total-interest">

        <h3>Total Interest Payable</h3>

        <div class="value">1234</div>

      </div>

      <div class="total-amount">

        <h3>Total Amount</h3>

      </div>

    </div>

  </div>

</body>
```

```
<div class="value">12345</div>
</div>
```

```
<button class="calculate-btn">Calculate</button>
</div>
```

```
<div class="right">
  <canvas id="myChart" width="400" height="400"></canvas>
</div>
</div>
</div>
</body>
```

```
<footer>
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="inner-content">
          <p>Copyright © 2022 Car Wizzard </p>
        </div>
      </div>
    </div>
  </div>
</footer>
</html>
```

```
<script src="https://cdn.jsdelivr.net/npm/chart.js@3.6.2/dist/chart.min.js"></script>
```

```
<script src="main.js"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/chart.js@3.6.2/dist/chart.min.js"></script>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

