HMS Summer Institute in Biomedical Informatics

Mark Keller *

Summer 2019

Abstract

Abstract here...

1 Introduction

1.1 Background

Single-cell genomics and transcriptomics enable cell-level measurement of quantities such as gene expression, mutations, and methylation. Single-cell data reveals cellular heterogeneity and captures the functional states of individual cells that would be hidden by measurements of bulk cell populations that only capture averages [10]. Cell types can be teased apart in single-cell data using computational approaches such as dimensionality reduction and clustering based on gene expression profiles [13].

Visualization of 2D embeddings of cells can facilitate identification of distinct cell populations that group into clusters or subclusters [14, 12]. However, such embeddings are dependent on the dimensionality reduction method employed and its parameters. Often, multiple dimensionality reduction methods are compared, including PCA, t-SNE, and UMAP [1]. Technologies that quantify gene expression may also preserve spatial information, for example RNA flourescence in situ hybridization (FISH). In some tissues, it is likely that cells located close to each other are of the same type [13]. Spatial information can be visualized as images or as points in a spatial coordinate system, or overlapping layers of different data types aligned to the same coordinate system.

Vitessce is a web-based visualization tool for single-cell experiment data, including spatial data from multiple modalities and scatterplot data from arbitrary dimensionality reduction methods. Visualizations in Vitessce are interactive, with customizable zoom levels, viewer sizes, tooltips, and color encodings. To display spatial data, including cells and molecules, Vitessce leverages performant geospatial web technologies. Visualizations within Vitessce have been developed as modular components intended to make them reusable by external applications that require specific functionality provided by Vitessce but focused on different domains or goals.

1.2 Related work

The development of web-based visualization tools for spatial single cell transcriptomics is currently very active, in both open- and closed-source models. Existing open-source and academic

^{*}advised by Professor Nils Gehlenborg

tools include Pagoda2 [6], UCSC Cell Browser [8], the Single Cell Viewer (SCV) [15], SCope [16], Giotto [4], Blue Brain Cell Atlas [5]. Several commercial tools are available or have been announced, including those from 10x Genomics and BioTuring.

Following the model of the human genome project which focused resources across institutions to discover a consensus human genome sequence, projects such as ENCODE [2], GTEx [7], the Human Cell Atlas [9], and the 4D Nucleome [3] have been envisioned and executed. The NIH-sponsored Human BioMolecular Atlas Program (HuBMAP) is using this model to map the human body at the single cell level in a limited number of subjects. HuBMAP aims to develop spatial mappings of cells and molecules, with new coordinate frameworks that allow querying across levels, from organ to tissue to cell to molecule. Learning from the struggles of past biomedical and genomic data collection efforts that have developed data portals and visualization tools as afterthoughts, HuBMAP was conceived with the HuBMAP Integration, Visualization, and Engagement (HIVE) group responsible for articulating data access needs from the start [11].

1.3 Contributions

Vitessee...

2 Methods

Vitessce performs spatial visualization by leveraging libraries developed with a focus on cartography and mapping. The open source Uber-maintained Deck.gl JavaScript library is powerful because it implements reactive updates that are similar to those used by React. Deck.gl performs diffing on the data passed to each view layer to detect updates and invalidate the current state, just as React performs diffing on the virtual DOM in response to data changes to determine when to update the browser's DOM.

Often, it makes sense to render contextual elements in the DOM rather than in a visualization layer, whether for performance reasons or to keep the visualization clean to in preparation for downloading. To synchronize HTML element positions with positions of data points in visualization layers, we perform projections from the data coordinate space to the browser coordinate space.

The development of Vitessce has focused on separating logic into components that can operate independently to enable them to be imported and re-used by other projects, including HuBMAP data portals and tissue viewers. To achieve this goal, Vitessce does not maintain a global state that is used by child components. Instead, there is an event-based mechanism, with wrapper subscriber components that pass state down to children along with publisher update functions. This allows external usage of components to be done by setting up custom publishing and subscription wrappers rather than using the Vitessce-specific wrappers. A drawback of this approach is that events are asynchronous, so implementing a history mechanism may prove to be difficult, as there is no one source of truth for events.

3 Conclusions

In this paper... Next steps...

References

- [1] Etienne Becht, Leland McInnes, John Healy, Charles-Antoine Dutertre, Immanuel WH Kwok, Lai Guan Ng, Florent Ginhoux, and Evan W Newell. Dimensionality reduction for visualizing single-cell data using UMAP. *Nature biotechnology*, 37(1):38, 2019.
- [2] ENCODE Project Consortium et al. The ENCODE (ENCyclopedia of DNA elements) project. *Science*, 306(5696):636–640, 2004.
- [3] Job Dekker, Andrew S Belmont, Mitchell Guttman, Victor O Leshyk, John T Lis, Stavros Lomvardas, Leonid A Mirny, Clodagh C O'shea, Peter J Park, Bing Ren, et al. The 4D nucleome project. *Nature*, 549(7671):219, 2017.
- [4] Ruben Dries, Qian Zhu, Chee-Huat Linus Eng, Arpan Sarkar, Feng Bao, Rani E George, Nico Pierson, Long Cai, and Guo-Cheng Yuan. Giotto, a pipeline for integrative analysis and visualization of single-cell spatial transcriptomic data. 2019.
- [5] Csaba Erö, Marc-Oliver Gewaltig, Daniel Keller, and Henry Markram. A cell atlas for the mouse brain. Frontiers in Neuroinformatics, 13:7, 2019.
- [6] Blue B Lake, Song Chen, Brandon C Sos, Jean Fan, Gwendolyn E Kaeser, Yun C Yung, Thu E Duong, Derek Gao, Jerold Chun, Peter V Kharchenko, et al. Integrative single-cell analysis of transcriptional and epigenetic states in the human adult brain. *Nature biotechnology*, 36 (1):70, 2018.
- [7] John Lonsdale, Jeffrey Thomas, Mike Salvatore, Rebecca Phillips, Edmund Lo, Saboor Shad, Richard Hasz, Gary Walters, Fernando Garcia, Nancy Young, et al. The genotype-tissue expression (GTEx) project. *Nature genetics*, 45(6):580, 2013.
- [8] Tomasz J Nowakowski, Aparna Bhaduri, Alex A Pollen, Beatriz Alvarado, Mohammed A Mostajo-Radji, Elizabeth Di Lullo, Maximilian Haeussler, Carmen Sandoval-Espinosa, Siyuan John Liu, Dmitry Velmeshev, et al. Spatiotemporal gene expression trajectories reveal developmental hierarchies of the human cortex. Science, 358(6368):1318–1323, 2017.
- [9] Aviv Regev, Sarah A Teichmann, Eric S Lander, Ido Amit, Christophe Benoist, Ewan Birney, Bernd Bodenmiller, Peter Campbell, Piero Carninci, Menna Clatworthy, et al. Science forum: the human cell atlas. *Elife*, 6:e27041, 2017.
- [10] Ehud Shapiro, Tamir Biezuner, and Sten Linnarsson. Single-cell sequencing-based technologies will revolutionize whole-organism science. *Nature Reviews Genetics*, 14(9):618, 2013.
- [11] Michael P Snyder, Shin Lin, Amanda Posgai, Mark Atkinson, Aviv Regev, Jennifer Rood, Orit Rosen, Leslie Gaffney, Anna Hupalowska, Rahul Satija, et al. Mapping the Human Body at Cellular Resolution—The NIH Common Fund Human BioMolecular Atlas Program. arXiv preprint arXiv:1903.07231, 2019.
- [12] Patrik L Ståhl, Fredrik Salmén, Sanja Vickovic, Anna Lundmark, José Fernández Navarro, Jens Magnusson, Stefania Giacomello, Michaela Asp, Jakub O Westholm, Mikael Huss, et al. Visualization and analysis of gene expression in tissue sections by spatial transcriptomics. *Science*, 353(6294):78–82, 2016.

- [13] Oliver Stegle, Sarah A Teichmann, and John C Marioni. Computational and analytical challenges in single-cell transcriptomics. *Nature Reviews Genetics*, 16(3):133, 2015.
- [14] Bo Wang, Junjie Zhu, Emma Pierson, Daniele Ramazzotti, and Serafim Batzoglou. Visualization and analysis of single-cell RNA-seq data by kernel-based similarity learning. *Nature methods*, 14(4):414, 2017.
- [15] Shuoguo Wang, Constance Brett, Mohan Bolisetty, Ryan Golhar, Isaac Neuhaus, and Kandasamy Ravi. Single Cell Viewer (SCV): An interactive visualization data portal for single cell RNA sequence data. *BioRxiv*, page 664789, 2019.
- [16] Jasper Wouters, Zeynep Kalender Atak, Liesbeth Minnoye, Katina Spanier, Maxime De Waegeneer, Carmen Bravo Gonzalez-Blas, David Mauduit, Kristofer Davie, Gert Hulselmans, Ahmad Najem, et al. Single-cell gene regulatory network analysis reveals new melanoma cell states and transition trajectories during phenotype switching. *bioRxiv*, page 715995, 2019.