




Kellfri®

25-HG120P 25-HG120D DOG RUN PANEL



**READ THIS MANUAL CAREFULLY BEFORE USING THE PRODUCT !!!
TRANSLATED FROM THE ORIGINAL**

INTRODUCTION

Thank you for choosing a product from Kellfri AB. By following general safety information, operating instructions and common sense, you will have many years of enjoyable use of the product. Kellfris equipment and products are aimed to be use by active farmers with high demands on functionality.

PRODUCT INFORMATION

Section Built dog run panel, built easily according to customer's specific requirements.

Robust design that holds even for larger and energetic dogs. Gate and doors are hot galvanized and therefore have a long lifespan.

NOTE! Anchoring to the ground / surface are not included and are provided by the customer. The gate sections are supplied with clamps and bolts.

APPLICATION AREA

Exercise yard for adult dogs and puppies.

25-HD120P

Standard section


Weight: 15kg

Width: 120cm

Height: 180cm

Frame: 25x25mm square profile

Net: 50x50mm, 3mm wire thickness



25-HD120D

Door section


Weight: 19kg


Width: 120cm

Height: 180cm

Frame: 25x25mm square profile

Net: 50x50mm, 3mm wire thickness





For more information pls contact your local agriculture authorities

Dog parks

Dog parks must provide both sun and shade and also protection against rain and wind. There shall be a house or indoor space (box) where the dog can take shelter and a place to lie down which is elevated from the ground.

It is also important for dogs who are staying a long time in the dog park that the environment is stimulating. It is also important that they occasionally get outside the dog yard to exercise. They should therefore be walked on another location at least once a day.

The minimum size of dog park

Here you can see how large the dog parks minimum size should be (meassument in square meters) depending on how many and how large the dogs are. The dog park may well be larger, but never smaller than the dimensions in the table below.

The dog's withers height

Number of dogs	<25cm	25-35cm	36-45 cm	46-55 cm	56-65 cm	>65cm
1	6 m ²	10 m ²	15 m ²	16 m ²	18 m ²	20 m ²
2	8 m ²	14 m ²	18 m ²	20 m ²	24 m ²	28 m ²
For each additional dog increased surface with	4 m ²	6 m ²	8 m ²	10 m ²	12 m ²	14 m ²

If you have two dogs of different sizes in the dog park, the surface should be calculated as two dogs of the larger size. If there are even more dogs that are of different sizes in the yard, add the surface area required for each dog's size.

BASIC SAFETY INSTRUCTIONS

Always follow the rules of the Animal Protection Act.

- Always check the animals and the gate combination to be used to ensure safety and function.
- Check that the gate sections and door sections are intact before assembly.
- If the dog / dogs are in dog park, they should be looked after at least once a day
- There are rules on how large area (square meters), size of the yard area depends on how many and how big the dogs are. Follow these rules! For more information contact agricultural authorities in your country. Measurement in this manual is based on regulations in Sweden
- Kelfri disclaim any responsibility for self-made modifications, alterations or conversions.
- Cracked and broken gates shall not be used.



INSTRUCTION FOR EMERGENCIES

In case of an emergency please dial 112.

Keep cell phone or emergency phone available specially when working alone.

PERSONAL PROTECTION

Always use appropriate protective equipment. Wear gloves during installation and maintenance.

USE

Be aware and cautious while working with the equipment and only use the equipment in the manner described in the instruction manual.

WARNING! Cracked or broken gate shall never be used!

MAINTENANCE

Visually inspect / Regularly check the condition of the gates. If cracks, twisting, bending, gap or fatigue is discovered fix the defects or replace broken gates.

- Make sure that the gates are properly anchored in the ground, are stable and not likely to tip over


RECYCLING

Disposal of the product, disassemble and transport to the municipality's recycling station. Contact your local authority for further information.



Prepare the place where the dog park is planned to be placed, preferably where the dog can follow the activities on the farm / garden where you can see it when you move around outdoors. Make sure you have a large, flat surface where the dog park will be built. Calculate how big the size of the dog yard approved for your dog is, use the table (page 3) or go into agriculture website for more information.





The gate sections are assembled using clamp mounts.



To prevent the dogs to dig themselves out of the dog park, the gates must stand on concrete base (casted), wooden structure or placed on top of concrete floor.

Inside the the dog park you can have planks (wooden, concrete) or gravel.

We are grateful for your help pointing out any inaccuracies in the Kellfri product delivered to you. Before making a complaint read Kellfris general warranty and sales conditions in our catalog as well as the enclosed User's manual that comes with the machine.

Please fill in the details below and attach photo and other information in order to process your request.

Buyer:	Customer number:
Adress:	Invoice number:
E-mail:	Phone nr:

When was the product delivered?	When was the product taken into operation?	Did the product functioned as it should upon the first operation?
---------------------------------	--	---

Defect product / part:

Problem description:

Describe the sequence of events:

Other:

Submit Complaint form and photo to:
Kellfri AB
Division of Services : Contact Kellfri retailer
Or e-mail service.
info@kellfri.se

Signiture:	Date:
------------	-------

WARRANTY TERMS AND CONDITIONS

Validity of the warranty - Kelfri's Warranty is valid 12 months from the date of purchase.

This warranty replaces - Compensation for spare parts after acknowledgment that the fault lies on the material or manufacturing defects.

This guarantee do not cover

- Labour costs
- Travel expenses
- Any modification that the buyer himself has/had made.
- Any consequential damages that occurred due to damage to the machine.
- Damage due to normal deterioration of the machine, inadequate: service, user inexperience or use of spare parts which are not original.
- Wear parts such as hoses, seals, oils, and mechanical belts



EG-FÖRSÄKRAN OM MASKINENS ÖVERENSTÄMMELSE, ORIGINAL

EC-DECLARATION OF CONFORMITY

According to 2006/42/EC, Annex 2A

Kelfri AB

Munkatorpsgratan 6

532 37 Skara, Sweden

Declares that the machine

Name: 25-HG120P 25-HG120D

Type: Dog run panel

Complies with all applicable provisions of the Machinery Directive 2006/42/EC.
Other equipment must meet the hardware requirements of the Directive.

Tina Baudtler, CEO 2015-09-08

Kelfri AB is constantly working on further developing their products and therefore reserves the right to modify, among other things the design and appearance without further notice.

CUSTOMER SERVICE

You are always welcome to give your feedbacks, reviews or ask us about our tools and products.

Kelfri AB

Phone: 0046 (0)511 - 242 50

Fax: 0046 (0)511 - 168 33

E-mail: info@kelfri.se

Kelfri®