Kellfri

25-T300K WIND SHELTER FOR SHEEP



READ THE INSTRUCTION MANUAL CAREFULLY BEFORE USING THE PRODUCT!

OPERATING INSTRUCTIONS TRANSLATED FROM ORIGINAL

INTRODUCTION

Thank you for choosing a product from Kellfri AB. Compliance with the general safety instructions, instruction manual and sound common sense will guarantee many years of enjoyment using the product. Kellfri's equipment and products are aimed at self-employed farmers who have stringent performance demands.

PRODUCT INFORMATION

Construct a simple and economical wind shelter for your animals. This roof combines with our 25-F1500 sheep gate to form a complete wind shelter. The roof is made from dimensioned steel arches. The fabric cover extends all the way to the ground and is anchored with the galvanised anchors supplied.

TECHNICAL DATA

25-T300K (COMPLETE WITH GATE AND ROOF)

Length x Width x Height	3.0 x 2.0 x 1.7 m
Fabric cover	Fabric cover PE300g
Weight	83 kg
Tubular pipe dimension	25/19 mm

FOR YOUR SAFETY

Before using the product, please read the safety information and instruction manual and understand its contents for your own and others' safety. Always keep the safety information and instruction manual easily accessible to the user of the product. Remember that it may be good for your own and others' safety to read the safety information every now and then. If the instructions manual is damaged or otherwise unusable, please contact your retailer and order a new one

The general safety instruction is also available from Kellfri's website: www.kellfri.com Do not work with this equipment if you are feeling sick, tired or in influence of alcohol. Nor if you are under the influence of strong medications or drugs, suffering from strong depression or severe mental illness. Always follow the general traffic rules and regulations and the rules of the Animal Welfare Act. Persons under 15 years old and people with mental illness may not use this product.



Compliance with the safety instructions requires that the product is only used as described in these instructions. It is the user's responsibility to read through the instructions and comply with them.

PRODUCT SAFETY INSTRUCTIONS

- Supervision should be carried out at least once per day during use. Avoid keeping too
 many animals in the pen.
- 2. Broken or damaged gates should not be used.
- 3. Follow the safety instructions during the whole installation. Use suitable protective equipment and the correct equipment and tools.
- 4. Choosing a site: Choose a site on firm, level ground. Do not assemble the structure on ground that is unstable or cannot support its weight. Do not assemble the structure on soft grass or on wet land.
- 5. Inspect the surroundings carefully. Keep the work site clean. Do not assemble the structure in snow drifts or on slippery ground. The fabric cover will protect against falling leaves and other light objects, but large, heavy and sharp objects may cause holes or tears in the cover. Keep the structure a safe distance away from such risks. Exercise care with electricity and heat sources. Do not put heat sources near the fabric cover and do not expose the cover to naked flames.
- 6. Choose a calm day for assembling the structure, as it is very difficult to attach the fabric cover in a strong wind.
- 7. Any snow which falls on the structure should be removed immediately, in order to prevent the structure from collapsing under the weight.
- 8. Try to keep the structure dry, especially along the base. This will extend its service life.
- 9. The user is responsible for missing parts or damage which arise in conjunction with installation.
- 10. Do not make any alterations to the material. Do not hang anything in the frame except the material included. The user is responsible for damage or injury caused by faulty installation or incorrect use, and for damage caused by snow, wind or other natural causes. The structure is not intended for hiring out.



The original design of the product must not, under any circumstances, be modified without the approval of the manufacturer. Unauthorised modifications and/or accessories may cause life-threatening injuries or death to users and others.

PERSONAL PROTECTION

Always use suitable protection equipment. Do not wear loose clothing or jewellery while working with the equipment. Wear protective gloves during assembly and maintenance.

SURROUNDINGS

Check that the work area is free from bystanders, children and objects before assembly or transportation. There is a risk of serious injury. Take particular care if there are children in the vicinity of where the product is used or stored.



Children must not be left unsupervised in the area.

INSTRUCTIONS FOR EMERGENCY SITUATIONS

In case of emergency, call 112.

Always have a mobile phone or emergency phone available when working alone. A first-aid kit and fire extinguisher must be kept in an easily accessible location when carrying out any work, maintenance or service.

USF

Only those who understand the safety instructions and the instruction manual may use the product. Exercise caution and care when working with the product and only use it in the way described in the instruction manual.

Kellfri is not liable for any modifications, changes or rebuilds carried out by customers.

STEPS TO TAKE BEFORE ASSEMBLY

Carefully read the safety instructions and the instruction manual. Make sure that you understand the safety information and the instruction manual. Use common sense and suitable personal protective equipment when using the product.

MAINTENANCE AND CARE

- If any part of the structure is damaged during use, replace the damaged part in order to avoid further damage and to keep the structure in good condition. Only use spare parts with equal performance to reduce the risk of injuries and breakdowns.
- 2. When replacing components, ensure that they are attached correctly.
- 3. When replacing the fabric cover, ensure that conditions are not too windy. When removing the fabric cover, ensure that the ropes are removed and that the cover does not get caught on the way down. Avoid using heavy equipment to pull off the cover.
- 4. To extend the service life of the fabric cover, place soft material such as foam rubber on the frame where it comes in direct contact with the cover. This will reduce wear between the cover and the frame.
- 5. At regular intervals, at least twice per year, the interior and exterior of the structure should be inspected to ensure that it is still correctly installed and secure. Check that all bolts and other attachments are in place and tightened. Check that the base plates are still in place, and whether the ropes require tensioning. Clean the structure with a suitable cleaning agent. If dirt and litter are allowed to remain on the cover for an extended period, this will damage the cover.

Kellfri AB has a policy of continuous product development and therefore reserves the right to make modifications, e.g. to the design and appearance of the product, without prior notice.


TRANSPORTATION AND SET-UP

Always keep the product on a dry surface, preferably under a roof, when not in use. Ensure that the equipment or product is stable and cannot fall over. Never permit children to play at the storage site.

RECYCLING

When scrapping, the product should be dismantled and transported to a recycling station designated by your local authority. Contact your municipality for further information.







NUMBER
3
6
5
2
2
1
1
7
2
3

ASSEMBLY

- 1. Prepare the position of the gates on a level surface. Ensure that the ground under the selected location is level, and preferably hard-packed so that the feet of the gates cannot sink into the ground. Put all material which is to be used for the installation nearby. Check that you have all the parts needed for the assembly.
- 2. Fit the feet on the legs of the gates (6). The feet with two tubes should be placed at the front where the gate doors will be. Bolt the gates onto the stabilisers. Note that the gates for the gable are higher than the side gates. Tighten all bolts. Secure the gates in the ground with tent pegs/anchors. Drill into the ground if necessary, using a thinner drill bit to avoid bending the pegs. IMPORTANT! Tighten all bolts to ensure that they do not come undone.



3. Assemble all arches (3). Fit the arches over the gates, then fit the stabilising struts between the arches: 2 on either side and 2 on top between the sections. Secure the arches with bolts, and tighten. Fit the gate doors at the front and secure with tubular pipe clamps.



- 4. Begin by fitting the back fabric cover wall.
- 5. Then pull the large cover carefully over the frame. It is helpful if someone can help you to guide the cover over the frame from the inside, in order to prevent the canvas getting caught on the frame.
- 6. Tension the rope at the front and rear to fix the cover firmly on the frame.



WARRANTY TERMS AND CONDITIONS

Validity of the warranty

- Kelifri's Warranty is valid 12 months from the date of purchase.

This warranty replaces

- Compensation for spare parts after acknowledgment that the fault lies on the material or manufaturing deffects.

This guarantee do not cover

- Labour costs
- Travel expenses
- Any modification that the buyer himself has/had made.
- Any consequential damages that occured out of damage to the machine.
- Damage due to normal deterioration of the machine, inadequate service, user inexperience or use of spare parts which are not original.
- Wear parts such as hoses, seals, oils, and mechanical belts

EG-FÖRSÄKRAN OM MASKINENS ÖVERENSTÄMMELSE, ORIGINAL

EC-DECLARATION OF CONFORMITY According to 2006/42/EC, Annex 2A Enligt 2006/42/EG, Bilaga 2A Kellfri AB Munkatorpsgatan 6 532 37 Skara, Sweden

Declares that the product Namn: 25-T300K

Typ: Wind shelter for Sheep

Complies with all applicable provisions of the Directive 2001/95/EG, General Product Safety

Tina Baudtler, VD

Kellfri AB is constantly working on further developing their products and therefore reserves the right to modify, among other things the design and appearance without notice.

CUSTOMER SERVICE

You are always welcome to give your feedbacks, reviews or ask us about our tools and products.

Kellfri AB

Phone: +46 (0)511 242 50 Fax: +46 (0)511 168 33 E-mail: info@kellfri.se

