



Kellfri[®]

13-SB220

HYDRAULIC INFEEED DECK



CAREFULLY READ THE OPERATING INSTRUCTIONS BEFORE USING THE PRODUCT!

OPERATING INSTRUCTIONS TRANSLATED FROM THE ORIGINAL

INTRODUCTION

Thank you for choosing a product from Kellfri AB. Compliance with the general safety instructions, instruction manual and sound common sense will guarantee many years of enjoyment using the product. Kellfri's equipment and products are aimed at self-employed farmers who have stringent performance demands.

PRODUCT INFORMATION

The log infeed deck is easily connected by connecting 2 hydraulic hoses to the firewood processor. SB220 is equipped standardly with a hydraulic feed roller which makes it also easy to handle long logs. Transfer capacity is approximately 4-6 cubic/h.

It fits the VM360E firewood processor and all processors with two hydraulic outlets. Manual infeed rollers are included in the delivery.

SPECIFICATIONS

Length:	2,6 m
Width (2 positions):	1,75 m and 2,20 m
Height:	80-98 cm
Weight:	177 kg



FOR YOUR SAFETY

Before using the product, please read the safety information and instruction manual and understand its contents for your own and others' safety. Always keep the safety information and instruction manual easily accessible to the user of the product. Remember that it may be good for your own and others' safety to read the safety information every now and then. If the instructions manual is damaged or otherwise unusable, please contact your retailer and order a new one from:

Kellfri AB, Munkatorpsgatan 6, 532 37 SKARA. Tel: 0046 511-242 5

For more information. <https://www.kellfri.co.uk/>



Do not use this equipment if you are feeling sick, tired or in influence of alcohol. Nor if you are under the influence of strong medications or drugs, suffering from strong depression or severe mental illness. Always follow the general traffic rules and regulations and the rules of the Animal Welfare Act. Persons under 15 years old and people with mental illness may not use these product.


PRODUCT SAFETY INSTRUCTIONS

- Do not overload the infeed deck.
- Never stand under the loaded infeed deck, for service or repair, unload the deck before repair begins. Never leave children or animals staying under the infeed deck.
- Always lay the logs carefully on the infeed deck so that the load does not make the table to give way.
- Always put the infeed deck on plain and stable ground.

IN CASE OF EMERGENCY

In case of an emergency please dial 112.

Keep cell phone or emergency phone available specially when working alone. First aid kit and fire extinguishers must be kept easily accesable during all work, maintenance and service.



PERSONAL PROTECTION

Always wear suitable clothing and footwear. Do not wear loose clothing or jewelry when using the machine. Remember to put up long hair when operating rotating machines. Wear protective gloves, to prevent risking burns on contact with hot surfaces such as exhaust system, and to avoid oil and gasoline on the skin.

SURROUNDINGS

Make sure your working area is clear from people, children and objects before installing and using the machine. Risk of serious injuries can occur during operation. Take an extra caution when children are in the area where the equipment/ product is being use or stored. Check the area for low hanging electrical wires. Be careful when working on slopes and near ditches. Always work alone with single - purpose tools/products. Never have junk lying in your area. Keep working areas clean. Always respect the risk zone.

SAFETY MEASURES BEFORE OPERATING

Read the safety information and instruction manual carefully. Be sure you understand the safety measures, instruction manual and warning labels. Use common sense when operating the machine and use appropriate personal protective equipment.

Always check the performance and the machine combination that are used. It's highly important these matches in a satisfactory manner. This is to ensure the product or the function and most important yours and others safety.

Do visual inspection of equipment or product before use. Fix or replace damaged or worn parts immediately to reduce the risk of injury. Lubricate moving parts and check that all screws and bolts are tightened.

Learn and remember the correct working methods. Beginners should always keep a low speed, use extreme caution before routine and product knowledge is achieved. The user/customer is responsible to handle the situation correctly. The product should not be taken into use unless it can be done in a safe way for the user.



OPERATING THE MACHINE

Only people who understand the safety information and instructions in this manual may operate the equipment. Be alert and careful when working with the machine and only use the tool or product in the manner described in this manual. When working with equipment that has moving parts, there is always the risk of injury. Be careful when working with equipment equipped with hydraulic hoses ,oil under pressure can penetrate the skin. Seek medical attention immediately if this occurs. Always work alone with the tools that are defined as single purpose tools. Respect the equipment's danger zone.

AFTER USE

Ensure that the remaining logs after work are unloaded from the infeed deck. Never let the infeed deck be loaded when not in use.



For safety, this product should only be used in the manner described in this manual. The user is responsible for the instruction to be read through and followed.

WARNING!

TRANSPORT AND STORING

Make sure there are no people, children and foreign objects around the area before transporting the machine. Always take an extra caution during the transport. Ensure that the product is well secured and that transport brackets are mounted. Always place the load as low as possible. Respect the danger zone even during transport. When lifting the equipment, never go underneath suspended loads. Trailer used for transport should have working brakes. Always store the machine in a dry place preferably underneath a cover when not in use. Ensure that the product is stable and not likely to tip over. Never let children play where the machine is being stored. Always keep in mind the risk of tipping!

MAINTENANCE AND SERVICE

Ensure that the unit is stable and cannot tip over during maintenance and service. Replace damaged or worn parts immediately to reduce the risk of abrasion. Always perform maintenance, service and inspection, as recommended. Use only original replacement parts or spare parts with equivalent performance to reduce the risk of damage. All repairs and connections with electricity must be performed by a qualified person.


Check all nuts and bolts are tightened after performing maintenance and service. Always test the machine before using it.



Never use faulty safety equipments!

Warning!

THE PACKET CONTAINS THE FOLLOWING ITEMS



NO:	NAME:	AMOUNT:
1	Support arm Right	1
2	Support arm Left	1
3	Log support	2
4	Log stop right+left	2
5	Manouver lever.	1
6	Width support Front	1
7	Breddningstag Back	1
8	Legs	4
9	Hose package	1
10	Support roll gum	2
11	Support roll with bracket	1
12	Hydraulic motor with sprocket	1 st



GARANTIVILLKOR

Validity of the warranty

- Kelifri's Warranty is valid 12 months from the date of purchase.

This warranty replaces

- Compensation for spare parts after acknowledgment that the fault lies on the material or manufacturing defects.

This guarantee do not cover

- Labour costs
- Travel expenses
- Any modification that the buyer himself has/had made.
- Any consequential damages that occurred out of damage to the machine.
- Damage due to normal deterioration of the machine, inadequate: service, user inexperience or use of spare parts which are not original.
- Wear parts such as hoses, seals, oils, and mechanical belts

EG-FÖRSÄKRAN OM MASKINENS ÖVERENSTÄMMELSE, ORIGINAL

EC-DECLARATION OF CONFORMITY

According to 2006/42/EC, Annex 2A

Kelifri AB

Munkatorpsgratan 6

532 37 Skara, Sweden

Declares that the machine

Name: 13-SB220

Type: Hydraulic infeed deck

Complies with all applicable provisions of the Machinery Directive 2006/42/EC.

Tina Baudtler, VD

Kelifri AB is constantly working on further developing their products and therefore reserves the right to modify, among other things the design and appearance without notice.

CUSTOMER SERVICE

You are always welcome to give your feedbacks, reviews or ask us about our tools and products.

Kelifri AB

Phone: +46 (0) 511 - 242 50

Fax: +46 (0)511 - 168 33

E-mail: info@kelifri.se

Latest version 2015-06-12