



Kellfri[®]

25-T600 25-T600K WIND SHELTER 6 X 6 M



CAREFULLY READ THE OPERATING INSTRUCTIONS BEFORE USING THE PRODUCT!!

TRANSLATED FROM THE ORIGINAL

INTRODUCTION

Thank you for choosing a product from Kellfri AB. By following the general safety information, instruction manual and common sense, you will get many years of enjoyable use of the product. Kellfri's tools and machines are aimed for farmers with high demands on functionality.

PRODUCT INFORMATION

Construct a simple and economic wind shelter!

The roof is constructed using robustly dimensioned steel trusses and can be linked together with Kellfri's moveable loop leg gates. The fabric covers the roof and 3 sides. The wind shelter is anchored using the supplied ground pegs.

The wind shelter is supplied unassembled in a complete package, including hardware, rope, screws, nuts and galvanised ground pegs.

The wind shelter is available with 6 loop leg gates (25-300160).

TECHNICAL DATA	25-T600	25-T600K
L x W x H	6 x 6 x 4 m	6 x 6 x 4
Gates	Not included	6 loop leg gates 25-300160
Fabric	PVC 600g/m ²	PVC 600g/m ²
Galvanised ground pegs	12	12



Note! Make sure to place the product at a suitable location. Choose a sheltered place and ensure to anchor the end wall and gates into the ground firmly before mounting on the canvas.

SAFETY INSTRUCTIONS

Before using the equipment or product, and for the safety of yourself and others, you must read the safety instructions and the instruction manual and understand its contents.

Always keep the safety instructions and instruction manual handy for users of the equipment or product.

For the safety of both yourself and others, it may be a good idea to read through the safety instructions every now and then.

If the safety instructions or instruction manual gets damaged or in any other way cannot be used, new copies may be ordered from:

Kellfri AB, Munkatorpsgratan 6, 532 37 SKARA

Sweden. Tel.: +46 (0)511 242 50 (Pls. contact the retailer) <https://www.kellfri.co.uk/>



Warning!

For security to be met, the product should be used only in the manner prescribed in this instruction. User is responsible for the instruction is read through and followed.

Do not work with the equipment or product if you feel ill, tired or are under the influence of alcohol. Do not work with the equipment or product if you are taking prescribed medication or drugs.

Always comply with general rules of the road and applicable rules stipulated by the Swedish Protection of Animals Act. People under the age of 15 are not allowed to use the equipment.



Warning!

The product's original design may not under any circumstances be changed without the permission of the manufacturer. Unauthorized modifications and / or accessories can result in life-threatening or fatal injury to the user or others.

PRODUCT SAFETY INSTRUCTIONS

1. Supervision should be done at least once a day during use. Avoid having too many animals within the gates.
2. Cracked and broken gates shall not be used.
3. Rising and installation of this building requires a high level of caution and safety. Follow the safety instructions throughout the installation. Wear appropriate protective equipment and the right equipment and tools.
4. Site selection: Choose a location that has a flat firm surface. Do not assemble the shelter where the ground can not keep the building steady or support the weight. Do not install nor build the shelter on soft grass surface or wetlands.
5. Look over the surroundings carefully. Keep work area clean. Do not assemble the shelter at snow drifts on slippery surfaces. The canvas protects normally against falling leaves and other light objects, but large, heavy and sharp objects can make holes or tears in the canvas. Keep the shelter at a safe distance from such hazards. Be careful with electricity and heat. Do not place heat sources close to the canvas and do not let the canvas get exposed to open flame.
6. **Choose a calm day to assemble the shelter, it is very difficult to mount the canvas in strong winds.**
7. **All the snow that falls on the shelter should be removed as soon as possible, to prevent building collapse of the burden.**
8. Try to keep the tent dry, especially at the bottom. This will prolong the lifetime of the product.
9. The user is responsible for missing parts or damages arising in connection with installation.
10. Do not modify the material. Do not hang anything other than materials included in the frame. Damage to material or person caused by improper installation or alternatively misuse and damage caused by snow, wind and other natural influences, the user is responsible for. The building is not meant for rent.

PERSONAL PROTECTIVE EQUIPMENT

Wear suitable clothing and footwear. Do not wear loose clothing or jewelry when working with the equipment. Wear gloves during installation and maintenance.

SURROUNDINGS

Check and make sure that the area is clear of people, children and objects before switching on or using the equipment. Risk of serious personal injury. Be especially careful if children are in the area where the equipment is being use or stored.



INSTRUCTION FOR EMERGENCIES

In case of an emergency please dial 112.

Keep cell phone or emergency phone available specially when working alone. First aid kit and fire extinguishers must be kept easily accesable during all work, maintenance and service.

OPERATING THE MACHINE

Only people who understand the safety information and instructions in this manual may operate the equipment. Be alert and careful when working with the machine and only use the tool or product in the manner described in this manual.

Kellfri disclaim any responsibility for self-made modifications, changes or alterations.

PRE-ASSEMBLY

Read the safety information and instruction manual carefully. Be sure that you understand the safety information and the instruction manual. Use common sense and use the appropriate personal protective equipment.

MAINTENANCE

1. If some parts of the product are damaged during use. Replace the damaged part to prevent further damage and to keep the product in good condition. Use only spare parts with equivalent performance to reduce the risk of damage and failure.
2. When replacing a part, make sure it is fixed properly.
3. When replacing the canvas make sure it does not blow too much. When removing the canvas ensure that the ropes are removed and that the canvas does not get stuck on the way down. When removing the canvas avoid using strong or sharp tools.
4. To prolong the life of the canvas, place soft material, like foam on the frame that comes in direct contact with the canvas. This will reduce the abrasion between the canvas and frame.
5. At regular intervals, every six months, or more often, the shelter should be checked internally and externally to ensure that the building is still properly installed and secured. Check all bolts and other fasteners so they are in place and are tight. Check that the base plates are still fixed, and if the ropes have to be tightened up. Clean the building with suitable detergent. If dirt and debris are remain on the canvas for a long time this will cause damage to the canvas.

Kellfri AB has a policy of continuous product development and therefore reserves the right to modify the design and appearance without further notice.


TRANSPORT AND STORING

Always store the machine in a dry place preferably underneath a cover when not in use. Ensure that the product is stable and not likely to tip over. Never let children play where the product is being stored.


RECYCLING

Disposal of the product, disassemble and transport to the municipality's recycling station. Contact your local authority for further information.

CHECKLIST



NO	NAME	QTY.
1	Middle section tube - arc (1,3,4,6)	4
2	Middle section tube - arc (2 & 5)	2
3	Side tube - bow (1,3,4,6)	8
4	Side tube - bow (2 & 5)	4
5	Stabilizer bars (Ø32x2mm)	52
6	Bolt M10x60 - for mounting the arc section 2 & 5	8
7	Bolt M10 x 65 - for fastening the arc sections	12
8	Bult M10x75 - Installation of arcs 1,3,4 & 6	16
9	Bolt M10x40 - the clamps	8
10	Clamp brackets	4 par
11	Tent peg / anchor (Ø14x500mm)	12
12	Canvas	1
13	Canvas - end wall	1
14	Rope	4



Arc 1,2,3,4,5 & 6 dimensions $\varnothing 48 \times 3$ mm



Anchor - $\varnothing 14 \times 500$ mm




Canvas - PVC roof 610g


Note The color on the picture may vary from the actual color of the canvas.

ASSEMBLY INSTRUCTION

1. Prepare the gates and place them on a flat surface (unless the gates are already in place). Place all materials to be used for installation nearby. Make an inventory to ensure that all the parts needed for assembly are included.




2. Install gates at the selected location. Secure gates and anchor them to the ground. Drill into the ground if necessary, use slightly smaller drill to avoid bending pins.
IMPORTANT! Assemble gates with pipe clamp to ensure that they do not go apart.
3. Assemble all arches. Note that each section is different, and the frames are not alike. Check the markings on each section. Secure the arches with bolts, tighten



IMPORTANT !! Make sure to place the product at a suitable location, choose a sheltered place and make sure the gates are anchored in the ground before mounting on the canvas.


4. Fit a section at a time. Assemble the front loop, follow the next arc. Then mount the stabilization account between the arcs. Do the Same procedure on the remaining sections. Check the frame and tighten all bolts.



5. Start by installing the back cover of the tent using 2 ropes. Rope 1 is tied around the arcs. Rope 2 is tied on the gates. Thread the rope in the hole and then around the arch / gates, repeat until you reach the end of the canvas. Make sure the canvas is firmly fixed to the frame. Tighten firmly.




6. Set the canvas parallel to the ground on one side of the frame. Use the rope and tie them at the end of the fabric. Then drag the canvas gently over the frame. It can be good if someone helps to control the canvas over the frame from the inside, to prevent the fabric from hooking and getting stuck on the frame. **WARNING!** Watch out for falling stabilizing bar! Stabilizer has the tendency to become detached during the assembly of the fabric. Then tie the canvas firmly on to the gates.



IMPORTANT !! Make sure to place the product at a suitable location, choose a sheltered place and make sure the gates are anchored in the ground before mounting on the canvas.

7. Install the side panels and secure with rope (rope 3 and rope 4). Tighten the rope of the end walls (front and rear) to secure the tent roof.



We are grateful for your help pointing out any inaccuracies in the Kellfri product delivered to you. Before making a complaint read Kellfris general warranty and sales conditions in our catalog as well as the enclosed User's manual that comes with the machine.

Please fill in the details below and attach photo and other information in order to process your request.

Buyer:	Customer number:
Adress:	Invoice number:
E-mail:	Phone nr:

When was the product delivered?	When was the product taken into operation?	Did the product functioned as it should upon the first operation?
--	---	--

Defect product / part:

Problem description:

Describe the sequence of events:

Other:

Submit Complaint form and photo to:

Kellfri AB

Division of Services : Contact Kellfri retailer

Munkatorpsgatan 6

532 37 Skara

Or e-mail service.

info@kellfri.se

Signature:	Date:
-------------------	--------------

KELLFRI AB
Munkatorpsgatan 6
SE-532 37 SKARA
Phone: +46 (0)511-242 50
Fax: +46 (0)511-168 33

Web
www.kellfri.se
E-mail
info@kellfri.se
Issue:: 2014-01-01

WARRANTY TERMS AND CONDITIONS

- | | |
|-----------------------------|--|
| Validity of the warranty | - Kelifri's Warranty is valid 12 months from the date of purchase |
| This warranty replaces | - Compensation for spare parts after acknowledgment that the fault lies on the material or manufacturing defects. |
| This guarantee do not cover | <ul style="list-style-type: none">• Labour costs• Travel expenses• Any modification that the buyer himself has/had made.• Any consequential damages that occurred out of damage to the machine.• Damage due to normal deterioration of the machine, inadequate: service, user inexperience or use of spare parts which are not original.• Wear parts such as hoses, seals, oils, and mechanical belts |

EG-FÖRSÄKRAN OM MASKINENS ÖVERENSTÄMMELSE, ORIGINAL

EC-DECLARATION OF CONFORMITY

According to 2006/42/EC, Annex 2A

Kelfri AB

Munkatorpsgratan 6
532 37 Skara, Sweden

Declares that the machine

Name: 25-T600, 25-T600K

Type: Wind shelter 6X6 M

Complies with all applicable provisions of the 2001/95 / EC



Tina Baudtler, VD 2012-01-02

Kelfri AB is constantly working on further developing their products and therefore reserves the right to modify, among other things the design and appearance without notice

Latest version 2015.07.07

CUSTOMER SERVICE

You are always welcome to give your feedbacks, reviews or ask us about our tools and products.

KELLFRI AB

Telefon: 0511 - 242 50

Fax: 0511 - 168 33

E-post: info@kelfri.se

