

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Wednesday, April 20, 2011
 Unweighted Frequencies

1

Continuous variables in the frequency
 report only show the range of valid numbers

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|------------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 0 | 0.00 |
| 31 Sample Adult Cancer | 0 | 0.00 |
| 38 Quality of Life | 0 | 0.00 |
| 40 Sample Child | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 63 Disability Questions Tests 2010 | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 2165 | 100.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 2165 | 100.00 |

IDN.000_04.000: HH identifier

| HHX | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 2165 | 100.00 |

IDN.000_35.000: Family #

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 2165 | 100.00 |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 2165 | 100.00 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (inypoiep)
 IDN Variables Wednesday, April 20, 2011
 Unweighted Frequencies

2

IDN.000_55.000: Injury/Poisoning Episode Number

| IPEPNO | Frequency | Percent |
|--------------------------------|-----------|---------|
| 01 First injury or poisoning | 2068 | 95.52 |
| 02 Second injury or poisoning | 85 | 3.93 |
| 03 Third injury or poisoning | 9 | 0.42 |
| 04 Fourth injury or poisoning | 2 | 0.09 |
| 05 Fifth injury or poisoning | 1 | 0.05 |
| 06 Sixth injury or poisoning | 0 | 0.00 |
| 07 Seventh injury or poisoning | 0 | 0.00 |
| 08 Eighth injury or poisoning | 0 | 0.00 |
| 09 Ninth injury or poisoning | 0 | 0.00 |
| 10 Tenth injury or poisoning | 0 | 0.00 |

IDN.000_70.000: Weight - Final Annual

| WTFA | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 2165 | 100.00 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

3

FIJ.050_01.000: Month of injury/poisoning episode

| IPDATEM | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 166 | 7.67 |
| 02 February | 183 | 8.45 |
| 03 March | 199 | 9.19 |
| 04 April | 195 | 9.01 |
| 05 May | 179 | 8.27 |
| 06 June | 185 | 8.55 |
| 07 July | 191 | 8.82 |
| 08 August | 213 | 9.84 |
| 09 September | 204 | 9.42 |
| 10 October | 157 | 7.25 |
| 11 November | 119 | 5.50 |
| 12 December | 145 | 6.70 |
| 97 Refused | 8 | 0.37 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 21 | 0.97 |

FIJ.050_03.000: Year of injury/poisoning episode

| IPDATEY | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 2127 | 99.86 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 3 | 0.14 |

Frequency Missing = 35

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

| IPDATENO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-096 | 14 | 66.67 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 0 | 0.00 |
| 999 Don't know | 7 | 33.33 |

Frequency Missing = 2144

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

| IPDATETP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days | 0 | 0.00 |
| 2 Weeks | 2 | 9.52 |
| 3 Months | 12 | 57.14 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 33.33 |

Frequency Missing = 2144

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

| IPDATEMT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Beginning | 170 | 32.95 |
| 2 Middle | 200 | 38.76 |
| 3 End | 105 | 20.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 41 | 7.95 |

Frequency Missing = 1649

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

| Frequency | Percent |
|-----------|---------|
| 1611 | 74.41 |
| 40 | 1.85 |
| 165 | 7.62 |
| 320 | 14.78 |
| 29 | 1.34 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

5

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

| RPD | Frequency | Percent |
|--------------------|-----------|---------|
| 000-999 0-999 days | 2165 | 100.00 |

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

| Frequency | Percent |
|-----------|---------|
| 2165 | 100.00 |

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

| Frequency | Percent |
|-----------|---------|
| 2165 | 100.00 |

FIJ.052_00.000: Episode date information reported by the respondent

| EDIPBR | Frequency | Percent |
|---------------------------------------|-----------|---------|
| 1 Month, day, and year | 1613 | 74.50 |
| 2 Month, beginning of month, and year | 170 | 7.85 |
| 3 Month, middle of month, and year | 199 | 9.19 |
| 4 Month, end of month, and year | 105 | 4.85 |
| 5 Month and year | 40 | 1.85 |
| 6 Elapsed time in days | 0 | 0.00 |
| 7 Elapsed time in weeks | 2 | 0.09 |
| 8 Elapsed time in months | 12 | 0.55 |
| 9 No information | 24 | 1.11 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

6

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

| IMPMETH | Frequency | Percent |
|--|-----------|---------|
| 0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0) | 1613 | 74.50 |
| 1 Imputed day based on reported beginning, middle, or end of month | 474 | 21.89 |
| 2 Imputed day of the month (no day of month information reported) | 40 | 1.85 |
| 3 No imputation necessary (elapsed time reported in days) | 0 | 0.00 |
| 4 Imputed time interval based on elapsed time reported in weeks | 2 | 0.09 |
| 5 Imputed time interval based on elapsed time reported in months | 12 | 0.55 |
| 6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported) | 24 | 1.11 |

FIJ.052_00.000: Imputed month

| MUMON | Frequency | Percent |
|--------------|-----------|---------|
| 01 January | 166 | 7.67 |
| 02 February | 190 | 8.78 |
| 03 March | 201 | 9.28 |
| 04 April | 198 | 9.15 |
| 05 May | 186 | 8.59 |
| 06 June | 186 | 8.59 |
| 07 July | 192 | 8.87 |
| 08 August | 216 | 9.98 |
| 09 September | 204 | 9.42 |
| 10 October | 160 | 7.39 |
| 11 November | 119 | 5.50 |
| 12 December | 147 | 6.79 |

FIJ.052_00.000: Imputed year

| MUYEAR | Frequency | Percent |
|--------|-----------|---------|
| Year | 2165 | 100.00 |

FIJ.052_00.000: Elapsed time flag

| ETFLG | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 Elapsed time is > 91 days | 106 | 4.90 |
| 2 Elapsed time is <= 91 days | 2059 | 95.10 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

7

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

| Frequency | Percent |
|-----------|---------|
| 53 | 2.45 |
| 80 | 3.70 |
| 2032 | 93.86 |

FIJ.065_00.000: Cause of injury episode

| ICAUS | Frequency | Percent |
|---|-----------|---------|
| 01 In a motor vehicle | 171 | 8.04 |
| 02 On a bike, scooter, skateboard, skates, skis, horse, etc | 78 | 3.67 |
| 03 Pedestrian who was struck by a vehicle such as a car or bicycle | 10 | 0.47 |
| 04 In a boat, train, or plane | 9 | 0.42 |
| 05 Fall | 741 | 34.85 |
| 06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals | 24 | 1.13 |
| 07 Other | 1064 | 50.05 |
| 97 Refused | 12 | 0.56 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 17 | 0.80 |

Frequency Missing = 39

FIJ.065_00.000: Cause of injury/poisoning based on E codes

| ECAUS | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 01 Transportation | 254 | 11.73 |
| 02 Fire/burn/scald related | 27 | 1.25 |
| 03 Fall | 804 | 37.14 |
| 04 Poisoning | 39 | 1.80 |
| 05 Overexertion/strenuous movements | 271 | 12.52 |
| 06 Struck by object or person | 256 | 11.82 |
| 07 Animal or insect bite | 61 | 2.82 |
| 08 Cut/pierce | 140 | 6.47 |
| 09 Machinery | 17 | 0.79 |
| 10 Other | 296 | 13.67 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

8

FIJ.070_01.000: Parts of body hurt: 1st body part

| IJBODY1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 Ankle | 252 | 11.85 |
| 02 Back | 197 | 9.27 |
| 03 Buttocks | 9 | 0.42 |
| 04 Chest | 27 | 1.27 |
| 05 Ear | 9 | 0.42 |
| 06 Elbow | 55 | 2.59 |
| 07 Eye | 40 | 1.88 |
| 08 Face | 76 | 3.57 |
| 09 Finger/thumb | 176 | 8.28 |
| 10 Foot | 120 | 5.64 |
| 11 Forearm | 69 | 3.25 |
| 12 Groin | 10 | 0.47 |
| 13 Hand | 98 | 4.61 |
| 14 Head (not face) | 139 | 6.54 |
| 15 Hip | 38 | 1.79 |
| 16 Jaw | 6 | 0.28 |
| 17 Knee | 186 | 8.75 |
| 18 Lower leg | 95 | 4.47 |
| 19 Mouth | 10 | 0.47 |
| 20 Neck | 51 | 2.40 |
| 21 Nose | 14 | 0.66 |
| 22 Shoulder | 130 | 6.11 |
| 23 Stomach | 13 | 0.61 |
| 24 Teeth | 10 | 0.47 |
| 25 Thigh | 21 | 0.99 |
| 26 Toe | 53 | 2.49 |
| 27 Upper arm | 19 | 0.89 |
| 28 Wrist | 95 | 4.47 |
| 29 Other | 90 | 4.23 |
| 97 Refused | 11 | 0.52 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 0.33 |

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

9

FIJ.070_02.000: Parts of body hurt: 2nd body part

| IJBODY2 | Frequency | Percent |
|-----------------------|-----------|---------|
| 00 No second response | 1857 | 87.35 |
| 01 Ankle | 5 | 0.24 |
| 02 Back | 26 | 1.22 |
| 03 Buttocks | 4 | 0.19 |
| 04 Chest | 7 | 0.33 |
| 05 Ear | 2 | 0.09 |
| 06 Elbow | 7 | 0.33 |
| 07 Eye | 4 | 0.19 |
| 08 Face | 9 | 0.42 |
| 09 Finger/thumb | 1 | 0.05 |
| 10 Foot | 7 | 0.33 |
| 11 Forearm | 5 | 0.24 |
| 12 Groin | 0 | 0.00 |
| 13 Hand | 12 | 0.56 |
| 14 Head (not face) | 13 | 0.61 |
| 15 Hip | 10 | 0.47 |
| 16 Jaw | 1 | 0.05 |
| 17 Knee | 29 | 1.36 |
| 18 Lower leg | 16 | 0.75 |
| 19 Mouth | 1 | 0.05 |
| 20 Neck | 42 | 1.98 |
| 21 Nose | 3 | 0.14 |
| 22 Shoulder | 25 | 1.18 |
| 23 Stomach | 4 | 0.19 |
| 24 Teeth | 4 | 0.19 |
| 25 Thigh | 3 | 0.14 |
| 26 Toe | 1 | 0.05 |
| 27 Upper arm | 5 | 0.24 |
| 28 Wrist | 12 | 0.56 |
| 29 Other | 11 | 0.52 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 39

FIJ.070_03.000: Parts of body hurt: 3rd body part

| IJBODY3 | Frequency | Percent |
|----------------------|-----------|---------|
| 00 No third response | 2029 | 95.44 |
| 01 Ankle | 4 | 0.19 |
| 02 Back | 7 | 0.33 |
| 03 Buttocks | 0 | 0.00 |
| 04 Chest | 2 | 0.09 |
| 05 Ear | 0 | 0.00 |
| 06 Elbow | 3 | 0.14 |
| 07 Eye | 2 | 0.09 |
| 08 Face | 2 | 0.09 |
| 09 Finger/thumb | 1 | 0.05 |
| 10 Foot | 4 | 0.19 |
| 11 Forearm | 3 | 0.14 |
| 12 Groin | 2 | 0.09 |
| 13 Hand | 2 | 0.09 |
| 14 Head (not face) | 6 | 0.28 |
| 15 Hip | 6 | 0.28 |
| 16 Jaw | 0 | 0.00 |
| 17 Knee | 9 | 0.42 |
| 18 Lower leg | 5 | 0.24 |
| 19 Mouth | 1 | 0.05 |
| 20 Neck | 5 | 0.24 |
| 21 Nose | 0 | 0.00 |
| 22 Shoulder | 11 | 0.52 |
| 23 Stomach | 1 | 0.05 |
| 24 Teeth | 1 | 0.05 |
| 25 Thigh | 5 | 0.24 |
| 26 Toe | 1 | 0.05 |
| 27 Upper arm | 4 | 0.19 |
| 28 Wrist | 1 | 0.05 |
| 29 Other | 9 | 0.42 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

| IJBODY4 | Frequency | Percent |
|-----------------------|-----------|---------|
| 00 No fourth response | 2081 | 97.88 |
| 01 Ankle | 0 | 0.00 |
| 02 Back | 7 | 0.33 |
| 03 Buttocks | 1 | 0.05 |
| 04 Chest | 2 | 0.09 |
| 05 Ear | 0 | 0.00 |
| 06 Elbow | 2 | 0.09 |
| 07 Eye | 0 | 0.00 |
| 08 Face | 0 | 0.00 |
| 09 Finger/thumb | 0 | 0.00 |
| 10 Foot | 0 | 0.00 |
| 11 Forearm | 2 | 0.09 |
| 12 Groin | 0 | 0.00 |
| 13 Hand | 3 | 0.14 |
| 14 Head (not face) | 3 | 0.14 |
| 15 Hip | 3 | 0.14 |
| 16 Jaw | 0 | 0.00 |
| 17 Knee | 2 | 0.09 |
| 18 Lower leg | 2 | 0.09 |
| 19 Mouth | 0 | 0.00 |
| 20 Neck | 5 | 0.24 |
| 21 Nose | 0 | 0.00 |
| 22 Shoulder | 2 | 0.09 |
| 23 Stomach | 3 | 0.14 |
| 24 Teeth | 0 | 0.00 |
| 25 Thigh | 3 | 0.14 |
| 26 Toe | 0 | 0.00 |
| 27 Upper arm | 1 | 0.05 |
| 28 Wrist | 0 | 0.00 |
| 29 Other | 4 | 0.19 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 39

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

12

FIJ.072_01.000: How body part 1 was hurt: First response

| IJTYPE1A | Frequency | Percent |
|-----------------------------|-----------|---------|
| 01 Broken bone or fracture | 461 | 21.87 |
| 02 Sprain, strain, or twist | 654 | 31.02 |
| 03 Cut | 344 | 16.32 |
| 04 Scrape | 50 | 2.37 |
| 05 Bruise | 237 | 11.24 |
| 06 Burn | 31 | 1.47 |
| 07 Insect bite | 43 | 2.04 |
| 08 Animal bite | 16 | 0.76 |
| 09 Other | 267 | 12.67 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 0.24 |

Frequency Missing = 57

FIJ.072_02.000: How body part 1 was hurt: Second response

| IJTYPE1B | Frequency | Percent |
|-----------------------------|-----------|---------|
| 00 No second response | 1995 | 94.64 |
| 01 Broken bone or fracture | 3 | 0.14 |
| 02 Sprain, strain, or twist | 13 | 0.62 |
| 03 Cut | 9 | 0.43 |
| 04 Scrape | 16 | 0.76 |
| 05 Bruise | 55 | 2.61 |
| 06 Burn | 1 | 0.05 |
| 07 Insect bite | 0 | 0.00 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 16 | 0.76 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 57

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

13

FIJ.074_01.000: How body part 2 was hurt: First response

| IJTYPE2A | Frequency | Percent |
|-----------------------------|-----------|---------|
| 01 Broken bone or fracture | 28 | 10.41 |
| 02 Sprain, strain, or twist | 87 | 32.34 |
| 03 Cut | 26 | 9.67 |
| 04 Scrape | 14 | 5.20 |
| 05 Bruise | 68 | 25.28 |
| 06 Burn | 5 | 1.86 |
| 07 Insect bite | 7 | 2.60 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 33 | 12.27 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.37 |

Frequency Missing = 1896

FIJ.074_02.000: How body part 2 was hurt: Second response

| IJTYPE2B | Frequency | Percent |
|-----------------------------|-----------|---------|
| 00 No second response | 240 | 89.22 |
| 01 Broken bone or fracture | 0 | 0.00 |
| 02 Sprain, strain, or twist | 3 | 1.12 |
| 03 Cut | 3 | 1.12 |
| 04 Scrape | 4 | 1.49 |
| 05 Bruise | 16 | 5.95 |
| 06 Burn | 1 | 0.37 |
| 07 Insect bite | 0 | 0.00 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 2 | 0.74 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 1896

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoeip)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

14

FIJ.076_01.000: How body part 3 was hurt: First response

| IJTYPE3A | Frequency | Percent |
|-----------------------------|-----------|---------|
| 01 Broken bone or fracture | 9 | 9.28 |
| 02 Sprain, strain, or twist | 27 | 27.84 |
| 03 Cut | 7 | 7.22 |
| 04 Scrape | 6 | 6.19 |
| 05 Bruise | 29 | 29.90 |
| 06 Burn | 3 | 3.09 |
| 07 Insect bite | 3 | 3.09 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 12 | 12.37 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.03 |

Frequency Missing = 2068

FIJ.076_02.000: How body part 3 was hurt: Second response

| IJTYPE3B | Frequency | Percent |
|-----------------------------|-----------|---------|
| 00 No second response | 84 | 86.60 |
| 01 Broken bone or fracture | 0 | 0.00 |
| 02 Sprain, strain, or twist | 0 | 0.00 |
| 03 Cut | 0 | 0.00 |
| 04 Scrape | 3 | 3.09 |
| 05 Bruise | 7 | 7.22 |
| 06 Burn | 1 | 1.03 |
| 07 Insect bite | 0 | 0.00 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 2 | 2.06 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 2068

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoeip)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

15

FIJ.078_01.000: How body part 4 was hurt: First response

| IJTYPE4A | Frequency | Percent |
|-----------------------------|-----------|---------|
| 01 Broken bone or fracture | 3 | 6.67 |
| 02 Sprain, strain, or twist | 14 | 31.11 |
| 03 Cut | 3 | 6.67 |
| 04 Scrape | 5 | 11.11 |
| 05 Bruise | 12 | 26.67 |
| 06 Burn | 1 | 2.22 |
| 07 Insect bite | 1 | 2.22 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 5 | 11.11 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 2.22 |

Frequency Missing = 2120

FIJ.078_02.000: How body part 4 was hurt: Second response

| IJTYPE4B | Frequency | Percent |
|-----------------------------|-----------|---------|
| 00 No second response | 38 | 84.44 |
| 01 Broken bone or fracture | 0 | 0.00 |
| 02 Sprain, strain, or twist | 0 | 0.00 |
| 03 Cut | 0 | 0.00 |
| 04 Scrape | 1 | 2.22 |
| 05 Bruise | 5 | 11.11 |
| 06 Burn | 0 | 0.00 |
| 07 Insect bite | 0 | 0.00 |
| 08 Animal bite | 0 | 0.00 |
| 09 Other | 1 | 2.22 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 2120

FIJ.080_01.000: Where received medical care: Call to PCC

| PPCC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 14 | 35.90 |
| 2 No | 24 | 61.54 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 2.56 |

Frequency Missing = 2126

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

16

FIJ.080_02.000: Where received medical care: Emergency vehicle

| IPEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 461 | 21.29 |
| 2 No | 1693 | 78.20 |
| 7 Refused | 5 | 0.23 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.28 |

FIJ.080_03.000: Where received medical care: Emergency room

| IPER | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1098 | 50.72 |
| 2 No | 1057 | 48.82 |
| 7 Refused | 5 | 0.23 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.23 |

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

| IPDO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1605 | 74.13 |
| 2 No | 547 | 25.27 |
| 7 Refused | 7 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.28 |

FIJ.080_05.000: Where received medical care: Call to medical prof

| IPCHCP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 761 | 35.15 |
| 2 No | 1385 | 63.97 |
| 7 Refused | 7 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.55 |

FIJ.080_06.000: Where received medical care: Any place else

| IPTH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 247 | 11.41 |
| 2 No | 1904 | 87.94 |
| 7 Refused | 7 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.32 |

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

17

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

| IPHOSP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 142 | 6.56 |
| 2 No | 2013 | 92.98 |
| 7 Refused | 7 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.14 |

FIJ.091_00.000: Number of nights in the hospital

| IPIHNO | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 nights | 139 | 97.89 |
| 95 95+ nights | 0 | 0.00 |
| 97 Refused | 1 | 0.70 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.41 |

Frequency Missing = 2023

FIJ.109_00.000: Traffic-related injury

| IMTRAF | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 177 | 68.34 |
| 2 No | 82 | 31.66 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 1906

FIJ.110_00.000: Injured as . . .

IMVWHO

 1 The driver of a motor vehicle
 2 A passenger in a motor vehicle
 3 A pedestrian
 4 A bicycle rider or tricycle rider
 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 7 Refused
 8 Not ascertained
 9 Don't know

FIJ.110_00.000: Injured as . . .

| Frequency | Percent |
|-----------|---------|
| 117 | 45.17 |
| 55 | 21.24 |
| 11 | 4.25 |
| 44 | 16.99 |

Episode Public Use File (injqoiep)

FIJ Variables Wednesday, April 20, 2011

Unweighted Frequencies

FIJ.110_00.000: Injured as . . .

| Frequency | Percent |
|-----------|---------|
| 28 | 10.81 |
| 2 | 0.77 |
| 0 | 0.00 |
| 2 | 0.77 |

Frequency Missing = 1906

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

```

-----
01 Passenger car
02 Passenger truck, such as a pickup truck, van, or SUV
03 Bus
04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
05 Motorcycle (including mopeds and minibikes)
06 All terrain vehicle or ski/snow-mobile
07 Farm equipment (such as a tractor)
08 Industrial or construction vehicle
09 Other
97 Refused
98 Not ascertained
99 Don't know

```

FIJ.111_00.000: Type of vehicle injured person was in

| Frequency | Percent |
|-----------|---------|
| 100 | 58.14 |
| 41 | 23.84 |
| 4 | 2.33 |
| 1 | 0.58 |
| 13 | 7.56 |
| 2 | 1.16 |
| 0 | 0.00 |
| 3 | 1.74 |
| 8 | 4.65 |
| 0 | 0.00 |
| 0 | 0.00 |
| 0 | 0.00 |

Frequency Missing = 1993

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

19

FIJ.112_00.000: Restrained at time of accident

| ISBELT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 107 | 75.35 |
| 2 No | 32 | 22.54 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 2.11 |

Frequency Missing = 2023

FIJ.113_00.000: Wearing a helmet at the time of the accident

| IHELMT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 40 | 45.98 |
| 2 No | 47 | 54.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 2078

FIJ.130_01.000: How person fell: First response

| IFALL1 | Frequency | Percent |
|---|-----------|---------|
| 01 Stairs, steps, or escalator | 120 | 16.19 |
| 02 Floor or level ground | 232 | 31.31 |
| 03 Curb (including sidewalk) | 36 | 4.86 |
| 04 Ladder or scaffolding | 14 | 1.89 |
| 05 Playground equipment | 28 | 3.78 |
| 06 Sports field, court, or rink | 71 | 9.58 |
| 07 Building or other structure | 11 | 1.48 |
| 08 Chair, bed, sofa, or other furniture | 56 | 7.56 |
| 09 Bathtub, shower, toilet, or commode | 20 | 2.70 |
| 10 Hole or other opening | 13 | 1.75 |
| 11 Other | 140 | 18.89 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 1424

2010 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoeip)
 FIJ Variables Wednesday, April 20, 2011
 Unweighted Frequencies

20

FIJ.130_02.000: How person fell: Second response

| IFALL2 | Frequency | Percent |
|---|-----------|---------|
| 00 No second response | 729 | 98.38 |
| 01 Stairs, steps, or escalator | 1 | 0.13 |
| 02 Floor or level ground | 3 | 0.40 |
| 03 Curb (including sidewalk) | 0 | 0.00 |
| 04 Ladder or scaffolding | 0 | 0.00 |
| 05 Playground equipment | 0 | 0.00 |
| 06 Sports field, court, or rink | 0 | 0.00 |
| 07 Building or other structure | 0 | 0.00 |
| 08 Chair, bed, sofa, or other furniture | 4 | 0.54 |
| 09 Bathtub, shower, toilet, or commode | 0 | 0.00 |
| 10 Hole or other opening | 0 | 0.00 |
| 11 Other | 4 | 0.54 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 1424

FIJ.131_00.000: Cause of fall

IFALLWHY

| |
|---|
| 1 Slipping or tripping |
| 2 Jumping or diving |
| 3 Bumping into an object or another person |
| 4 Being shoved or pushed by another person |
| 5 Losing balance or having dizziness (becoming faint or having a seizure) |
| 6 Other |
| 7 Refused |
| 8 Not ascertained |
| 9 Don't know |

FIJ.131_00.000: Cause of fall

| Frequency | Percent |
|-----------|---------|
| 397 | 53.58 |
| 50 | 6.75 |
| 31 | 4.18 |
| 19 | 2.56 |
| 115 | 15.52 |
| 119 | 16.06 |
| 0 | 0.00 |
| 0 | 0.00 |
| 10 | 1.35 |

Frequency Missing = 1424

FIJ.140_00.000: Cause of poisoning episode

| PPOIS | Frequency |
|--|-----------|
| 1 Swallowing a drug or medical substance mistakenly or in overdose | 11 |
| 2 Swallowing or touching a harmful solid or liquid substance | 1 |
| 3 Inhaling harmful gases or vapors | 17 |
| 4 Eating a poisonous plant or other substance mistaken for food | 3 |
| 5 Being bitten by a poisonous animal | 1 |
| 6 Other, please specify | 6 |
| 7 Refused | 0 |
| 8 Not ascertained | 0 |
| 9 Don't know | 0 |

FIJ.140_00.000: Cause of poisoning episode

| PPOIS | Percent |
|--|---------|
| 1 Swallowing a drug or medical substance mistakenly or in overdose | 28.21 |
| 2 Swallowing or touching a harmful solid or liquid substance | 2.56 |
| 3 Inhaling harmful gases or vapors | 43.59 |
| 4 Eating a poisonous plant or other substance mistaken for food | 7.69 |
| 5 Being bitten by a poisonous animal | 2.56 |
| 6 Other, please specify | 15.38 |
| 7 Refused | 0.00 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.00 |

Frequency Missing = 2126

FIJ.150_01.000: Activity at time of inj/pois episode: First response

| IPWHAT1 | Frequency | Percent |
|--|-----------|---------|
| 01 Driving or riding in a motor vehicle | 150 | 6.93 |
| 02 Working at a paid job | 254 | 11.73 |
| 03 Working around the house or yard | 300 | 13.86 |
| 04 Attending school | 74 | 3.42 |
| 05 Unpaid work (such as volunteer work) | 15 | 0.69 |
| 06 Sports and exercise | 381 | 17.60 |
| 07 Leisure activity (excluding sports) | 442 | 20.42 |
| 08 Sleeping, resting, eating, or drinking | 87 | 4.02 |
| 09 Cooking | 30 | 1.39 |
| 10 Being cared for (hands-on care from other person) | 22 | 1.02 |
| 11 Other | 381 | 17.60 |
| 97 Refused | 9 | 0.42 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 20 | 0.92 |

Episode Public Use File (injpoiep)

FIJ Variables Wednesday, April 20, 2011

Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

| IPWHAT2 | Frequency | Percent |
|--|-----------|---------|
| 00 No second response | 2143 | 98.98 |
| 01 Driving or riding in a motor vehicle | 0 | 0.00 |
| 02 Working at a paid job | 5 | 0.23 |
| 03 Working around the house or yard | 1 | 0.05 |
| 04 Attending school | 1 | 0.05 |
| 05 Unpaid work (such as volunteer work) | 0 | 0.00 |
| 06 Sports and exercise | 5 | 0.23 |
| 07 Leisure activity | 4 | 0.18 |
| 08 Sleeping, resting, eating, or drinking | 2 | 0.09 |
| 09 Cooking | 1 | 0.05 |
| 10 Being cared for (hands on care from other person) | 1 | 0.05 |
| 11 Other | 2 | 0.09 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

FIJ.160_01.000: Location at time of inj/pois episode: First response

| IPWHERE1 | Frequency | Percent |
|---|-----------|---------|
| 01 Home (inside) | 604 | 27.90 |
| 02 Home (outside) | 410 | 18.94 |
| 03 School (not residential) | 160 | 7.39 |
| 04 Child care center or preschool | 9 | 0.42 |
| 05 Residential institution (exclude hospital) | 16 | 0.74 |
| 06 Health care facility (include hospital) | 31 | 1.43 |
| 07 Street or highway | 187 | 8.64 |
| 08 Sidewalk | 45 | 2.08 |
| 09 Parking lot | 34 | 1.57 |
| 10 Sport facility, athletic field, or playground | 202 | 9.33 |
| 11 Shopping center, restaurant, store, bank, gas station, or other place of business | 68 | 3.14 |
| 12 Farm | 16 | 0.74 |
| 13 Park or recreation area (include bike or jog path) | 57 | 2.63 |
| 14 River, lake, stream, or ocean | 27 | 1.25 |
| 15 Industrial or construction area | 45 | 2.08 |
| 16 Other public building | 59 | 2.73 |
| 17 Other | 166 | 7.67 |
| 97 Refused | 9 | 0.42 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 20 | 0.92 |

Episode Public Use File (injpoiep)

FIJ Variables Wednesday, April 20, 2011

Unweighted Frequencies

FIJ.160_02.000: Location at time of inj/pois episode: Second response

| IPWHER2 | Frequency | Percent |
|---|-----------|---------|
| 00 No second response | 2147 | 99.17 |
| 01 Home (inside) | 0 | 0.00 |
| 02 Home (outside) | 5 | 0.23 |
| 03 School (not residential) | 1 | 0.05 |
| 04 Child care center or preschool | 0 | 0.00 |
| 05 Residential institution (exclude hospital) | 0 | 0.00 |
| 06 Health care facility (include hospital) | 0 | 0.00 |
| 07 Street or highway | 4 | 0.18 |
| 08 Sidewalk | 2 | 0.09 |
| 09 Parking lot | 1 | 0.05 |
| 10 Sport facility, athletic field, or playground | 0 | 0.00 |
| 11 Shopping center, restaurant, store, bank, gas station, or other place of business | 0 | 0.00 |
| 12 Farm | 0 | 0.00 |
| 13 Park or recreation area (include bike or jog path) | 1 | 0.05 |
| 14 River, lake, stream, or ocean | 1 | 0.05 |
| 15 Industrial or construction area | 1 | 0.05 |
| 16 Other public building | 1 | 0.05 |
| 17 Other | 1 | 0.05 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

| IPEMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Full-time | 754 | 41.25 |
| 2 Part-time | 160 | 8.75 |
| 3 Not employed | 905 | 49.51 |
| 7 Refused | 5 | 0.27 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.22 |

Frequency Missing = 337

FIJ.171_00.000: Days of work missed

| IPWKLS | Frequency | Percent |
|---------------------|-----------|---------|
| 1 None | 458 | 50.11 |
| 2 Less than one day | 58 | 6.35 |
| 3 One to five days | 196 | 21.44 |
| 4 Six or more days | 197 | 21.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.55 |

Frequency Missing = 1251

FIJ.180_00.000: Student at the time of the injury/poisoning episode

| IPSTU | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Full-time | 532 | 25.83 |
| 2 Part-time | 61 | 2.96 |
| 3 Not a student | 1460 | 70.87 |
| 7 Refused | 4 | 0.19 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.15 |

Frequency Missing = 105

FIJ.181_00.000: Days of school missed

| IPSCLS | Frequency | Percent |
|---------------------|-----------|---------|
| 1 None | 381 | 64.25 |
| 2 Less than one day | 48 | 8.09 |
| 3 One to five days | 140 | 23.61 |
| 4 Six or more days | 22 | 3.71 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.34 |

Frequency Missing = 1572

FIJ.181_01.000: ICD-9-CM diagnosis code

| ICD9_1 | Frequency | Percent |
|----------------|-----------|---------|
| ICD-9-CM codes | 2165 | 100.00 |

FIJ.181_02.000: ICD-9-CM diagnosis code

| ICD9_2 | Frequency | Percent |
|----------------|-----------|---------|
| ICD-9-CM codes | 524 | 100.00 |

Frequency Missing = 1641

FIJ.181_03.000: ICD-9-CM diagnosis code

| ICD9_3 | Frequency | Percent |
|----------------|-----------|---------|
| ICD-9-CM codes | 179 | 100.00 |

Frequency Missing = 1986

FIJ.181_04.000: ICD-9-CM diagnosis code

| ICD9_4 | Frequency | Percent |
|----------------|-----------|---------|
| ----- | | |
| ICD-9-CM codes | 79 | 100.00 |

Frequency Missing = 2086

FIJ.181_05.000: ICD-9-CM diagnosis code

| ICD9_5 | Frequency | Percent |
|----------------|-----------|---------|
| ----- | | |
| ICD-9-CM codes | 34 | 100.00 |

Frequency Missing = 2131

FIJ.181_06.000: ICD-9-CM diagnosis code

| ICD9_6 | Frequency | Percent |
|----------------|-----------|---------|
| ----- | | |
| ICD-9-CM codes | 13 | 100.00 |

Frequency Missing = 2152

FIJ.181_07.000: ICD-9-CM diagnosis code

| ICD9_7 | Frequency | Percent |
|----------------|-----------|---------|
| ----- | | |
| ICD-9-CM codes | 6 | 100.00 |

Frequency Missing = 2159

FIJ.181_08.000: ICD-9-CM diagnosis code

| ICD9_8 | Frequency | Percent |
|----------------|-----------|---------|
| ----- | | |
| ICD-9-CM codes | 3 | 100.00 |

Frequency Missing = 2162

FIJ.181_10.000: ICD-9-CM external cause code

| ECODE_1T | Frequency | Percent |
|-------------------|-----------|---------|
| ----- | | |
| E800-E999 E codes | 2165 | 100.00 |

FIJ.181_20.000: ICD-9-CM external cause code

| ECODE_2T | Frequency | Percent |
|-------------------|-----------|---------|
| ----- | | |
| E800-E999 E codes | 67 | 100.00 |

Frequency Missing = 2098

FIJ.181_30.000: ICD-9-CM external cause code

| ECODE_3T | Frequency | Percent |
|-------------------|-----------|---------|
| ----- | | |
| E800-E999 E codes | 1 | 100.00 |

Frequency Missing = 2164