# Functioning and Disability

funcdisb: Identification Fields
PUBLIC USE

Document Version Date: 04-Jun-14

<b>Question ID:</b> IDN.000_00.000		Instrument Variable Name: Final Documentation Name: RECTYPE
Record Typ	oe e	
Universe:		
Description:		
Sources:	None	
Recodes:	None	
Keywords:	None	
Notes:	None	
File type ide	ntifier	
10	Household	
20	Person	
25	Income Imputation	
30	Sample Adult	
38	Functioning and Disability	
40	Sample Child	
60	Family	
63	Family Disability Questions	
65	Paradata	
70 75	Injury/Poisoning Episode	
75	Injury/Poisoning Verbatim	
Ouestion II	<b>D:</b> IDN.000_02.000	Instrument Variable Name:
•	_	Final Documentation Name: SRVY_YR
Survey Year		
•	•	
Universe:		
Description:		
Sources:	None	
Recodes:	None	
Keywords:	None	
Notes:	None	
Year of National Health Interview Survey		
Year	Survey Year	

# Functioning and Disability

funcdisb: Identification Fields
PUBLIC USE

Document Version Date: 04-Jun-14

Question ID	: IDN.000_04.000	Instrument Variable Name: Final Documentation Name: HHX
Household 1	Number	Thia Documentation Ivame. Thia
Universe:		
Description:	All households	
Sources:	None	
Recodes:	None	
Keywords:	household number	
Notes:	Use this variable in combination with SRVY_YR t	o identify individual households.
Household N	lumber	
Question ID	: IDN.000_25.000	Instrument Variable Name:
		Final Documentation Name: INTV_QRT
Interview Q	uarter	
Universe:		
Description:	All households	
Sources:	None	
Recodes:	None	
Keywords:	None	
Notes:	None	
Interview Qu	arter	
1	Quarter 1	
2	Quarter 2	
3	Quarter 3	
4	Quarter 4	

# Functioning and Disability

funcdisb: Identification Fields
PUBLIC USE

Document Version Date: 04-Jun-14

Question ID	: IDN.000_30.000	Instrument Variable Name: Final Documentation Name: INTV_MON
Interview M	onth	
Universe:		
Description:	All households	
Sources:	None	
Recodes:	None	
Keywords:	interview month	
Notes:	None	
Interview Mo	onth	
01	January	
02	February	
03	March	
04	April	
05	May	
06	June	
07	July	
08	August	
09	September	
10	October	
11	November	
12	December	
Question ID	: IDN.000_35.000	Instrument Variable Name:
		Final Documentation Name: FMX
Family Num	nber	
Universe:		
Description:	All families	
Sources:	None	
Recodes:	None	
Keywords:	family number	
Notes:	•	with HHX and SRVY_YR to identify individual families.
Family Numb	per	
01-25	Family number 1 - 25	
01-23	i anniy number 1 - 25	

# Functioning and Disability

funcdisb: Identification Fields
PUBLIC USE

Document Version Date: 04-Jun-14

**Question ID:** IDN.000\_40.000 Instrument Variable Name: FPX

Final Documentation Name: FPX

Person Number

Universe:

Description: All persons

Sources: None Recodes: None

Keywords: person number

Notes: Use this variable in combination with HHX, FMX, and SRVY\_YR to identify individual persons.

Person Number (Within family)

01-25 Person number 1 thru 25

Question ID: IDN.000\_70.000 Instrument Variable Name:

Final Documentation Name: WTFA\_AFD

Universe: RECTYPE = 38

Description: All respondents to the Functioning and Disability Section AFD

Sources: None Recodes: None

Keywords: final weight; annual; Functioning and Disability weight

Notes: This weight is designed to produce annual-level estimates for the Functioning and Disability file.

Weight - Final Annual Functioning and Disability file

# Functioning and Disability

funcdisb: Unit Control File
PUBLIC USE

Document Version Date: 04-Jun-14

**Question ID:** UCF.000\_00.000 R15 RECODE Instrument Variable Name:

Final Documentation Name: STRAT\_P

Universe: ALL

Description: All records

Sources: None Recodes: None Keywords: None

Notes: Pseudo-stratum variable for public-use file variance estimation. Created by NCHS/ORM.

Pseudo-stratum for public-use file variance estimation

001-300 001-300

**Question ID:** UCF.000\_00.000 R16 RECODE Instrument Variable Name:

Final Documentation Name: PSU\_P

Universe: ALL

Description: All records

Sources: None Recodes: None Keywords: None

Notes: Pseudo-PSU variable for public-use file variance estimation. Created by NCHS/ORM.

Pseudo-PSU for public-use file variance estimation

01-02 01-02

### Functioning and Disability

funcdisb: Family Disability: Version 2

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: FDB.001\_00.000 Instrument Variable Name: FDRN\_FLG

Final Documentation Name: FDRN\_FLG

Universe:
Description:

Sources: None Recodes: None

Keywords: Disability Questions; flag

Notes: This variable indicates whether the family was selected to receive the Family Disability (FDB; all persons 1 year

and older) section. Sample adults in families with a value of 2 for FDRN\_FLG were also selected to receive the

AFD (Adult Functioning and Disability) section.

Disability Questions flag

1 Families selected to receive AFD (sample adults) section

2 Families selected to receive FDB (all persons 1 year and older) section

Question ID: AFD.090\_00.000 Instrument Variable Name: VIS\_0

Final Documentation Name: VIS\_0

Now I am going to ask you some questions about your ability to do different activities, and how you have been feeling. Although some of these questions may seem similar to ones you have already answered, it is important that we ask them all.

#### Do you wear glasses?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1"

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: vision problems; eyeglasses

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Does respondent wear glasses?

1 Yes

2 No

7 Refused

8 Not ascertained

9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.100\_00.000Instrument Variable Name:VIS\_SSFinal Documentation Name:VIS\_SS2

Do you have difficulty seeing, even when wearing glasses? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty seeing; vision problems; corrective glasses

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the

2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Degree of difficulty seeing

1	No	difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.140\_00.000Instrument Variable Name:HEAR\_1Final Documentation Name:HEAR\_1R

### Do you use a hearing aid?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section.

Sources: None Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. The file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Do you use a hearing aid?

1 Yes

- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.145\_00.000 Instrument Variable Name: HEAR\_2

Final Documentation Name: HEAR\_2R

How often do you use your hearing aid(s)? Would you say all of the time, some of the time, rarely, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and HEAR\_1R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used a hearing aid

Sources: None Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) This file has its own case weight (WTFA\_AFD); please see the

documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### How often do you use a hearing aid?

1 All of the time

- 2 Some of the time
- 3 Rarely
- 4 Never
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.150\_00.000Instrument Variable Name:HEAR\_SSFinal Documentation Name:HEAR\_SS2

Do you have difficulty hearing, even when using a hearing aid? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB) and were randomly

selected to receive the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Degree of difficulty hearing

1	No	difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.170\_00.000 Instrument Variable Name: HEAR\_3 Final Documentation Name: HEAR\_3

Do you have difficulty hearing what is said in a conversation with one other person in a quiet room {fill: even when wearing your hearing aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and HEAR\_SS2 IN

('1','2','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had no difficulty, some difficulty, or a lot of difficulty hearing even when using a hearing aid, or refused to answer or didn't know if they had difficulty hearing even when

using a hearing aid

Sources: None Recodes: None

Keywords: difficulty hearing; hearing problems; hearing conversation

Notes: FDRN FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Difficulty hearing conversation with one person in quiet room

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# **Functioning and Disability**

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.170\_00.001Instrument Variable Name:HEAR\_4Final Documentation Name:HEAR\_4

Do you have difficulty hearing what is said in a conversation with one other person in a noisier room {fill: even when wearing your hearing aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and HEAR\_3 IN

('1','2','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had no difficulty, some difficulty, or a lot of difficulty hearing what was said in a conversation with one other person in a quiet room (even when wearing their hearing aid(s)), or refused to answer or didn't know if they had difficulty hearing what was said in a conversation with one other

person in a quiet room (even when wearing their hearing aid(s))

Sources: None Recodes: None

Keywords: difficulty hearing; hearing problems; listening to conversation

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff hearing one person in noisier room even w/ hearing aid

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.180\_00.000Instrument Variable Name:MOB\_SSFinal Documentation Name:MOB\_SS2

Do you have any difficulty walking or climbing steps? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty walking or climbing steps

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking or climbing steps

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

PUBLIC USE

Document Version Date: 04-Jun-14

Question ID: AFD.200\_00.000 Instrument Variable Name: MOB\_2

Final Documentation Name: MOB\_2R

### Do you use any equipment or receive help for getting around?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: equipment; mobility aids; assistance with getting around

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Use equipment or receive help for getting around?

1 Yes

- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

Question ID: AFD.200\_00.001 Instrument Variable Name: MOB\_3A

Final Documentation Name: MOB\_3A

#### Do you use any of the following... Cane or walking stick?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; cane; walking stick

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Use cane or walking stick?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

PUBLIC USE

Document Version Date: 04-Jun-14

Question ID: AFD.200\_00.002 Instrument Variable Name: MOB\_3B

Final Documentation Name: MOB\_3B2

### Do you use any of the following... Walker or Zimmer frame?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; walker, Zimmer frame

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

#### Use a walker or Zimmer frame?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

Question ID: AFD.200\_00.003 Instrument Variable Name: MOB\_3C

Final Documentation Name: MOB\_3C

#### Do you use any of the following... Crutches?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2r='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; crutches

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Use crutches?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

PUBLIC USE

Document Version Date: 04-Jun-14

Question ID:AFD.200\_00.004Instrument Variable Name:MOB\_3DFinal Documentation Name:MOB\_3D2

### Do you use any of the following... Wheelchair or scooter?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; wheelchair; scooter

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. MOB\_3D2 is similar to MOB\_3D in the 2010 Quality of Life (QOL) section except

that MOB\_3D asked about using wheelchairs only.

#### Use a wheelchair or scooter?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

Question ID: AFD.200\_00.005 Instrument Variable Name: MOB\_3E

Final Documentation Name: MOB\_3E2

#### Do you use any of the following... Artificial limb (leg/foot)?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; prosthesis; artificial limb

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Use artificial limb (leg/foot)?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

PUBLIC USE

Document Version Date: 04-Jun-14

**Question ID:** AFD.200\_00.006 Instrument Variable Name: MOB\_3F

Final Documentation Name: MOB\_3F

### Do you use any of the following... Someone's assistance?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; assistance

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

#### Use someone's assistance?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

Question ID: AFD.200\_00.007 Instrument Variable Name: MOB\_3G

Final Documentation Name: MOB\_3G

### Do you use any of the following... Other type of equipment or help?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around

Sources: None Recodes: None

Keywords: difficulty walking or climbing stairs; other equipment or mobility aids

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

#### Use other type of equipment or help?

- 1 Yes
- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.210\_00.000 Instrument Variable Name: MOB\_4
Final Documentation Name: MOB\_4

Do you have difficulty walking 100 yards on level ground, that would be about the length of one football field or one city block {fill: without the use of your aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (MOB\_2R IN ('2','7','9') OR

MOB\_3D2 IN ('2','7','9'))

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and did not use any equipment or receive help with getting around, or refused to answer or didn't know if they had used any equipment or received help with getting around OR who

used equipment or received help but did not use a wheelchair or scooter

Sources: None Recodes: None

Keywords: difficulty walking

Notes: FDRN FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff walking 100 yards on level ground w/o aid or equipment

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.220\_00.000 Instrument Variable Name: MOB\_5
Final Documentation Name: MOB\_5

Do you have difficulty walking a third of a mile on level ground, that would be the length of five football fields or five city blocks {fill: without the use of your aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_3D2 NE

'1' AND MOB\_4 IN ('1','2','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and did not use a wheelchair or scooter AND they had no difficulty, some difficulty, a lot of difficulty walking 100 yards on level ground (without the use of an aid), or refused to answer or didn't know if they had difficulty walking 100 yards on level ground (without the use of an aid)

Sources: None Recodes: None

Keywords: difficulty walking

Notes: FDRN FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff walking 1/3rd mile on level ground w/o aid or equipment

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.230\_00.000 Instrument Variable Name: MOB\_6

Final Documentation Name: MOB\_6

Do you have difficulty walking up or down 12 steps? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and (MOB\_2R IN

('2','7','9') OR MOB\_3D2 IN ('2','7','9'))

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and did not use any equipment or receive help with getting around, or refused to answer or didn't know if they used any equipment or received help with getting around OR who used

equipment or received help but did not use a wheelchair or scooter

Sources: None Recodes: None

Keywords: difficulty walking

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff walking up or down 12 steps w/o aid or equipment

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.240\_00.000 Instrument Variable Name: MOB\_7
Final Documentation Name: MOB\_7

Do you have difficulty walking 100 yards on level ground, that would be about the length of one (1) football field or one city block, when using your aid(s)? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

AND MOB\_3D2 NE '1'

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and used equipment or received help with getting around AND they

did not use a wheelchair or scooter

Sources: None Recodes: None

Keywords: difficulty walking; equipment, mobility aids

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff walking 100 yards on level ground w/ aid or equipment

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.250\_00.000 Instrument Variable Name: MOB\_8 Final Documentation Name: MOB\_8

Do you have difficulty walking a third of a mile on level ground, that would be the length of five football fields or five city blocks, when using your aid(s)? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and MOB\_2R='1'

AND MOB\_3D2 NE '1' AND MOB\_7 IN ('1','2','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, used equipment or received help with getting around AND they did not use a wheelchair or scooter AND they had no difficulty, some difficulty, or a lot of difficulty walking 100 yards on level ground when using their aid, or refused to answer or didn't know if they had difficulty walking

100 yards on level ground when using their aid

Sources: None Recodes: None

Keywords: difficulty walking; equipment, mobility aids

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff walking 1/3rd mile on level ground w/ aid or equipment

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.270\_00.000 Instrument Variable Name: COM\_SS Final Documentation Name: COM\_SS

Using your usual language, do you have difficulty communicating, for example, understanding or being understood? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who asked the family disability questions (FDB) and were randomly selected to receive the

Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: language or communication difficulty

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Degree of difficulty communicating using usual language

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.290\_00.000 Instrument Variable Name: COM\_2 Final Documentation Name: COM\_2

### Do you use sign language?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: sign language

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Use sign language?

1 Yes

- 2 No
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.300\_00.000Instrument Variable Name: COG\_SSFinal Documentation Name: COG\_SS

Do you have difficulty remembering or concentrating? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability question (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty remembering or concentrating

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Degree of difficulty remembering or concentrating

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

PUBLIC USE

Document Version Date: 04-Jun-14

**Question ID:** AFD.310\_00.000 Instrument Variable Name: COG\_1

Final Documentation Name: COG\_1

#### Do you have difficulty remembering, concentrating, or both?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and COG\_SS IN

('2','3','4','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had some difficulty, a lot of difficulty, were unable to remember

or concentrate, or refused to answer or didn't know if they had difficulty remembering or concentrating

Sources: None Recodes: None

Keywords: difficulty remembering or concentrating

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Difficulty remembering, concentrating, or both?

- 1 Difficulty remembering only
- 2 Difficulty concentrating only
- 3 Difficulty with both remembering and concentrating
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.320\_00.000 Instrument Variable Name: COG\_2

Final Documentation Name: COG\_2

### How often do you have difficulty remembering? Would you say sometimes, often or all of the time?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and COG\_SS IN

('2','3','4','7','9') AND COG\_1 IN ('1','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had some difficulty, a lot of difficulty, or were unable to remember or concentrate, or refused to answer or didn't know if they had difficulty remembering or

concentrating AND they had difficulty remembering only, difficulty both remembering and concentrating, or

refused to answer or didn't know if they had difficulty remembering, concentrating, or both

Sources: None Recodes: None

Keywords: difficulty remembering

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### How often have difficulty remembering?

- 1 Sometimes
- 2 Often
- 3 All of the time
- 7 Refused
- 8 Not ascertained
- 9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.330\_00.000 Instrument Variable Name: COG\_3 Final Documentation Name: COG\_3

### Do you have difficulty remembering a few things, a lot of things, or almost everything?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and COG\_SS IN

('2','3','4','7','9') AND COG\_1 IN ('1','3','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had some difficulty, a lot of difficulty, or were unable to remember or concentrate, or refused to answer or didn't know if they had difficulty remembering or

concentrating, AND they had difficulty remembering only, difficulty both remembering and concentrating, or

refused to answer or didn't know if they had difficulty remembering, concentrating, or both

Sources: None Recodes: None

Keywords: difficulty remembering

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Amount of things you have difficulty remembering?

- 1 A few things
- 2 A lot of things
- 3 Almost everything
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.360\_00.000Instrument Variable Name: UB\_SSFinal Documentation Name: UB\_SS

Do you have difficulty with self-care, such as washing all over or dressing? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty with self-care; washing or bathing; dressing

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Degree of difficulty with self-care

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.370\_00.000Instrument Variable Name: UB\_1Final Documentation Name: UB\_1

Do you have difficulty raising a 2 liter bottle of water or soda from waist to eye level? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty lifting; difficulty raising arms

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Diff raising 2 liter bottle of water from waist to eye level

- 1 No difficulty
- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.380\_00.000 Instrument Variable Name: UB\_2
Final Documentation Name: UB\_2

Do you have difficulty using your hands and fingers, such as picking up small objects, for example, a button or pencil, or opening or closing containers or bottles? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: ample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: difficulty using hands and fingers, grasping; opening bottles

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

# Degree of difficulty using hands and fingers

1 No difficulty

- 2 Some difficulty
- 3 A lot of difficulty
- 4 Cannot do at all/unable to do
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.410\_00.000 Instrument Variable Name: ANX\_1

Final Documentation Name: ANX\_1

How often do you feel worried, nervous or anxious? Would you say daily, weekly, monthly, a few times a year, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

How often feel worried, nervous, or anxious?

1 Daily

- 2 Weekly
- 3 Monthly
- 4 A few times a year
- 5 Never
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.420\_00.000 Instrument Variable Name: ANX\_2 Final Documentation Name: ANX\_2

### Do you take medication for these feelings?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: medication; worried; nervous; anxious

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Take medication for worried, nervous, or anxious feelings?

1 Yes

2 No

7 Refused

8 Not ascertained

9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.430\_00.000Instrument Variable Name: ANX\_3Final Documentation Name: ANX\_3R

Thinking about the last time you felt worried, nervous or anxious, how would you describe the level of these feelings? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and (ANX\_1 IN

('1','2','3','4','7','9') OR ANX\_2 IN ('1','7','9'))

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD), and section and felt worried, nervous, or anxious daily, weekly, or monthly, a few times a years, or refused to answer or didn't know how they had such feelings OR who took medication for

these feelings, or refused to answer or didn't know if they took medication for these feelings

Sources: None Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Level of feelings when last felt worried, nervous, or anxious?

- 1 A little
- 2 A lot
- 3 Somewhere in between a little and a lot
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.450\_00.000 Instrument Variable Name: DEP\_1

Final Documentation Name: DEP\_1

### How often do you feel depressed? Would you say daily, weekly, monthly, a few times a year, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None
Recodes: None
Keywords: depression

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### How often do you feel depressed?

1 Daily

- 2 Weekly
- 3 Monthly
- 4 A few times a year
- 5 Never
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.460\_00.000Instrument Variable Name:DEP\_2Final Documentation Name:DEP\_2

### Do you take medication for depression?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None

Keywords: depression; medication

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Take medication for depression?

1 Yes

2 No

7 Refused

8 Not ascertained

9 Don't know

### Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID:AFD.470\_00.000Instrument Variable Name:DEP\_3Final Documentation Name:DEP\_3R

Thinking about the last time you felt depressed, how depressed did you feel? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and (DEP\_1 IN

('1','2','3','4','7','9') OR DEP\_2 IN ('1','7','9'))

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section, and felt depressed daily, weekly, monthly, a few times a year, or refused to answer or didn't know how often they felt depressed OR who took medication for depression, or

refused to answer or didn't know if they took medication for depression

Sources: None
Recodes: None
Keywords: depression

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

How depressed you felt last time you were depressed?

- 1 A little
- 2 A lot
- 3 Somewhere in between a little and a lot
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.500\_00.000 Instrument Variable Name: PAIN\_2

Final Documentation Name: PAIN\_2

### In the past 3 months, how often did you have pain? Would you say never, some days, most days, or every day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None Keywords: pain

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Frequency of pain in past 3 months

1	NIOTEON
1	Never

- 2 Some days
- 3 Most days
- 4 Every day
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.520\_00.000 Instrument Variable Name: PAIN\_4 Final Documentation Name: PAIN\_4

Thinking about the last time you had pain, how much pain did you have? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and PAIN\_2 IN

('2','3','4','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and had pain some days, most days, or every day, or refused to

answer or didn't know how often they had pain in the past 3 months

Sources: None Recodes: None Keywords: pain

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

How much pain you had last time you had pain?

1 A little

- 2 A lot
- 3 Somewhere in between a little and a lot
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.540\_00.000 Instrument Variable Name: TIRED\_1

Final Documentation Name: TIRED\_1

In the past 3 months, how often did you feel very tired or exhausted? Would you say never, some days, most days, or every day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None

Recodes:

Keywords: tired; exhaustion; fatigue

None

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

How often felt very tired or exhausted in past 3 months

1 Never

- 2 Some days
- 3 Most days
- 4 Every day
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

Question ID: AFD.550\_00.000Instrument Variable Name: TIRED\_2Final Documentation Name: TIRED\_2

Thinking about the last time you felt very tired or exhausted, how long did it last? Would you say some of the day, most of the day, or all of the day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1' and TIRED\_1 IN

('2','3','4','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and felt very tired or exhausted some days, most days, every day, or

refused to answer or didn't know how often they felt very tired or exhausted in the past 3 months

Sources: None Recodes: None

Keywords: tired; exhaustion; fatigue

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

How long most recent tired or exhausted feelings lasted?

1 Some of the day

- 2 Most of the day
- 3 All of the day
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.560\_00.000 Instrument Variable Name: TIRED\_3
Final Documentation Name: TIRED\_3

Thinking about the last time you felt this way, how would you describe the level of tiredness? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) FDRN\_FLG='1' and TIRED\_1 IN

('2','3','4','7','9')

Description: Sample adults 18+ who were asked the family disability questions (FDB), were randomly selected to receive the

Functioning and Disability (AFD) section, and felt very tired or exhausted some days, most days, every day, or

refused to answer or didn't know how often they felt very tired or exhausted in the past 3 months

Sources: None Recodes: None

Keywords: tired; exhaustion; fatigue

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

Level of tiredness last time felt very tired or exhausted

1 A little

- 2 A lot
- 3 Somewhere in between a little and a lot
- 7 Refused
- 8 Not ascertained
- 9 Don't know

# Functioning and Disability

funcdisb: Adult Functioning and Disability

**PUBLIC USE** 

Document Version Date: 04-Jun-14

**Question ID:** AFD.000\_00.000 R01 RECODE Instrument Variable Name:

Final Documentation Name: RCS\_AFD

### Generated variable

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN\_FLG='1'

Description: Sample adults 18+ who were asked the family disability questions (FDB) and were randomly selected to receive

the Functioning and Disability (AFD) section

Sources: None Recodes: None Keywords: None

Notes: FDRN\_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the

2013 Functioning and Disability (AFD) questions. This file has its own case weight (WTFA\_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2013 AFD variables. Users should be aware that many of the variables in the 2011-2013 AFD files were also

included in the 2010 Quality of Life (QOL) file.

### Record completion status

1 Not ascertained answers only

- 2 Refused and don't know answers only
- 3 Refused, DK, and not ascertained answers only
- 4 At least one valid answer