

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - IDN

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
IDN.000_00.000			RECTYPE	File type identifier	1 - 2	2
IDN.000_02.000			SRVY_YR	Year of National Health Interview Survey	3 - 6	4
IDN.000_04.000			HHX	Household Number	7 - 12	6
IDN.000_35.000			FMX	Family Number	13 - 14	2
IDN.000_40.000		FPX	FPX	Person Number (Within family)	15 - 16	2
IDN.000_70.000			WTFA_SC	Weight - Final Annual	17 - 22	6
UCF.000_00.000	R15	RECODE	STRAT_P	Pseudo-stratum for public-use file variance estimation	23 - 25	3
UCF.000_00.000	R16	RECODE	PSU_P	Pseudo-PSU for public-use file variance estimation	26 - 27	2
CAL.001_00.000		CPROV1	CPROV1	Has a personal health care provider	28	1
CAL.002_01.000		CPROVTY1-CPROVTY4	CPROVTY1	Personal health care provider is a medical doctor (M.D., D.O.), including specialists	29	1
CAL.002_02.000		CPROVTY1-CPROVTY4	CPROVTY2	Personal health care provider is a nurse, nurse practitioner, or physician's assistant	30	1
CAL.002_03.000		CPROVTY1-CPROVTY4	CPROVTY3	Personal health care provider is a chiropractor, acupuncturist, or naturopath	31	1
CAL.002_04.000		CPROVTY1-CPROVTY4	CPROVTY4	Personal health care provider is 'other'	32	1
CAL.003_01.000		CPRVUSP1-CPRVUSP4	CPRVUSP1	Sees a medical doctor (M.D., D.O.) at usual place of care	33	1
CAL.003_02.000		CPRVUSP1-CPRVUSP4	CPRVUSP2	Sees a nurse, nurse practitioner, or physician assistant at usual place of care	34	1
CAL.003_03.000		CPRVUSP1-CPRVUSP4	CPRVUSP3	Sees a chiropractor, acupuncturist, or naturopath at usual place of care	35	1
CAL.003_04.000		CPRVUSP1-CPRVUSP4	CPRVUSP4	Sees another type of provider at usual place of care	36	1
CAL.004_01.000		CPRVRTN1-CPRVRTN4	CPRVRTN1	Sees a medical doctor (M.D., D.O.) for routine care	37	1
CAL.004_02.000		CPRVRTN1-CPRVRTN4	CPRVRTN2	Sees a nurse, nurse practitioner, or physician assistant for routine care	38	1
CAL.004_03.000		CPRVRTN1-CPRVRTN4	CPRVRTN3	Sees a chiropractor, acupuncturist, or naturopath for routine care	39	1
CAL.004_04.000		CPRVRTN1-CPRVRTN4	CPRVRTN4	Sees other type of provider for routine care	40	1
CAL.010_00.000		CCO_USE	CCO_USE	Used chiropractic or osteopathic manipulation, ever	41	1
CAL.011_00.000		CCO_EVER	CCO_EVER	Saw a practitioner for chiropractic or osteopathic manipulation, ever	42	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.012_00.000		CCO_USEM	CCO_USEM	Saw a practitioner for chiropractic or osteopathic manipulation, past 12 months	43	1
CAL.013_00.000		CCO_USM	CCO_USM	Used chiropractic or osteopathic manipulation, past 12 months	44	1
CAL.014_00.000		CCO_TYPE	CCO_TYPE	Type of provider seen for chiropractic or osteopathic manipulation	45	1
CAL.015_00.000		CCO_PMST	CCO_PMST	Type of practitioner seen the most for chiropractic or osteopathic manipulation, past 12 months	46	1
CAL.016_00.000		CCO_PHCP	CCO_PHCP	Provider seen for chiropractic manipulation is also personal healthcare provider	47	1
CAL.017_00.000		CCO_PTIM	CCO_PTIM	Knows exact number of times saw a practitioner of chiropractic or osteopathic manipulation, past 12 months	48	1
CAL.018_00.000		CCO_TMNO	CCO_TMNO	Exact number of times saw a practitioner for chiropractic or osteopathic manipulation, past 12 months	49 - 50	2
CAL.019_00.000		CCO_TMCT	CCO_TMCT	Approximate number of times saw practitioner for chiropractic or osteopathic manipulation, past 12 months	51 - 52	2
CAL.021_00.000		CCO_HIC	CCO_HIC	Any cost of seeing practitioner for chiropractic/osteopathic manipulation was covered by insurance	53	1
CAL.022_00.000		CCO_HICA	CCO_HICA	Portion of the cost of seeing practitioner for chiropractic/osteopathic manipulation covered by health insurance	54	1
CAL.023_00.000		CCO_HIT	CCO_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for chiropractic/osteopathic manipulation	55	1
CAL.024_00.000		CCO_HITS	CCO_HITS	Total amount paid out-of-pocket for seeing a practitioner for chiropractic/osteopathic manipulation	56 - 60	5
CAL.025_00.010		CCO_AVGC	CCO_AVGC	Knows average amount paid out-of-pocket for each visit for chiropractic/osteopathic manipulation	61	1
CAL.026_00.000		CCO_AVGS	CCO_AVGS	Average out-of-pocket cost paid for each visit to practitioner for chiropractic/osteopathic manipulation	62 - 64	3
CAL.027_00.000		CCO_MAT	CCO_MAT	Bought self-help book or other materials to learn about chiropractic/osteopathic manipulation	65	1
CAL.028_00.000		CCO_MATC	CCO_MATC	Amount paid for self-help book or other materials to learn about chiropractic/osteopathic manipulation	66 - 68	3
CAL.037_00.000		CMS_USE	CMS_USE	Used massage for health, ever	69	1
CAL.038_00.000		CMS_EVER	CMS_EVER	Saw a provider for massage, ever	70	1
CAL.039_00.000		CMS_USEM	CMS_USEM	Saw a practitioner for massage, past 12 months	71	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.040_00.000		CMS_USM	CMS_USM	Used massage, past 12 months	72	1
CAL.041_00.000		CMS_PTIM	CMS_PTIM	Knows exact number of times saw a practitioner for massage, past 12 months	73	1
CAL.042_00.000		CMS_TMNO	CMS_TMNO	Exact number of times saw a practitioner for massage, past 12 months	74 - 75	2
CAL.043_00.000		CMS_TMCT	CMS_TMCT	Approximate number of times saw a practitioner for massage, past 12 months	76 - 77	2
CAL.044_00.000		CMS_HIC	CMS_HIC	Any cost of seeing practitioner for massage was covered by insurance	78	1
CAL.045_00.000		CMS_HICA	CMS_HICA	Portion of the cost of seeing practitioner for massage covered by health insurance	79	1
CAL.046_00.000		CMS_HIT	CMS_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for massage	80	1
CAL.047_00.000		CMS_HITS	CMS_HITS	Total amount paid out-of-pocket for seeing a practitioner for massage	81 - 85	5
CAL.048_00.000		CMS_AVGC	CMS_AVGC	Knows average amount paid out-of-pocket for each visit for massage	86	1
CAL.049_00.000		CMS_AVGS	CMS_AVGS	Average out-of-pocket cost paid for each massage visit	87 - 89	3
CAL.050_00.000		CMS_MAT	CMS_MAT	Bought self-help book or other materials to learn about massage	90	1
CAL.051_00.000		CMS_MATC	CMS_MATC	Amount paid for self-help book or other materials to learn about massage	91 - 93	3
CAL.061_00.000		CAC_USE	CAC_USE	Used acupuncture for health, ever	94	1
CAL.062_00.000		CAC_EVER	CAC_EVER	Saw a practitioner for acupuncture, ever	95	1
CAL.063_00.000		CAC_USEM	CAC_USEM	Saw a practitioner for acupuncture, past 12 months	96	1
CAL.064_00.000		CAC_USM	CAC_USM	Used acupuncture, past 12 months	97	1
CAL.065_00.000		CAC_PTIM	CAC_PTIM	Knows exact number of times saw a practitioner for acupuncture, past 12 months	98	1
CAL.066_00.000		CAC_TMNO	CAC_TMNO	Exact number of times saw a practitioner for acupuncture, past 12 months	99 - 100	2
CAL.067_00.000		CAC_TMCT	CAC_TMCT	Approximate number of times saw a practitioner for acupuncture, past 12 months	101 - 102	2
CAL.068_00.000		CAC_HIC	CAC_HIC	Any cost of seeing practitioner for acupuncture was covered by insurance	103	1
CAL.069_00.000		CAC_HICA	CAC_HICA	Portion of the cost of seeing practitioner for acupuncture covered by health insurance	104	1
CAL.070_00.000		CAC_HIT	CAC_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for acupuncture	105	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.071_00.000		CAC_HITS	CAC_HITS	Total amount paid out-of-pocket for seeing a practitioner for acupuncture	106 - 110	5
CAL.072_00.000		CAC_AVGC	CAC_AVGC	Knows average amount paid out-of-pocket per visit for acupuncture	111	1
CAL.073_00.000		CAC_AVGS	CAC_AVGS	Average out-of-pocket cost paid for each acupuncture visit	112 - 114	3
CAL.074_00.000		CAC_MAT	CAC_MAT	Bought self-help book or other materials to learn about acupuncture	115	1
CAL.075_00.000		CAC_MATC	CAC_MATC	Amount paid for self-help book or other materials to learn about acupuncture	116 - 118	3
CAL.085_00.000		CEH_USE	CEH_USE	Used energy healing therapy for health, ever	119	1
CAL.086_00.000		CEH_EVER	CEH_EVER	Saw a practitioner for energy healing therapy, ever	120	1
CAL.087_00.000		CEH_USEM	CEH_USEM	Saw a practitioner for energy healing therapy, past 12 months	121	1
CAL.088_00.000		CEH_USM	CEH_USM	Used energy healing therapy, past 12 months	122	1
CAL.089_00.000		CEH_PTIM	CEH_PTIM	Knows exact number of times saw a practitioner for energy healing therapy, past 12 months	123	1
CAL.090_00.000		CEH_TMNO	CEH_TMNO	Exact number of times saw a practitioner for energy healing therapy, past 12 months	124 - 125	2
CAL.091_00.000		CEH_TMCT	CEH_TMCT	Approximate number of times saw a practitioner for energy healing therapy, past 12 months	126 - 127	2
CAL.092_00.000		CEH_HIC	CEH_HIC	Any cost of seeing a practitioner for energy healing therapy was covered by insurance	128	1
CAL.093_00.000		CEH_HICA	CEH_HICA	Portion of the cost of seeing a practitioner for energy healing therapy covered by health insurance	129	1
CAL.094_00.000		CEH_HIT	CEH_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for energy healing therapy	130	1
CAL.095_00.000		CEH_HITS	CEH_HITS	Total amount paid for seeing a practitioner for energy healing therapy	131 - 135	5
CAL.096_00.000		CEH_AVGC	CEH_AVGC	Knows average amount paid out-of-pocket per visit for energy healing therapy	136	1
CAL.097_00.000		CEH_AVGS	CEH_AVGS	Average out-of-pocket cost paid for each energy healing therapy visit	137 - 139	3
CAL.098_00.000		CEH_MAT	CEH_MAT	Bought self-help book or other materials to learn about energy healing therapy	140	1
CAL.099_00.000		CEH_MATC	CEH_MATC	Amount paid for self-help book or other materials to learn about energy healing therapy	141 - 143	3
CAL.109_00.000		CNT_USE	CNT_USE	Used naturopathy for health, ever	144	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.110_00.000		CNT_EVER	CNT_EVER	Saw a practitioner for naturopathy, ever	145	1
CAL.111_00.000		CNT_USEM	CNT_USEM	Saw a practitioner for naturopathy, past 12 months	146	1
CAL.112_00.000		CNT_USM	CNT_USM	Used naturopathy, past 12 months	147	1
CAL.113_00.000		CNT_PTIM	CNT_PTIM	Knows exact number of times saw a practitioner for naturopathy, past 12 months	148	1
CAL.114_00.000		CNT_TMNO	CNT_TMNO	Exact number of times saw a practitioner for naturopathy, past 12 months	149 - 150	2
CAL.115_00.000		CNT_TMCT	CNT_TMCT	Approximate number of times saw a practitioner for naturopathy, past 12 months	151 - 152	2
CAL.116_00.000		CNT_HIC	CNT_HIC	Any cost of seeing practitioner for naturopathy was covered by insurance	153	1
CAL.117_00.000		CNT_HICA	CNT_HICA	Portion of the cost of seeing practitioner for naturopathy covered by insurance	154	1
CAL.118_00.000		CNT_HIT	CNT_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for naturopathy	155	1
CAL.119_00.000		CNT_HITS	CNT_HITS	Total amount paid out-of-pocket for seeing a practitioner for naturopathy	156 - 160	5
CAL.120_00.000		CNT_AVGC	CNT_AVGC	Knows average amount paid out-of-pocket per visit for seeing a practitioner for naturopathy	161	1
CAL.121_00.000		CNT_AVGS	CNT_AVGS	Average out-of-pocket cost paid for each naturopathy visit	162 - 164	3
CAL.122_00.000		CNT_MAT	CNT_MAT	Bought self-help book or other materials to learn about naturopathy	165	1
CAL.123_00.000		CNT_MATC	CNT_MATC	Amount paid for self-help book or other materials to learn about naturopathy	166 - 168	3
CAL.133_00.000		CHY_USE	CHY_USE	Used hypnosis for health, ever	169	1
CAL.134_00.000		CHY_EVER	CHY_EVER	Saw a practitioner for hypnosis, ever	170	1
CAL.135_00.000		CHY_USEM	CHY_USEM	Saw a practitioner for hypnosis, past 12 months	171	1
CAL.136_00.000		CHY_BRTH	CHY_BRTH	Did breathing exercises as part of hypnosis	172	1
CAL.137_00.000		CHY_USM	CHY_USM	Used hypnosis, past 12 months	173	1
CAL.138_00.000		CHY_PTIM	CHY_PTIM	Knows exact number of times saw a practitioner for hypnosis, past 12 months	174	1
CAL.139_00.000		CHY_TMNO	CHY_TMNO	Exact number of times saw a practitioner for hypnosis, past 12 months	175 - 176	2
CAL.140_00.000		CHY_TMCT	CHY_TMCT	Approximate number of times saw a practitioner for hypnosis, past 12 months	177 - 178	2
CAL.141_00.000		CHY_HIC	CHY_HIC	Any cost of seeing practitioner for hypnosis was covered by insurance	179	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.142_00.000		CHY_HICA	CHY_HICA	Portion of the cost of seeing practitioner for hypnosis covered by insurance	180	1
CAL.143_00.000		CHY_HIT	CHY_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for hypnosis	181	1
CAL.144_00.000		CHY_HITS	CHY_HITS	Total amount paid out-of-pocket for seeing a practitioner for hypnosis	182 - 186	5
CAL.145_00.000		CHY_AVGC	CHY_AVGC	Knows average amount paid out-of-pocket per visit for seeing a practitioner for hypnosis	187	1
CAL.146_00.000		CHY_AVGS	CHY_AVGS	Average amount paid out-of-pocket per visit for seeing a practitioner for hypnosis	188 - 190	3
CAL.147_00.000		CHY_MAT	CHY_MAT	Bought self-help book or other materials to learn about hypnosis	191	1
CAL.148_00.000		CHY_MATC	CHY_MATC	Amount paid for self-help book or other materials to learn about hypnosis	192 - 194	3
CAL.158_00.000		CBI_USE	CBI_USE	Used biofeedback for health, ever	195	1
CAL.159_00.000		CBI_EVER	CBI_EVER	Saw a practitioner for biofeedback, ever	196	1
CAL.160_00.000		CBI_USEM	CBI_USEM	Saw a practitioner for biofeedback, past 12 months	197	1
CAL.161_00.000		CBI_BRTH	CBI_BRTH	Did breathing exercises as part of biofeedback	198	1
CAL.162_00.000		CBI_USM	CBI_USM	Used biofeedback, past 12 months	199	1
CAL.163_00.000		CBI_PTIM	CBI_PTIM	Knows exact number of times saw a practitioner for biofeedback, past 12 months	200	1
CAL.164_00.000		CBI_TMNO	CBI_TMNO	Exact number of times saw a practitioner for biofeedback, past 12 months	201 - 202	2
CAL.165_00.000		CBI_TMCT	CBI_TMCT	Approximate number of times saw a practitioner for biofeedback, past 12 months	203 - 204	2
CAL.166_00.000		CBI_HIC	CBI_HIC	Any cost of seeing practitioner for biofeedback was covered by insurance	205	1
CAL.167_00.000		CBI_HICA	CBI_HICA	Portion of the cost of seeing practitioner for biofeedback covered by insurance	206	1
CAL.168_00.000		CBI_HIT	CBI_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for	207	1
CAL.169_00.000		CBI_HITS	CBI_HITS	Total amount paid out-of-pocket for seeing a practitioner for biofeedback	208 - 212	5
CAL.170_00.000		CBI_AVGC	CBI_AVGC	Knows average amount paid out-of-pocket per visit for seeing a practitioner for biofeedback	213	1
CAL.171_00.000		CBI_AVGS	CBI_AVGS	Average amount paid out-of-pocket per visit for biofeedback	214 - 216	3
CAL.172_00.000		CBI_MAT	CBI_MAT	Bought self-help book or other materials to learn about biofeedback	217	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.173_00.000		CBI_MATC	CBI_MATC	Amount paid for self-help book or other materials to learn about biofeedback	218 - 220	3
CAL.183_00.000		CAY_USE	CAY_USE	Used ayurveda for health, ever	221	1
CAL.184_00.000		CAY_EVER	CAY_EVER	Saw a practitioner for ayurveda, ever	222	1
CAL.185_00.000		CAY_USEM	CAY_USEM	Saw a practitioner for ayurveda, past 12 months	223	1
CAL.186_00.000		CAY_USM	CAY_USM	Used ayurveda, past 12 months	224	1
CAL.187_00.000		CAY_PTIM	CAY_PTIM	Knows exact number of times saw a practitioner for ayurveda, past 12 months	225	1
CAL.188_00.000		CAY_TMNO	CAY_TMNO	Exact number of times saw a practitioner for ayurveda, past 12 months	226 - 227	2
CAL.189_00.000		CAY_TMCT	CAY_TMCT	Approximate number of times saw a practitioner for ayurveda, past 12 months	228 - 229	2
CAL.190_00.000		CAY_HIC	CAY_HIC	Any cost of seeing practitioner for ayurveda was covered by insurance	230	1
CAL.191_00.000		CAY_HICA	CAY_HICA	Portion of the cost of seeing practitioner for ayurveda covered by insurance	231	1
CAL.192_00.000		CAY_HIT	CAY_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for ayurveda	232	1
CAL.193_00.000		CAY_HITS	CAY_HITS	Total amount paid out-of-pocket for seeing a practitioner for ayurveda	233 - 237	5
CAL.194_00.000		CAY_AVGC	CAY_AVGC	Knows average amount paid out-of-pocket per visit for ayurveda	238	1
CAL.195_00.000		CAY_AVGS	CAY_AVGS	Average out-of-pocket cost paid for each ayurveda visit	239 - 241	3
CAL.196_00.000		CAY_MAT	CAY_MAT	Bought self-help book or other materials to learn about ayurveda	242	1
CAL.197_00.000		CAY_MATC	CAY_MATC	Amount paid for self-help book or other materials to learn about ayurveda	243 - 245	3
CAL.207_00.000		CCH_USE	CCH_USE	Used chelation therapy for health, ever	246	1
CAL.208_00.000		CCH_EVER	CCH_EVER	Saw a practitioner for chelation therapy, ever	247	1
CAL.209_00.000		CCH_USEM	CCH_USEM	Saw a practitioner for chelation therapy, past 12 months	248	1
CAL.210_00.000		CCH_USM	CCH_USM	Used chelation therapy, past 12 months	249	1
CAL.211_00.000		CCH_PTIM	CCH_PTIM	Knows exact number of times saw a practitioner for chelation therapy, past 12 months	250	1
CAL.212_00.000		CCH_TMNO	CCH_TMNO	Exact number of times saw a practitioner for chelation therapy, past 12 months	251 - 252	2
CAL.213_00.000		CCH_TMCT	CCH_TMCT	Approximate number of times saw a practitioner for chelation therapy, past 12 months	253 - 254	2

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.214_00.000		CCH_HIC	CCH_HIC	Any cost of seeing practitioner for chelation therapy was covered by insurance	255	1
CAL.215_00.000		CCH_HICA	CCH_HICA	Portion of the cost of seeing practitioner for chelation therapy covered by insurance	256	1
CAL.216_00.000		CCH_HIT	CCH_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for chelation therapy	257	1
CAL.217_00.000		CCH_HITS	CCH_HITS	Total amount paid out-of-pocket for seeing a practitioner for chelation therapy	258 - 262	5
CAL.218_00.000		CCH_AVGC	CCH_AVGC	Knows average amount paid out-of-pocket per visit for chelation therapy	263	1
CAL.219_00.000		CCH_AVGS	CCH_AVGS	Average amount out-of-pocket cost paid for each chelation therapy visit	264 - 266	3
CAL.220_00.000		CCH_MAT	CCH_MAT	Bought self-help book or other materials to learn about chelation therapy	267	1
CAL.221_00.000		CCH_MATC	CCH_MATC	Amount paid for self-help book or other materials to learn about chelation therapy	268 - 270	3
CAL.231_00.000		CCS_USE	CCS_USE	Used craniosacral therapy for health, ever	271	1
CAL.232_00.000		CCS_EVER	CCS_EVER	Saw a practitioner for craniosacral therapy, ever	272	1
CAL.233_00.000		CCS_USEM	CCS_USEM	Saw a practitioner for craniosacral therapy, past 12 months	273	1
CAL.234_00.000		CCS_USM	CCS_USM	Used craniosacral therapy, past 12 months	274	1
CAL.235_00.000		CCS_PTIM	CCS_PTIM	Knows exact number of times saw a practitioner for craniosacral therapy, past 12 months	275	1
CAL.236_00.000		CCS_TMNO	CCS_TMNO	Exact number of times saw a practitioner for craniosacral therapy, past 12 months	276 - 277	2
CAL.237_00.000		CCS_TMCT	CCS_TMCT	Approximate number of times saw a practitioner for craniosacral therapy, past 12 months	278 - 279	2
CAL.238_00.000		CCS_HIC	CCS_HIC	Any cost of seeing practitioner for craniosacral therapy was covered by insurance	280	1
CAL.239_00.000		CCS_HICA	CCS_HICA	Portion of the cost of seeing practitioner for craniosacral therapy covered by insurance	281	1
CAL.240_00.000		CCS_HIT	CCS_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for craniosacral therapy	282	1
CAL.241_00.000		CCS_HITS	CCS_HITS	Total amount paid out-of-pocket for seeing a practitioner for craniosacral therapy	283 - 287	5

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.242_00.000		CCS_AVGC	CCS_AVGC	Knows average amount paid out-of-pocket per visit for craniosacral therapy	288	1
CAL.243_00.000		CCS_AVGS	CCS_AVGS	Average out-of-pocket cost paid for each craniosacral therapy visit	289 - 291	3
CAL.244_00.000		CCS_MAT	CCS_MAT	Bought self-help book or other materials to learn about craniosacral therapy	292	1
CAL.245_00.000		CCS_MATC	CCS_MATC	Amount paid for self-help book or other materials to learn about craniosacral therapy	293 - 295	3
CAL.255_00.000		CTR_EVR	CTR_EVR	Ever seen a traditional healer	296	1
CAL.256_01.010		CTREVR1-CTREVR6	CTREVR1	Ever seen a Native American Healer or Medicine Man	297	1
CAL.256_02.010		CTREVR1-CTREVR6	CTREVR2	Ever seen a Shaman	298	1
CAL.256_03.010		CTREVR1-CTREVR6	CTREVR3	Ever seen a Curandero or Parchero	299	1
CAL.256_04.010		CTREVR1-CTREVR6	CTREVR4	Ever seen a Yerbero or Hierbista	300	1
CAL.256_05.010		CTREVR1-CTREVR6	CTREVR5	Ever seen a Sobador	301	1
CAL.256_06.010		CTREVR1-CTREVR6	CTREVR6	Ever seen a Huesero	302	1
CAL.257_00.000		CTRU_NAH	CTRU_NAH	Saw a Native American Healer or Medicine Man, past 12 months	303	1
CAL.258_00.000		CTRU_SHA	CTRU_SHA	Saw a Shaman, past 12 months	304	1
CAL.259_00.000		CTRU_CUR	CTRU_CUR	Saw a Curandero or Parchero, past 12 months	305	1
CAL.260_00.000		CTRU_YER	CTRU_YER	Saw a Yerbero or Hierbista, past 12 months	306	1
CAL.261_00.000		CTRU_SOB	CTRU_SOB	Saw a Sobador, past 12 months	307	1
CAL.262_00.000		CTRU_HUE	CTRU_HUE	Saw a Huesero, past 12 months	308	1
CAL.263_00.000		CTR_PTIM	CTR_PTIM	Knows exact number of times saw a traditional healer, past 12 months	309	1
CAL.264_00.000		CTR_TMNO	CTR_TMNO	Exact number of times saw a traditional healer, past 12 months	310 - 311	2
CAL.265_00.000		CTR_TMCT	CTR_TMCT	Approximate number of times saw a traditional healer, past 12 months	312 - 313	2
CAL.266_00.000		CTR_HIC	CTR_HIC	Any cost of seeing traditional healer was covered by insurance	314	1
CAL.267_00.000		CTR_HICA	CTR_HICA	Portion of the cost of seeing traditional healer covered by insurance	315	1
CAL.268_00.000		CTR_HIT	CTR_HIT	Knows total amount paid out-of-pocket for seeing a traditional healer	316	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.269_00.000		CTR_HITS	CTR_HITS	Total amount paid out-of-pocket for seeing a traditional healer	317 - 321	5
CAL.270_00.000		CTR_AVGC	CTR_AVGC	Knows average amount paid out-of-pocket per visit to traditional healer	322	1
CAL.271_00.000		CTR_AVGS	CTR_AVGS	Average out-of-pocket cost paid for each traditional healer visit	323 - 325	3
CAL.272_00.000		CTR_MAT	CTR_MAT	Bought self-help book or other materials to learn about traditional healers	326	1
CAL.273_00.000		CTR_MATC	CTR_MATC	Amount paid for self-help book or other materials to learn about traditional healers	327 - 329	3
CAL.283_00.000		CVT_USE	CVT_USE	Ever taken multi-vitamins or multi-minerals	330	1
CAL.284_00.000		CVT_USM	CVT_USM	Taken multi-vitamins or multi-minerals in past 12 months	331	1
CAL.285_00.000		CVT_ABEV	CVT_ABEV	Ever taken vitamins A, B, C, D, E, H, or K	332	1
CAL.286_00.000		CVT_ABUM	CVT_ABUM	Taken vitamins A,B,C,D,E,H, or K in past 12 months	333	1
CAL.287_00.000		CVT_CAEV	CVT_CAEV	Ever taken calcium, magnesium, iron, chromium, zinc, selenium, or potassium	334	1
CAL.288_00.000		CVT_CAUM	CVT_CAUM	Taken calcium, magnesium, iron, chromium, zinc, selenium, or potassium in past 12 months	335	1
CAL.298_00.000		CHB_EVR	CHB_EVR	Ever taken any herbal or other non-vitamin supplements	336	1
CAL.299_00.000		CHB_USM	CHB_USM	Taken any herbal or other non-vitamin supplements in past 12 months	337	1
CAL.300_01.000		CHBLST01-CHBLST22	CHBLST01	Taken combination herb pill, past 12 months	338	1
CAL.300_02.000		CHBLST01-CHBLST22	CHBLST02	Taken acai pills or gencaps, past 12 months	339	1
CAL.300_03.000		CHBLST01-CHBLST22	CHBLST03	Taken bee pollen (or other bee products), past 12 months	340	1
CAL.300_04.000		CHBLST01-CHBLST22	CHBLST04	Taken chondroitin, past 12 months	341	1
CAL.300_05.000		CHBLST01-CHBLST22	CHBLST05	Taken Co-enzyme Q10 (CoQ10), past 12 months	342	1
CAL.300_06.000		CHBLST01-CHBLST22	CHBLST06	Taken cranberry pills or capsules, past 12 months	343	1
CAL.300_07.000		CHBLST01-CHBLST22	CHBLST07	Taken digestive enzymes (lactaid), past 12 months	344	1
CAL.300_08.000		CHBLST01-CHBLST22	CHBLST08	Taken echinacea, past 12 months	345	1
CAL.300_09.000		CHBLST01-CHBLST22	CHBLST09	Taken fish oil (or omega 3, DHA, or EPA fatty acid) supplements, past 12 months	346	1
CAL.300_10.000		CHBLST01-CHBLST22	CHBLST10	Taken garlic supplements, past 12 months	347	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.300_11.000		CHBLST01-CHBLST22	CHBLST11	Taken Ginkgo Biloba, past 12 months	348	1
CAL.300_12.000		CHBLST01-CHBLST22	CHBLST12	Taken Ginseng, past 12 months	349	1
CAL.300_13.000		CHBLST01-CHBLST22	CHBLST13	Taken glucosamine, past 12 months	350	1
CAL.300_14.000		CHBLST01-CHBLST22	CHBLST14	Taken green tea pills or EGCG pills, past 12 months	351	1
CAL.300_15.000		CHBLST01-CHBLST22	CHBLST15	Taken melatonin, past 12 months	352	1
CAL.300_16.000		CHBLST01-CHBLST22	CHBLST16	Taken milk thistle (silymarin), past 12 months	353	1
CAL.300_17.000		CHBLST01-CHBLST22	CHBLST17	Taken MSM (Methylsulfonylmethane), past 12 months	354	1
CAL.300_18.000		CHBLST01-CHBLST22	CHBLST18	Taken probiotics or prebiotics, past 12 months	355	1
CAL.300_19.000		CHBLST01-CHBLST22	CHBLST19	Taken SAM-e, past 12 months	356	1
CAL.300_20.000		CHBLST01-CHBLST22	CHBLST20	Taken saw palmetto, past 12 months	357	1
CAL.300_21.000		CHBLST01-CHBLST22	CHBLST21	Taken valerian, past 12 months	358	1
CAL.300_22.000		CHBLST01-CHBLST22	CHBLST22	Taken other herbs or non-vitamin supplements, past 12 months	359	1
CAL.301_00.000		CHB_MON	CHB_MON	Has taken any specific herbs or other non-vitamin supplements in past 30 days	360	1
CAL.302_01.000		CHBLSM01-CHBLSM22	CHBLSM01	Taken combination herb pill, past 30 days	361	1
CAL.302_02.000		CHBLSM01-CHBLSM22	CHBLSM02	Taken acai pills or gencaps, past 30 days	362	1
CAL.302_03.000		CHBLSM01-CHBLSM22	CHBLSM03	Taken bee pollen (or other bee products), past 30 days	363	1
CAL.302_04.000		CHBLSM01-CHBLSM22	CHBLSM04	Taken chondroitin, past 30 days	364	1
CAL.302_05.000		CHBLSM01-CHBLSM22	CHBLSM05	Taken co-enzyme Q10 (CoQ10), past 30 days	365	1
CAL.302_06.000		CHBLSM01-CHBLSM22	CHBLSM06	Taken cranberry pills or capsules, past 30 days	366	1
CAL.302_07.000		CHBLSM01-CHBLSM22	CHBLSM07	Taken digestive enzymes (lactaid), past 30 days	367	1
CAL.302_08.000		CHBLSM01-CHBLSM22	CHBLSM08	Taken echinacea, past 30 days	368	1
CAL.302_09.000		CHBLSM01-CHBLSM22	CHBLSM09	Taken fish oil (or omega 3, DHA, or EPA fatty acid) supplements, past 30 days	369	1
CAL.302_10.000		CHBLSM01-CHBLSM22	CHBLSM10	Taken garlic supplements, past 30 days	370	1
CAL.302_11.000		CHBLSM01-CHBLSM22	CHBLSM11	Taken ginkgo biloba, past 30 days	371	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.302_12.000		CHBLSM01-CHBLSM22	CHBLSM12	Taken ginseng, past 30 days	372	1
CAL.302_13.000		CHBLSM01-CHBLSM22	CHBLSM13	Taken glucosamine, past 30 days	373	1
CAL.302_14.000		CHBLSM01-CHBLSM22	CHBLSM14	Taken green tea pills or EGCG pills, past 30 days	374	1
CAL.302_15.000		CHBLSM01-CHBLSM22	CHBLSM15	Taken melatonin, past 30 days	375	1
CAL.302_16.000		CHBLSM01-CHBLSM22	CHBLSM16	Taken milk thistle (silymarin), past 30 days	376	1
CAL.302_17.000		CHBLSM01-CHBLSM22	CHBLSM17	Taken MSM (methylsulfonylmethane), past 30 days	377	1
CAL.302_18.000		CHBLSM01-CHBLSM22	CHBLSM18	Taken probiotics or prebiotics, past 30 days	378	1
CAL.302_19.000		CHBLSM01-CHBLSM22	CHBLSM19	Taken SAM-e, past 30 days	379	1
CAL.302_20.000		CHBLSM01-CHBLSM22	CHBLSM20	Taken saw palmetto, past 30 days	380	1
CAL.302_21.000		CHBLSM01-CHBLSM22	CHBLSM21	Taken valerian, past 30 days	381	1
CAL.302_22.000		CHBLSM01-CHBLSM22	CHBLSM22	Taken other herb or other non-vitamin supplement, past 30 days	382	1
CAL.303_00.000		CHB_CHPN	CHB_CHPN	Number of different combination herb pills taken	383 - 384	2
CAL.304_02.000		CHBCP102-CHBCP122	CHBCP102	First combination herb pill taken included: acai	385	1
CAL.304_03.000		CHBCP102-CHBCP122	CHBCP103	First combination herb pill taken included: bee pollen or other bee products	386	1
CAL.304_04.000		CHBCP102-CHBCP122	CHBCP104	First combination herb pill taken included: chondroitin	387	1
CAL.304_05.000		CHBCP102-CHBCP122	CHBCP105	First combination herb pill taken included: co-enzyme Q10 (CoQ10)	388	1
CAL.304_06.000		CHBCP102-CHBCP122	CHBCP106	First combination herb pill taken included: cranberry	389	1
CAL.304_07.000		CHBCP102-CHBCP122	CHBCP107	First combination herb pill taken included: digestive enzymes	390	1
CAL.304_08.000		CHBCP102-CHBCP122	CHBCP108	First combination herb pill taken included: echinacea	391	1
CAL.304_09.000		CHBCP102-CHBCP122	CHBCP109	First combination herb pill taken included: fish oil (or omega 3, DHA, or EPA fatty acid)	392	1
CAL.304_10.000		CHBCP102-CHBCP122	CHBCP110	First combination herb pill taken included: garlic	393	1
CAL.304_11.000		CHBCP102-CHBCP122	CHBCP111	First combination herb pill taken included: ginkgo biloba	394	1
CAL.304_12.000		CHBCP102-CHBCP122	CHBCP112	First combination herb pill taken included: ginseng	395	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.304_13.000		CHBCP102-CHBCP122	CHBCP113	First combination herb pill taken included: glucosamine	396	1
CAL.304_14.000		CHBCP102-CHBCP122	CHBCP114	First combination herb pill taken included: green tea or EGCG	397	1
CAL.304_15.000		CHBCP102-CHBCP122	CHBCP115	First combination herb pill taken included: melatonin	398	1
CAL.304_16.000		CHBCP102-CHBCP122	CHBCP116	First combination herb pill taken included: milk thistle (silymarin)	399	1
CAL.304_17.000		CHBCP102-CHBCP122	CHBCP117	First combination herb pill taken included: MSM (methylsulfonylmethane)	400	1
CAL.304_18.000		CHBCP102-CHBCP122	CHBCP118	First combination herb pill taken included: probiotics or prebiotics	401	1
CAL.304_19.000		CHBCP102-CHBCP122	CHBCP119	First combination herb pill taken included: SAM-e	402	1
CAL.304_20.000		CHBCP102-CHBCP122	CHBCP120	First combination herb pill taken included: saw palmetto	403	1
CAL.304_21.000		CHBCP102-CHBCP122	CHBCP121	First combination herb pill taken included: valerian	404	1
CAL.304_22.000		CHBCP102-CHBCP122	CHBCP122	First combination herb pill taken included: other herbs or non-vitamin supplements	405	1
CAL.305_02.000		CHBCP202-CHBCP222	CHBCP202	Second combination herb pill taken included: acai	406	1
CAL.305_03.000		CHBCP202-CHBCP222	CHBCP203	Second combination herb pill taken included: bee pollen or other bee products	407	1
CAL.305_04.000		CHBCP202-CHBCP222	CHBCP204	Second combination herb pill taken included: chondroitin	408	1
CAL.305_05.000		CHBCP202-CHBCP222	CHBCP205	Second combination herb pill taken included: co-enzyme Q10 (CoQ10)	409	1
CAL.305_06.000		CHBCP202-CHBCP222	CHBCP206	Second combination herb pill taken included: cranberry	410	1
CAL.305_07.000		CHBCP202-CHBCP222	CHBCP207	Second combination herb pill taken included: digestive enzymes	411	1
CAL.305_08.000		CHBCP202-CHBCP222	CHBCP208	Second combination herb pill taken included: echinacea	412	1
CAL.305_09.000		CHBCP202-CHBCP222	CHBCP209	Second combination herb pill taken included: fish oil (or omega 3, DHA, or EPA fatty acid)	413	1
CAL.305_10.000		CHBCP202-CHBCP222	CHBCP210	Second combination herb pill taken included: garlic	414	1
CAL.305_11.000		CHBCP202-CHBCP222	CHBCP211	Second combination herb pill taken included: ginkgo biloba	415	1
CAL.305_12.000		CHBCP202-CHBCP222	CHBCP212	Second combination herb pill taken included: ginseng	416	1
CAL.305_13.000		CHBCP202-CHBCP222	CHBCP213	Second combination herb pill taken included: glucosamine	417	1
CAL.305_14.000		CHBCP202-CHBCP222	CHBCP214	Second combination herb pill taken included: green tea or EGCG	418	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.305_15.000		CHBCP202-CHBCP222	CHBCP215	Second combination herb pill taken included: melatonin	419	1
CAL.305_16.000		CHBCP202-CHBCP222	CHBCP216	Second combination herb pill taken included: milk thistle (silymarin)	420	1
CAL.305_17.000		CHBCP202-CHBCP222	CHBCP217	Second combination herb pill taken included: MSM (methylsulfonylmethane)	421	1
CAL.305_18.000		CHBCP202-CHBCP222	CHBCP218	Second combination herb pill taken included: probiotics or prebiotics	422	1
CAL.305_19.000		CHBCP202-CHBCP222	CHBCP219	Second combination herb pill taken included: SAM-e	423	1
CAL.305_20.000		CHBCP202-CHBCP222	CHBCP220	Second combination herb pill taken included: saw palmetto	424	1
CAL.305_21.000		CHBCP202-CHBCP222	CHBCP221	Second combination herb pill taken included: valerian	425	1
CAL.305_22.000		CHBCP202-CHBCP222	CHBCP222	Second combination herb pill taken included: other herbs or non-vitamin supplements	426	1
CAL.306_00.000		CHB_MOTH	CHB_MOTH	Number of other herbs or non-vitamin supplements taken, past 30 days	427 - 428	2
CAL.307_01.000		CHB_LU1C	CHB_LU1C	First herb or non-vitamin supplement taken, past 30 days	429 - 431	3
CAL.308_01.000		CHB_LU2C	CHB_LU2C	Second herb or non-vitamin supplement taken, past 30 days	432 - 434	3
CAL.310_00.000		CHB_TP21	CHB_TP21	First of the top two herbal supplements taken most often	435 - 436	2
CAL.311_00.000		CHB_TP22	CHB_TP22	Second of the top two herbal supplements taken most often	437 - 438	2
CAL.312_00.000		CHB_EVR1	CHB_EVR1	Ever seen a practitioner for herbs or other non-vitamin supplements	439	1
CAL.313_00.000		CHB_USE1	CHB_USE1	Saw a practitioner for herbs or other non-vitamin supplements, past 12 months	440	1
CAL.314_00.000		CVT_BOFN	CVT_BOFN	Number of times per week, month, or year bought vitamins and minerals	441 - 443	3
CAL.315_00.000		CVT_BOFT	CVT_BOFT	Time period for how often vitamins and minerals were bought	444	1
CAL.316_00.000		CVT_CST1	CVT_CST1	Approximate cost paid for last purchase of vitamins or minerals	445 - 448	4
CAL.317_00.000		CHB_BOFN	CHB_BOFN	Number of times per week, month, or year bought herbs or other non-vitamin supplements	449 - 451	3
CAL.318_00.000		CHB_BOFT	CHB_BOFT	Time period for how often herbs or other non-vitamin supplements were bought	452	1
CAL.319_00.000		CHB_CST1	CHB_CST1	Approximate cost paid for last purchase of vitamins or minerals	453 - 456	4
CAL.320_00.000		CHB_PTIM	CHB_PTIM	Knows exact number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months	457	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.321_00.000		CHB_TMNO	CHB_TMNO	Exact number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months	458 - 459	2
CAL.322_00.000		CHB_TMCT	CHB_TMCT	Approximate number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months	460 - 461	2
CAL.323_00.000		CHB_HIC	CHB_HIC	Any cost of seeing a practitioner for herbs or other non-vitamin supplements was covered by insurance	462	1
CAL.324_00.000		CHB_HICA	CHB_HICA	Portion of the cost of seeing practitioner for herbs or other non-vitamin supplements covered by insurance	463	1
CAL.325_00.000		CHB_HIT	CHB_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for herbs or other non-vitamin supplements	464	1
CAL.326_00.000		CHB_HITS	CHB_HITS	Total amount paid out-of-pocket for seeing a practitioner for herbs or other non-vitamin supplements	465 - 469	5
CAL.327_00.000		CHB_AVGC	CHB_AVGC	Knows average amount paid out-of-pocket per visit for herbs or other non-vitamin supplements	470	1
CAL.328_00.000		CHB_AVGS	CHB_AVGS	Average out-of-pocket cost paid for each visit for herbs or other non-vitamin supplements	471 - 473	3
CAL.329_00.000		CHB_MAT	CHB_MAT	Bought self-help book or other materials to learn about herbs or other non-vitamin supplements	474	1
CAL.330_00.000		CHB_MATC	CHB_MATC	Amount paid for self-help book or other materials to learn about herbs or other non-vitamin supplements	475 - 477	3
CAL.340_00.000		CHM_USE	CHM_USE	Used homeopathy for health, ever	478	1
CAL.341_00.000		CHM_USM	CHM_USM	Used homeopathy for health, past 12 months	479	1
CAL.342_00.000		CHM_OFTN	CHM_OFTN	Number of times per week, month, or year bought homeopathic medicine	480 - 482	3
CAL.343_00.000		CHM_OFTT	CHM_OFTT	Time period for how often homeopathic medicine was bought	483	1
CAL.344_00.000		CHM_COST	CHM_COST	Approximate cost paid for last purchase of homeopathic medicine	484 - 487	4
CAL.345_00.000		CHM_EVER	CHM_EVER	Saw a practitioner for homeopathy, ever	488	1
CAL.346_00.000		CHM_USEM	CHM_USEM	Saw a practitioner for homeopathy, past 12 months	489	1
CAL.347_00.000		CHM_PTIM	CHM_PTIM	Knows exact number of times saw a practitioner for homeopathy, past 12 months	490	1
CAL.348_00.000		CHM_TMNO	CHM_TMNO	Exact number of times saw a practitioner for homeopathy, past 12 months	491 - 492	2

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.349_00.000		CHM_TMCT	CHM_TMCT	Approximate number of times saw a practitioner for homeopathy, past 12 months	493 - 494	2
CAL.350_00.000		CHM_HIC	CHM_HIC	Any cost of seeing practitioner for homeopathy was covered by insurance	495	1
CAL.351_00.000		CHM_HICA	CHM_HICA	Portion of the cost of seeing practitioner for homeopathy covered by insurance	496	1
CAL.352_00.000		CHM_HIT	CHM_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for homeopathy	497	1
CAL.353_00.000		CHM_HITS	CHM_HITS	Total amount paid out-of-pocket for seeing a practitioner for homeopathy	498 - 502	5
CAL.354_00.000		CHM_AVGC	CHM_AVGC	Knows average amount paid out-of-pocket per visit for homeopathy	503	1
CAL.355_00.000		CHM_AVGS	CHM_AVGS	Average out-of-pocket cost paid for each homeopathy visit	504 - 506	3
CAL.356_00.000		CHM_MAT	CHM_MAT	Bought self-help book or other materials to learn about homeopathy	507	1
CAL.357_00.000		CHM_MATC	CHM_MATC	Amount paid for self-help book or other materials to learn about homeopathy	508 - 510	3
CAL.367_00.000		CMB_USE	CMB_USE	Used meditation, guided imagery, or progressive relaxation for health, ever	511	1
CAL.368_00.000		CMBE_MAN	CMBE_MAN	Ever used mantra meditation	512	1
CAL.369_00.000		CMBE_MND	CMBE_MND	Ever used mindfulness meditation	513	1
CAL.370_00.000		CMBE_SPR	CMBE_SPR	Ever used spiritual meditation	514	1
CAL.371_00.000		CMBE_IMG	CMBE_IMG	Ever used guided imagery	515	1
CAL.372_00.000		CMBE_PRO	CMBE_PRO	Ever used progressive relaxation	516	1
CAL.373_00.000		CMBU_MAN	CMBU_MAN	Used mantra meditation, past 12 months	517	1
CAL.374_00.000		CMBU_MND	CMBU_MND	Used mindfulness meditation, past 12 months	518	1
CAL.375_00.000		CMBU_SPR	CMBU_SPR	Used spiritual meditation, past 12 months	519	1
CAL.376_00.000		CMBU_IMG	CMBU_IMG	Used guided imagery, past 12 months	520	1
CAL.377_00.000		CMBU_PRO	CMBU_PRO	Used progressive relaxation, past 12 months	521	1
CAL.377_00.010		CMB_CNT	CMB_CNT	Count variable for number of mind-body therapies used	522 - 524	3
CAL.378_00.000		CMB_MST1	CMB_MST1	Type of mind-body therapy used the most, past 12 months	525	1
CAL.379_00.000		CMB_BRTH	CMB_BRTH	Did breathing exercises as part of mind-body therapy	526	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.380_00.000		CMB_USEM	CMB_USEM	Saw a practitioner for mind-body therapy, past 12 months	527	1
CAL.381_00.000		CMB_PTIM	CMB_PTIM	Knows exact number of times saw practitioner for mind-body therapy, past 12 months	528	1
CAL.382_00.000		CMB_TMNO	CMB_TMNO	Exact number of times saw practitioner for mind-body therapy, past 12 months	529 - 530	2
CAL.383_00.000		CMB_TMCT	CMB_TMCT	Approximate number of times saw practitioner for mind-body therapy, past 12 months	531 - 532	2
CAL.384_00.000		CMB_HIC	CMB_HIC	Any cost of seeing a practitioner or taking a class for mind-body therapy was covered by insurance	533	1
CAL.385_00.000		CMB_HICA	CMB_HICA	Portion of the cost of seeing a practitioner or taking a class for mind-body therapy covered by insurance	534	1
CAL.386_00.000		CMB_HIT	CMB_HIT	Knows total amount paid out-of-pocket for seeing a practitioner or taking a class for mind-body therapy	535	1
CAL.387_00.000		CMB_HITS	CMB_HITS	Total amount paid out-of-pocket for seeing a practitioner or taking a class for mind-body therapy	536 - 540	5
CAL.388_00.000		CMB_AVGC	CMB_AVGC	Knows average amount paid out-of-pocket per visit or class for mind-body therapy	541	1
CAL.389_00.000		CMB_AVGS	CMB_AVGS	Average amount paid out-of-pocket per visit or class for mind-body therapy	542 - 544	3
CAL.390_00.000		CMB_MAT	CMB_MAT	Bought self-help book or other material to learn about mind-body therapy	545	1
CAL.391_00.000		CMB_MATC	CMB_MATC	Amount paid for self-help book or other material to learn about mind-body therapy	546 - 548	3
CAL.401_00.000		CYGE_YOG	CYGE_YOG	Ever practiced yoga	549	1
CAL.402_00.000		CYGE_TAI	CYGE_TAI	Ever practiced tai chi	550	1
CAL.403_00.000		CYGE_QIG	CYGE_QIG	Ever practiced qi gong	551	1
CAL.404_00.000		CYGU_YOG	CYGU_YOG	Practiced yoga, past 12 months	552	1
CAL.405_00.000		CYGU_TAI	CYGU_TAI	Practiced tai chi, past 12 months	553	1
CAL.406_00.000		CYGU_QIG	CYGU_QIG	Practiced qi gong, past 12 months	554	1
CAL.407_00.010		CYG_BTHY	CYG_BTHY	Does breathing exercises as part of yoga	555	1
CAL.408_00.020		CYG_BTHT	CYG_BTHT	Does breathing exercises as part of tai chi	556	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.409_00.030		CYG_BTHQ	CYG_BTHQ	Does breathing exercises as part of qi gong	557	1
CAL.410_00.010		CYG_MEDY	CYG_MEDY	Does meditation as part of yoga	558	1
CAL.411_00.020		CYG_MEDT	CYG_MEDT	Does meditation as part of tai chi	559	1
CAL.412_00.030		CYG_MEDQ	CYG_MEDQ	Does meditation as part of qi gong	560	1
CAL.412_00.040		CYG_CNT	CYG_CNT	Count variable for yoga/tai chi/qi gong	561 - 563	3
CAL.413_00.000		CYG_MOST	CYG_MOST	Type of exercise practiced the most, past 12 months	564	1
CAL.414_00.000		CYG_USEM	CYG_USEM	Took a class or received formal training for yoga/tai chi/qi gong, past 12 months	565	1
CAL.415_00.000		CYG_PTIM	CYG_PTIM	Knows exact number of times saw an instructor for yoga/tai chi/qi gong, past 12 months	566	1
CAL.416_00.000		CYG_TMNO	CYG_TMNO	Exact number of times saw an instructor for yoga/tai chi/qi gong, past 12 months	567 - 568	2
CAL.417_00.000		CYG_TMCT	CYG_TMCT	Approximate number of times saw an instructor for yoga/tai chi/qi gong, past 12 months	569 - 570	2
CAL.418_00.000		CYG_HIC	CYG_HIC	Any cost of seeing an instructor for yoga/tai chi/qi gong was covered by insurance	571	1
CAL.419_00.000		CYG_HICA	CYG_HICA	Portion of the cost of seeing an instructor for yoga/tai chi/qi gong covered by insurance	572	1
CAL.420_00.000		CYG_HIT	CYG_HIT	Knows total amount paid out-of-pocket for seeing an instructor for yoga/tai chi/qi gong	573	1
CAL.421_00.000		CYG_HITS	CYG_HITS	Total amount paid out-of-pocket for seeing an instructor for yoga/tai chi/qi gong	574 - 578	5
CAL.422_00.000		CYG_AVGC	CYG_AVGC	Knows average amount paid out-of-pocket per visit for seeing an instructor for yoga/tai chi/qi gong	579	1
CAL.423_00.000		CYG_AVGS	CYG_AVGS	Average amount paid out-of-pocket per visit for seeing an instructor for yoga/tai chi/qi gong	580 - 582	3
CAL.424_00.000		CYG_MAT	CYG_MAT	Bought self-help book or other material to learn about yoga/tai chi/qi gong	583	1
CAL.425_00.000		CYG_MATC	CYG_MATC	Amount paid for self-help book or other material to learn about yoga/tai chi/qi gong	584 - 586	3
CAL.435_00.000		CDTE_VEG	CDTEVER1	Ever used vegetarian (including vegan) diet for two weeks or more for health reasons	587	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.436_00.000		CDTEVER2	CDTEVER2	Ever used macrobiotic diet for two weeks or more for health reasons	588	1
CAL.437_00.000		CDTEVER3	CDTEVER3	Ever used atkins diet for two weeks or more for health reasons	589	1
CAL.438_00.000		CDTEVER4	CDTEVER4	Ever used pritikin diet for two weeks or more for health reasons	590	1
CAL.439_00.000		CDTEVER5	CDTEVER5	Ever used ornish diet for two weeks or more for health reasons	591	1
CAL.440_00.000		CDT_USM1	CDT_USM1	Used vegetarian diet for two weeks or more for health reasons, past 12 months	592	1
CAL.441_00.000		CDT_USM2	CDT_USM2	Used macrobiotic diet for two weeks or more for health reasons, past 12 months	593	1
CAL.442_00.000		CDT_USM3	CDT_USM3	Used atkins diet for two weeks or more for health reasons, past 12 months	594	1
CAL.443_00.000		CDT_USM4	CDT_USM4	Used pritikin diet for two weeks or more for health reasons, past 12 months	595	1
CAL.444_00.000		CDT_USM5	CDT_USM5	Used ornish diet for two weeks or more for health reasons, past 12 months	596	1
CAL.445_00.000		CDT_WGT1	CDT_WGT1	Used special diets for weight control or weight loss	597	1
CAL.446_00.000		CDT_PRE	CDT_PRE	Ever saw a practitioner for special diets	598	1
CAL.447_00.000		CDT_PRU	CDT_PRU	Saw a practitioner for special diets, past 12 months	599	1
CAL.448_00.000		CDT_PTIM	CDT_PTIM	Knows exact number of times saw a practitioner for special diets, past 12 months	600	1
CAL.449_00.000		CDT_TMNO	CDT_TMNO	Exact number of times saw a practitioner for special diets, past 12 months	601 - 602	2
CAL.450_00.000		CDT_TMCT	CDT_TMCT	Approximate number of times saw a practitioner for special diets, past 12 months	603 - 604	2
CAL.451_00.000		CDT_HIC	CDT_HIC	Any cost of seeing practitioner for special diets was covered by insurance	605	1
CAL.452_00.000		CDT_HICA	CDT_HICA	Portion of the cost of seeing practitioner for special diets covered by insurance	606	1
CAL.453_00.000		CDT_HIT	CDT_HIT	Knows total amount paid out-of-pocket for seeing a practitioner for special diets	607	1
CAL.454_00.000		CDT_HITS	CDT_HITS	Total amount paid out-of-pocket for seeing a practitioner for special diets	608 - 612	5
CAL.455_00.000		CDT_AVGC	CDT_AVGC	Knows average amount paid out-of-pocket per visit for seeing a practitioner for special diets	613	1
CAL.456_00.000		CDT_AVGS	CDT_AVGS	Average amount paid out-of-pocket per visit for seeing a practitioner for special diets	614 - 616	3
CAL.457_00.000		CDT_MAT	CDT_MAT	Bought self-help book or other materials to learn about special diets	617	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.458_00.000		CDT_MATC	CDT_MATC	Amount paid for self-help book or other materials to learn about special diets	618 - 620	3
CAL.468_00.000		CMVE_FLD	CMVE_FLD	Ever practiced Feldenkrais	621	1
CAL.469_00.000		CMVE_ALX	CMVE_ALX	Ever practiced Alexander Technique	622	1
CAL.470_00.000		CMVE_PIL	CMVE_PIL	Ever practiced Pilates	623	1
CAL.471_00.000		CMVE_TPI	CMVE_TPI	Ever practiced Trager Psychophysical Integration	624	1
CAL.472_00.000		CMVP_FLD	CMVP_FLD	Ever seen a practitioner for Feldenkrais	625	1
CAL.473_00.000		CMVP_ALX	CMVP_ALX	Ever seen a practitioner for Alexander Technique	626	1
CAL.474_00.000		CMVP_PIL	CMVP_PIL	Ever seen a practitioner for Pilates	627	1
CAL.475_00.000		CMVP_TPI	CMVP_TPI	Ever seen a practitioner for Trager Psychophysical Integration	628	1
CAL.476_00.000		CMV_FLD	CMV_FLD	Saw a practitioner for Feldenkrais, past 12 months	629	1
CAL.477_00.000		CMV_ALX	CMV_ALX	Saw a practitioner for Alexander Technique, past 12 months	630	1
CAL.478_00.000		CMV_PIL	CMV_PIL	Saw a practitioner for Pilates, past 12 months	631	1
CAL.479_00.000		CMV_TPI	CMV_TPI	Saw a practitioner for Trager Psychophysical Integration, past 12 months	632	1
CAL.480_00.000		CMVU_FLD	CMVU_FLD	Used Feldenkrais, past 12 months	633	1
CAL.481_00.000		CMVU_ALX	CMVU_ALX	Used Alexander Technique, past 12 months	634	1
CAL.482_00.000		CMVU_PIL	CMVU_PIL	Used Pilates, past 12 months	635	1
CAL.483_00.000		CMVU_TPI	CMVU_TPI	Used Trager Psychophysical Integration, past 12 months	636	1
CAL.484_00.000		CMV_PTIM	CMV_PTIM	Knows exact number of times saw practitioner/teacher for movement and exercise techniques, past 12 months	637	1
CAL.485_00.000		CMV_TMNO	CMV_TMNO	Exact number of times saw practitioner/teacher for movement and exercise techniques, past 12 months	638 - 639	2
CAL.486_00.000		CMV_TMCT	CMV_TMCT	Approximate number of times saw practitioner/teacher for movement and exercise techniques, past 12 months	640 - 641	2
CAL.487_00.000		CMV_HIC	CMV_HIC	Any cost of seeing a practitioner/teacher for movement and exercise techniques was covered by insurance	642	1
CAL.488_00.000		CMV_HICA	CMV_HICA	Portion of the cost of seeing a practitioner/teacher for movement and exercise techniques covered by insurance	643	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.489_00.000		CMV_HIT	CMV_HIT	Knows total amount paid out-of-pocket for seeing a practitioner/teacher for movement and exercise techniques	644	1
CAL.490_00.000		CMV_HITS	CMV_HITS	Total amount paid out-of-pocket for seeing a practitioner/teacher for movement and exercise techniques	645 - 649	5
CAL.491_00.000		CMV_AVGC	CMV_AVGC	Knows average amount paid out-of-pocket per visit for seeing a practitioner/teacher for movement and exercise techniques	650	1
CAL.492_00.000		CMV_AVGS	CMV_AVGS	Average amount paid out-of-pocket per visit for seeing a practitioner/teacher for movement and exercise techniques	651 - 653	3
CAL.493_00.000		CMV_MAT	CMV_MAT	Bought self-help book or other materials to learn about movement and exercise techniques	654	1
CAL.494_00.000		CMV_MATC	CMV_MATC	Amount paid for self-help book or other materials to learn about movement and exercise techniques	655 - 657	3
CAL.500_00.000		CAL_CNT	CAL_CNT	Count variable for number of alternative therapies used	658 - 659	2
CAL.505_00.000		CAL_TP31	CAL_TP31	First of top 3 most important therapies	660 - 661	2
CAL.506_00.000		CAL_TP32	CAL_TP32	Second of top 3 most important therapies	662 - 663	2
CAL.507_00.000		CAL_TP33	CAL_TP33	Third of top 3 most important therapies	664 - 665	2
CAL.510_00.000		CTP1REA1	CTP1REA1	Used/saw practitioner for first top therapy: for general wellness or general disease prevention	666	1
CAL.511_00.000		CTP1REA2	CTP1REA2	Used/saw practitioner for first top therapy: to improve energy	667	1
CAL.512_00.000		CTP1REA3	CTP1REA3	Used/saw practitioner for first top therapy: to improve immune function	668	1
CAL.513_00.000		CTP1REA4	CTP1REA4	Used/saw practitioner for first top therapy: to improve athletic or sports performance	669	1
CAL.514_00.000		CTP1REA5	CTP1REA5	Used/saw practitioner for first top therapy: to improve memory or concentration	670	1
CAL.515_00.000		CTP1MOT1	CTP1MOT1	Using/seeing practitioner for first top therapy was motivation to: eat healthier	671	1
CAL.516_00.000		CTP1MOT2	CTP1MOT2	Using/seeing practitioner for first top therapy was motivation to: eat more organic foods	672	1
CAL.517_00.000		CTP1MOT3	CTP1MOT3	Using/seeing practitioner for first top therapy was motivation to: exercise more regularly	673	1
CAL.520_00.000		CTP1OUT1	CTP1OUT1	Using/seeing practitioner for first top therapy: gave a sense of control over one's health	674	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.521_00.000		CTP1OUT2	CTP1OUT2	Using/seeing practitioner for first top therapy led to: reduced stress level or relaxation	675	1
CAL.522_00.000		CTP1OUT3	CTP1OUT3	Using/seeing practitioner for first top therapy led to: better sleep	676	1
CAL.523_00.000		CTP1OUT4	CTP1OUT4	Using/seeing practitioner for first therapy led to: feeling better emotionally	677	1
CAL.524_00.000		CTP1OUT5	CTP1OUT5	Using/seeing practitioner for first top therapy led to: made it easier to cope with health problems	678	1
CAL.525_00.000		CTP1OUT6	CTP1OUT6	Using/seeing practitioner for first top therapy led to: improved overall health and feeling better	679	1
CAL.526_00.000		CTP1OUT7	CTP1OUT7	Using/seeing practitioner for first top therapy led to: improved relationships with others	680	1
CAL.527_00.000		CTP1OUT8	CTP1OUT8	Using/seeing practitioner for first top therapy led to: improved attendance at job or school	681	1
CAL.528_00.000		CTP1MOST	CTP1MOST	Most important reason for using first top therapy	682 - 683	2
CAL.529_00.000		CTP1HELP	CTP1HELP	How much first top therapy helped with the most important reason for its use	684	1
CAL.530_00.000		CTP1TRET	CTP1TRET	Used first top therapy for specific health problem(s)	685	1
CAL.531_01.000		CTP1CD01-CTP1CD56	CTP1CD01	Used first top therapy for treating: abdominal pain	686	1
CAL.531_02.000		CTP1CD01-CTP1CD56	CTP1CD02	Used first top therapy for treating: anemia	687	1
CAL.531_03.000		CTP1CD01-CTP1CD56	CTP1CD03	Used first top therapy for treating: feeling anxious, nervous, or worried	688	1
CAL.531_04.000		CTP1CD01-CTP1CD56	CTP1CD04	Used first top therapy for treating: arthritis	689	1
CAL.531_05.000		CTP1CD01-CTP1CD56	CTP1CD05	Used first top therapy for treating: asthma	690	1
CAL.531_06.000		CTP1CD01-CTP1CD56	CTP1CD06	Used first top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD)	691	1
CAL.531_07.000		CTP1CD01-CTP1CD56	CTP1CD07	Used first top therapy for treating: autism	692	1
CAL.531_08.000		CTP1CD01-CTP1CD56	CTP1CD08	Used first top therapy for treating: cerebral palsy	693	1
CAL.531_09.000		CTP1CD01-CTP1CD56	CTP1CD09	Used first top therapy for treating: chicken pox	694	1
CAL.531_10.000		CTP1CD01-CTP1CD56	CTP1CD10	Used first top therapy for treating: high cholesterol	695	1
CAL.531_11.000		CTP1CD01-CTP1CD56	CTP1CD11	Used first top therapy for treating: congenital heart disease	696	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.531_12.000		CTP1CD01-CTP1CD56	CTP1CD12	Used first top therapy for treating: constipation	697	1
CAL.531_13.000		CTP1CD01-CTP1CD56	CTP1CD13	Used first top therapy for treating: cystic fibrosis	698	1
CAL.531_14.000		CTP1CD01-CTP1CD56	CTP1CD14	Used first top therapy for treating: depression	699	1
CAL.531_15.000		CTP1CD01-CTP1CD56	CTP1CD15	Used first top therapy for treating: dental pain	700	1
CAL.531_16.000		CTP1CD01-CTP1CD56	CTP1CD16	Used first top therapy for treating: diabetes	701	1
CAL.531_17.000		CTP1CD01-CTP1CD56	CTP1CD17	Used first top therapy for treating: down syndrome	702	1
CAL.531_18.000		CTP1CD01-CTP1CD56	CTP1CD18	Used first top therapy for treating: eczema or skin allergy	703	1
CAL.531_19.000		CTP1CD01-CTP1CD56	CTP1CD19	Used first top therapy for treating: excessive sleepiness during the day	704	1
CAL.531_20.000		CTP1CD01-CTP1CD56	CTP1CD20	Used first top therapy for treating: fatigue or lack of energy more than 3 days	705	1
CAL.531_21.000		CTP1CD01-CTP1CD56	CTP1CD21	Used first top therapy for treating: fever more than 1 day	706	1
CAL.531_22.000		CTP1CD01-CTP1CD56	CTP1CD22	Used first top therapy for treating: food or digestive allergy	707	1
CAL.531_23.000		CTP1CD01-CTP1CD56	CTP1CD23	Used first top therapy for treating: frequent or repeated diarrhea or colitis	708	1
CAL.531_24.000		CTP1CD01-CTP1CD56	CTP1CD24	Used first top therapy for treating: gynecologic problem	709	1
CAL.531_25.000		CTP1CD01-CTP1CD56	CTP1CD25	Used first top therapy for treating: hay fever	710	1
CAL.531_26.000		CTP1CD01-CTP1CD56	CTP1CD26	Used first top therapy for treating: head or chest cold	711	1
CAL.531_27.000		CTP1CD01-CTP1CD56	CTP1CD27	Used first top therapy for treating: hearing problem	712	1
CAL.531_28.000		CTP1CD01-CTP1CD56	CTP1CD28	Used first top therapy for treating: hypertension	713	1
CAL.531_29.000		CTP1CD01-CTP1CD56	CTP1CD29	Used first top therapy for treating: influenza or pneumonia	714	1
CAL.531_30.000		CTP1CD01-CTP1CD56	CTP1CD30	Used first top therapy for treating: insomnia or trouble sleeping	715	1
CAL.531_31.000		CTP1CD01-CTP1CD56	CTP1CD31	Used first top therapy for treating: joint pain or stiffness	716	1
CAL.531_32.000		CTP1CD01-CTP1CD56	CTP1CD32	Used first top therapy for treating: low back pain	717	1
CAL.531_33.000		CTP1CD01-CTP1CD56	CTP1CD33	Used first top therapy for treating: intellectual disability, also known as mental retardation	718	1
CAL.531_34.000		CTP1CD01-CTP1CD56	CTP1CD34	Used first top therapy for treating: menstrual problems	719	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.531_35.000		CTP1CD01-CTP1CD56	CTP1CD35	Used first top therapy for treating: migraine headaches	720	1
CAL.531_36.000		CTP1CD01-CTP1CD56	CTP1CD36	Used first top therapy for treating: muscular dystrophy	721	1
CAL.531_37.000		CTP1CD01-CTP1CD56	CTP1CD37	Used first top therapy for treating: nausea and/or vomiting	722	1
CAL.531_38.000		CTP1CD01-CTP1CD56	CTP1CD38	Used first top therapy for treating: neck pain	723	1
CAL.531_39.000		CTP1CD01-CTP1CD56	CTP1CD39	Used first top therapy for treating: other chronic pain	724	1
CAL.531_40.000		CTP1CD01-CTP1CD56	CTP1CD40	Used first top therapy for treating: other muscle or joint pain	725	1
CAL.531_41.000		CTP1CD01-CTP1CD56	CTP1CD41	Used first top therapy for treating: other developmental delay	726	1
CAL.531_42.000		CTP1CD01-CTP1CD56	CTP1CD42	Used first top therapy for treating: other heart condition	727	1
CAL.531_43.000		CTP1CD01-CTP1CD56	CTP1CD43	Used first top therapy for treating: problems with being overweight	728	1
CAL.531_44.000		CTP1CD01-CTP1CD56	CTP1CD44	Used first top therapy for treating: non-migraine headaches	729	1
CAL.531_45.000		CTP1CD01-CTP1CD56	CTP1CD45	Used first top therapy for treating: respiratory allergy	730	1
CAL.531_46.000		CTP1CD01-CTP1CD56	CTP1CD46	Used first top therapy for treating: seizures	731	1
CAL.531_47.000		CTP1CD01-CTP1CD56	CTP1CD47	Used first top therapy for treating: sickle cell anemia	732	1
CAL.531_48.000		CTP1CD01-CTP1CD56	CTP1CD48	Used first top therapy for treating: sinusitis	733	1
CAL.531_49.000		CTP1CD01-CTP1CD56	CTP1CD49	Used first top therapy for treating: sore throat other than strep or tonsillitis	734	1
CAL.531_50.000		CTP1CD01-CTP1CD56	CTP1CD50	Used first top therapy for treating: sprain or strain	735	1
CAL.531_51.000		CTP1CD01-CTP1CD56	CTP1CD51	Used first top therapy for treating: strep throat or tonsillitis	736	1
CAL.531_52.000		CTP1CD01-CTP1CD56	CTP1CD52	Used first top therapy for treating: frequent stress	737	1
CAL.531_53.000		CTP1CD01-CTP1CD56	CTP1CD53	Used first top therapy for treating: stuttering or stammering	738	1
CAL.531_54.000		CTP1CD01-CTP1CD56	CTP1CD54	Used first top therapy for treating: three or more ear infections	739	1
CAL.531_55.000		CTP1CD01-CTP1CD56	CTP1CD55	Used first top therapy for treating: vision problems	740	1
CAL.531_56.000		CTP1CD01-CTP1CD56	CTP1CD56	Used first top therapy for treating: other specify	741	1
CAL.531_57.000	RECODE		CTP1CD57	Used first top therapy for: condition not elsewhere classified	742	1
CAL.532_00.000		CTP1CMST	CTP1CMST	Most important health problem for which first top therapy was used	743 - 744	2

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.533_00.000		CTP1CHLP	CTP1CHLP	How much first top therapy helped with the most important reason for its use	745	1
CAL.534_00.000		CTP1MTR1	CTP1MTR1	Received prescription medication for most important health condition treated by first top therapy	746	1
CAL.535_00.000		CTP1MTR2	CTP1MTR2	Received over-the-counter medication for most important health condition treated by first top therapy	747	1
CAL.536_00.000		CTP1MTR3	CTP1MTR3	Received surgery for most important health condition treated by first top therapy	748	1
CAL.537_00.000		CTP1MTR4	CTP1MTR4	Received physical therapy for most important health condition treated by first top therapy	749	1
CAL.538_00.000		CTP1MTR5	CTP1MTR5	Received mental health counseling for most important health condition treated by first top therapy	750	1
CAL.539_00.000		CTP1RS1	CTP1RS1	Used/saw practitioner for first top therapy because: medical treatments were too expensive	751	1
CAL.540_00.000		CTP1RS2	CTP1RS2	Used/saw practitioner for first top therapy because: therapy combined with medical treatment would help	752	1
CAL.541_00.000		CTP1RS3	CTP1RS3	Used/saw practitioner for first top therapy because: medical treatments do not work for your specific health problem	753	1
CAL.542_00.000		CTP1RS4	CTP1RS4	Used/saw practitioner for first top therapy because: medications cause side effects	754	1
CAL.543_00.000		CTP1RS5	CTP1RS5	Used/saw practitioner for first top therapy because: it can be practiced/done on your own	755	1
CAL.544_00.000		CTP1RS6	CTP1RS6	Used/saw practitioner for first top therapy because: it is natural	756	1
CAL.545_00.000		CTP1RS7	CTP1RS7	Used/saw practitioner for first top therapy because: it focuses on the whole person, mind, body, and spirit	757	1
CAL.546_00.000		CTP1RS8	CTP1RS8	Used/saw practitioner for first top therapy because: it treats the cause and not just the symptoms	758	1
CAL.547_00.000		CTP1RS9	CTP1RS9	Used/saw practitioner for first top therapy because: it was part of your upbringing	759	1
CAL.548_00.000		CTP1REC1	CTP1REC1	Used/saw practitioner for first top therapy because it was recommended by: a medical doctor	760	1
CAL.549_00.000		CTP1REC2	CTP1REC2	Used/saw practitioner for first top therapy because it was recommended by: a family member	761	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.550_00.000		CTP1REC3	CTP1REC3	Used/saw practitioner for first top therapy because it was recommended by: a friend	762	1
CAL.551_00.000		CTP1REC4	CTP1REC4	Used/saw practitioner for first top therapy because it was recommended by: a co-worker	763	1
CAL.552_00.000		CTP1IMP	CTP1IMP	How important use of first top therapy was in maintaining health and well-being	764	1
CAL.553_00.000		CTP1DS1	CTP1DS1	Told personal health care provider about use of first top therapy	765	1
CAL.554_00.000		CTP1DS2	CTP1DS2	Didn't tell personal health care provider about use of first top therapy because: weren't using therapy at the time	766	1
CAL.555_00.000		CTP1DS3	CTP1DS3	Didn't tell personal health care provider about use of first top therapy because: they discouraged use of therapy in the past	767	1
CAL.556_00.000		CTP1DS4	CTP1DS4	Didn't tell personal health care provider about use of first top therapy because: worried they would discourage it	768	1
CAL.557_00.000		CTP1DS5	CTP1DS5	Didn't tell personal health care provider about use of first top therapy because: concerned about a negative reaction	769	1
CAL.558_00.000		CTP1DS6	CTP1DS6	Didn't tell personal health care provider about use of first top therapy because: didn't think they needed to know	770	1
CAL.559_00.000		CTP1DS7	CTP1DS7	Didn't tell personal health care provider about use of first top therapy because: they didn't ask	771	1
CAL.560_00.000		CTP1DS8	CTP1DS8	Didn't tell health care provider about use of first top therapy because: didn't think they knew as much about therapy as you do	772	1
CAL.561_00.000		CTP1DS9	CTP1DS9	Didn't tell personal health care provider about use of first top therapy because: they didn't give you enough time to tell them	773	1
CAL.580_00.000		CTP1INF1	CTP1INF1	Got information about first top therapy from: the internet	774	1
CAL.581_00.000		CTP1INF2	CTP1INF2	Got information about first top therapy from: books, magazines, or newspapers	775	1
CAL.582_00.000		CTP1INF3	CTP1INF3	Got information about first top therapy from: DVDs, videos, or CDs	776	1
CAL.583_00.000		CTP1INF4	CTP1INF4	Got information about first top therapy from: television or radio	777	1
CAL.584_00.000		CTP1INF5	CTP1INF5	Got information about first top therapy from: scientific articles	778	1
CAL.585_00.000		CTP1INF6	CTP1INF6	Got information about first top therapy from: health food stores	779	1
CAL.595_00.000		CTP2REA1	CTP2REA1	Used/saw practitioner for second top therapy: for general wellness or general disease prevention	780	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.596_00.000		CTP2REA2	CTP2REA2	Used/saw practitioner for second top therapy: to improve energy	781	1
CAL.597_00.000		CTP2REA3	CTP2REA3	Used/saw practitioner for second top therapy: to improve immune function	782	1
CAL.598_00.000		CTP2REA4	CTP2REA4	Used/saw practitioner for second top therapy: to improve athletic or sports performance	783	1
CAL.599_00.000		CTP2REA5	CTP2REA5	Used/saw practitioner for second top therapy: to improve memory or concentration	784	1
CAL.600_00.000		CTP2MOT1	CTP2MOT1	Using/seeing practitioner for second top therapy was motivation to: eat healthier	785	1
CAL.601_00.000		CTP2MOT2	CTP2MOT2	Using/seeing practitioner for second top therapy was motivation to: eat more organic foods	786	1
CAL.602_00.000		CTP2MOT3	CTP2MOT3	Using/seeing practitioner for second top therapy was motivation to: exercise more regularly	787	1
CAL.605_00.000		CTP2OUT1	CTP2OUT1	Using/seeing practitioner for second top therapy: gave a sense of control over one's health	788	1
CAL.606_00.000		CTP2OUT2	CTP2OUT2	Using/seeing practitioner for second top therapy led to: reduced stress level or relaxation	789	1
CAL.607_00.000		CTP2OUT3	CTP2OUT3	Using/seeing practitioner for second top therapy led to: better sleep	790	1
CAL.608_00.000		CTP2OUT4	CTP2OUT4	Using/seeing practitioner for second therapy led to: feeling better emotionally	791	1
CAL.609_00.000		CTP2OUT5	CTP2OUT5	Using/seeing practitioner for second top therapy led to: made it easier to cope with health problems	792	1
CAL.610_00.000		CTP2OUT6	CTP2OUT6	Using/seeing practitioner for second top therapy led to: improved overall health and feeling better	793	1
CAL.611_00.000		CTP2OUT7	CTP2OUT7	Using/seeing practitioner for second top therapy led to: improved relationships with others	794	1
CAL.612_00.000		CTP2OUT8	CTP2OUT8	Using/seeing practitioner for second top therapy led to: improved attendance at job or school	795	1
CAL.613_00.000		CTP2MOST	CTP2MOST	Most important reason for using second top therapy	796 - 797	2
CAL.614_00.000		CTP2HELP	CTP2HELP	How much second top therapy helped with the most important reason for its use	798	1
CAL.615_00.000		CTP2TRET	CTP2TRET	Used second top therapy for specific health problem(s)	799	1
CAL.616_01.000		CTP2CD01-CTP2CD56	CTP2CD01	Used second top therapy for treating: abdominal pain	800	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.616_02.000		CTP2CD01-CTP2CD56	CTP2CD02	Used second top therapy for treating: anemia	801	1
CAL.616_03.000		CTP2CD01-CTP2CD56	CTP2CD03	Used second top therapy for treating: feeling anxious, nervous, or worried	802	1
CAL.616_04.000		CTP2CD01-CTP2CD56	CTP2CD04	Used second top therapy for treating: arthritis	803	1
CAL.616_05.000		CTP2CD01-CTP2CD56	CTP2CD05	Used second top therapy for treating: asthma	804	1
CAL.616_06.000		CTP2CD01-CTP2CD56	CTP2CD06	Used second top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD)	805	1
CAL.616_07.000		CTP2CD01-CTP2CD56	CTP2CD07	Used second top therapy for treating: autism	806	1
CAL.616_08.000		CTP2CD01-CTP2CD56	CTP2CD08	Used second top therapy for treating: cerebral palsy	807	1
CAL.616_09.000		CTP2CD01-CTP2CD56	CTP2CD09	Used second top therapy for treating: chicken pox	808	1
CAL.616_10.000		CTP2CD01-CTP2CD56	CTP2CD10	Used second top therapy for treating: high cholesterol	809	1
CAL.616_11.000		CTP2CD01-CTP2CD56	CTP2CD11	Used second top therapy for treating: congenital heart disease	810	1
CAL.616_12.000		CTP2CD01-CTP2CD56	CTP2CD12	Used second top therapy for treating: constipation	811	1
CAL.616_13.000		CTP2CD01-CTP2CD56	CTP2CD13	Used second top therapy for treating: cystic fibrosis	812	1
CAL.616_14.000		CTP2CD01-CTP2CD56	CTP2CD14	Used second top therapy for treating: depression	813	1
CAL.616_15.000		CTP2CD01-CTP2CD56	CTP2CD15	Used second top therapy for treating: dental pain	814	1
CAL.616_16.000		CTP2CD01-CTP2CD56	CTP2CD16	Used second top therapy for treating: diabetes	815	1
CAL.616_17.000		CTP2CD01-CTP2CD56	CTP2CD17	Used second top therapy for treating: down syndrome	816	1
CAL.616_18.000		CTP2CD01-CTP2CD56	CTP2CD18	Used second top therapy for treating: eczema or skin allergy	817	1
CAL.616_19.000		CTP2CD01-CTP2CD56	CTP2CD19	Used second top therapy for treating: excessive sleepiness during the day	818	1
CAL.616_20.000		CTP2CD01-CTP2CD56	CTP2CD20	Used second top therapy for treating: fatigue or lack of energy more than 3 days	819	1
CAL.616_21.000		CTP2CD01-CTP2CD56	CTP2CD21	Used second top therapy for treating: fever more than 1 day	820	1
CAL.616_22.000		CTP2CD01-CTP2CD56	CTP2CD22	Used second top therapy for treating: food or digestive allergy	821	1
CAL.616_23.000		CTP2CD01-CTP2CD56	CTP2CD23	Used second top therapy for treating: frequent or repeated diarrhea or colitis	822	1
CAL.616_24.000		CTP2CD01-CTP2CD56	CTP2CD24	Used second top therapy for treating: gynecologic problem	823	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.616_25.000		CTP2CD01-CTP2CD56	CTP2CD25	Used second top therapy for treating: hay fever	824	1
CAL.616_26.000		CTP2CD01-CTP2CD56	CTP2CD26	Used second top therapy for treating: head or chest cold	825	1
CAL.616_27.000		CTP2CD01-CTP2CD56	CTP2CD27	Used second top therapy for treating: hearing problem	826	1
CAL.616_28.000		CTP2CD01-CTP2CD56	CTP2CD28	Used second top therapy for treating: hypertension	827	1
CAL.616_29.000		CTP2CD01-CTP2CD56	CTP2CD29	Used second top therapy for treating: influenza or pneumonia	828	1
CAL.616_30.000		CTP2CD01-CTP2CD56	CTP2CD30	Used second top therapy for treating: insomnia or trouble sleeping	829	1
CAL.616_31.000		CTP2CD01-CTP2CD56	CTP2CD31	Used second top therapy for treating: joint pain or stiffness	830	1
CAL.616_32.000		CTP2CD01-CTP2CD56	CTP2CD32	Used second top therapy for treating: low back pain	831	1
CAL.616_33.000		CTP2CD01-CTP2CD56	CTP2CD33	Used second top therapy for treating: intellectual disability, also known as mental retardation	832	1
CAL.616_34.000		CTP2CD01-CTP2CD56	CTP2CD34	Used second top therapy for treating: menstrual problems	833	1
CAL.616_35.000		CTP2CD01-CTP2CD56	CTP2CD35	Used second top therapy for treating: migraine headaches	834	1
CAL.616_36.000		CTP2CD01-CTP2CD56	CTP2CD36	Used second top therapy for treating: muscular dystrophy	835	1
CAL.616_37.000		CTP2CD01-CTP2CD56	CTP2CD37	Used second top therapy for treating: nausea and/or vomiting	836	1
CAL.616_38.000		CTP2CD01-CTP2CD56	CTP2CD38	Used second top therapy for treating: neck pain	837	1
CAL.616_39.000		CTP2CD01-CTP2CD56	CTP2CD39	Used second top therapy for treating: other chronic pain	838	1
CAL.616_40.000		CTP2CD01-CTP2CD56	CTP2CD40	Used second top therapy for treating: other muscle or joint pain	839	1
CAL.616_41.000		CTP2CD01-CTP2CD56	CTP2CD41	Used second top therapy for treating: other developmental delay	840	1
CAL.616_42.000		CTP2CD01-CTP2CD56	CTP2CD42	Used second top therapy for treating: other heart condition	841	1
CAL.616_43.000		CTP2CD01-CTP2CD56	CTP2CD43	Used second top therapy for treating: problems with being overweight	842	1
CAL.616_44.000		CTP2CD01-CTP2CD56	CTP2CD44	Used second top therapy for treating: non-migraine headaches	843	1
CAL.616_45.000		CTP2CD01-CTP2CD56	CTP2CD45	Used second top therapy for treating: respiratory allergy	844	1
CAL.616_46.000		CTP2CD01-CTP2CD56	CTP2CD46	Used second top therapy for treating: seizures	845	1
CAL.616_47.000		CTP2CD01-CTP2CD56	CTP2CD47	Used second top therapy for treating: sickle cell anemia	846	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.616_48.000		CTP2CD01-CTP2CD56	CTP2CD48	Used second top therapy for treating: sinusitis	847	1
CAL.616_49.000		CTP2CD01-CTP2CD56	CTP2CD49	Used second top therapy for treating: sore throat other than strep or tonsillitis	848	1
CAL.616_50.000		CTP2CD01-CTP2CD56	CTP2CD50	Used second top therapy for treating: sprain or strain	849	1
CAL.616_51.000		CTP2CD01-CTP2CD56	CTP2CD51	Used second top therapy for treating: strep throat or tonsillitis	850	1
CAL.616_52.000		CTP2CD01-CTP2CD56	CTP2CD52	Used second top therapy for treating: frequent stress	851	1
CAL.616_53.000		CTP2CD01-CTP2CD56	CTP2CD53	Used second top therapy for treating: stuttering or stammering	852	1
CAL.616_54.000		CTP2CD01-CTP2CD56	CTP2CD54	Used second top therapy for treating: three or more ear infections	853	1
CAL.616_55.000		CTP2CD01-CTP2CD56	CTP2CD55	Used second top therapy for treating: vision problems	854	1
CAL.616_56.000		CTP2CD01-CTP2CD56	CTP2CD56	Used second top therapy for treating: other specify	855	1
CAL.616_57.000	RECODE		CTP2CD57	Used second top therapy for: condition not elsewhere classified	856	1
CAL.617_00.000		CTP2CMST	CTP2CMST	Most important health problem for which second top therapy was used	857 - 858	2
CAL.618_00.000		CTP2CHLP	CTP2CHLP	How much second top therapy helped with the most important reason for its use	859	1
CAL.619_00.000		CTP2MTR1	CTP2MTR1	Received prescription medication for most important health condition treated by second top therapy	860	1
CAL.620_00.000		CTP2MTR2	CTP2MTR2	Received over-the-counter medication for most important health condition treated by second top therapy	861	1
CAL.621_00.000		CTP2MTR3	CTP2MTR3	Received surgery for most important health condition treated by second top therapy	862	1
CAL.622_00.000		CTP2MTR4	CTP2MTR4	Received physical therapy for most important health condition treated by second top therapy	863	1
CAL.623_00.000		CTP2MTR5	CTP2MTR5	Received mental health counseling for most important health condition treated by second top therapy	864	1
CAL.624_00.000		CTP2RS1	CTP2RS1	Used/saw practitioner for second top therapy because: medical treatments were too expensive	865	1
CAL.625_00.000		CTP2RS2	CTP2RS2	Used/saw practitioner for second top therapy because: therapy combined with medical treatment would help	866	1
CAL.626_00.000		CTP2RS3	CTP2RS3	Used/saw practitioner for second top therapy because: medical treatments do not work for your specific health problem	867	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.627_00.000		CTP2RS4	CTP2RS4	Used/saw practitioner for second top therapy because: medications cause side effects	868	1
CAL.628_00.000		CTP2RS5	CTP2RS5	Used/saw practitioner for second top therapy because: it can be practiced/done on your own	869	1
CAL.629_00.000		CTP2RS6	CTP2RS6	Used/saw practitioner for second top therapy because: it is natural	870	1
CAL.630_00.000		CTP2RS7	CTP2RS7	Used/saw practitioner for second top therapy because: it focuses on the whole person, mind, body, and spirit	871	1
CAL.631_00.000		CTP2RS8	CTP2RS8	Used/saw practitioner for second top therapy because: it treats the cause and not just the symptoms	872	1
CAL.632_00.000		CTP2RS9	CTP2RS9	Used/saw practitioner for second top therapy because: it was part of your upbringing	873	1
CAL.633_00.000		CTP2REC1	CTP2REC1	Used/saw practitioner for second top therapy because it was recommended by: a medical doctor	874	1
CAL.634_00.000		CTP2REC2	CTP2REC2	Used/saw practitioner for second top therapy because it was recommended by: a family member	875	1
CAL.635_00.000		CTP2REC3	CTP2REC3	Used/saw practitioner for second top therapy because it was recommended by: a friend	876	1
CAL.636_00.000		CTP2REC4	CTP2REC4	Used/saw practitioner for second top therapy because it was recommended by: a co-worker	877	1
CAL.637_00.000		CTP2IMP	CTP2IMP	How important use of second top therapy was in maintaining health and well-being	878	1
CAL.638_00.000		CTP2DS1	CTP2DS1	Told personal health care provider about use of second top therapy	879	1
CAL.639_00.000		CTP2DS2	CTP2DS2	Didn't tell personal health care provider about use of second top therapy because: weren't using therapy at the time	880	1
CAL.640_00.000		CTP2DS3	CTP2DS3	Didn't tell personal health care provider about use of second top therapy because: they discouraged use of therapy in the past	881	1
CAL.641_00.000		CTP2DS4	CTP2DS4	Didn't tell personal health care provider about use of second top therapy because: worried they would discourage it	882	1
CAL.642_00.000		CTP2DS5	CTP2DS5	Didn't tell personal health care provider about use of second top therapy because: concerned about a negative reaction	883	1
CAL.643_00.000		CTP2DS6	CTP2DS6	Didn't tell personal health care provider about use of second top therapy because: didn't think they needed to know	884	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.644_00.000		CTP2DS7	CTP2DS7	Didn't tell personal health care provider about use of second top therapy because: they didn't ask	885	1
CAL.645_00.000		CTP2DS8	CTP2DS8	Didn't tell health care provider about use of second top therapy because: didn't think they knew as much about therapy as you do	886	1
CAL.646_00.000		CTP2DS9	CTP2DS9	Didn't tell personal health care provider about use of second top therapy because: they didn't give you enough time to tell them	887	1
CAL.675_00.000		CTP2INF1	CTP2INF1	Got information about second top therapy from: the internet	888	1
CAL.676_00.000		CTP2INF2	CTP2INF2	Got information about second top therapy from: books, magazines, or newspapers	889	1
CAL.677_00.000		CTP2INF3	CTP2INF3	Got information about second top therapy from: DVDs, videos, or CDs	890	1
CAL.678_00.000		CTP2INF4	CTP2INF4	Got information about second top therapy from: television or radio	891	1
CAL.679_00.000		CTP2INF5	CTP2INF5	Got information about second top therapy from: scientific articles	892	1
CAL.680_00.000		CTP2INF6	CTP2INF6	Got information about second top therapy from: health food stores	893	1
CAL.690_00.000		CTP3REA1	CTP3REA1	Used/saw practitioner for third top therapy: for general wellness or general disease prevention	894	1
CAL.691_00.000		CTP3REA2	CTP3REA2	Used/saw practitioner for third top therapy: to improve energy	895	1
CAL.692_00.000		CTP3REA3	CTP3REA3	Used/saw practitioner for third top therapy: to improve immune function	896	1
CAL.693_00.000		CTP3REA4	CTP3REA4	Used/saw practitioner for third top therapy: to improve athletic or sports performance	897	1
CAL.694_00.000		CTP3REA5	CTP3REA5	Used/saw practitioner for third top therapy: to improve memory or concentration	898	1
CAL.695_00.000		CTP3MOT1	CTP3MOT1	Using/seeing practitioner for third top therapy was motivation to: eat healthier	899	1
CAL.696_00.000		CTP3MOT2	CTP3MOT2	Using/seeing practitioner for third top therapy was motivation to: eat more organic foods	900	1
CAL.697_00.000		CTP3MOT3	CTP3MOT3	Using/seeing practitioner for third top therapy was motivation to: exercise more regularly	901	1
CAL.700_00.000		CTP3OUT1	CTP3OUT1	Using/seeing practitioner for third top therapy: gave a sense of control over one's health	902	1
CAL.701_00.000		CTP3OUT2	CTP3OUT2	Using/seeing practitioner for third top therapy led to: reduced stress level or relaxation	903	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.702_00.000		CTP3OUT3	CTP3OUT3	Using/seeing practitioner for third top therapy led to: better sleep	904	1
CAL.703_00.000		CTP3OUT4	CTP3OUT4	Using/seeing practitioner for third therapy led to: feeling better emotionally	905	1
CAL.704_00.000		CTP3OUT5	CTP3OUT5	Using/seeing practitioner for third top therapy led to: made it easier to cope with health problems	906	1
CAL.705_00.000		CTP3OUT6	CTP3OUT6	Using/seeing practitioner for third top therapy led to: improved overall health and feeling better	907	1
CAL.706_00.000		CTP3OUT7	CTP3OUT7	Using/seeing practitioner for third top therapy led to: improved relationships with others	908	1
CAL.707_00.000		CTP3OUT8	CTP3OUT8	Using/seeing practitioner for third top therapy led to: improved attendance at job or school	909	1
CAL.708_00.000		CTP3MOST	CTP3MOST	Most important reason for using third top therapy	910 - 911	2
CAL.709_00.000		CTP3HELP	CTP3HELP	How much third top therapy helped with the most important reason for its use	912	1
CAL.710_00.000		CTP3TRET	CTP3TRET	Used third top therapy for specific health problem(s)	913	1
CAL.711_01.000		CTP3CD01-CTP3CD56	CTP3CD01	Used third top therapy for treating: abdominal pain	914	1
CAL.711_02.000		CTP3CD01-CTP3CD56	CTP3CD02	Used third top therapy for treating: anemia	915	1
CAL.711_03.000		CTP3CD01-CTP3CD56	CTP3CD03	Used third top therapy for treating: feeling anxious, nervous, or worried	916	1
CAL.711_04.000		CTP3CD01-CTP3CD56	CTP3CD04	Used third top therapy for treating: arthritis	917	1
CAL.711_05.000		CTP3CD01-CTP3CD56	CTP3CD05	Used third top therapy for treating: asthma	918	1
CAL.711_06.000		CTP3CD01-CTP3CD56	CTP3CD06	Used third top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD)	919	1
CAL.711_07.000		CTP3CD01-CTP3CD56	CTP3CD07	Used third top therapy for treating: autism	920	1
CAL.711_08.000		CTP3CD01-CTP3CD56	CTP3CD08	Used third top therapy for treating: cerebral palsy	921	1
CAL.711_09.000		CTP3CD01-CTP3CD56	CTP3CD09	Used third top therapy for treating: chicken pox	922	1
CAL.711_10.000		CTP3CD01-CTP3CD56	CTP3CD10	Used third top therapy for treating: high cholesterol	923	1
CAL.711_11.000		CTP3CD01-CTP3CD56	CTP3CD11	Used third top therapy for treating: congenital heart disease	924	1
CAL.711_12.000		CTP3CD01-CTP3CD56	CTP3CD12	Used third top therapy for treating: constipation	925	1
CAL.711_13.000		CTP3CD01-CTP3CD56	CTP3CD13	Used third top therapy for treating: cystic fibrosis	926	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.711_14.000		CTP3CD01-CTP3CD56	CTP3CD14	Used third top therapy for treating: depression	927	1
CAL.711_15.000		CTP3CD01-CTP3CD56	CTP3CD15	Used third top therapy for treating: dental pain	928	1
CAL.711_16.000		CTP3CD01-CTP3CD56	CTP3CD16	Used third top therapy for treating: diabetes	929	1
CAL.711_17.000		CTP3CD01-CTP3CD56	CTP3CD17	Used third top therapy for treating: down syndrome	930	1
CAL.711_18.000		CTP3CD01-CTP3CD56	CTP3CD18	Used third top therapy for treating: eczema or skin allergy	931	1
CAL.711_19.000		CTP3CD01-CTP3CD56	CTP3CD19	Used third top therapy for treating: excessive sleepiness during the day	932	1
CAL.711_20.000		CTP3CD01-CTP3CD56	CTP3CD20	Used third top therapy for treating: fatigue or lack of energy more than 3 days	933	1
CAL.711_21.000		CTP3CD01-CTP3CD56	CTP3CD21	Used third top therapy for treating: fever more than 1 day	934	1
CAL.711_22.000		CTP3CD01-CTP3CD56	CTP3CD22	Used third top therapy for treating: food or digestive allergy	935	1
CAL.711_23.000		CTP3CD01-CTP3CD56	CTP3CD23	Used third top therapy for treating: frequent or repeated diarrhea or colitis	936	1
CAL.711_24.000		CTP3CD01-CTP3CD56	CTP3CD24	Used third top therapy for treating: gynecologic problem	937	1
CAL.711_25.000		CTP3CD01-CTP3CD56	CTP3CD25	Used third top therapy for treating: hay fever	938	1
CAL.711_26.000		CTP3CD01-CTP3CD56	CTP3CD26	Used third top therapy for treating: head or chest cold	939	1
CAL.711_27.000		CTP3CD01-CTP3CD56	CTP3CD27	Used third top therapy for treating: hearing problem	940	1
CAL.711_28.000		CTP3CD01-CTP3CD56	CTP3CD28	Used third top therapy for treating: hypertension	941	1
CAL.711_29.000		CTP3CD01-CTP3CD56	CTP3CD29	Used third top therapy for treating: influenza or pneumonia	942	1
CAL.711_30.000		CTP3CD01-CTP3CD56	CTP3CD30	Used third top therapy for treating: insomnia or trouble sleeping	943	1
CAL.711_31.000		CTP3CD01-CTP3CD56	CTP3CD31	Used third top therapy for treating: joint pain or stiffness	944	1
CAL.711_32.000		CTP3CD01-CTP3CD56	CTP3CD32	Used third top therapy for treating: low back pain	945	1
CAL.711_33.000		CTP3CD01-CTP3CD56	CTP3CD33	Used third top therapy for treating: intellectual disability, also known as mental retardation	946	1
CAL.711_34.000		CTP3CD01-CTP3CD56	CTP3CD34	Used third top therapy for treating: menstrual problems	947	1
CAL.711_35.000		CTP3CD01-CTP3CD56	CTP3CD35	Used third top therapy for treating: migraine headaches	948	1
CAL.711_36.000		CTP3CD01-CTP3CD56	CTP3CD36	Used third top therapy for treating: muscular dystrophy	949	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.711_37.000		CTP3CD01-CTP3CD56	CTP3CD37	Used third top therapy for treating: nausea and/or vomiting	950	1
CAL.711_38.000		CTP3CD01-CTP3CD56	CTP3CD38	Used third top therapy for treating: neck pain	951	1
CAL.711_39.000		CTP3CD01-CTP3CD56	CTP3CD39	Used third top therapy for treating: other chronic pain	952	1
CAL.711_40.000		CTP3CD01-CTP3CD56	CTP3CD40	Used third top therapy for treating: other muscle or joint pain	953	1
CAL.711_41.000		CTP3CD01-CTP3CD56	CTP3CD41	Used third top therapy for treating: other developmental delay	954	1
CAL.711_42.000		CTP3CD01-CTP3CD56	CTP3CD42	Used third top therapy for treating: other heart condition	955	1
CAL.711_43.000		CTP3CD01-CTP3CD56	CTP3CD43	Used third top therapy for treating: problems with being overweight	956	1
CAL.711_44.000		CTP3CD01-CTP3CD56	CTP3CD44	Used third top therapy for treating: non-migraine headaches	957	1
CAL.711_45.000		CTP3CD01-CTP3CD56	CTP3CD45	Used third top therapy for treating: respiratory allergy	958	1
CAL.711_46.000		CTP3CD01-CTP3CD56	CTP3CD46	Used third top therapy for treating: seizures	959	1
CAL.711_47.000		CTP3CD01-CTP3CD56	CTP3CD47	Used third top therapy for treating: sickle cell anemia	960	1
CAL.711_48.000		CTP3CD01-CTP3CD56	CTP3CD48	Used third top therapy for treating: sinusitis	961	1
CAL.711_49.000		CTP3CD01-CTP3CD56	CTP3CD49	Used third top therapy for treating: sore throat other than strep or tonsillitis	962	1
CAL.711_50.000		CTP3CD01-CTP3CD56	CTP3CD50	Used third top therapy for treating: sprain or strain	963	1
CAL.711_51.000		CTP3CD01-CTP3CD56	CTP3CD51	Used third top therapy for treating: strep throat or tonsillitis	964	1
CAL.711_52.000		CTP3CD01-CTP3CD56	CTP3CD52	Used third top therapy for treating: frequent stress	965	1
CAL.711_53.000		CTP3CD01-CTP3CD56	CTP3CD53	Used third top therapy for treating: stuttering or stammering	966	1
CAL.711_54.000		CTP3CD01-CTP3CD56	CTP3CD54	Used third top therapy for treating: three or more ear infections	967	1
CAL.711_55.000		CTP3CD01-CTP3CD56	CTP3CD55	Used third top therapy for treating: vision problems	968	1
CAL.711_56.000		CTP3CD01-CTP3CD56	CTP3CD56	Used third top therapy for treating: other specify	969	1
CAL.711_57.000	RECODE		CTP3CD57	Used third top therapy for: condition not elsewhere classified	970	1
CAL.712_00.000		CTP3CMST	CTP3CMST	Most important health problem for which third top therapy was used	971 - 972	2
CAL.713_00.000		CTP3CHLP	CTP3CHLP	How much third top therapy helped with the most important reason for its use	973	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.714_00.000		CTP3MTR1	CTP3MTR1	Received prescription medication for most important health condition treated by third top therapy	974	1
CAL.715_00.000		CTP3MTR2	CTP3MTR2	Received over-the-counter medication for most important health condition treated by third top therapy	975	1
CAL.716_00.000		CTP3MTR3	CTP3MTR3	Received surgery for most important health condition treated by third top therapy	976	1
CAL.717_00.000		CTP3MTR4	CTP3MTR4	Received physical therapy for most important health condition treated by third top therapy	977	1
CAL.718_00.000		CTP3MTR5	CTP3MTR5	Received mental health counseling for most important health condition treated by third top therapy	978	1
CAL.719_00.000		CTP3RS1	CTP3RS1	Used/saw practitioner for third top therapy because: medical treatments were too expensive	979	1
CAL.720_00.000		CTP3RS2	CTP3RS2	Used/saw practitioner for third top therapy because: therapy combined with medical treatment would help	980	1
CAL.721_00.000		CTP3RS3	CTP3RS3	Used/saw practitioner for third top therapy because: medical treatments do not work for your specific health problem	981	1
CAL.722_00.000		CTP3RS4	CTP3RS4	Used/saw practitioner for third top therapy because: medications cause side effects	982	1
CAL.723_00.000		CTP3RS5	CTP3RS5	Used/saw practitioner for third top therapy because: it can be practiced/done on your own	983	1
CAL.724_00.000		CTP3RS6	CTP3RS6	Used/saw practitioner for third top therapy because: it is natural	984	1
CAL.725_00.000		CTP3RS7	CTP3RS7	Used/saw practitioner for third top therapy because: it focuses on the whole person, mind, body, and spirit	985	1
CAL.726_00.000		CTP3RS8	CTP3RS8	Used/saw practitioner for third top therapy because: it treats the cause and not just the symptoms	986	1
CAL.727_00.000		CTP3RS9	CTP3RS9	Used/saw practitioner for third top therapy because: it was part of your upbringing	987	1
CAL.728_00.000		CTP3REC1	CTP3REC1	Used/saw practitioner for third top therapy because it was recommended by: a medical doctor	988	1
CAL.729_00.000		CTP3REC2	CTP3REC2	Used/saw practitioner for third top therapy because it was recommended by: a family member	989	1
CAL.730_00.000		CTP3REC3	CTP3REC3	Used/saw practitioner for third top therapy because it was recommended by: a friend	990	1

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.731_00.000		CTP3REC4	CTP3REC4	Used/saw practitioner for third top therapy because it was recommended by: a co-worker	991	1
CAL.732_00.000		CTP3IMP	CTP3IMP	How important use of third top therapy was in maintaining health and well-being	992	1
CAL.733_00.000		CTP3DS1	CTP3DS1	Told personal health care provider about use of third top therapy	993	1
CAL.734_00.000		CTP3DS2	CTP3DS2	Didn't tell personal health care provider about use of third top therapy because: weren't using therapy at the time	994	1
CAL.735_00.000		CTP3DS3	CTP3DS3	Didn't tell personal health care provider about use of third top therapy because: they discouraged use of therapy in the past	995	1
CAL.736_00.000		CTP3DS4	CTP3DS4	Didn't tell personal health care provider about use of third top therapy because: worried they would discourage it	996	1
CAL.737_00.000		CTP3DS5	CTP3DS5	Didn't tell personal health care provider about use of third top therapy because: concerned about a negative reaction	997	1
CAL.738_00.000		CTP3DS6	CTP3DS6	Didn't tell personal health care provider about use of third top therapy because: didn't think they needed to know	998	1
CAL.739_00.000		CTP3DS7	CTP3DS7	Didn't tell personal health care provider about use of third top therapy because: they didn't ask	999	1
CAL.740_00.000		CTP3DS8	CTP3DS8	Didn't tell health care provider about use of third top therapy because: didn't think they knew as much about therapy as you do	1000	1
CAL.741_00.000		CTP3DS9	CTP3DS9	Didn't tell personal health care provider about use of third top therapy because: they didn't give you enough time to tell them	1001	1
CAL.760_00.000		CTP3INF1	CTP3INF1	Got information about third top therapy from: the internet	1002	1
CAL.761_00.000		CTP3INF2	CTP3INF2	Got information about third top therapy from: books, magazines, or newspapers	1003	1
CAL.762_00.000		CTP3INF3	CTP3INF3	Got information about third top therapy from: DVDs, videos, or CDs	1004	1
CAL.763_00.000		CTP3INF4	CTP3INF4	Got information about third top therapy from: television or radio	1005	1
CAL.764_00.000		CTP3INF5	CTP3INF5	Got information about third top therapy from: scientific articles	1006	1
CAL.765_00.000		CTP3INF6	CTP3INF6	Got information about third top therapy from: health food stores	1007	1

Number of variables for Public Use file: Child Alternative Medicine 781