ABSTRACT

This material provides documentation for users of the public use micro-data files of the 2010 National Hospital Ambulatory Medical Care Survey (NHAMCS). NHAMCS is a national probability sample survey of visits to hospital outpatient and emergency departments, conducted by the National Center for Health Statistics, Centers for Disease Control and Prevention. The survey is a component of the National Health Care Surveys, which measure health care utilization across a variety of health care providers.   There are two micro-data files produced from NHAMCS, one for outpatient department records and one for emergency department records. Section I of this documentation, "Description of the National Hospital Ambulatory Medical Care Survey," includes information on the scope of the survey, the sample, field activities, data collection procedures, medical coding procedures, and population estimates. Section II provides detailed descriptions of the contents of each file's data record by location. Section III contains marginal data for selected items on each file. The appendixes contain sampling errors, instructions and definitions for completing the Patient Record forms, and lists of codes used in the survey.

SUMMARY OF CHANGES FOR 2010

The 2010 NHAMCS Emergency Department (ED) and Outpatient Department (OPD) public use micro-data files contain some important changes relative to the 2009 files. These mainly reflect changes to the survey instruments (the Patient Record form and the Hospital Induction Interview form) and are described in more detail below.

Emergency Departments

1. New or Modified Items

a. In item 1i, Expected Source of Payment, the category "Medicaid/SCHIP" was changed to "Medicald or CHIP/SCHIP".

b. In item 7, Diagnostic/Screening Services, the category "Pregnancy test" was changed to "Pregnancy/HCG test".

c. In item 12, Visit Disposition, the category "Left before medical screening exam" was changed to "Left before triage." The category "Left after medical screening exam" was changed to "Left after triage". One new category was added: "Return/Transfer to nursing home."

d. In item 13a, Hospital Admission: Admitted to:, the category "Stepdown or telemetry unit" was changed to "Stepdown unit".

e. In item 13d, the question, "Date and time patient actually left the ED" was changed to "Date and time patient actually left the ED or observation unit". However, this information is not provided on the public use file.

From the Hospital Induction Interview, two new items were added and one item was modified. Also, modifications were made to item 14, which concerns the adoption of Electronic Medical Records/Electronic Health Records (EMR/EHR). (EMR/EHR modifications are identical to those made in the 2010 National Ambulatory Medical Care Survey.)

f. Items 11d and 11e: "Does your hospital have hospitalists on staff? and "Do the hospitalists on staff at your hospital admit patients from your ED?" were both added in 2010.

g. Item 14h, "Do ED physicians make decisions for patients in this observation or clinical decision unit?" (Answer categories were Yes, No, Not applicable) (OBSDEC on the public use file) was changed to, "What type of physicians make decisions for patients in this observation or clinical decision unit? (Answer categories are: ED Physicians, Hospitalists, Other Physicians, and Not Applicable) (OBSDECMD on the public use file)

h. "Does your ED have a computerized system for patient demographic information?" was changed to "Does your ED have a computerized system for patient history & demographic information?"

i. Does your ED have a computerized system for clinical notes, and, if yes, do they include medical history and follow up notes?" was changed to "Does your ED have a computerized system for clinical notes, and, if yes, 1) do they include a list of medications that the patient is taking? and 2) do they include a comprehensive list of the patient's allergies (including allergies to medication)?"

j. "Does your ED have a computerized system for orders for tests?" was changed to "Does your ED have a computerized system for lab tests?

k. "Does your ED have a computerized system for viewing lab results?" – a sub-question was added: "If yes, are results incorporated in EMR/EHR?"

l. "Does your ED have a computerized system for electronic reporting to immunization registries?" was added.

m. "At your ED, if orders for prescriptions or lab tests are submitted electronically, who submits them?" was added. Note that this item, on the Hospital Induction Interview Form, does NOT immediately follow the two questions about whether the ED has a computerized system for orders for prescriptions or for lab tests, but was added as a separate item following that entire section. Therefore, there was no skip pattern to link responses to this question with the previous two questions. Because of the independence of these items, inconsistencies were noted during data processing between responses to the earlier items about whether the ED had a computerized system for orders for prescriptions or lab tests and responses to the later item about who submits such orders. A decision was made in consultation with branch staff to present both versions of the "who submits them?" item – the first version is as reported and will sometimes conflict with responses to the previous two questions. The second version has been recoded to take into account both previous questions. Researchers may make their own decisions about how to use these data.

n. Does your hospital have plans to apply for Medicare or Medicaid incentive payments for meaningful use of Health IT? (Yes, Uncertain, No)

o. What year does your hospital expect to apply for the meaningful use payments? (2011, 2012, After 2012, Unknown)

p. "Are there plans for installing a new EMR/EHR system or replacing the current system within the next 3 years?" was changed to "At your ED, are there plans for installing a new EMR/EHR system within the next 18 months?"

2. Deleted Items

a. The year of visit item (VYEAR) is no longer included on the public use file. Although the NHAMCS reporting periods will often begin in the last week of December and end in the last week of the following December, they are designed to yield statistics that are representative of the actual calendar year. The survey variable YEAR continues to be on the file and all visit dates may be assumed to reflect the calendar year. If more specific information is required, it is necessary to access the data through the NCHS Research Data Center.

b. Although still collected, the verbatim cause of injury item, VCAUSE, is not included on the 2010 public use file. NCHS policy now requires that no new public use data files contain verbatim text responses. In order to use VCAUSE data, it is necessary to access the data through the NCHS Research Data Center. Please visit their website www.cdc.gov/rdc for additional information.

c. From the Hospital Induction Interview form, the EMR question: "Does your practice have a computerized system for viewing imaging results? – the sub-question, "If yes, are electronic images returned?" was deleted.

d. From the Hospital Induction Interview, the EMR question: "Does your practice have a computerized system for public health reporting?" was deleted.

Outpatient Departments

1. New or Modified Items

   a. In Item 1. Patient Information, sub-item g) Expected source(s) of payment for this visit, checkbox 3, "Medicaid/SCHIP", was changed to "Medicaid or CHIP/SCHIP".

   b. In item 5, Provider's Diagnosis for this Visit, sub-item b) "Regardless of the diagnoses written in 5a, does the patient now have", under the checkbox for cancer, there are now 6 checkboxes to specify the stage. Stage of cancer was last included on the Patient Record Form in 2008.

   c. In item 7, Diagnostic/Screening Services, the Pregnancy checkbox was changed to Pregnancy/HCG Test.

   d. In item 9, Non-Medication Treatment, a checkbox was added for radiation therapy. This question was previously asked in 2008.

From the Hospital Induction Interview, modifications were made to item 14, which is concerned with the adoption of Electronic Medical Records/Electronic Health Records (EMR/EHR).   These modifications are identical to those listed in the section on Emergency Departments.

   e. "Does your OPD have a computerized system for patient demographic information?" was changed to "Does your OPD have a computerized system for patient history & demographic information?"

   f. "Does your OPD have a computerized system for clinical notes, and, if yes, do they include medical history and follow up notes?" was changed to "Does your OPD have a computerized system for clinical notes, and, if yes, 1) do they include a list of medications that the patient is taking? and 2) do they include a comprehensive list of the patient's allergies (including allergies to medication)?"

   g. "Does your OPD have a computerized system for orders for tests?" was changed to "Does your OPD have a computerized system for lab tests?

   h. "Does your OPD have a computerized system for viewing lab results?" – a sub-question was added: "If yes, are results incorporated in EMR/EHR?"

   i. "Does your OPD have a computerized system for electronic reporting to immunization registries?" was added.

   j. "At your OPD, if orders for prescriptions or lab tests are submitted electronically, who submits them?" was added. Note that this item, on the Physician Induction Interview Form, does NOT immediately follow the two questions about whether the OPD has a computerized system for orders for prescriptions or for lab tests, but was added as a separate item following that entire section. Therefore, there was no skip pattern to link responses to this question with the previous two questions. Because of the independence of these items, inconsistencies were noted during data processing between responses to the earlier items about whether the OPD had a computerized system for orders for prescriptions or lab tests and responses to the later item about who submits such orders. A decision was made in consultation with branch staff to present both versions of the "who submits them?" item – the first version is as reported and will sometimes conflict with responses to the previous two questions. The second version has been recoded to take into account both previous questions. Researchers may make their own decisions about how to use these data.

   k. Does your hospital have plans to apply for Medicare or Medicaid incentive payments for meaningful use of Health IT? (Yes, Uncertain, No)

l. What year does your hospital expect to apply for the meaningful use payments? (2011, 2012, After 2012, Unknown)

m. "Are there plans for installing a new EMR/EHR system or replacing the current system within the next 3 years?" was changed to "At your hospital, are there plans for installing a new EMR/EHR system within the next 18 months?"

2. Deleted Items

a. The year of visit item (VYEAR) is no longer included on the public use file. Although the NHAMCS reporting periods will often begin in the last week of December and end in the last week of the following December, they are designed to yield statistics that are representative of the actual calendar year. The survey variable YEAR continues to be on the file and all visit dates may be assumed to reflect the calendar year. If more specific information is required, it is necessary to access the data through the NCHS Research Data Center.

b. From the Hospital Induction Interview form, the EMR question: "Does your hospital have a computerized system for viewing imaging results? – the sub-question, "If yes, are electronic images returned?" was deleted.

c. From the Hospital Induction Interview form, the EMR question: "Does your hospital have a computerized system for public health reporting?" was deleted.

Injury-Related Data

In item 5 of the NHAMCS Emergency Department Patient Record Form (PRF) and item 2 of the NHAMCS OPD PRF, data are collected on whether the sampled visit is related to an injury, poisoning, or adverse effect. In past years, responses to each item were combined with data on the patient's reason for the visit (item 4 [ED], item 3 [OPD]) in 2010), physician's diagnosis (item 6 [ED], item 5 [OPD] in 2010), and cause of injury (item 5 [ED]) to derive a yes/no indicator of whether the visit was injury related. However, the definition of what constituted an injury visit, chosen by senior branch staff many years ago, was fairly broad.

For 2010, in collaboration with injury experts at NCHS's Office of Analysis and Epidemiology (OAE), an effort was made to provide alternative injury variables that are more conservative and better reflect the OAE definition of an injury visit. The OAE definition is more closely aligned with the global injury community, thus bringing NHAMCS data closer to a more widely held definition, while still retaining the original injury items for those who may prefer the broader definition. Two new injury indicators have been added to each file: INJR1 and INJR2. In addition, the editing of OPD PRF item 2 has been refined to add two new recoded versions of the original INJDET data -- INJDETR1 and INJDETR2. For the ED file, two new variables indicating whether the visit was the result of an adverse effect or complication (ADVCOMP1 and ADVCOMP2) have been added based on a recoding of the reason for visit, cause, and diagnosis.

What are the differences between these items?

INJURY – This is the historical NHAMCS yes/no indicator. For OPD data, it uses a broad definition based on first-, second-, and third-listed reason for visit and diagnosis codes to determine whether a visit is injury related. For ED data, cause of injury is also taken into account.

In addition to injury, poisoning, and adverse effects and complications codes from the NCHS Reason for Visit Classification (RVC) and the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), a selection of other reason and diagnosis codes relating to various conditions (for example, carpal tunnel syndrome, allergic reactions, alcohol and drug abuse, birth trauma, and others) was used to indicate an injury-related visit.

INJR1 – For OPD, this definition includes only first-listed reason for visit and diagnosis codes related to injury and poisoning. It does NOT include adverse effects and complications codes. No additional codes

from the RVC and ICD-9-CM are used. For ED, cause of injury is also taken into consideration, such that, if the first-listed reason for visit or first-listed diagnosis is not injury related, the presence of a first-listed cause of injury will also cause the visit to be considered injury related (excluding adverse effects and complications codes).

INJR2 – For OPD, this injury definition includes first-, second-, and third-listed reason for visit and diagnoses codes related to injury and poisoning. Adverse effects and complications codes are not included, and no additional codes from the RVC and ICD-9-CM are used. For ED, the definition includes any-listed first-, second-, and third-listed reason for visit and diagnosis, but also considers the presence of a cause of injury (excluding adverse effects and complications codes; however, if adverse effects or complications codes are present in combination with other valid definitional codes, the visit will be considered injury related).

INJDET – This is the historical NHAMCS OPD variable reflecting item 2 on the PRF. It uses a broad definition of injury based on first-, second-, and third-listed reason for visit and diagnosis codes in conjunction with item 2 entries to determine whether a visit is related to injury, poisoning, or adverse effect of medical/surgical care or adverse effect of medicinal drug.

INJDETR1 – This definition uses item 2 entries in conjunction with 1) the injury definition used in INJR1 and 2) an additional review of first-listed reason for visit and diagnosis codes to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

INJDETR2 – This definition uses item 2 entries in conjunction with 1) the injury definition used in INJR2 and 2) an additional review of first-, second-, and third-listed reason for visit and diagnosis codes to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

ADVCOMP1 – This definition uses first-listed reason for visit, cause of injury, and diagnosis to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

ADVCOMP2 – This definition uses any-listed reason for visit, cause of injury, and diagnosis to determine whether the visit is related to adverse effects of medical or surgical care or adverse effects of medicinal drugs.

It is hoped that these additional injury items will provide a better picture of injury visits in NHAMCS. For more information, please contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

Table of Contents

Page

Table of Contents (cont.)

Page

List of Tables and Figures

I. DESCRIPTION OF THE NATIONAL HOSPITAL AMBULATORY MEDICAL CARE SURVEY

A. INTRODUCTION

The National Hospital Ambulatory Medical Care Survey (NHAMCS) was initiated to learn more about the ambulatory care rendered in hospital emergency and outpatient departments (EDs and OPDs) in the United States. In 2009, hospital-based ambulatory surgery locations were included in the survey and, in 2010, freestanding ambulatory surgery centers were added. This documentation pertains only to the ED and OPD survey components. Ambulatory medical care is the predominant method of providing health care services in the United States (1). Since 1973, data on ambulatory patient visits to physicians' offices have been collected through the National Ambulatory Medical Care Survey (NAMCS). However, visits to hospital emergency and outpatient departments, which represent a significant portion of total ambulatory medical care, are not included in NAMCS (2). Furthermore, hospital ambulatory patients are known to differ from office patients in their demographic and medical characteristics (3). NHAMCS was designed to fill this data gap. Together, NAMCS and NHAMCS provide a comprehensive look at ambulatory medical care.

NHAMCS is endorsed by the Emergency Nurses Association, the Society for Emergency Academic Medicine, the American College of Emergency Physicians, and the American College of Osteopathic Emergency Physicians. A complete description of NHAMCS is contained in the publication entitled, "Plan and Operation of the National Hospital Ambulatory Medical Care Survey" (4).

These micro-data files comprise the emergency and outpatient department data collected by NHAMCS in 2010. NHAMCS is conducted by the Ambulatory and Hospital Care Statistics Branch of the National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention (CDC). NHAMCS provides data from samples of patient records selected from the EDs and OPDs of a national sample of hospitals. As mentioned earlier, hospital-based ambulatory surgery centers were added in 2009, and freestanding ambulatory surgery centers were added in 2010. Data from the Ambulatory Surgery Component of NHAMCS will be released separately. The national estimates produced from these studies describe the utilization of hospital ambulatory medical care services in the United States. In 2010, there were 34,936 Patient Record forms (PRFs) provided by EDs and 34,718 PRFs provided by OPDs that participated in the survey. Both data files, ED and OPD, are included in this product.

Please note the following important points concerning analysis of NHAMCS data on this micro-data file:

►PATIENT VISIT WEIGHT

Micro-data file users should be fully aware of the importance of the "patient visit weight" and how it must be used. Information about the patient visit weight is presented on page 27. If more information is needed, the staff of the Ambulatory and Hospital Care Statistics Branch can be consulted by calling (301) 458-4600 during regular working hours.

►RELIABILITY OF ESTIMATES

Users should also be aware of the reliability or unreliability of certain estimates, particularly the smaller estimates. The National Center for Health Statistics considers an estimate to be reliable if it has a relative standard error of 30 percent or less (i.e., the standard error is no more than 30 percent of the estimate). Therefore, it is important to know the value of the lowest possible estimate in this survey that is considered reliable, so as not to present data in a journal article or paper that may be unreliable. Most data file users can obtain an adequate working knowledge of relative standard errors from the information presented in Appendix I. It should be noted that estimates based on fewer than 30 records are also considered unreliable, regardless of the magnitude of the relative standard error. If you would like more information, do not hesitate to consult the staff of the Ambulatory and Hospital Care Statistics Branch.

B. SAMPLE DESIGN

The 2010 NHAMCS was a national probability sample of visits to the emergency and outpatient departments of noninstitutional general and short-stay hospitals, excluding Federal, military, and Veterans Administration hospitals, located in the 50 states and the District of Columbia. NHAMCS was designed to provide estimates based on the following priority of survey objectives: United States; region; emergency and outpatient departments; and type of ownership. NHAMCS used a four-stage probability design with samples of primary sampling units (PSUs), hospitals within PSUs, clinics/emergency service areas within outpatient/emergency departments, and patient visits within clinics/emergency service areas. Each stage of sampling is described below.

1. Primary Sampling Units (PSUs)

A PSU consists of a county, a group of counties, county equivalents (such as parishes and independent cities), towns, townships, minor civil divisions (for some PSUs in New England), or a metropolitan statistical area (MSA). MSAs were defined by the U.S. Office of Management and Budget on the basis of the 1980 Census. The first-stage sample consisted of 112 PSUs that comprised a probability subsample of the PSUs used in the 1985-94 National Health Interview Survey (NHIS). The NHAMCS PSU sample included with certainty the 26 NHIS PSUs with the largest populations. In addition, the NHAMCS sample included one-half of the next 26 largest PSUs, and one PSU from each of the 73 PSU strata formed from the remaining PSUs for the NHIS sample.

The NHIS PSU sample was selected from approximately 1,900 geographically defined PSUs that covered the 50 States and the District of Columbia. The 1,900 PSUs were stratified by socioeconomic and demographic variables and then selected with a probability proportional to their size. Stratification was done within four geographical regions by MSA or non-MSA status. A detailed description of the 1985-94 NHIS PSU sample design is available (5).

2. Hospitals

The sampling frame for the 2010 NHAMCS was constructed from SDI's data product, "Hospital Market Profiling Solution." (SDI has since been acquired by IMS.)

The original sample frame was compiled as follows. Hospitals with an average length of stay for all patients of less than 30 days (short-stay) or hospitals whose specialty was general (medical or surgical) or children's general were eligible for NHAMCS. Excluded were Federal hospitals, hospital units of institutions, and hospitals with less than six beds staffed for patient use. In 1991, the SMG Hospital Database contained 6,249 hospitals that met these eligibility criteria. Of the eligible hospitals, 5,582 (89 percent) had EDs and 5,654 (90 percent) had OPDs. Hospitals were defined to have an ED if the hospital file indicated the presence of such a unit or if the file indicated a non-zero number of visits to such a unit. A similar rule was used to define the presence of an OPD. Hospitals were classified into four groups: those with only an ED; those with an ED and an OPD; those with only an OPD; and those with neither an ED nor an OPD. Hospitals in the last class were considered as a separate stratum and a small sample (50 hospitals) was selected from this stratum to allow for estimation to the total universe of eligible hospitals and the opening and closing of EDs and OPDs in the sample hospitals.

All hospitals in non-certainty PSUs with five or fewer hospitals were selected with certainty. There were 149 hospitals in 55 PSUs in this category. In non-certainty PSUs with more than five hospitals, hospitals were stratified by hospital class; type of ownership (not-for-profit, non-Federal government, and for-profit); and hospital size. Hospital size was measured by the combined volume of ED and OPD visits. From the stratified hospital list, five hospitals were selected in each PSU with probability proportional to the number of ED and OPD patient visits. A total of 161 hospitals was selected from this group. In the certainty PSUs, hospitals were stratified by region, hospital class, ownership, and size. From the stratified hospital list, 240 hospitals were selected based on probability proportional to size. A sample of 50 hospitals was selected from the 427 hospitals that had neither an ED nor an OPD.

The hospital selections were made so that each hospital would be chosen only once to avoid multiple inclusions of very large hospitals. A fixed panel of 600 hospitals was selected for the NHAMCS sample; 550 hospitals had an ED and/or an OPD and 50 hospitals had neither an ED nor an OPD. To preclude hospitals participating during the same time period each year, the sample of 600 hospitals was randomly divided into 16 subsets of approximately equal size. Each subset was assigned to 1 of the 16 4-week reporting periods, beginning December 2, 1991, which continues to rotate across each survey year. Therefore, the entire sample does not participate in a given year, and each hospital is inducted approximately once every 15 months.

For the 2010 survey, the universe and sample hospitals were updated using hospital data from (the fomer) SDI. In the updated sample, 16 new hospitals were added and 20 hospitals, no longer in existence, were deleted.

The 2010 NHAMCS was conducted from December 28, 2009 through December 26, 2010, and consisted of a sample of 488 hospitals. Of the sampled hospitals, 74 were found to be ineligible due to closing or other reasons. Of the 414 hospitals that were in scope (eligible) for the survey, 373 participated, for an unweighted hospital sampling response rate of 90.1 percent (87.2 percent weighted).

3. Outpatient Clinics and Emergency Service Areas (ESAs)

Within each hospital, either all outpatient clinics or a sample of such units were selected. Clinics were in scope if ambulatory medical care was provided under the supervision of a physician and under the auspices of the hospital. Clinics were required to be "organized" in the sense that services were offered at established locations and schedules. Clinics where only ancillary services were provided or other settings in which physician services were not typically provided were out of scope. In addition, freestanding clinics were out of scope since they are included in NAMCS, and ambulatory surgery centers, whether in hospitals or freestanding, were out of scope through 2008. Ambulatory surgery centers were included in the National Survey of Ambulatory Surgery which was conducted between 1994-96 and again in 2006. Beginning in 2009, hospital-based ambulatory surgery centers were added as a separate NHAMCS component. Beginning in 2010, freestanding ambulatory surgery centers were added to the ambulatory surgery component of NHAMCS. A list of in scope and out of scope clinics is provided in Appendix I (Definition of certain terms used in the survey). The OPD clinic definition excluded the "hospital as landlord" arrangement in which the hospital only rented space to a physician group and was not otherwise involved in the delivery of services. These physicians are considered office-based and are currently included in NAMCS.

Hospitals may define the term "separate clinic" differently, for example, by physical location within the hospital, by staff providing the services, by specialty or subspecialty, by schedules, or by patients' source of payment. Because of these differences, "separate clinics" in NHAMCS were defined as the smallest administrative units for which the hospital kept patient volume statistics.

During the visit by a field representative (FR) to induct a hospital into the survey, a list of all outpatient clinics was obtained from the sample hospital. Each outpatient department clinic's function, specialty, and expected number of visits during the assigned reporting period were also collected. If there were five or fewer clinics, then all were included in the sample. If an outpatient department had more than five clinics, the clinics were assigned into one of six specialty groups: general medicine, surgery, pediatrics, obstetrics/gynecology, substance abuse, and other. Within these specialty groups, clinics were grouped into clinic sampling units (SUs). A clinic sampling unit was generally one clinic, except when a clinic expected fewer than 30 visits. In that case, it was grouped with one or more other clinics to form a clinic SU. If the grouped SU was selected, all clinics included in that SU were included in the sample. Prior to 2001, a sample of generally five clinic SUs was selected per hospital based on probability proportional to the total expected number of patient visits to the clinic during the assigned 4-week reporting period. Starting in 2001, clinic sampling within each hospital was stratified. If an OPD had more than five clinics, two clinic sample units were selected from each of the six specialty groups with a probability proportional to the total expected number of visits to the clinic. The change was to ensure that at least two SUs were sampled from each of the specialty group strata.

Emergency services provided under the "hospital as landlord" arrangement were also eligible for the study. An ED was in scope if it was staffed 24 hours a day. If an in-scope ED had an ESA that was open less than 24 hours a day, then it was included under the ED. If a hospital had an ED that was staffed less than 24 hours a day, then it was considered an outpatient clinic. The ED was treated as a separate stratum, and all ESAs were selected with certainty.

A total of 488 hospitals was selected for the 2010 NHAMCS, of which 388 were in scope and had eligible EDs. Of these, 357 participated, yielding an unweighted ED response rate of 92.0 percent. A sample of 449 ESAs was selected from the EDs. Of these, 427 responded fully or adequately by providing forms for at least half of their expected visits based on the total number or visits during the reporting period, and 5 responded minimally (i.e. they provided fewer than half of their expected forms). In all, 34,936 PRFs were submitted. The resulting unweighted ESA sample response rate was 95.1 percent, and the overall unweighted two stage sampling response rate was 87.5 percent. Response rates have been adjusted to exclude minimal participants.

Of the 488 sample hospitals in the 2010 NHAMCS, 274 were in scope and had eligible OPDs. Of these, 229 OPDs participated, yielding an unweighted OPD response rate of 83.6 percent. A sample of 1,060 clinics was selected from the OPDs. Of these, 934 responded fully or adequately (i.e. provided at least one-half of the number of PRFs expected, based on the total number of visits seen during the reporting period), and 20 responded minimally by completing less than half of their expected forms. In all, 34,718 PRFs were submitted. The resulting unweighted clinic sample response was 88.1 percent, and the overall unweighted two stage sampling response rate was 73.6 percent. Response rates have been adjusted to exclude minimal participants.

4. Visits

The basic sampling unit for the NHAMCS is the patient visit or encounter. Only visits made in the United States by patients to EDs and OPDs of non-Federal, short-stay, or general hospitals were included in the 2010 NHAMCS ED and OPD components. Within ESAs or OPD clinics, patient visits were systematically selected over a randomly assigned 4-week reporting period. A visit was defined as a direct, personal exchange between a patient and a physician, or a staff member acting under a physician's direction, for the purpose of seeking care and rendering health services. Visits solely for administrative purposes, such as payment of a bill, and visits in which no medical care was provided, such as visits to deliver a specimen, were out of scope.

The target numbers of PRFs to be completed for EDs and OPDs in each hospital were 100 and 150-200, respectively. In clinics with volumes higher than these desired figures, visits were sampled by a systematic procedure which selected every nth visit after a random start. Visit sampling rates were determined from the expected number of patients to be seen during the reporting period and the desired number of completed PRFs. During the 2010 NHAMCS, PRFs were completed for 34,936 ED visits and 34,718 OPD visits.

C. DATA COLLECTION PROCEDURES

1. Field Training

The U.S. Bureau of the Census was the data collection agent for the 2010 NHAMCS. Census Headquarters staff were responsible for overseeing the data collection process, training the Census Regional Office staff, and writing the field manual. Regional Office staff were responsible for training the FR and monitoring hospital data collection activities. FR training included approximately four hours of self-study and two days of classroom training. FRs inducted the hospitals and trained the hospital staff on visit sampling and completion of the PRFs.

2. Hospital Induction

Approximately three months prior to the hospital's assigned reporting period, NCHS sent a personally signed introductory letter from the Director of NCHS to the hospital administrator or chief executive officer of each

sampled hospital. The names of the hospital officials were obtained from the American Hospital Association (AHA) Guide to Health Care. In addition to the introductory letter, NCHS also enclosed endorsement letters from the Emergency Nurses Association, the Society for Emergency Academic Medicine, the American College of Emergency Physicians, the American College of Osteopathic Emergency Physicians, and the U.S. Surgeon General to emphasize the importance of the study to the medical community.

Approximately one week after this mailing, the Census FR called the hospital administrator to set up an appointment to further explain the study and to verify hospital eligibility for the survey. Earlier studies indicated that the three-month lead time was necessary to obtain a meeting with the administrator, gain hospital and IRB approval, collect the required information about the hospital's ambulatory care services, develop the sampling plan, and train participating hospital staff (6, 7).

3. Outpatient Clinic and Emergency Service Area Induction

After the initial visit and the development of the sampling plan, the FR contacted the hospital coordinator to arrange for induction of the sample ESAs and outpatient clinics and for training hospital staff to collect the data. At these visits, the FR described the purpose and use of the survey data, explained the data collection process, including the visit sampling procedures, and presented the Patient Record forms.

4. Data Collection

The actual visit sampling and data collection for NHAMCS has traditionally been the responsibility of hospital staff. This procedure was chosen for several reasons. First, the lack of a standard form or record coversheet in hospitals and the individuality of the hospital record keeping made FR training difficult. Second, for confidentiality reasons, numerous hospitals did not want the FRs to review patient logs or see actual medical records. Third, hospital staffs were better qualified to abstract data since they were familiar with the medical terms and coding, knew the record keeping systems, and could complete the data collection forms (PRFs) at or near the time of the visit when the information was the most complete and easiest to retrieve. However, over time, FRs have increasingly been acting as data abstractors.

Hospital staff responsible for completing PRFs were instructed in how to complete each item by the FRs. Separate instruction booklets for ESAs and OPD clinics were prepared and provided to guide hospital staff in this task. These booklets provided an overview of the survey, sampling instructions, instructions for completing the PRFs, and definitions.

A one page PRF consisting of two sections was completed for each sample visit. To account for differences in emergency and outpatient care, different PRFs were developed for each setting. The top section of each PRF, containing the patient's name and record number, was separated from the bottom section by a perforation running across the page. The top section remained attached to the bottom until the entire PRF was completed. To ensure confidentiality, before collecting the completed PRFs, the top section was detached and given to hospital staff. The FRs instructed hospital staff to keep this portion for a period of four weeks, in case it was necessary to retrieve missing information or clarify information that had been recorded.

The PRFs were patterned after those developed for NAMCS and can be completed in 6 minutes. The OPD PRF closely resembles the NAMCS PRF, while the ED PRF was designed to reflect the type of care provided in the emergency department. The ED and OPD PRFs were each printed on one side of an 8 x 14 inch sheet (Figures 1, 2). The ED PRF has an additional section on the reverse side.

Terms and definitions relating to the Patient Record forms are included in Appendix I. In 2010, 68.9 percent of ED records and 67.1 percent of OPD records were completed by Census abstractors.

The 2010 NHAMCS included one supplement. The Cervical Cancer Screening Supplement is the result of a joint effort by CDC's National Center for Health Statistics and National Center for Chronic Disease Prevention and Health Promotion to collect information on the screening of cervical cancer at hospital-based outpatient departments in the United States. It was introduced in 2006 and has continued each year since then, with 2010 being the final year.

[Figure 1 omitted]

Please note: Figure 1 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2010 NHAMCS Outpatient Department Patient Record form from this web address:

Link to OPD Patient Record form: http://www.cdc.gov/nchs/data/ahcd/nhamcs100opd_2010.pdf
Link to Survey Instruments page: http://www.cdc.gov/nchs/ahcd/ahcd_survey_instruments.htm#nhamcs

[Figure 2 – Page 1 - omitted]

Please note: Figure 2 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2010 NHAMCS Emergency Department Patient Record form from this web address:

Link to ED Patient Record Form: http://www.cdc.gov/nchs/data/ahcd/nhamcs100ed_2010.pdf
Link to Survey Instruments page: http://www.cdc.gov/nchs/ahcd/ahcd_survey_instruments.htm#nhamcs

[Figure 2 – Page 2 - omitted]

Please note: Figure 2 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2010 NHAMCS Emergency Department Patient Record form from this web address:

Link to ED Patient Record Form: http://www.cdc.gov/nchs/data/ahcd/nhamcs100ed_2010.pdf
Link to Survey Instruments page: http://www.cdc.gov/nchs/ahcd/ahcd_survey_instruments.htm#nhamcs

Data from NHAMCS supplements, including previous supplements on ED Staffing and Capacity, Ambulance Diversion, Bioterrorism and Mass Casualty Preparedness, and Emergency Pediatric Services and Equipment, will not be released to the general public because of confidentiality requirements, but it may be possible to gain access through the NCHS Research Data Center. Researchers may contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600 for more information.

D. FIELD QUALITY CONTROL

The Census Bureau Field Representatives visited the sampled ESAs and clinics each week during the data collection period and maintained telephone contact with the hospital staff involved in the data collection effort. The FR reviewed the log or other records used for visit sampling to determine if any cases were missing and also edited completed forms for missing data. Attempts were made to retrieve both missing cases and missing data on specific cases, either by consulting with the appropriate hospital staff or by reviewing the pertinent medical records.

On the final visit, the FR collected the remaining PRFs and obtained or verified the total count of visits occurring during the reporting period by reviewing the log used for sample selection or by obtaining counts directly from hospital staff. Because this information was critical to the estimation process, an extensive effort was made to ensure the accuracy of this number.

At the end of the hospital's reporting period the FR sent the administrator a personalized "Thank You" letter.

E. CONFIDENTIALITY

In April 2003, the Privacy Rule of the Health Insurance Portability and Accountability Act (HIPAA) was implemented to establish minimum Federal standards for safeguarding the privacy of individually identifiable health information. No personally identifying information, such as patient's name or address or Social Security number, is collected in NHAMCS. Data collection is authorized by Section 306 of the Public Health Service Act (Title 42, U.S. Code, 242k). All information collected is held in the strictest confidence according to law [Section 308(d) of the Public Health Service Act (42, U.S. Code, 242m(d))] and the Confidential Information Protection and Statistical Efficiency Act (Title 5 of PL 107-347). The NHAMCS protocol has been approved by the NCHS Research Ethics Review Board annually since February 2003. Waivers of the requirements to obtain informed consent of patients and patient authorization for release of patient medical record data by health care providers have been granted.

In the Spring of 2003, NHAMCS implemented additional data collection procedures to help providers assure patient confidentiality. Census Bureau FRs were trained on how the Privacy Rule allows hospitals to make disclosures of protected health information without patient authorization for public health purposes and for research that has been approved by a Research Ethics Review Board. Hospitals were encouraged to accept a data use agreement between themselves and NCHS/CDC, since the Privacy Rule allows hospitals to disclose limited data sets (i.e., data sets with no direct patient identifiers) for research and public health purposes if such an agreement exists. Such practices have been continued annually.

Assurance of confidentiality is provided to all hospitals according to Section 308 (d) of the Public Health Service Act (42 USC 242m). Strict procedures are utilized to prevent disclosure of NHAMCS data. All information which could identify the hospital or its facilities is confidential and seen only by persons engaged in NHAMCS, and is not disclosed or released to others for any other purpose. Names and other identifying information for individual patients is never removed from the hospital. For some hospitals, selected characteristics may have been masked on the public use file to minimize the potential for disclosure.

F. DATA PROCESSING

1. Edits

In addition to follow-ups for missing and inconsistent data made by the field staff, numerous clerical edits were performed on data received for central data processing. Detailed editing instructions were provided to manually review the patient records and to reclassify or recode "other" entries. Computer edits for code ranges and inconsistencies were also performed. Data processing and medical coding were performed by SRA International, Inc., Durham, North Carolina.

2. Quality control

All medical and drug coding and keying operations were subject to quality control procedures. Quality control for the medical and drug coding operation, as well as straight-key items, involved a two-way 10-percent independent verification procedure. As an additional quality control, all PRFs with differences between coders or with illegible entries for the reason for visit, diagnostic and therapeutic procedures, diagnosis, E-code (cause of injury), and medication items were reviewed and adjudicated at NCHS. The average keying error rate for non-medical items was 0.01 percent for ED and OPD PRFs. For items that required medical coding, discrepancy rates ranged between 0.0 and 0.1 percent for ED and OPD records.

3. Adjustment for item nonresponse

Unweighted item nonresponse rates were 5.0 percent or less for ED data items with the following exceptions: waiting time to see physician (6.8 percent of applicable visits); race (10.6 percent); ethnicity (12.8 percent); recoded expected primary source of payment (5.4 percent); initial heart rate (5.9 percent); initial systolic blood pressure (11.6 percent); initial diastolic blood pressure (11.8 percent), initial pulse oximetry (13.5 percent); oriented x 3 (19.4 percent); Glasgow Coma Scale (67.7 percent); triage level (20.4 percent); presenting level of pain (22.4 percent); has patient been seen in this ED within the last 72 hours (14.9 percent); has patient been discharged from any hospital within the last 7 days (38.3 percent); how many times has patient been seen in this ED within the last 12 months (35.2 percent); episode of care (7.5 percent); intentionality of injury (13.4 percent of injury-related visits); cause of injury (15.8 percent of injury-related visits); does patient have [list of conditions] (7.3 percent); (for visits where patient was admitted to ED's hospital: type of unit admitted to (14.2 percent), admitting physician (6.3 percent), length of time waiting for hospital admission (26.1 percent), length of stay in hospital (10.5 percent), principal hospital discharge diagnosis (13.6 percent), hospital discharge status (11.3 percent); length of stay in observation unit (54.8 percent); plans to expand ED's physical space within the next two years (15.9 percent), how many days in a week are inpatient elective surgeries scheduled (5.9 percent); does hospital have a bed coordinator, sometimes known as a bed czar (5.7 percent); how often are hospital bed census data available (7.8 percent); if ED is critically overloaded, are admitted ED patients ever "boarded" in inpatient hallways/another space outside ED (6.7 percent); did your hospital go on ambulance diversion in 2009 (13.7 percent); and does your hospital continue to admit elective or scheduled surgery cases when ED is on ambulance diversion (16.0 percent); does your ED use computer assisted triage (6.4 percent); does your ED use: electronic dashboard (5.3 percent), radio frequency identification tracking (5.8 percent), zone nursing (7.1 percent), pool nursing (6.3 percent), full capacity protocol (5.6 percent); and intentionality of injury recode (based on CAUSE1) (15.8 percent). Electronic medical record items are not included here because those items have been omitted from the first release of the 2010 NHAMCS public use files. They are expected to be included in a later release.

Unweighted item nonresponse rates were 5.0 percent or less for OPD data items with the following exceptions: patient race (13.8 percent); patient ethnicity (13.3 percent); tobacco use (35.2 percent); is this clinic the patient's primary care provider (7.1 percent); was patient referred for this visit (22.4 percent); stage of patient's cancer (67.8 percent); and if patient was seen in clinic before, how many past visits in last 12 months (12.6 percent). Electronic medical record items are not shown here because the items have been omitted from the initial release of the NHAMCS public use data files. They are expected to be included on a subsequent release of the files. Denominators used to compute item nonresponse rates were adjusted to account for skip patterns on the PRFs. For example, hospital staff were instructed to answer the sub-item

on number of past visits in the last 12 months for established patients only; therefore, visits by new patients were excluded when calculating the nonresponse rate for number of past visits.

For some items, missing values were imputed as described below. In addition to imputing missing data, masking was required for some facilities for several items [RACEIM, URBANRUR, MSA, OWNER] in order to protect respondent confidentiality.

On the ED file, five items were imputed: patient's age (0.6 percent), sex (0.6 percent), race (10.5 percent), ethnicity (12.8 percent), and triage level (20.4 percent). For triage level, imputation was performed using a hot deck (i.e. current year's data) based on the number of levels in the ESA's triage system, 3-digit ICD-9-CM code for primary diagnosis, the hospital's ED volume, and geographic region. Age and sex were imputed using a hot deck based on 3-digit ICD-9-CM code for primary diagnosis. triage level, ED volume, and geographic region. Starting with 2009 data, the imputation of patient race and ethnicity was performed using a model-based single, sequential regression method. The decision to adopt this technique resulted from findings by an internal work group that studied imputation methods with NAMCS and NHAMCS data for nearly two years. The model used to impute race and ethnicity included the following variables: Census variables for ZIP code level race and ethnicity population estimates and an indicator for whether it was patient or hospital ZIP (used when patient ZIP was not available); patient age, sex, race, and ethnicity; triage level, log of ED wait time, primary expected source of payment derived from a hierarchical recode of the expected source of payment question; grouped 3-digit ICD-9-CM codes for primary diagnosis; who completed the Patient Record form; year of visit (2009 or 2010), type of ESA area, and ED weighting and volume variables.

On the OPD file, six items were imputed: age (0.6 percent), sex (0.6 percent), race (13.8 percent), ethnicity (13.3 percent), whether patient had been seen in this clinic before (0.9 percent), and, if yes, number of past visits in last 12 months (12.6 percent). Age, sex, seen before, and number of past visits in the last 12 months, were all imputed using a hot or cold deck method as described above. Starting with 2009 data, race and ethnicity imputation was performed using a model-based single, sequential regression method. The model used to impute race and ethnicity with OPD data included the following variables: Census variables for ZIP code level race and ethnicity population estimates and an indicator for whether it was patient or hospital ZIP (used when patient ZIP was not available); patient age, sex, race, and ethnicity; primary expected source of payment derived from a hierarchical recode of the expected source of payment question; grouped 3-digit ICD-9-CM codes for primary diagnosis; major reason for visit; presence of hypertension; clinic type; provider's MSA status; who completed the Patient Record form; year of visit (2009 or 2010), and OPD weighting variables.

G. MEDICAL CODING

The Patient Record form contains several medical items requiring three separate coding systems. The three coding systems are described briefly below. Quality control for the NHAMCS medical and drug coding operations involved a 10-percent independent coding and verification procedure. A dependent verification procedure was used to review and adjudicate all records with coding discrepancies. Definitions of the medical items can be found in Appendix I.

    1. Patient's Complaint(s), Symptoms(s) or Other Reason(s) for this Visit: Information collected in item 4 of the ED and item 3 of the OPD PRFs was coded according to A Reason for Visit Classification for Ambulatory Care (RVC) (8). The updated classification is available (9), and the list of codes is shown in Appendix II. The classification was updated to incorporate several new codes as well as changes to existing codes. The system continues to utilize a modular structure. The digits 1 through 8 precede the 3-digit RVC codes to identify the various modules as follows:

Prefix	Module
"1" =	Symptom module
"2" =	Disease module
"3" =	Diagnostic, screening, and preventive module

"4" =   Treatment module
"5" =   Injuries and adverse effects module
"6" =   Test results module
"7" =   Administrative module
"8" =   Uncodable entries
"9" =   Special code = blank

Up to three reasons for visit were coded from the PRFs in sequence; coding instructions for this item are contained in the Reason for Visit Classification and Coding Manual (9).

2. Cause of Injury/Poisoning/Adverse Effect: Up to three causes of injury, poisoning, or adverse effect were coded from responses to item 5 on the ED PRFs. Causes were coded using the Supplementary Classification of External Causes of Injury and Poisoning (E-codes), International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (10).   In the classification, E-codes range from E800-E999, and many, but not all, codes have an additional fourth digit to provide greater specificity. For the NHAMCS ED public use file, the 'E' has been dropped.

There is an implied decimal between the third and fourth digits; inapplicable fourth digits have a dash inserted.

> Examples: 895- = E895   = Accident caused by controlled fire in private dwelling
>   9056 = E905.6 = Venomous marine animals and plants as the cause of
>   poisoning and toxic reactions

In addition to these character codes, we have also provided numeric recodes for the cause of injury fields at the end of the record format. Please see page 73 in the ED Record Format section for more information on using the numeric recodes.

3. Provider's Diagnosis: Diagnostic information in item 6 of the ED and item 5 of the OPD PRFs was coded according to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (10).

For 2010, the ICD-9-CM codes are provided in two formats, the true ICD-9-CM code in character format, and a numeric recode found at the end of the record format. Please see page 73 in the ED Record Format section for information on the background, purpose, and appearance of the numeric recodes. The rest of this paragraph describes the format of the true ICD-9-CM codes.

The true ICD-9-CM codes are not prefixed or zerofilled on the public use file. For example, 38100 = 381.00 = Acute nonsuppurative otitis media, unspecified. There is an implied decimal between the third and fourth digits. For inapplicable fourth or fifth digits, a dash has been inserted.

For example, 4011- = 401.1 = Essential hypertension, benign.

True supplementary classification codes are not prefixed or zerofilled. For example, V700- = V70.0 = Routine general medical examination at a health care facility.

In addition to the diagnostic codes from the ICD-9-CM the following unique codes in the diagnostic fields were developed by NHAMCS staff:
V990- =   noncodable diagnosis, insufficient information for coding, illegible diagnosis
V991- =   left before being seen, patient walked out, not seen by doctor, left against
             medical advice
V992- =   transferred to another facility, sent to see specialist
V993- =   HMO will not authorize treatment
V997- =   entry of "none," "no diagnosis," "no disease," "healthy"
V998- =   entry of "not applicable", "N/A", "not available" or "blank"
  -9 =   field is blank (in contrast to an actual entry of "blank")

A maximum of three diagnoses were coded in sequence. Coding instructions concerning diagnoses are contained in the NHAMCS Coding Requirements Manual (11).

4. Diagnostic/Screening Services and Non-Medication Treatment: Open-ended responses for "Scope procedure". Biopsy site, and "Other test/service" from item 7 on the OPD PRF (Diagnostic/Screening Services) as well as open-ended responses for "Procedures" from OPD PRF item 9 (Non-Medication Treatment) were coded according to the ICD-9-CM using the procedure codes in Volume III. Up to 2 scope procedures, 1 biopsy site, 2 other diagnostic/screening tests/services, and up to 4 procedures in the non-medication treatment item could be coded for each outpatient department visit.

Character format codes have an implied decimal between the second and third position and do not use prefixes or zerofills. Codes without an applicable 4th digit have a dash inserted. Please note that, as with the diagnosis codes described above, the file also contains numeric recodes for procedures at the end of the record format. These are described in the OPD Record Format section.

It should be noted that some respondents reported procedures in item 7 (OPD), while others may have reported the same procedure in item 9 (OPD). For this reason, when analyzing procedures, it is recommended that all of the possible procedure fields be taken into account regardless of item location.

IMPORTANT: The Ambulatory and Hospital Care Statistics Branch has attempted, starting with the 2009 data release, to facilitate the use and interpretation of procedure data in the NHAMCS Outpatient Department public use data file. Because of the issue noted in the preceding paragraph, where respondents would enter the same procedures in either item 7 or item 9 of the PRF, it became increasingly difficult to edit these data in a meaningful way. In order to improve data quality and streamline processing time, data from items 7 and 9 have been considered as one item for editing. Diagnostic/screening services, and non-medication treatment services have been combined to form a recoded section called "Services Ordered or Provided" on the public use file. All of the write-in procedures have been grouped into one section of up to 9 procedures following the checkbox categories.

As in previous years, if a procedure was entered for which a checkbox was also present, the procedure was deleted and only the checkbox was retained, if there was no additional information to be gained from the inclusion of the procedure. For example, if "EKG" was written in as a procedure, the EKG checkbox was checked and the procedure was not coded. If, however, the procedure provided additional detail, it was retained along with the checkbox. For example, if "diagnostic ultrasound of the eye" was reported, it was coded using the ICD-9-CM as a procedure, and the ultrasound checkbox was also checked. Therefore, the ultrasound checkbox will always give the maximum estimate for the number of visits with ultrasound ordered or provided, and the write-in procedures will provide additional detail about the type of ultrasound, where available. They should not be added together, in order to avoid doublecounting.   The variable, Total Number of Services Ordered or Provided (TOTSERV) takes such doublecounting into account to provide an unduplicated number of services across all possible fields.

5. Medications & Immunizations: The NHAMCS drug data collected in item 9 (ED) and item 10 (OPD) have been classified and coded using the entry name (the entry made on the PRF) according to a unique classification scheme developed at NCHS (12). The medical classification system of drugs by entry name uses a five-digit coding scheme which is updated regularly to include new products. It includes the following special codes:

-9 = blank
99980 = unknown entry, other
99999 = illegible entry

Up to 8 medications could be recorded for each visit. A list of drug codes by entry name is included in Appendix III.

In addition to drugs coded by entry name, this file contains the following drug information:

a. Generic drug code: Drugs are coded in terms of their generic components and therapeutic classifications using Lexicon Plus®, a proprietary database of Cerner Multum, Inc., also used by the National Health and Nutrition Examination Survey, NCHS. The Lexicon Plus is a comprehensive database of all prescription and some nonprescription drug products available in the U.S. drug market.

In accordance with the license agreement, NCHS publications, tabulations, and software applications should cite the Multum Lexicon as the source and basis for the coding and classification of NHAMCS drug data. For additional information on the Multum Lexicon Drug Database, please refer to the following Web site: http://www.multum.com/Lexicon.htm.

All drug codes based on entry name (using NCHS' classification system as cited above) were also assigned a unique generic drug code from Multum's Lexicon Drug Database where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient.

The generic drug code (DRUGID1-DRUGID8) is 6 digits, beginning with the letters "a", "c", "d" or "n". All Multum codes begin with the letter "d", but there were some drug names reported by NHAMCS participants that were not found in the Lexicon Drug Database. These were assigned unique drug codes beginning with an "a" where a drug's ingredients could be determined, or a "c" (for 2006 and 2007 data only) or an "n" (2008 data forward) where a drug's ingredients could not be determined. For a description of the method used to code drug data prior to 2006, please see page 20 of the 2009 NHAMCS Public Use File Documentation:
ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHAMCS/doc09.pdf

b. Prescription status code: A code designed to identify the legal status (prescription or nonprescription) of the drug entry.

c. Controlled substance status code: A code used to denote the degree of potential abuse and federal control of a drug entry.

d. Composition status code: A code used to distinguish between single-ingredient and combination drugs.

e. Therapeutic category code: Multum's therapeutic classification system was first used in the 2006 NHAMCS public use files. Prior to that time, a 4-digit code was used to identify up to three therapeutic classes to which the drug entry might belong. (Prior to 2002 only a single therapeutic class was listed, but additional classes can be added for those years using tools available at the NHAMCS website.) These were based on the standard drug classifications used in the National Drug Code Directory, 1995 edition (13).

The Multum Lexicon provides a 3-level nested category system that assigns a therapeutic classification to each drug and each ingredient of the drug (e.g., for naproxen: the broadest category is central nervous system agents [level 1]; the more detailed category is analgesics [level 2]; and the most detailed category is nonsteroidal anti-inflammatory agents [level 3]). Not all drugs have three classification levels; some may only have two [e.g. for digoxin: cardiovascular agents [level 1]; inotropic agents [level 2]), others only have one. See Appendix III for the complete Multum category scheme.

Each drug may have up to four therapeutic categories on the public use file. The variables RX1CAT1 through RX8CAT4 reflect the unique Multum drug categories for a particular drug; these are character values with codes from '001' through '341'. This variable will always show the most detailed therapeutic level available of a particular drug. For example, psychotherapeutic agents in Multum are further classified into a second more detailed level as antidepressants or antipsychotics. Antidepressants are further classified into seven subcategories (miscellaneous antidepressants, SSRI antidepressants, tricyclic antidepressants, monoamine oxidase inhibitors, phenylpiperazine

antidepressants, tetracyclic antidepressants, and SSNRI antidepressants); antipsychotics are further classified into five subcategories. For a drug categorized as a tricyclic antidepressant, it would have a drug category code of '209', reflecting the Level 3 code.

Other drugs may have only two levels available, such as immunologic agents. There are seven level 2 categories of immunologic agents, and no further breakdowns into a third level in the Multum system. Therefore, RX1CAT1 would reflect only a second level code in that case. So, using RX1CAT1-RX8CAT4 will allow you to identify the most specific level of a drug, but will not, by itself, identify whether that code reflects the first, second, or third level.

In order to understand each level in terms of the Multum hierarchy, we have also placed on the file additional variables that show the full first, second, and third levels, if applicable, for each drug category for each drug. For example, in the case of the tricyclic antidepressant mentioned earlier, RX1CAT1='307'. But there are three additional variables corresponding to that drug's first therapeutic category. RX1V1C1 (meaning Drug 1, Level 1 of Therapeutic Category 1) would be '242' (psychotherapeutic agents), RX1V2C1 (Drug 1, Level 2 of Therapeutic Category 1) would be '249' (antidepressants), and RX1V3C1 (Drug 1, Level 3 of Therapeutic Category 1) would be '307' (tricyclic antidepressants). If there were no second or third level for a particular category, the entry would be blank ('   '). This is repeated for each of the drug's maximum of four therapeutic categories. The three levels can easily be concatenated by data users if they wish to obtain a complete code showing the full level structure applicable to each drug's therapeutic categories. An advantage of having separate levels is that it allows data users to aggregate drugs at any level desired. SAS code is provided at the website for micro-data users who wish to group therapeutic categories in various ways.
All drugs were coded using Multum drug categories, even those drugs that were not found in Multum's drug database. "Unspecified" drugs were assigned to their respective therapeutic category (e.g., hormones – unspecified: category id=97, category name=hormones). Drugs that could not be assigned to any drug entry name (MED1-8 = 99980, 99999) were not assigned a therapeutic drug category. In some cases, NCHS was able to categorize a drug's therapeutic class at the first or second Multum level, but not at the more detailed level. When this occurred, the undetermined levels are designated as '999' in the data.

Multum uses a "combination" category for some multiple ingredient drugs. These include antihypertensive combinations, antiasthmatic combinations, upper respiratory combinations, psychotherapeutic combinations, bronchodilator combinations, sex hormone combinations, skeletal muscle relaxant combinations, and narcotic analgesic combinations. This categorization may be sufficient for certain analyses but not for others because it lacks information about the therapeutic effect of the individual ingredients that make up the combination. For example, the drug HYDROCHLOROTHIAZIDE; LOSARTAN is identified as an antihypertensive combination. Therefore, we know that this drug has an antihypertensive drug effect. However, based on this combination category we do not know that the drug's single ingredients have the therapeutic effects of a diuretic and angiotensin II inhibitor, which is relevant for some analyses.

As a result, NCHS decided that, in addition to assigning therapeutic categories to each drug, a separate file would be provided listing the ingredients for each drug along with the therapeutic classes for each ingredient. In the case of single ingredient drugs, the ingredient therapeutic categories would be the same as the drug therapeutic categories. This separate downloadable file (DRUG_INGREDIENTS_2010) can be matched to the main file using the DRUGID code. For each DRUGID on the main file, the supplemental file contains up to 5 ingredients and up to 3 therapeutic category codes for each ingredient. In past years, codes used to identify the active generic ingredients of combination drugs were included on the public use file.

IMPORTANT: For the 2010 data, we have continued to update and revise the drug characteristics in our ambulatory care drug database, which underwent substantial revision beginning in 2002. For that year, we reviewed the ingredient lists for many drugs and removed non-active ingredients. Duplicate codes caused by misspellings or other variant entries were eliminated, and incorrect codes (for example, for non-medications) were removed. From 2002-2005, each drug entry had up to three therapeutic classes

associated with it, compared with a single therapeutic class in prior years. These factors made trend analysis more problematic, and the solution was to provide researchers with our Drug Characteristics file, which was updated annually, at our Ambulatory Health Care Data website. The characteristics from this file could be applied by matching on drug codes to previous years of data in order to get the most accurate results when doing analysis of drug trends. A SAS program for applying drug characteristics from the current drug database to previous years of public use data was also available for downloading.

However, with the adoption of the Multum Lexicon for coding drugs according to generic ingredients and therapeutic categories, a new solution for trend analysis was necessary. Therefore, beginning with the 2006 data release, we also provided a separate downloadable mapping file (MEDCODE_DRUGID_MAP_2006), which allowed data users to match all of the drug codes used in previous years (for example, MED1-MED8 in 2005) with the corresponding Multum DRUGID code for generic composition of the drug and its corresponding therapeutic categories. Once that was accomplished, users could also match to the drug ingredient file as described above.

For each subsequent year of data, including 2010, the mapping file has been updated and can be downloaded (for example, MEDCODE_DRUGID_MAP_2010). Researchers should keep in mind, however, that in cases where drug characteristics have legitimately changed over the years (e.g., moving from prescription to non-prescription status), using the current updated version of the drug characteristics will overwrite all of the previous characteristics with current ones.

Data users should also keep in mind that the Multum classification system can itself change over time, with new categories being added and some therapeutic categories being removed from an existing category and placed in a new one. In coding 2009 data, for example, therapeutic class was modified to reflect changes to the Multum Lexicon system regarding the therapeutic class of Genitourinary Tract Agents. This was previously a second-level category within the first-level category of Miscellaneous Agents. It was changed to a first-level category of Genitourinary Tract Agents. All of the previous third-level classes within the original scheme were changed to second-level categories in the new scheme.

For users who are interested in analyzing drug data, one method involves the isolation of those records with drugs, or drug mentions, and the creation of a separate data file of drug mentions. Each PRF for 2010 can have up to eight drug mentions recorded, so whatever file is created would need to include all of them. This method can be used for obtaining estimates of drug mentions, but is not recommended for variance estimation. Rather, the structure of the visit file should be kept intact when estimating variance. In order to do this, estimates of drug mentions can be obtained by creating a new weight variable (called DRUGWT in this example). This variable is created by multiplying PATWT (the patient visit weight) by NUMMED (the number of medications recorded at the sampled visit) or DRUGWT=PATWT*NUMMED. DRUGWT can then be used in place of PATWT to weight one's data; it produces the estimated number of drug mentions rather than visits. (See Record Format for more on PATWT and NUMMED.)

This documentation contains some marginal data for drug mentions. Should the data user need additional assistance in analyzing data on drug mentions, the staff of the Ambulatory and Hospital Care Statistics Branch is available by calling (301) 458-4600. Our website can be accessed at:
http://www.cdc.gov/nchs/nhamcs.htm

H. ESTIMATION PROCEDURES

Statistics from NHAMCS were derived by a multistage estimation procedure that produces essentially unbiased estimates. The estimation procedure has three basic components: 1) inflation by reciprocals of the sampling selection probabilities; 2) adjustment for nonresponse; and 3) a population weighting ratio adjustment. Beginning with 1997 data, the population weighting ratio adjustment for OPD estimates was replaced by an adjustment which controls for effects of rotating hospital sample panels into and out of the sample each year. (The full NHAMCS hospital sample is partitioned into 16 panels which are rotated into the sample over 16 periods of four weeks each so that only 13 panels are used in each year.)

1. Inflation by reciprocals of selection probabilities

There is one probability for each sampling stage: a) the probability of selecting the PSU; b) the probability of selecting the hospital; c) the probability of selecting the emergency service area (ESA) or OPD clinic from within the hospital; and d) the probability of selecting the visit within the ESA or clinic. The last probability is calculated to be the sample size from the ESA or clinic divided by the total number of visits occurring in that unit during that unit's data collection period. The overall probability of selection is the product of the probabilities at each stage. The inverse of the overall selection probability is the basic inflation weight. Beginning in 1997, the overall selection probabilities of some OPDs were permanently trimmed to prevent individual OPDs from contributing too much of their region's total to OPD visit estimates.

2. Adjustment for nonresponse

NHAMCS data were adjusted to account for two types of nonresponse. The first type of nonresponse occurs when a sample hospital refuses to provide information about its ED(s) and/or OPD(s) which are publicly known to exist. In this case, the weights of visits to hospitals similar to the nonrespondent hospitals were inflated to account for visits represented by the nonrespondent hospitals where hospitals were judged to be similar if they were in the same region, ownership control group (government, non-Federal; voluntary non-profit; or proprietary), and had the same metropolitan statistical area (MSA) status (that is, whether they were located in an MSA or not in an MSA). This adjustment was made separately by department type.

The second type of nonresponse occurs when a sample ESA or OPD clinic within a respondent hospital fails to provide completed PRFs for a sample of its patient visits. In this case, the weights for visits to ESAs/OPD clinics similar to nonrespondent ESAs/OPD clinics were inflated to account for visits represented by nonrespondent ESAs/OPD clinics where ESAs/OPD clinics were judged to be similar if they were in the same region, ownership control group, MSA status group and ESA/OPD clinic group. For this purpose, there were six OPD clinic groups: general medicine, pediatrics, surgery, OB/GYN, alcohol and/or substance abuse, and "other."

Beginning in 2004, changes were made to the nonresponse adjustment factor to account for the seasonality of the reporting period. Extra weights for nonresponding hospital OPDs and EDs were shifted to responding outpatient and emergency departments in reporting periods within the same quarter of the year. The shift in nonresponse adjustment did not significantly affect any of the overall annual estimates.

3. Ratio adjustments

Adjustments were made within hospital strata defined by region and by hospital ownership control groups. Within the Northeast, the Midwest and the South, the adjustment strata were further defined by MSA status. These adjustments were made separately for emergency and outpatient departments. For EDs, the adjustment was a multiplicative factor that had as its numerator the sum of annual visit volumes reported to EDs in sampling frame hospitals in the stratum and as its denominator the estimated number of those visits for that stratum.

Beginning in 1997, the adjustment for OPD estimates was replaced by a ratio which had as its numerator the weighted OPD visit volumes of hospitals in the full NHAMCS sample (16 hospital panels) and as its denominator the weighted OPD visit volumes of hospitals in the 13 hospital panels included in that year's sample. This adjustment used visit volumes that were based on the most recent survey data collected from hospitals that had participated in NHAMCS for at least one year. For hospitals which had never participated, visit volumes were obtained by phone, from frame data, or by using the average of visit volumes for refusal hospitals which had converted to respondent status.

I. PATIENT VISIT WEIGHT

The "patient visit weight" is a vital component in the process of producing national estimates from sample data and its use should be clearly understood by all data file users. The statistics contained on the data file reflect only a sample of patient visits-- not a complete count of all such visits that occurred in the United States. Each record on the ED file represents one visit in the sample of 34,936 visits, and each record on

the OPD file represents one visit in the sample of 34,718 visits. In order to obtain national estimates from the two samples, each record is assigned an inflation factor called the "patient visit weight."

By aggregating the "patient visit weights" on the 34,936 sample records for 2010, the user should obtain the total of 129,843,377 estimated visits made by all patients to EDs in the United States. Also, by aggregating the "patient visit weights" on the 34,718 OPD sample records for 2010 the user should obtain the total of 100,742,059 estimated visits made by all patients to OPDs in the United States.

IMPORTANT: Estimates produced from the 2010 ED and OPD public use files may differ somewhat with estimates produced from NCHS in-house files. This is because of adjustments required for the public use data as part of the disclosure avoidance process. Certain variables, including patient race, MSA status of hospital, hospital ownership, and urban-rural status of patient's ZIP code, were masked on some records for confidentiality purposes.

The marginal tables in Section III contain data on numbers of records for selected variables as well as the corresponding national estimated number of visits and drug mentions obtained by aggregating the "patient visit weights" on those records.

J.   HOSPITAL CODE and PATIENT CODE

The purpose of these codes is to allow for greater analytical depth by permitting the user to link individual PRFs on the public use file with individual hospitals. This linkage will enable users to conduct more comprehensive analysis without violating the confidentiality of patients or hospitals. Hospital codes are randomly assigned each year and may be different on the OPD and ED files.

To uniquely identify a record, both the hospital code and the patient code must be used. Patient codes are merely a sequential numbering of the visits recorded by the hospital and alone will not uniquely identify visit records. In order to do so, both the unique 3-digit hospital code and the 3-digit patient code must be used.

K. CLINIC TYPE CODE (For OPDs only)

The purpose of this code is similar to that of the hospital code. It allows the user to identify all records from a particular type of outpatient clinic.

L. USE OF THE ED and OPD WEIGHTS

An emergency department weight (EDWT) and an outpatient department weight (OPDWT) were first added to the 2005 ED and OPD public use files, respectively. These weights enable data users to calculate department-level estimates. There is one weight for each emergency department which appears on the first visit record only for that department. Likewise, there is one weight for each outpatient department, which appears only on the first visit record for that department. When running an analysis of facility-level characteristics using EDWT, it is recommended to select only those records where EDWT is greater than 0. The same principle applies to the OPDWT. This will result in correct sample counts of variables, which is useful for assessing reliability. Weighted estimates will be correct either way, because of the one weight per department format.

Estimates at the ED or OPD level generated using EDWT or OPDWT reflect only facilities which participated in the survey. Therefore, estimates made with EDWT or OPDWT could be biased if nonresponding facilities had different characteristics than those which responded.

In addition to producing estimates of department-level characteristics, it is possible to compute means of visit characteristics at the department level, for example, caseload percentages across emergency departments for expected source of payment. This type of analysis is somewhat complicated and is described with sample SAS code at the Ambulatory Health Care Data website

(www.cdc.gov/nchs/nhamcs.htm). For more information, contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

M. POPULATION FIGURES

The base population used in computing annual visit rates is presented in Table I and Table II. The estimates of age, sex, race, ethnicity, and geographic region for the civilian noninstitutionalized population of the U.S. are from special tabulations developed by the Population Division, U.S. Census Bureau using the July 1, 2010 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at www.census.gov.

Population estimates by metropolitan statistical area (MSA) status are based on estimates of the civilian noninstitutionalized population as of July 1, 2010 from NCHS's 2010 National Health Interview Survey (NHIS). Special tabulations were obtained from the Office of Analysis and Epidemiology, NCHS, in which 2010 NHIS data were compiled according to the December 2009 Office of Management and Budget definitions of core-based statistical areas. See http://www.census.gov/population/www/metroareas/metrodef.html for more information about metropolitan statistical area definitions. The MSA estimates were further adjusted based on 2010 population estimates from the Census Bureau.

NHIS used a different method to produce MSA estimates prior to 2003, which may affect visit rates using such estimates as denominators. For a description of these differences over the years, please see page 32 of the 2009 NHAMCS Public Use File Documentation: ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHAMCS/doc09.pdf

Population estimates for race groups in the 2010 NHAMCS are based on data from the 2000 U.S. Census in which respondents were able to indicate more than one race category. Specific race denominators reflect persons with a single race identification, and a separate denominator is available for persons with more than one race designation. For a description of differences in the collection of race data as well as population denominators used for producing visit rates by race prior to 2002, please see the 2009 NHAMCS Public Use File Documentation.

Data indicate that multiple races are recorded for a patient less frequently in medical records compared to their numbers in the general population. The 2010 population estimates indicate that 1.8 percent of the total population identify themselves as being of multiple races. In contrast, multiple race patients account for 0.5 percent of weighted ED visits (based on known race data only) and 0.5 percent of weighted OPD visits (based on known race data only). Differences may exist because hospital staff are less likely to know and record multiple race preferences for patients, and not because, after age-adjusting, persons with multiple races make fewer visits to EDs and OPDs. This implies that the ED visit rates by race populations calculated for 2010 are probably slight overestimates for the single race categories and underestimates for the multiple race category.

Table I. U.S. population estimates used in computing annual visit rates for the National Amulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2010

			Age in years			
Race and sex	All ages	Under 1	1-4	5-14	15-24	25-34
All races	303,627,880	4,143,409	17,112,952	40,692,618	42,287,436	40,748,206
Male	148,996,703	2,118,444	8,745,418	20,805,042	21,516,935	20,356,886
Female	154,631,177	2,024,965	8,367,534	19,887,576	20,770,501	20,391,320
White Only	241,589,629	3,062,411	12,708,859	30,882,023	32,552,787	31,680,709
Male	119,605,862	1,567,042	6,507,300	15,828,312	16,722,635	16,075,310
Female	121,983,767	1,495,369	6,201,559	15,053,711	15,830,152	15,605,399
Black Only	38,612,382	639,392	2,608,281	5,996,347	6,379,758	5,485,220
Male	17,979,151	325,607	1,323,590	3,039,054	3,103,890	2,537,584
Female	20,633,231	313,785	1,284,691	2,957,293	3,275,868	2,947,636
Asian Only	14,257,664	194,283	821,303	1,840,374	1,758,178	2,316,772
Male	6,875,418	99,498	417,467	932,706	890,124	1,116,854
Female	7,382,246	94,785	403,836	907,668	868,054	1,199,918
NHOPI* Only	580,140	10,222	41,853	94,120	92,451	96,551
Male	292,245	5,254	21,507	48,341	46,612	49,548
Female	287,895	4,968	20,346	45,779	45,839	47,003
AIAN* Only	3,153,877	63,602	248,226	501,364	527,018	477,870
Male	1,567,696	32,377	125,930	254,848	264,648	243,574
Female	1,586,181	31,225	122,296	246,516	262,370	234,296
Multiple Races	5,434,188	173,499	684,430	1,378,390	977,244	691,084
Male	2,676,331	88,666	349,624	701,781	489,026	334,016
Female	2,757,857	84,833	334,806	676,609	488,218	357,068

*NHOPI is Native Hawaiian/Other Pacific Islander. AIAN is American Indian/Alaska Native.

Geographic Region totals		Metropolitan Statistical Area totals	
Northeast	54,581,911	MSA	256,865,184
Midwest	65,894,750	Non-MSA	46,762,696
South	112,027,614		
West	71,123,605		

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2010. The estimates of age, sex, race and region are from special tabulations developed by the Population Division, U.S. Census Bureau using the July 1, 2010 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at www.census.gov. The 2010 MSA population estimates are based on data from the 2010 National Health Interview Survey (NHIS), National Center for Health Statistics, compiled according to the Office of Management and Budget's definition of core-based statistical areas as of December 2009. See www.census.gov/population/www/estimates/metrodef.html for more about MSA definitions.

Table I. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2010 - con.

Age in years

Race and sex	35-44	45-54	55-64	65-74	75 and over
All races	39,837,315	44,058,729	35,836,894	21,190,077	17,720,244
Male	19,603,284	21,546,241	17,258,658	9,844,099	7,201,696
Female	20,234,031	22,512,488	18,578,236	11,345,978	10,518,548
White Only	31,396,791	35,791,642	29,919,092	18,092,370	15,502,945
Male	15,714,254	17,723,363	14,588,626	8,502,801	6,376,219
Female	15,682,537	18,068,279	15,330,466	9,589,569	9,126,726
Black Only	5,032,968	5,349,816	3,780,546	1,950,095	1,389,959
Male	2,237,511	2,431,213	1,680,279	812,262	488,161
Female	2,795,457	2,918,603	2,100,267	1,137,833	901,798
Asian Only	2,435,901	1,992,757	1,480,682	811,191	606,223
Male	1,174,768	946,483	678,491	372,320	246,707
Female	1,261,133	1,046,274	802,191	438,871	359,516
NHOPI* Only	83,595	72,917	47,866	24,622	15,943
Male	42,433	36,439	23,447	11,796	6,868
Female	41,162	36,478	24,419	12,826	9,075
AIAN* Only	401,158	407,730	290,190	146,525	90,194
Male	201,971	198,399	139,466	69,120	37,363
Female	199,187	209,331	150,724	77,405	52,831
Multiple Races	486,902	443,867	318,518	165,274	114,980
Male	232,347	210,344	148,349	75,800	46,378
Female	254,555	233,523	170,169	89,474	68,602

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010

HISPANIC			Age in years			
Race and sex	All ages	Under 1	1-4	5-14	15-24	25-34
All races	48,984,363	1,073,320	4,448,080	9,139,432	8,239,554	8,007,928
Male	25,179,227	548,388	2,270,859	4,677,661	4,416,051	4,320,669
Female	23,805,136	524,932	2,177,221	4,461,771	3,823,503	3,687,259
White Only	44,947,997	948,344	3,943,744	8,299,812	7,567,912	7,406,795
Male	23,162,380	484,611	2,013,708	4,249,868	4,077,158	4,011,677
Female	21,785,617	463,733	1,930,036	4,049,944	3,490,754	3,395,118
Black Only	1,969,836	59,874	251,657	390,265	319,032	285,548
Male	961,936	30,593	128,220	198,441	159,315	141,677
Female	1,007,900	29,281	123,437	191,824	159,717	143,871
Asian Only	332,374	8,919	36,126	69,178	54,925	51,344
Male	165,581	4,567	18,674	35,542	27,551	26,124
Female	166,793	4,352	17,452	33,636	27,374	25,220
NHOPI* Only	130,902	2,848	11,697	25,914	23,191	23,343
Male	68,782	1,458	6,003	13,270	12,078	13,361
Female	62,120	1,390	5,694	12,644	11,113	9,982
AIAN* Only	814,966	24,563	90,223	148,251	137,548	134,325
Male	427,402	12,461	45,646	75,824	71,199	74,489
Female	387,564	12,102	44,577	72,427	66,349	59,836
Multiple Races	788,288	28,772	114,633	206,012	136,946	106,573
Male	393,146	14,698	58,608	104,716	68,750	53,341
Female	395,142	14,074	56,025	101,296	68,196	53,232

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2010. They were developed by the Population Division, U.S. Census Bureau using the July 1, 2010 set of state population estimates, and reflect 2000 U.S. Census data. More information may be obtained from the Census website at www.census.gov.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 - con.

HISPANIC	Age in years				
Race and sex	35-44	45-54	55-64	65-74	75 and over
All races	6,947,094	5,225,960	3,137,937	1,610,133	1,154,925
Male	3,615,686	2,621,351	1,517,254	729,207	462,101
Female	3,331,408	2,604,609	1,620,683	880,926	692,824
White Only	6,442,199	4,836,976	2,908,138	1,506,048	1,088,029
Male	3,365,501	2,432,546	1,408,577	682,508	436,226
Female	3,076,698	2,404,430	1,499,561	823,540	651,803
Black Only	254,276	196,943	118,519	56,159	37,563
Male	118,372	92,084	54,624	24,585	14,025
Female	135,904	104,859	63,895	31,574	23,538
Asian Only	43,556	33,793	20,206	8,930	5,397
Male	21,448	16,366	9,319	3,955	2,035
Female	22,108	17,427	10,887	4,975	3,362
NHOPI* Only	18,964	13,068	6,973	3,028	1,876
Male	10,373	6,617	3,445	1,411	766
Female	8,591	6,451	3,528	1,617	1,110
AIAN* Only	109,910	87,472	49,385	20,599	12,690
Male	61,137	46,176	25,207	9,950	5,313
Female	48,773	41,296	24,178	10,649	7,377
Multiple Races	78,189	57,708	34,716	15,369	9,370
Male	38,855	27,562	16,082	6,798	3,736
Female	39,334	30,146	18,634	8,571	5,634

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 – con.

NON-HISPANIC			Age in years			
Race and sex	All ages	Under 1	1-4	5-14	15-24	25-34
All races	254,643,517	3,070,089	12,664,872	31,553,186	34,047,882	32,740,278
Male	123,817,476	1,570,056	6,474,559	16,127,381	17,100,884	16,036,217
Female	130,826,041	1,500,033	6,190,313	15,425,805	16,946,998	16,704,061
White Only	196,641,632	2,114,067	8,765,115	22,582,211	24,984,875	24,273,914
Male	96,443,482	1,082,431	4,493,592	11,578,444	12,645,477	12,063,633
Female	100,198,150	1,031,636	4,271,523	11,003,767	12,339,398	12,210,281
Black Only	36,642,546	579,518	2,356,624	5,606,082	6,060,726	5,199,672
Male	17,017,215	295,014	1,195,370	2,840,613	2,944,575	2,395,907
Female	19,625,331	284,504	1,161,254	2,765,469	3,116,151	2,803,765
Asian Only	13,925,290	185,364	785,177	1,771,196	1,703,253	2,265,428
Male	6,709,837	94,931	398,793	897,164	862,573	1,090,730
Female	7,215,453	90,433	386,384	874,032	840,680	1,174,698
NHOPI* Only	449,238	7,374	30,156	68,206	69,260	73,208
Male	223,463	3,796	15,504	35,071	34,534	36,187
Female	225,775	3,578	14,652	33,135	34,726	37,021
AIAN* Only	2,338,911	39,039	158,003	353,113	389,470	343,545
Male	1,140,294	19,916	80,284	179,024	193,449	169,085
Female	1,198,617	19,123	77,719	174,089	196,021	174,460
Multiple Races	4,645,900	144,727	569,797	1,172,378	840,298	584,511
Male	2,283,185	73,968	291,016	597,065	420,276	280,675
Female	2,362,715	70,759	278,781	575,313	420,022	303,836

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2010 - con.

NON-HISPANIC	Age in years				
Race and sex	35-44	45-54	55-64	65-74	75 and over
All races	32,890,221	38,832,769	32,698,957	19,579,944	16,565,319
Male	15,987,598	18,924,890	15,741,404	9,114,892	6,739,595
Female	16,902,623	19,907,879	16,957,553	10,465,052	9,825,724
White Only	24,954,592	30,954,666	27,010,954	16,586,322	14,414,916
Male	12,348,753	15,290,817	13,180,049	7,820,293	5,939,993
Female	12,605,839	15,663,849	13,830,905	8,766,029	8,474,923
Black Only	4,778,692	5,152,873	3,662,027	1,893,936	1,352,396
Male	2,119,139	2,339,129	1,625,655	787,677	474,136
Female	2,659,553	2,813,744	2,036,372	1,106,259	878,260
Asian Only	2,392,345	1,958,964	1,460,476	802,261	600,826
Male	1,153,320	930,117	669,172	368,365	244,672
Female	1,239,025	1,028,847	791,304	433,896	356,154
NHOPI* Only	64,631	59,849	40,893	21,594	14,067
Male	32,060	29,822	20,002	10,385	6,102
Female	32,571	30,027	20,891	11,209	7,965
AIAN* Only	291,248	320,258	240,805	125,926	77,504
Male	140,834	152,223	114,259	59,170	32,050
Female	150,414	168,035	126,546	66,756	45,454
Multiple Races	408,713	386,159	283,802	149,905	105,610
Male	193,492	182,782	132,267	69,002	42,642
Female	215,221	203,377	151,535	80,903	62,968

REFERENCES

1. National Center for Health Statistics. Health, United States, 2010: With Special Feature on Death and Dying. Hyattsville, MD. 2011.

2. Tenney JB, White KL, Williamson JW. National Ambulatory Medical Care Survey: Background and Methodology. National Center for Health Statistics. Vital Health Stat 2(61). 1974.

3. Schappert SM, Rechtsteiner E. Ambulatory Medical Care Utilization Estimates for 2007. National Center for Health Statistics. Vital Health Stat 13(169). 2011.

4. McCaig LF, McLemore T. Plan and Operation of the National Hospital Ambulatory Medical Care Survey. National Center for Health Statistics. Vital and Health Statistics 1(34). 1994.

5. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital and Health Statistics 2(110).1989.

6. Methodological Report on the Hospital Ambulatory Medical Care Evaluation Study. Contract No. 282-82-2111. Chicago, Illinois. National Opinion Research Center. 1984.

7. Final Report - Survey of Hospital Emergency and Outpatient Departments. Contract No. 200-88-7017. Rockville, Maryland. Westat. 1990.

8. Schneider D, Appleton L, McLemore T. A Reason for Visit Classification for Ambulatory Care. National Center for Health Statistics. Vital and Health Statistics 2(78). 1979.

9.National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey Reason for Visit Classification and Coding Manual (updated annually). Ambulatory and Hospital Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.

10. U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version: International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition. DHHS Pub No. (PHS) 06-1260.

11. National Hospital Ambulatory Medical Care Survey: Coding Requirements (updated annually). Ambulatory and Hospital Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.

12. Koch H, Campbell W. The Collection and Processing of Drug Information. National Ambulatory Medical Care Survey, 1980. National Center for Health Statistics. Vital and Health Statistics 2 (90). 1982.

13. Food and Drug Administration. National Drug Code Directory, 1995 Edition. Washington: Public Health Service. 1995.

Information concerning additional reports using NHAMCS data that have been published or are scheduled for publication through NCHS may be obtained from the Ambulatory and Hospital Care Statistics Branch.

II. A. RECORD FORMAT OF EMERGENCY DEPARTMENT MICRO-DATA FILE

Number of records = 34,936

This section consists of a detailed breakdown of each data record. For each item on the record, the user is provided with a sequential item number, field length, file location, and brief description of the item, along with valid codes. Unless otherwise stated in the "item description" column, the data are derived from the Emergency Department Patient Record form. The hospital induction interview and the (former) SDI product, "Hospital Market Profiling Solution", are other sources of information, and some data are derived by recoding selected items.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DATE OF VISIT (from PRF Q1.a)
1	2	1-2	[VMONTH] MONTH OF VISIT 01-12: January-December
2	1	3	[VDAYR] DAY OF WEEK OF VISIT 1=Sunday 2=Monday 3=Tuesday 4=Wednesday 5=Thursday 6=Friday 7=Saturday
3	3	4-6	[AGE] PATIENT AGE (IN YEARS; DERIVED FROM DATE OF BIRTH) (from PRF Q1.c) 0=Under 1 year 1-99 100=100 years and over
4	4	7-10	[ARRTIME] ARRIVAL TIME (military time) (from PRF Q1.d) -9=Blank 0000-2359
5	4	11-14	[WAITTIME] WAITING TIME TO SEE MD/DO/PA/NP (minutes) (Note: MD/DO/PA/NP is Doctor of Medicine, Doctor of Osteopathy, Physician Assistant, and Nurse Practitioner) Calculated from PRF Q1.d, date and time of ED arrival, and time seen by MD/DO/PA/NP -9=Blank -7=Not applicable (Not seen by MD/DO/PA/NP) 0-1353
6	4	15-18	[LOV] LENGTH OF VISIT (minutes) Calculated from PRF Q1.d, date and time of ED arrival and discharge -9=Blank 1-3895

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
7	2	19-20	[RESIDNCE] PATIENT RESIDENCE (from PRF Q1.e)

-9 = Blank
-8 = Unknown
 1 = Private residence
 2 = Nursing home
 3 = Homeless
 4 = Other

| 8 | 1 | 21 | [SEX] SEX (from PRF Q1.f) |

 1 = Female
 2 = Male

| 9 | 2 | 22-23 | [ETHUN] ETHNICITY (UNIMPUTED) (from PRF Q1.g) |

This variable is NOT imputed. Ethnicity data were missing
on 12.8 percent of ED records. An imputed ethnicity
variable can be found in column 885.

-9= Blank
 1 = Hispanic or Latino
 2 = Not Hispanic or Latino

| 10 | 2 | 24-25 | [RACEUN] RACE (UNIMPUTED) (from PRF Q1.h) |

This variable is NOT imputed. Race data were missing
on 10.6 percent of ED records. An imputed race
variable can be found in column 886.

-9 = Blank
 1 = White
 2 = Black/African American
 3 = Asian
 4 = Native Hawaiian/Other Pacific Islander
 5 = American Indian/Alaska Native
 6 = More than one race reported

| 11 | 2 | 26-27 | [ARREMS] Arrival by ambulance (from PRF Q1.i) |

-9 = Blank
-8 = Unknown
 1 = Yes
 2 = No

| 12 | 1 | 28 | [PAYPRIV] EXPECTED SOURCE OF PAYMENT: PRIVATE INSURANCE (from PRF Q1.j) |

 0 = No
 1 = Yes

| 13 | 1 | 29 | [PAYMCARE] EXPECTED SOURCE OF PAYMENT: MEDICARE (from PRF Q1.j) |

 0 = No
 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
14	1	30	[PAYMCAID] EXPECTED SOURCE OF PAYMENT: MEDICAID (from PRF Q1.j) 0 = No 1 = Yes
15	1	31	[PAYWKCMP] EXPECTED SOURCE OF PAYMENT: WORKER'S COMPENSATION (from PRF Q1.j) 0 = No 1 = Yes
16	1	32	[PAYSELF] EXPECTED SOURCE OF PAYMENT: SELF PAY (from PRF Q1.j) 0 = No 1 = Yes
17	1	33	[PAYNOCHG] EXPECTED SOURCE OF PAYMENT: NO CHARGE (from PRF Q1.j) 0 = No 1 = Yes
18	1	34	[PAYOTH] EXPECTED SOURCE OF PAYMENT: OTHER (from PRF Q1.j) 0 = No 1 = Yes
19	1	35	[PAYDK] EXPECTED SOURCE OF PAYMENT: UNKNOWN (from PRF Q1.j) 0 = No 1 = Yes
20	2	36-37	[PAYTYPER] RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (Recoded from PRF Q1.j using this hierarchy of payment categories: Medicare, Medicaid/SCHIP, Private Insurance, Worker's Compensation, Self-Pay, No Charge/Charity, Other, Unknown) NOTE change in hierarchy starting in 2008 relative to previous years. In 2005-2007, dual-eligible Medicare and Medicaid recipients had been grouped under Medicaid; this was changed to Medicare starting in 2008. See page 2 of the 2009 NHAMCS Public Use Data File Documentation for more information. Researchers can also create their own hierarchy as desired. -9 = Blank -8 = Unknown 1 = Private insurance 2 = Medicare 3 = Medicaid or CHIP/SCHIP 4 = Worker's compensation 5 = Self-pay 6 = No charge/Charity 7 = Other

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			INITIAL VITAL SIGNS (from PRF Q2)
21	4	38-41	[TEMPF] TEMPERATURE (from PRF Q2.a.1).There is an implied decimal between the third and fourth digits. -9 = Blank 0871-1099 = 87.1 – 109.9 Fahrenheit (reported range)
22	3	42-44	[PULSE] HEART RATE (from PRF Q2.a.2) -9 = Blank 7-200 (reported range) 998 = DOP, DOPPLER
23	3	45-47	[RESPR] RESPIRATORY RATE (from PRF Q2.a.3) -9 = Blank 0-148 (reported range)
24	3	48-50	[BPSYS] SYSTOLIC BLOOD PRESSURE (from Q2.a.4) -9 = Blank 0-276 (reported range)
25	3	51-53	[BPDIAS] DIASTOLIC BLOOD PRESSURE (from Q2.a.4) -9 = Blank 0-190 (reported range) 998 = P, Palp, DOP, or DOPPLER
26	3	54-56	[POPCT] PULSE OXIMETRY (percent) (from Q2.a.5) -9 = Blank 0-100 (reported range)
27	2	57-58	[ONO2] ON OXYGEN (from Q2.a.6) -9 = Blank -8 = Unknown 1 = Yes 2 = No
28	2	59-60	[GCS] GLASGOW COMA SCALE (from PRF Q2.a.7) -9 = Blank 3-15
29	2	61-62	[IMMEDR] RECODED IMMEDIACY WITH WHICH PATIENT SHOULD BE SEEN (Recoded from PRF Q2.b and Ambulatory Unit Form 101(U) QG.2). NOTE: The collection and processing of this item changed starting in 2009, as described in the 2009 Public Use Data File Documentation. For 2010, a similar method was used: Unlike in 2005-08 when response categories were checkboxes for each level of immediacy, the 2010 PRF requested responses using a 1-5 scale. PRF responses were evaluated with reference to responses on the Ambulatory Unit Form, completed during induction, to the question, "How many levels are in this ESA's triage system?" After initial reconciliation between forms was completed, rescaling of responses was conducted. ESAs using 3 or 4 level triage systems had their responses rescaled to fit the

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

5 level system, such that, for 3-level hospitals, responses of 1,2, and 3 were recoded to 2, 3, and 4. For ESAs using a 4-level system, responses were recoded from 1-4 to 2-5. The rescaling method was determined in consultation with subject matter experts and based on record analysis. Rescaling was required for about 12 percent of records. Also, missing responses were imputed to levels 1-5 using the method described in Section 1. This is unlike years 2005-08 when "no triage" and "unknown", checkboxes used on the PRF in those years, were also valid imputation categories. Because of the differences in the collection and processing of this item across the years, data users are advised to be careful when combining data across years or trending.

1 = Immediate
2 = Emergent
3 = Urgent
4 = Semi-urgent
5 = Nonurgent
7 = Emergency service area does not conduct nursing triage

30   2   63-64   [PAIN] PAIN SCALE (from PRF Q2.c)
NOTE: This item was collected using checkbox categories of none, mild, moderate, severe and unknown prior to 2009. Since 2009, a numerical 0-10 scale has been used.
-9 = Blank
0-10

31   2   65-66   [SEEN72] HAS PATIENT BEEN SEEN IN THIS ED WITHIN THE LAST 72 HOURS? (from PRF Q3.a)
-9 = No box is marked
-8 = Unknown
1 = Yes
2 = No

32   2   67-68   [DISCH7DA] HAS PATIENT BEEN DISCHARGED FROM ANY HOSPITAL WITHIN THE LAST 7 DAYS? (from PRF Q3.a)
-9 = Blank
-8 = Unknown
1 = Yes
2 = No

33   2   69-70   [PASTVIS] HOW MANY TIMES HAS PATIENT BEEN SEEN IN THIS ED WITHIN THE LAST 12 MONTHS? (from PRF Q3.b)
-9 = Blank
-8 = Unknown
0-98
99 = 99 or more

PATIENT'S REASON(S) FOR VISIT (See page 19 in Section I and Code List in Appendix II.) (from PRF Q4.a)

34   5   71-75   [RFV1] REASON # 1
-9 = Blank
10050-89990 = 1005.0-8999.0

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
35	5	76-80	[RFV2] REASON # 2 -9 = Blank 10050-89990 = 1005.0-8999.0
36	5	81-85	[RFV3] REASON # 3 -9 = Blank 10050-89990 = 1005.0-8999.0
37	2	86-87	[EPISODE] EPISODE OF CARE (from PRF Q4.b) -9 = Blank -8 = Unknown 1 = Initial visit for problem 2 = Follow-up visit for problem
38	1	88	[INJURY] IS THIS VISIT RELATED TO AN INJURY, POISONING, OR ADVERSE EFFECT OF MEDICAL TREATMENT? (recoded from PRF Q4, Q5, and Q6) **Please see important discussion of Injury Data on page 5 and related injury variables in columns 965 and 966.** 0 = No 1 = Yes
39	1	89-90	[INTENT] IS THIS INJURY/POISONING INTENTIONAL? (from PRF Q5.b) (Also see Item 399 [col. 904] which is a recoded item based on the stated cause of injury from Item 5c of the Patient Record form.) -9 = Blank -8 = Unknown -7 = Not applicable (not an injury visit) 1 = Yes (Self-inflicted) 2 = Yes (Assault) 3 = No, Unintentional CAUSE OF INJURY (See page 20 in Section I for explanation of codes.) (from PRF Q5.c)
40	4	91-94	[CAUSE1] CAUSE #1 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 7000 series were developed by the Ambulatory and Hospital Care Statistics Branch. -9 = Not applicable/Blank 700- = Drug use/abuse 710- = Alcohol use/abuse 7999 = Illegible entry 8000-999[-] = E800.0-E999
41	4	95-98	[CAUSE2] CAUSE #2 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. See CAUSE #1 for details.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
42	4	99-102	[CAUSE3] CAUSE #3 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. See CAUSE #1 for details.

PROVIDER'S DIAGNOSIS (See page 20, Section 1 for explanation of coding.) (from PRF Q6)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
43	5	103-107	[DIAG1] DIAGNOSIS #1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.

    -9 = Blank (no entry made)
0010[-] - V829[-] = 001.0[0]-V82.9[0]
V990- = Non-codable, insufficient information for coding, illegible
V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice
V992- = Transferred to another facility; sent to see specialist
V993- = HMO will not authorize treatment
V997- = Entry of "none," "no diagnosis," "no disease," or "healthy"
V998- = Entry of "Not applicable", "Not Available", "NA" or "Blank"

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
44	5	108-112	[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
45	5	113-117	[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.

PROBABLE, QUESTIONABLE, AND RULE OUT DIAGNOSES

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
46	2	118-119	[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT? -7 = Not applicable 0 = No 1 = Yes
47	2	120-121	[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT? -7 = Not applicable 0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
48	2	122-123	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT?
			-7 = Not applicable
			0 = No
			1 = Yes
			DOES PATIENT HAVE:
			0 = No
			1 = Yes
			2 = Entire item blank
49	1	124	[CEBVD] Cerebrovascular disease
50	1	125	[CHF] Congestive heart failure
51	1	126	[EDDIAL] Condition requiring dialysis
52	1	127	[EDHIV] HIV
53	1	128	[DIABETES] Diabetes
54	1	129	[NOCHRON] None of the above
			DIAGNOSTIC/SCREENING SERVICES (from PRF Q7)
55	1	130	[DIAGSCRN] Were any diagnostic/screening services ordered or provided at this visit?
			0 = No
			1 = Yes
			2 = No answer (entire item blank, including "None" box)
			0 = No, 1 = Yes
			Blood tests:
56	1	131	[CBC] CBC (Complete blood count)
57	1	132	[BUNCREAT] BUN/Creatinine
58	1	133	[CARDENZ] Cardiac enzymes
59	1	134	[ELECTROL] Electrolytes
60	1	135	[GLUCOSE] Glucose
61	1	136	[LFT] Liver function tests
62	1	137	[ABG] Arterial blood gases
63	1	138	[PTTINR] Prothrombin time/INR
64	1	139	[BLOODCX] Blood culture
65	1	140	[BAC] Blood alcohol
66	1	141	[OTHERBLD] Other blood test
			Other tests:
67	1	142	[CARDMON] Cardiac monitor
68	1	143	[EKG] EKG/ECG
69	1	144	[HIVTEST] HIV test
70	1	145	[FLUTEST] Influenza test
71	1	146	[PREGTEST] Pregnancy/HCG test
72	1	147	[TOXSCREN] Toxicology screen
73	1	148	[URINE] Urinalysis (UA)
74	1	149	[WOUNDCX] Wound culture
75	1	150	[OTHRTEST] Other test/service

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			Imaging:
76	1	151	[ANYIMAGE] Any imaging
77	1	152	[XRAY] X-ray
78	1	153	[CATSCAN] Any CT scan
79	1	154	[CTHEAD] CT scan - head
80	1	155	[CTNHEAD] CT scan – other than head
81	1	156	[CTNUNK] CT scan – site not specified
82	1	157	[MRI] Any MRI
83	1	158	[ULTRASND] Ultrasound
84	1	159	[OTHIMAGE] Other imaging
85	2	160-161	[TOTDIAG] TOTAL NUMBER OF DIAGNOSTIC/SCREENING SERVICES ORDERED OR PROVIDED -9 = "None" box and all item fields are blank 0-20 (reported range)
			PROCEDURES (from PRF Q8)
86	1	162	[PROC] Were any procedures provided at this visit? 0 = No 1 = Yes 2 = Entire item blank, including "None" box 0 = No, 1 = Yes
87	1	163	[IVFLUIDS] IV fluids
88	1	164	[CAST] Cast
89	1	165	[SPLINT] Splint or wrap
90	1	166	[SUTURE] Suturing/Staples
91	1	167	[INCDRAIN] Incision & drainage (I&D)
92	1	168	[FBREM] Foreign body removal
93	1	169	[NEBUTHER] Nebulizer therapy
94	1	170	[BLADCATH] Bladder catheter
95	1	171	[PELVIC] Pelvic exam
96	1	172	[CENTLINE] Central line
97	1	173	[CPR] CPR
98	1	174	[ENDOINT] Endotracheal intubation
99	1	175	[OTHPROC] Other procedure
100	2	176-177	[TOTPROC] TOTAL NUMBER OF PROCEDURES PROVIDED -9 = "None" box and all item fields are blank 0-6 (although up to 13 could be reported, 6 was the maximum number on any PRF)
			MEDICATIONS & IMMUNIZATIONS (from PRF Q9) (See page 21 for more information. See Appendix III for codes.)
101	1	178	[MED] WERE MEDICATIONS OR IMMUNIZATIONS ORDERED OR PROVIDED AT THIS VISIT? 0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
102	5	179-183	[MED1] MEDICATION #1 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
103	5	184-188	[MED2] MEDICATION #2 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
104	5	189-193	[MED3] MEDICATION #3 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
105	5	194-198	[MED4] MEDICATION #4 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
106	5	199-203	[MED5] MEDICATION #5 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
107	5	204-208	[MED6] MEDICATION #6 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
108	5	209-213	[MED7] MEDICATION #7 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
109	5	214-218	[MED8] MEDICATION #8 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
110	2	219-220	[GPMED1] Was medication #1 given in ED or Rx at discharge? -9= Blank -7 = Not applicable 1 = Given in ED 2 = Rx at discharge 3 = Both given in ED and Rx at discharge

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
111	2	221-222	[GPMED2] Was medication #2 given in ED or Rx at discharge? See GPMED1.
112	2	223-224	[GPMED3] Was medication #3 given in ED or Rx at discharge? See GPMED1.
113	2	225-226	[GPMED4] Was medication #4 given in ED or Rx at discharge? See GPMED1.
114	2	227-228	[GPMED5] Was medication #5 given in ED or Rx at discharge? See GPMED1.
115	2	229-230	[GPMED6] Was medication #6 given in ED or Rx at discharge? See GPMED1.
116	2	231-232	[GPMED7] Was medication #7 given in ED or Rx at discharge? See GPMED1.
117	2	233-234	[GPMED8] Was medication #8 given in ED or Rx at discharge? See GPMED1.
118	1	235	[NUMGIV] NUMBER OF MEDICATIONS GIVEN IN ED 0 - 8 NOTE: For this variable, the value '0' can reflect the following situations: a) no drug listed; b) drug listed but only Rx at discharge; and c) drug listed but unknown whether given in ED or Rx at discharge.
119	1	236	[NUMDIS] NUMBER OF MEDICATIONS Rx AT DISCHARGE 0 - 8 NOTE: For this variable, the value '0' can reflect the following situations: a) no drug listed; b) drug listed but only given in ED; and c) drug listed but unknown whether given in ED or prescribed at discharge.
120	1	237	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 8 PROVIDERS SEEN (from PRF Q10) 0 = No, 1 = Yes
121	1	238	[NOPROVID] No answer to item
122	1	239	[ATTPHYS] ED attending physician
123	1	240	[RESINT] ED resident/Intern
124	1	241	[CONSULT] Consulting physician
125	1	242	[RNLPN] RN/LPN
126	1	243	[NURSEPR] Nurse practitioner
127	1	244	[PHYSASST] Physician assistant
128	1	245	[EMT] EMT
129	1	246	[MHP] Mental health provider
130	1	247	[OTHPROV] Other provider

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

VISIT DISPOSITION (from PRF Q11)

0 = No, 1 = Yes

131	1	248	[NODISP] No answer to item
132	1	249	[NOFU] No follow-up planned
133	1	250	[RETPRN] Return if needed, P.R.N./appt
134	1	251	[RETREFFU] Return/Refer to physician/clinic for FU
135	1	252	[LEFTBTRI] Left before triage
136	1	253	[LEFTATRI] Left after triage
137	1	254	[LEFTAMA] Left AMA (against medical advice)
138	1	255	[DOA] DOA
139	1	256	[DIEDED] Died in ED
140	1	257	[TRANNH] Return/transfer to nursing home
141	1	258	[TRANPSYC] Transfer to psychiatric hospital
142	1	259	[TRANOTH] Transfer to other hospital
143	1	260	[ADMITHOS] Admit to this hospital
144	1	261	[OBSHOS] Admit to observation unit, then hospitalized
145	1	262	[OBSDIS] Admit to observation unit, then discharged
146	1	263	[OTHDISP] Other visit disposition

The next 4 items were completed only if the patient was admitted to the hospital at the current visit.

147	2	264-265	[ADMIT] Admitted to:

NOTE: The order of categories 4 and 5 was switched on the Patient Record Form starting in 2009 relative to 2007-08. Please take note if combining data across years.
-9 = Blank
-8 = Data not available (Unknown)
-7 = Not applicable (not admitted to hospital)
1 = Critical care unit
2 = Stepdown unit
3 = Operating room
4 = Mental health or detox unit
5 = Cardiac catheterization lab
6 = Other bed/unit

148	2	266-267	[ADMTPHYS] Admitting physician

-9 = Blank
-8 = Data not available (Unknown)
-7 = Not applicable (not admitted to hospital)
1 = Hospitalist
2 = Not hospitalist

149	4	268-271	[BOARDED] Length of time waiting for hospital admission (minutes)

Calculated from date and time bed was requested for hospital admission and date and time patient actually left the ED
-9 = Missing data
0 - 3065 (reported range)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
150	4	272-275	[LOS] Length of stay in hospital (days) Calculated from date patient left the ED to hospital discharge date -9 = Missing data 1-161 (reported range)

151	5	276-280	[HDDIAG] Principal hospital discharge diagnosis (ICD-9-CM)
			There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.
			  -9 = Blank
			  -7 = Not applicable (not admitted to hospital)
			0010[-] - V829[-] = 001.0[0]-V82.9[0]
			V990- = Non-codable, insufficient information for coding, illegible
			V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice
			V992- = Transferred to another facility; sent to see specialist
			V993- = HMO will not authorize treatment
			V997- = Entry of "none," "no diagnosis," "no disease," or "healthy"
			V998- = Entry of "Not Available", "NA" or "Blank"

152	2	281-282	[HDSTAT] Hospital discharge status -9 = Blank -8 = Data not available (Unknown) -7 = Not applicable (not admitted to hospital) 1 = Alive 2 = Dead
153	2	283-284	[ADISP] Disposition of live discharges -9 = Blank -8 = Data not available (Unknown) -7 = Not applicable (not admitted/admitted, but not a live discharge) 1 = Home/Residence 2 = Transferred 3 = Other
154	4	285-288	[OBSSTAY] Length of stay in observation unit (for those patients who were admitted to observation unit and then discharged) Calculated from date and time patient actually left the ED and date and time of observation unit discharge -9 = Missing data -7 = Not admitted to observation unit and then discharged 0 - 9839
155	6	289-294	[PATWT] PATIENT VISIT WEIGHT (See page 25 in Section I.) A right-justified integer developed by NCHS staff for the purpose of producing national estimates from sample data.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
156	1	295	[REGION] GEOGRAPHIC REGION (Based on actual location of the hospital.) 1 = Northeast 2 = Midwest 3 = South 4 = West
157	1	296	[MSA] METROPOLITAN/NON METROPOLITAN STATUS (Based on actual location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget.) 1 = MSA (Metropolitan Statistical Area) 2 = Non-MSA (includes micropolitan statistical areas)
158	1	297	[OWNER] HOSPITAL OWNERSHIP 1 = Voluntary non-profit 2 = Government, non-Federal 3 = Proprietary
159	1	298	[BLANK1] Reserved for possible future use
160	2	299-300	[BLANK2] Reserved for possible future use
161	1	301	[BLANK3] Reserved for possible future use
162	3	302-304	[HOSPCODE] HOSPITAL CODE A unique code assigned to all the records from a particular hospital. For a number of hospitals, additional masking was required to minimize risks of disclosure. For this reason, the number of hospital codes is different than the number of responding facilities. 1-350
163	3	305-307	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular hospital. 1-273

**** THE FOLLOWING FIELDS SHOW WHETHER DATA WERE IMPUTED TO REPLACE BLANKS ****

			IMPUTED FIELDS 0 = Not imputed 1 = Imputed
164	1	308	[BDATEFL] Patient birth date
165	1	309	[SEXFL] Patient sex
166	1	310	[ETHNICFL] Patient ethnicity
167	1	311	[RACERFL] Patient race
168	1	312	[IMMEDFL] Immediacy with which patient should be seen
169	1	313	[BLANK4] Reserved for possible future use

****************** END OF IMPUTED DATA FIELDS *********************

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #1

NOTE: Starting with the 2006 data release, all drug codes based on entry name (using NCHS' standard classification system) were also assigned a unique generic drug code from Multum's Lexicon Drug Database, where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient, as in past years of NHAMCS drug data. All Multum codes start with the letter "d" but there were some drugs reported in NHAMCS that could not be assigned a code in Multum. These received a prefix of either "a" (when ingredients could be determined) or "c" (when ingredients could not be determined). For more on the structure of the drug data (including information on therapeutic class and drug ingredients, please see page 21.)

170   6   314-319   [DRUGID1] DRUG ID (See p. 201 for more information.)
a07001-a96067 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00001-c00898 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07757 = Multum code
n00001-n11008 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

171   1   320   [PRESCR1] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

172   1   321   [CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

173   1   322   [COMSTAT1] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

174   3   323-325   [RX1CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

175   3   326-328   [RX1CAT2] MULTUM DRUG CATEGORY # 2
See RX1CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
176	3	329-331	[RX1CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
177	3	332-334	[RX1CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1. DRUG CATEGORY LEVELS See RX1CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.
178	3	335-337	[RX1V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
179	3	338-340	[RX1V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
180	3	341-343	[RX1V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
181	3	344-346	[RX1V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
182	3	347-349	[RX1V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
183	3	350-352	[RX1V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
184	3	353-355	[RX1V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
185	3	356-358	[RX1V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
186	3	359-361	[RX1V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
187	3	362-364	[RX1V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
198	3	365-367	[RX1V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
199	3	368-370	[RX1V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #2

190   6   371-376   [DRUGID2] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

191   1   377   [PRESCR2] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

192   1   378   [CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

193   1   379   [COMSTAT2] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

194   3   380-382   [RX2CAT1] MULTUM DRUG CATEGORY # 1

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

195   3   383-385   [RX2CAT2] MULTUM DRUG CATEGORY # 2
See RX2CAT1.

196   3   386-388   [RX2CAT3] MULTUM DRUG CATEGORY # 3
See RX2CAT1.

197   3   389-391   [RX2CAT4] MULTUM DRUG CATEGORY # 4
See RX2CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX2CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
198	3	392-394	[RX2V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
199	3	395-397	[RX2V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
200	3	398-400	[RX2V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
201	3	401-403	[RX2V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
202	3	404-406	[RX2V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
203	3	407-409	[RX2V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
204	3	410-412	[RX2V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
205	3	413-415	[RX2V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
206	3	416-418	[RX2V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
207	3	419-421	[RX2V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
208	3	422-424	[RX2V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
209	3	425-427	[RX2V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #3

| 210 | 6 | 428-433 | [DRUGID3] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008) |

| 211 | 1 | 434 | [PRESCR3] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter |

| 212 | 1 | 435 | [CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined |

| 213 | 1 | 436 | [COMSTAT3] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined |

| 214 | 3 | 437-439 | [RX3CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category |

| 215 | 3 | 440-442 | [RX3CAT2] MULTUM DRUG CATEGORY # 2
See RX3CAT1. |

| 216 | 3 | 443-445 | [RX3CAT3] MULTUM DRUG CATEGORY # 3
See RX3CAT1. |

| 217 | 3 | 446-448 | [RX3CAT4] MULTUM DRUG CATEGORY # 4
See RX3CAT1. |

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX3CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

218	3	449-451	[RX3V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
219	3	452-454	[RX3V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
220	3	455-457	[RX3V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
221	3	458-460	[RX3V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
222	3	461-463	[RX3V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
223	3	464-466	[RX3V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
224	3	467-469	[RX3V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
225	3	470-472	[RX3V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
226	3	473-475	[RX3V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
227	3	476-478	[RX3V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
228	3	479-481	[RX3V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
229	3	482-484	[RX3V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #4

| 230 | 6 | 485-490 | [DRUGID4] Drug ID (See p. 201 for more information.) |

a07001-a71066 = NCHS code (for drugs not found in Multum but for
which ingredients could be determined, for drugs added to the
database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum
and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum
that were added to the database beginning with survey year
2008)

| 231 | 1 | 491 | [PRESCR4] PRESCRIPTION STATUS CODE |

1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

| 232 | 1 | 492 | [CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE |

1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

| 233 | 1 | 493 | [COMSTAT4] COMPOSITION STATUS CODE |

1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

| 234 | 3 | 494-496 | [RX4CAT1] MULTUM DRUG CATEGORY # 1 |

Reflects the most detailed therapeutic level to which the drug can be
classified. For some drugs, Multum Level 1 (broadest level) is the most
detailed, while others can be coded to Level 2, but the majority can be
coded to Level 3 (most detailed level). For more on the Multum
classification system, please see page 21. The complete Multum
classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

| 235 | 3 | 497-499 | [RX4CAT2] MULTUM DRUG CATEGORY # 2
See RX4CAT1. |

| 236 | 3 | 500-502 | [RX4CAT3] MULTUM DRUG CATEGORY # 3
See RX4CAT1. |

| 237 | 3 | 503-505 | [RX4CAT4] MULTUM DRUG CATEGORY # 4
See RX4CAT1. |

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG CATEGORY LEVELS
			See RX4CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.
238	3	506-508	[RX4V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
239	3	509-511	[RX4V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
240	3	512-514	[RX4V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
241	3	515-517	[RX4V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
242	3	518-520	[RX4V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
243	3	521-523	[RX4V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
244	3	524-526	[RX4V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
245	3	527-529	[RX4V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
246	3	530-532	[RX4V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
247	3	533-535	[RX4V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
248	3	536-538	[RX4V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
249	3	539-541	[RX4V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #5

250   6   542-547   [DRUGID5] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

251   1   548   [PRESCR5] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

252   1   549   [CONTSUB5] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

253   1   550   [COMSTAT5] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

254   3   551-553   [RX5CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

255   3   554-556   [RX5CAT2] MULTUM DRUG CATEGORY # 2
See RX3CAT1.

256   3   557-559   [RX5CAT3] MULTUM DRUG CATEGORY # 3
See RX3CAT1.

257   3   560-562   [RX5CAT4] MULTUM DRUG CATEGORY # 4
See RX3CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX5CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

258	3	563-565	[RX5V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
259	3	566-568	[RX5V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
260	3	569-571	[RX5V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
261	3	572-574	[RX5V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
262	3	575-577	[RX5V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
263	3	578-580	[RX5V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
264	3	581-583	[RX5V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
265	3	548-586	[RX5V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
266	3	587-589	[RX5V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
267	3	590-592	[RX5V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
268	3	593-595	[RX5V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
269	3	596-598	[RX5V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #6

270   6   599-604   [DRUGID6] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

271   1   605   [PRESCR6] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

272   1   606   [CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

273   1   607   [COMSTAT6] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

274   3   608-610   [RX6CAT1] MULTUM DRUG CATEGORY # 1

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

275   3   611-613   [RX6CAT2] MULTUM DRUG CATEGORY # 2
See RX6CAT1.

276   3   614-616   [RX6CAT3] MULTUM DRUG CATEGORY # 3
See RX6CAT1.

277   3   617-619   [RX6CAT4] MULTUM DRUG CATEGORY # 4
See RX6CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX6CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
278	3	620-622	[RX6V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
279	3	623-625	[RX6V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
280	3	626-628	[RX6V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
281	3	629-631	[RX6V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
282	3	632-634	[RX6V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
283	3	635-637	[RX6V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
284	3	638-640	[RX6V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
285	3	641-643	[RX6V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
286	3	644-646	[RX6V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
287	3	647-649	[RX6V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
288	3	650-652	[RX6V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
289	3	653-655	[RX6V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #7

290   6   656-661   [DRUGID7] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

291   1   662   [PRESCR7] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

292   1   663   [CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

293   1   664   [COMSTAT7] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

294   3   665-667   [RX7CAT1] MULTUM DRUG CATEGORY # 1

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

295   3   668-670   [RX7CAT2] MULTUM DRUG CATEGORY # 2
See RX7CAT1.

296   3   671-673   [RX7CAT3] MULTUM DRUG CATEGORY # 3
See RX7CAT1.

297   3   674-676   [RX7CAT4] MULTUM DRUG CATEGORY # 4
See RX7CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX7CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

298	3	677-679	[RX7V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
299	3	680-682	[RX7V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
300	3	683-685	[RX7V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
301	3	686-688	[RX7V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
302	3	689-691	[RX7V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
303	3	692-694	[RX7V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
304	3	695-697	[RX7V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
305	3	698-700	[RX7V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
306	3	701-703	[RX7V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
307	3	704-706	[RX7V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
308	3	707-709	[RX7V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
309	3	710-712	[RX7V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG-RELATED INFO FOR MEDICATION #8

310   6   713-718   [DRUGID8] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for
which ingredients could be determined, for drugs added to the
database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum
and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum
that were added to the database beginning with survey year
2008)

311   1   719   [PRESCR8] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

312   1   720   [CONTSUB8] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

313   1   721   [COMSTAT8] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

314   3   722-724   [RX8CAT1] MULTUM DRUG CATEGORY # 1 (therapeutic class)

Reflects the most detailed therapeutic level to which the drug can be
classified. For some drugs, Multum Level 1 (broadest level) is the most
detailed, while others can be coded to Level 2, but the majority can be
coded to Level 3 (most detailed level). For more on the Multum
classification system, please see page 21. The complete Multum
classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

315   3   725-727   [RX8CAT2] MULTUM DRUG CATEGORY # 2
See RX8CAT1.

316   3   728-730   [RX8CAT3] MULTUM DRUG CATEGORY # 3
See RX8CAT1.

317   3   731-733   [RX8CAT4] MULTUM DRUG CATEGORY # 4
See RX8CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX8CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
318	3	734-736	[RX8V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
319	3	737-739	[RX8V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
320	3	740-742	[RX8V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
321	3	743-745	[RX8V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
322	3	746-748	[RX8V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
323	3	749-751	[RX8V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
324	3	752-754	[RX8V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
325	3	755-757	[RX8V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
326	3	758-760	[RX8V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
327	3	761-763	[RX8V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
328	3	764-766	[RX8V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
329	3	767-769	[RX8V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

IMPORTANT: The initial release of the 2010 NHAMCS does not include data on electronic medical records. Specifically, the following 35 items (EBILLRECE through PAYYRH) are all blank. Data for these items should be added in the second release of the public use file.

330   2   770-771   [EBILLRECE] DOES YOUR ED SUBMIT CLAIMS ELECTRONICALLY (ELECTRONIC BILLING?)
-9 = Blank
-8 = Unknown
1 = Yes, all electronic
2 = Yes, part paper and part electronic
3 = No

331   2   772-773   [EMRED] DOES YOUR ED USE ELECTRONIC MEDICAL OR HEALTH RECORDS (EMR/EHR)? (DO NOT INCLUDE BILLING SYSTEMS)
-9 = Blank
-8 = Unknown
1 = Yes, all electronic
2 = Yes, part paper and part electronic
3 = No

332   2   774-775   [EDEMOGE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR PATIENT DEMOGRAPHIC INFORMATION?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

(Note: On the data collection instrument, category 3 was used for responses of "Unknown." Since the "Unknown" response was standardized to a value of -8 to during data processing, category 3 is not used here.)

333   2   776-777   [EPROLSTE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR PATIENT DEMOGRAPHIC INFORMATION, DOES IT INCLUDE PATIENT PROBLEM LISTS?
-9 = Blank
-8 = Unknown
-7 = Not applicable
1 = Yes
2 = No
4 = Turned off

334   2   778-779   [EPNOTESE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR CLINICAL NOTES?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
335	2	780-781	[EMEDSE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A LIST OF MEDICATIONS THAT THAT THE PATIENT IS TAKING? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
336	2	782-783	[EALLERGE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A COMPREHENSIVE LIST OF THE PATIENT'S ALLERGIES? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
337	2	784-785	[ECPOEE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
338	2	786-787	[EWARNE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE THERE WARNINGS OF DRUG INTERACTIONS OR CONTRAINDICATIONS PROVIDED? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
339	2	788-789	[ESCRIPE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE PRESCRIPTIONS SENT ELECTRONICALLY TO THE PHARMACY? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
340	2	790-791	[ECTOEE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR TESTS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
341	2	792-793	[EORDERE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR TESTS, ARE ORDERS SENT ELECTRONICALLY? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
342	2	794-795	[ERESULTE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
343	2	796-797	[ERESEHRE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS, ARE RESULTS INCORPORATED IN EMR/EHR? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
344	2	798-799	[ERANGEE] IF YOUR ED HAS A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS, ARE OUT OF RANGE LEVELS HIGHLIGHTED? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
345	2	800-801	[EIMGRESE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR VIEWING IMAGING RESULTS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
346	2	802-803	[EREMINDE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR REMINDERS FOR GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING TESTS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
347	2	804-805	[EIMMREGE] DOES YOUR ED HAVE A COMPUTERIZED SYSTEM FOR ELECTRONIC REPORTING TO IMMUNIZATION REGISTRIES? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off

IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM? (Unedited, see section m on page 3 for more information.)

0 = Box is not marked
1 = Box is marked

348	1	806	[EHRWHO1E] Prescribing practitioner
349	1	807	[EHRWHO2E] Other clinician (including RN)
350	1	808	[EHRWHO3E] Lab technician
351	1	809	[EHRWHO4E] Administrative personnel
352	1	810	[EHRWHO5E] Other
353	1	811	[EHRWHO6E] Prescriptions and lab tests not submitted electronically
354	1	812	[EHRWHO7E] Unknown

IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM? (Edited in conjunction with ECTOE and ECPOE. See section m on page 3 for more information.)

0 = Box is not marked
1 = Box is marked
-7 = Not applicable (prescriptions and lab tests are not submitted electronically)

355	2	813-814	[ERWHO1ER] Prescribing practitioner
356	2	815-816	[EHRWHO2ER] Other clinician (including RN)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
357	2	817-818	[EHRWHO3ER] Lab technician
358	2	819-820	[ERWHO4ER] Administrative personnel
359	2	821-822	[EHRWHO5ER] Other
360	2	823-824	[EHRWHO6ER] Prescriptions and lab tests not submitted electronically
361	2	825-826	[EHRWHO7ER] Unknown
362	2	827-828	[EHRINSE] DOES YOUR ED HAVE PLANS FOR INSTALLING A NEW EMR/EHR SYSTEM WITHIN THE NEXT 18 MONTHS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 3 = Maybe
363	2	829-830	[PAYHITH] DOES YOUR HOSPITAL HAVE PLANS TO APPLY FOR MEDICARE OR MEDICAID INCENTIVE PAYMENTS FOR MEANINGFUL USE OF HEALTH IT? -9 = Blank 1 = Yes 2 = No 3 = Uncertain
364	2	831-832	[PAYYRH] WHAT YEAR DOES YOUR HOSPITAL EXPECT TO APPLY FOR MEANINGFUL USE PAYMENTS? -9 = Blank -8 = Unknown -7 = Not applicable 1 = 2011 2 = 2012 3 = After 2012
365	2	833-834	[BLANK5] Reserved for possible future use
366	2	835-836	[INCSHX] IN THE LAST TWO YEARS, HAS YOUR ED INCREASED THE NUMBER OF STANDARD TREATMENT SPACES? -9 = Blank -8 = Unknown 1 = Yes 2 = No
366	2	837-838	[INCPHYS] IN THE LAST TWO YEARS, HAS YOUR ED'S PHYSICAL SPACE BEEN EXPANDED? -9 = Blank -8 = Unknown 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
368	2	839-840	[EXPSPACE] DO YOU HAVE PLANS TO EXPAND YOUR ED'S PHYSICAL SPACE WITHIN THE NEXT TWO YEARS? -9 = Blank -8 = Unknown 1 = Yes 2 = No
369	2	841-842	[SURGDAY] HOW MANY DAYS IN A WEEK ARE ELECTIVE SURGERIES SCHEDULED? -9 = Blank 0-7
370	2	843-844	[BEDCZAR] DOES YOUR HOSPITAL HAVE A BED COORDINATOR, SOMETIMES KNOWN AS A BED CZAR? -9 = Blank -8 = Unknown 1 = Yes 2 = No
371	2	845-846	[BEDDATA] HOW OFTEN ARE HOSPITAL BED CENSUS DATA AVAILABLE? -9 = Blank -8 = Unknown 1 = Instantaneously 2 = Every 4 hours 3 = Every 8 hours 4 = Every 12 hours 5 = Every 24 hours 6 = Other
372	2	847-848	[HLIST] DOES YOUR HOSPITAL HAVE HOSPITALISTS ON STAFF? -9 = Blank -8 = Unknown 1 = Yes 2 = No
373	2	849-850	[HLISTED] DO THE HOSPITALISTS ON STAFF AT YOUR HOSIPTAL ADMIT PATIENTS FROM YOUR ED? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No
374	2	851-852	[OSBUNITS] DOES YOUR ED HAVE A PHYSICALLY SEPARATE OBSERVATION OR CLINICAL DECISION UNIT? Note that there were related items in 2009 called OBSUNIT, OBSED, and OBSDEC. OBSUNITS and OBSDECMD replace those for 2010. -9 = Blank -8 = Unknown 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
375	2	853-854	[OBSDECMD] IF YOUR ED HAS A PHYSICALLY SEPARATE OBSERVATION OR CLINICAL DECISION UNIT, WHAT TYPE OF PHYSICIANS MAKE DECISIONS FOR PATIENTS IN THIS OBSERVATION OR CLINICAL DECISION UNIT? -9 = Blank -8 = Unknown -7 = Not applicable 1 = ED physicians 2 = Hospitalists 3 = Other physicians
376	2	855-856	[BOARD] ARE ADMITTED ED PATIENTS EVER "BOARDED" FOR MORE THAN 2 HOURS IN THE ED OR OBSERVATION UNIT WHILE WAITING FOR AN INPATIENT BED? -9 = Blank -8 = Unknown 1 = Yes 2 = No
377	2	857-858	[BOARDHOS] IF THE ED IS CRITICALLY OVERLOADED, ARE ADMITTED ED PATIENTS EVER "BOARDED" IN INPATIENT HALLWAYS OR IN ANOTHER SPACE OUTSIDE THE ED? -9 = Blank -8 = Unknown 1 = Yes 2 = No
378	2	859-860	[AMBDIV] DID YOUR ED GO ON AMBULANCE DIVERSION IN 2009? -9 = Blank -8 = Unknown 1 = Yes 2 = No
379	1	861	[TOTHRDIVR] TOTAL NUMBER OF HOURS YOUR HOSPITAL'S ED WAS ON AMBULANCE DIVERSION IN 2009 (Recoded) 1 = 0 2 = 1-99 3 = 100-499 4 = 500 or more 5 = Diversion data not available
380	2	863-864	[REGDIV] IS AMBULANCE DIVERSION ACTIVELY MANAGED ON A REGIONAL LEVEL VERSUS EACH HOSPITAL ADOPTING DIVERSION IF AND WHEN IT CHOOSES? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
381	2	865-866	[ADMDIV] DOES YOUR HOSPITAL CONTINUE TO ADMIT ELECTIVE OR SCHEDULED SURGERY CASES WHEN THE ED IS ON AMBULANCE DIVERSION? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No DOES YOUR ED USE: (Note change in item format since 2009.) -9 = Blank -8 = Unknown 1 = Yes 2 = No
382	2	867-868	[BEDREG] Bedside registration
383	2	869-870	[CATRIAGE] Computer-assisted triage
384	2	871-872	[FASTTRAK] Separate fast track unit for nonurgent care
385	2	873-874	[EDPTOR] Separate operating room dedicated to ED patients
386	2	875-876	[DASHBORD] Electronic dashboard (i.e., displays updated patient information and integrates multiple data sources
387	2	877-878	[RFID] Radio frequency identification (RFID) tracking (i.e., shows exact location of patients, caregivers, and equipment)
388	2	879-880	[ZONENURS] Zone nursing (i.e., all of a nurse's patients are located in one area)
389	2	881-882	[POOLNURS] "Pool" nurses (i.e., nurses that can be pulled to the ED to respond to surges in demand)
390	2	883-884	[FULLCAP] Full capacity protocol (i.e., allows some admitted patients to move from the ED to inpatient corridors while awaiting a bed)
391	1	885	[ETHIM] ETHNICITY (WITH MISSING DATA IMPUTED) 1 = Hispanic 2 = Not Hispanic
392	1	886	[RACER] RACE (WITH MISSING DATA IMPUTED) 1 = White 2 = Black 3 = Other
393	1	887	[RACERETH] RACE/ETHNICITY (WITH MISSING DATA IMPUTED) 1 = White Only, Non-Hispanic 2 = Black Only, Non-Hispanic 3 = Hispanic 4 = Other, Non-Hispanic
394	3	888-890	[AGEDAYS] AGE IN DAYS -7 = More than 365 days 001-365 = 001-365 days

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

395   1   891   [AGER] AGE RECODE
1 = Under 15 years
2 = 15-24 years
3 = 25-44 years
4 = 45-64 years
5 = 65-74 years
6 = 75 years and over

NUMERIC RECODES FOR CAUSE OF INJURY, DIAGNOSIS, AND PROCEDURES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NHAMCS micro-data files were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of "1" was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of "20" was substituted for the letter "V" for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory and Hospital Care Statistics software systems. Similar conversions were made for ICD-9-CM procedure codes and external cause of injury codes. Specific coding conventions are discussed in the public use documentation for each data year.

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. For specific details pertaining to each type of code (diagnosis, procedure, cause of injury), refer to the documentation for the survey year of interest. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zero-filling.

It has come to our attention that some users of NHAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, we have included numeric recodes for cause of injury, diagnosis, and procedure (ambulatory surgical procedure as well as "other" diagnostic/screening service and "other" therapeutic/preventive service) as listed below. These are in addition to the actual codes for these variables which appear earlier on the public use file. Users can make their own choice about which format best suits their needs. We would be interested in hearing from data users which format they prefer so that a decision can be made about whether to include both formats in future years. Please contact Susan Schappert, Ambulatory and Hospital Care Statistics Branch, at 301-458-4480.

CAUSE OF INJURY RECODE

396   4   892-895   [CAUSE1R] CAUSE OF INJURY #1
(Recode to Numeric Field)
-9 = Blank
7000 = Drug use/abuse
7100 = Alcohol use/abuse
7999 = Illegible entry
8000-9999 = E800.0 - E999.[9]

397   4   896-899   [CAUSE2R] CAUSE OF INJURY #2
(Recode to Numeric Field)
-9 = Blank
7000 = Drug use/abuse
7100 = Alcohol use/abuse
7999 = Illegible entry
8000-9999 = E800.0 - E999.[9]

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

398   4   900-903   [CAUSE3R] CAUSE OF INJURY #3
(Recode to Numeric Field)
-9 = Blank
7000 = Drug use/abuse
7100 = Alcohol use/abuse
7999 = Illegible entry
8000-9999 = E800.0 - E999.[9]

399   2   904-905   [INTENTR] INTENTIONALITY OF INJURY
(This is a recoded item based on the stated cause of injury
in item 5c of the Patient Record form. Please also refer to new recoded
items ADVCOMP1 and ADVCOMP2 (cols. 967, 968) and important
information related to data on visits for adverse effects/complications
on page 5.)
-9 = Injury visit, blank cause
-7 = Not applicable (not an injury visit)
1 = Unintentional
2 = Self-inflicted
3 = Assault
4 = Legal intervention
5 = Unknown intent
6 = Adverse medical effects

DIAGNOSIS RECODE

400   6   906-911   [DIAG1R] DIAGNOSIS #1 (Recode to Numeric Field)
100100-208290 = 001.0[0]-V82.9[0]
209900 = Noncodable, insufficient information for coding,
         illegible
209910 = Left before being seen; patient walked out; not
         seen by doctor; left against medical advice
209920 = Transferred to another facility; sent to see
         specialist
209930 = HMO will not authorize treatment
209970 = Entry of "none," "no diagnosis," "no disease," or
         "healthy"
209980 = Entry of "Not Applicable", "NA", or "Blank"
-9 = Blank

401   6   912-917   [DIAG2R] DIAGNOSIS #2 (Recode to Numeric Field)
100100-208290 = 001.0[0]-V82.9[0]
See DIAGNOSIS #1 for details.

402   6   918-923   [DIAG3R] DIAGNOSIS #3 (Recode to Numeric Field)
See DIAGNOSIS #1 for details.

403   6   924-929   [HDDIAGR] PRINCIPAL HOSPITAL DISCHARGE DIAGNOSIS
(Recode to Numeric Field)
See DIAGNOSIS #1 for details.

END OF NUMERIC RECODES

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
404	2	930-931	[WHOCOMP] WHO COMPLETED THE PATIENT RECORD

IMPORTANT NOTE: Last year, NCHS programming staff identified a problem in their processing of the WHOCOMP variable which appears to affect years 1999 and 2001-2008. The result was that data for the traditional category 1 (Hospital staff) were switched with data for category 3 (Census field representative – Abstraction after reporting period). The simplest solution for those years is to switch the labels for this item to reflect the correct data, as shown below. Downloadable public use dataset documentation and SAS format statements for the affected years will be revised to reflect these changes as resources permit.
-9 = Blank
1 = Census field representative - Abstraction after reporting period
2 = Census field representative - Abstraction during reporting period
3 = Hospital staff
4 = Other
5 = Multiple categories checked

ITEM NO.	FIELD LENGTH	FILE LOCATION	
405	1	932	[SETTYPE] SETTING TYPE

This item is intended for use when combining data from the NAMCS or NHAMCS-OPD public use files with ED data.
1 = Physician Office (NAMCS)
2 = Outpatient Department (NHAMCS-OPD)
3 = Emergency Department (NHAMCS-ED)

ITEM NO.	FIELD LENGTH	FILE LOCATION	
406	4	933-936	[YEAR] SURVEY YEAR (2010)

NHAMCS DESIGN VARIABLES

Masked design variables were first released on the 2000 NHAMCS (and NAMCS) public use files, and were subsequently added to the 1993-1999 public use files. These variables reflected the multi-stage sampling design of the surveys, and were for use with statistical software like SUDAAN that takes such information into account. However, these variables could not be used in other statistical software packages, such as SAS and Stata, which employ an ultimate cluster model to estimate variance, without substantial modification. Therefore, two new variables were created and first added to the 2002 file, CSTRATM and CPSUM. They can be used to estimate variance with SUDAAN's with-replacement (WR) option, as well as with Stata, SPSS, SAS, and other statistical software packages utilizing an ultimate cluster model for variance estimation. These variables and their use are described more fully in the "Relative Standard Errors" section of the public use file documentation. The decision was made to include only these new variables, CSTRATM and CPSUM, and not the multi-stage design variables, beginning with the 2003 data release. For those who wish to combine data from 2003 forward with survey data from years prior to 2002 which do not contain CSTRATM and CPSUM, please see the technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files,* at http://www.cdc.gov/nchs/nhamcs.htm.

ITEM NO.	FIELD LENGTH	FILE LOCATION	
407	8	937-944	[CSTRATM] CLUSTERED PSU STRATUM MARKER (masked) 20108201-40400000
408	6	945-950	[CPSUM] CLUSTERED PSU MARKER (masked) 5-100331

END OF NHAMCS DESIGN VARIABLES

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

409   6   951-956   [EDWT] EMERGENCY DEPARTMENT WEIGHT
EDWT enables data users to make emergency-department-level
estimates. Please see pp. 26 and 129 for more information.
1-61

410   2   957-958   [PCTPOVR] PERCENT POVERTY IN PATIENT'S ZIP CODE
-9 = Missing data
1 = Less than 5.00 percent
2 = 5.00-9.99 percent
3 = 10.00-19.99 percent
4 = 20.00 percent or more

411   2   959-960   [HINCOMER] MEDIAN HOUSEHOLD INCOME IN
PATIENT'S ZIP CODE
-9 = Missing data
1 = Quartile 1 ($32,793 or less)
2 = Quartile 2 ($32,794-$40,626)
3 = Quartile 3 ($40,627-$52,387)
4 = Quartile 4 ($52,388 or more)

412   2   961-962   [PBAMORER] PERCENT OF ADULTS WITH BACHELOR'S
DEGREE OR HIGHER IN PATIENT'S ZIP CODE
-9 = Missing data
1 = Quartile 1 (Less than 12.84 percent)
2 = Quartile 2 (12.84-19.66 percent)
3 = Quartile 3 (19.67-31.68 percent)
4 = Quartile 4 (31.69 percent or more)

413   2   963-964   [URBANRUR] URBAN-RURAL CLASSIFICATION OF
PATIENT'S ZIP CODE
-9 = Missing data
1 = Large central metro
2 = Large fringe metro
3 = Medium metro
4 = Small metro
5 = Non-metro (micropolitan and non-core)

414   1   965   [INJR1] IS THIS VISIT RELATED TO AN INJURY
OR POISONING? Recoded version # 1 (recoded from PRF Q4, Q5,
and Q6)

Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis only. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis, is available in the ADVCOMP1 item below.

0 = No
1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

415   1   966   [INJR2] IS THIS VISIT RELATED TO AN INJURY
                       OR POISONING? Recoded version # 2 (recoded from PRF Q4, Q5,
                       and Q6)

                       Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis, is available in the ADVCOMP2 item below.

                       0 = No
                       1 = Yes

416   1   967   [ADVCOMP1] IS THIS VISIT RELATED TO ADVERSE
                       EFFECTS OF MEDICINAL DRUGS OR ADVERSE
                       EFFECTS OR COMPLICATIONS OF MEDICAL OR
                       SURGICAL CARE? Recoded version # 1 (recoded from
                       PRF Q4, Q5, and Q6)

                       Please see important discussion of Injury Data on page 5.

This variable uses a definition developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis only.

                       0 = No
                       1 = Yes

417   1   968   [ADVCOMP2] IS THIS VISIT RELATED TO ADVERSE
                       EFFECTS OF MEDICINAL DRUGS OR ADVERSE
                       EFFECTS OR COMPLICATIONS OF MEDICAL OR
                       SURGICAL CARE? Recoded version # 2 (recoded from
                       PRF Q4, Q5, and Q6)

                       Please see important discussion of Injury Data on page 5.

This variable uses a definition developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis only.

                       0 = No
                       1 = Yes

II. B. RECORD FORMAT OF OUTPATIENT DEPARTMENT MICRO-DATA FILE

Number of records = 34,718

This section consists of a detailed breakdown of each data record. For each item on the record, the user is provided with a sequential item number, field length, file location, and brief description of the item, along with valid codes. Unless otherwise stated in the "item description" column, the data are derived from the Outpatient Department Patient Record form. The hospital induction interview and the (former) SDI product, "Hospital Market Profiling Solution", are other sources of information, and some data are derived by recoding selected items.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DATE OF VISIT (from PRF Q1.a)
1	2	1-2	[VMONTH] MONTH OF VISIT 01-12: January-December
2	1	3	[VDAYR] DAY OF WEEK OF VISIT 1 = Sunday 2 = Monday 3 = Tuesday 4 = Wednesday 5 = Thursday 6 = Friday 7 = Saturday
3	3	4-6	[AGE] PATIENT AGE (IN YEARS; DERIVED FROM DATE OF BIRTH) (from PRF Q1.c) 000 = Under 1 year 001-099 100 = 100 years or over
4	1	7	[SEX] SEX (from PRF Q1.d) 1 = Female 2 = Male

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
5	2	8-9	[ETHUN] ETHNICITY (from PRF Q1.e) This variable is NOT imputed. Ethnicity data were missing on 13.3 percent of OPD records. An imputed ethnicity variable can be found in column 834. -9 = Blank 1 = Hispanic or Latino 2 = Not Hispanic or Latino
6	2	10-11	[RACEUN] RACE (from PRF Q1.f) This variable is NOT imputed. Race data were missing on 13.8 percent of OPD records. An imputed race variable can be found in column 835. -9 = Blank 1 = White 2 = Black/African American 3 = Asian 4 = Native Hawaiian/Other Pacific Islander 5 = American Indian/Alaska Native 6 = More than one race reported
7	1	12	[PAYPRIV] EXPECTED SOURCE OF PAYMENT: PRIVATE INSURANCE (from PRF Q1.g) 0 = No 1 = Yes
8	1	13	[PAYMCARE] EXPECTED SOURCE OF PAYMENT: MEDICARE (from PRF Q1.g) 0 = No 1 = Yes
9	1	14	[PAYMCAID] EXPECTED SOURCE OF PAYMENT: MEDICAID/SCHIP (from PRF Q1.g) 0 = No 1 = Yes
10	1	15	[PAYWKCMP] EXPECTED SOURCE OF PAYMENT: WORKER'S COMPENSATION (from PRF Q1.g) 0 = No 1 = Yes
11	1	16	[PAYSELF] EXPECTED SOURCE OF PAYMENT: SELF PAY (from PRF Q1.g) 0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
12	1	17	[PAYNOCHG] EXPECTED SOURCE OF PAYMENT: NO CHARGE/CHARITY (from PRF Q1.g) 0 = No 1 = Yes
13	1	18	[PAYOTH] EXPECTED SOURCE OF PAYMENT: OTHER (from PRF Q1.g) 0 = No 1 = Yes
14	1	19	[PAYDK] EXPECTED SOURCE OF PAYMENT: UNKNOWN (from PRF Q1.g) 0 = No 1 = Yes
15	2	20-21	[PAYTYPER] RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (Recoded from PRF Q1.g using this hierarchy of payment categories: Medicare, Medicaid/SCHIP, Private Insurance, Worker's Compensation, Self-Pay, No Charge/Charity, Other, Unknown) NOTE change in hierarchy starting in 2008 relative to previous years. In 2005-2007, dual-eligible Medicare and Medicaid recipients had been grouped under Medicaid; this was changed to Medicare starting in 2008. See 2009 NHAMCS Public Use File Documentation, page 2, for more information. Researchers can also create their own hierarchy as desired. -9 = Blank -8 = Unknown 1 = Private insurance 2 = Medicare 3 = Medicaid/SCHIP 4 = Worker's Compensation 5 = Self-pay 6 = No charge/charity 7 = Other
16	2	22-23	[USETOBAC] TOBACCO USE (from PRF Q1.h) -9 = Blank -8 = Unknown 1 = Not current 2 = Current

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
17	2	24-25	[INJDET] (INJURY/POISONING/ADVERSE EFFECT) Is this visit related to any of the following: (from PRF Q2) **Please see important discussion of Injury Data on page 5 and related injury variables in columns 930 and 931.** -9 = Blank 1 = Unintentional injury/poisoning 2 = Intentional injury/poisoning 3 = Injury/poisoning – unknown intent 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug 5 = None of the above 8 = More than one box is marked
18	1	26	[INJURY] Is this visit related to an injury, poisoning, or adverse effect of medical treatment? (recoded from PRF Q2, PRF Q3 and PRF Q5) **Please see important discussion of Injury Data on page 5 and related injury variables in columns 930 and 931.** 0 = No 1 = Yes PATIENT'S REASON(S) FOR VISIT (See page 19 in Section I and Coding List in Appendix II.) (from PRF Q3)
19	5	27-31	[RFV1] REASON # 1 -9 = Blank 10050-89990 = 1005.0-8999.0
20	5	32-36	[RFV2] REASON # 2 -9 = Blank 10050-89990 = 1005.0-8999.0
21	5	37-41	[RFV3] REASON # 3 -9 = Blank 10050-89990 = 1005.0-8999.0
22	2	42-43	[PRIMCARE] IS THIS CLINIC THE PATIENT'S PRIMARY CARE PROVIDER? (from PRF Q4.a) -9 = Blank -8 = Unknown 1 = Yes 2 = No
23	1	44-45	[REFER] WAS PATIENT REFERRED FOR THIS VISIT? (from PRF Q4.a) -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
24	1	46	[SENBEFOR] HAS THE PATIENT BEEN SEEN IN THIS CLINIC BEFORE? (from PRF Q4.b) 1 = Yes, established patient 2 = No, new patient
25	2	47-48	[PASTVIS] HOW MANY PAST VISITS IN THE LAST 12 MONTHS? (from PRF Q4.b) -7 = Not applicable 0-98 99 = 99 visits or more
26	2	49-50	[MAJOR] MAJOR REASON FOR THIS VISIT (from PRF Q4.c) -9 = Blank 1 = New problem (<3 mos. onset) 2 = Chronic problem, routine 3 = Chronic problem, flare up 4 = Pre-/Post-surgery 5 = Preventive care (e.g. routine prenatal, well-baby, screening, insurance, general exams)

PROVIDER'S DIAGNOSIS (See page 20,
Section 1 for explanation of coding.) (from PRF Q5a)

27	5	51-55	[DIAG1] DIAGNOSIS # 1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.

  -9 = Blank
0010[-] - V829[-] = 001.0[0]-V82.9[0]
V990- = Noncodable, insufficient information for coding,
            illegible
V991- = Left before being seen; patient walked out; not
            seen by doctor; left against medical advice
V992- = Transferred to another facility; sent to see
            Specialist
V993- = HMO will not authorize treatment
V997- = Entry of "none," "no diagnosis," "no disease," or
            "healthy"

28	5	56-60	[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
29	5	61-65	[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.

PROBABLE, QUESTIONABLE, AND RULE OUT
DIAGNOSES

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
30	2	66-67	[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes
31	2	68-69	[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes
32	2	70-71	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) -7 = Not applicable 0 = No 1 = Yes REGARDLESS OF THE DIAGNOSES WRITTEN IN 5A, DOES THE PATIENT NOW HAVE: (from PRF Q5.b) 0 = No 1 = Yes
33	1	72	[ARTHRTIS] Arthritis
34	1	73	[ASTHMA] Asthma
35	1	74	[CANCER] Cancer
36	2	75-76	[CASTAGE] Stage of patient's cancer -9 = No box is marked -8 = Unknown stage -7 = Not applicable 0 = In situ 1 = Stage1 2 = StageII 3 = StageIII 4 = StageIV 6 = More than one stage is marked
37	1	77	[CEBVD] Cerebrovascular disease
38	1	78	[CRF] Chronic renal failure
39	1	79	[CHF] Congestive heart failure
40	1	80	[COPD] Chronic obstructive pulmonary disease
41	1	81	[DEPRN] Depression
42	1	82	[DIABETES] Diabetes
43	1	83	[HYPLIPID] Hyperlipidemia
44	1	84	[HTN] Hypertension
45	1	85	[IHD] Ischemic heart disease
46	1	86	[OBESITY] Obesity
47	1	87	[OSTPRSIS] Osteoporosis

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
48	1	88	[NOCHRON] None of the above 0 = "None" not checked 1 = "None" checked 2 = Entire item blank
49	2	89-90	[TOTCHRON] TOTAL NUMBER OF CHRONIC CONDITIONS (derived from PRF Q5.b) -9 = Blank 0-11 (actual range) VITAL SIGNS (from PRF Q6)
50	2	91-92	[HTIN] PATIENT'S HEIGHT (inches) -9 = Blank 9-88 inches (actual range)
51	3	93-95	[WTLB] PATIENT'S WEIGHT (pounds) -9 = Blank 3-499 500 = 500 lbs. or more
52	6	96-101	[BMI] Body-Mass Index This was calculated from Patient's Height and Weight during data processing. It contains a decimal point and up to 2 decimal places. BMI was not calculated for pregnant females or patients under age 2. -9 = Missing data 9.23 – 86.31 (actual range)
53	4	102-105	[TEMPF] Temperature (Fahrenheit) There is an implied decimal between the third and fourth digits. -9 = Blank 904 – 1050 = 90.4-105.0 Fahrenheit (reported range)
54	3	106-108	[BPSYS] Blood pressure - systolic -9 = Blank 66-233 (reported range)
55	3	109-111	[BPDIAS] Blood pressure – diastolic -9 = Blank 22-160 (reported range) 998 = P, Palp, DOP, or DOPPLER SERVICES (from PRF Q7 and Q9) NOTE: The Services section reflects responses to both item 7, Diagnostic/Screening Services, and item 9, Non-Medication Treatment. Each year, it is often the case that different respondents will report the same procedure in either item 7 or item 9, and that a distinction between diagnostic/screening and therapeutic services can be difficult to make. Space issues, too, affect where write-in responses are entered on the form. Therefore, such responses may not always be entered in the appropriate item.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			In recent years, efforts were made to address these problems through the data editing process, but this approach was time-consuming and did not totally solve the problems.
			Starting in 2009, it was decided to consider the responses to item 7 and item 9 as one unit, as services ordered or provided. The checkboxes for both items are presented in sequence, followed by the write-in procedure fields, identified as simply procedures 1-9. As in past years, whenever procedures are entered that also apply to a checkbox, the checkbox has been checked, but the procedure is retained if it provides further detail. For example, if "x-ray of the knee" is written in, the procedure is coded to the ICD-9-CM, but the x-ray checkbox is checked to provide a summary statistic of x-rays. Therefore, in order to avoid doublecounting, results from the write-in fields for x-rays should not be added to results for the x-ray checkbox, etc.
56	1	112	[SERVICES] Were any diagnostic/screening or non-medication treatment services ordered or provided at this visit? 0 = No services were reported 1 = At least one service was reported 0 = No, 1 = Yes
57	1	113	[BREAST] Breast exam
58	1	114	[FOOT] Foot exam
59	1	115	[PELVIC] Pelvic exam
60	1	116	[RECTAL] Rectal exam
61	1	117	[RETINAL] Retinal exam
62	1	118	[SKIN] Skin exam
63	1	119	[DEPRESS] Depression screening exam
64	1	120	[ANYIMAGE] (derived from PRF Q7, boxes 9-16) This item was created during data processing and indicates whether any of the imaging boxes were checked.
65	1	121	[XRAY] X-ray
66	1	122	[BONEDENS] Bone mineral density
67	1	123	[CATSCAN] CT Scan
68	1	124	[ECHOCARD] Echocardiogram
69	1	125	[OTHULTRA] Other ultrasound
70	1	126	[MAMMO] Mammography
71	1	127	[MRI] MRI
72	1	128	[OTHIMAGE] Other imaging
73	1	129	[CBC] Complete blood count
74	1	130	[GLUCOSE] Glucose
75	1	131	[HGBA] HgbA1C (glycohemoglobin)
76	1	132	[CHOLEST] Lipids/Cholesterol
77	1	133	[PSA] PSA (Prostate specific antigen)
78	1	134	[OTHERBLD] Other blood test
79	1	135	[BIOPSY] Biopsy
80	1	136	[CHLAMYD] Chlamydia test

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
81	1	137	[EKG] EKG/ECG
82	1	138	[HIVTEST] HIV Test
83	1	139	[HPVDNA] HPV DNA test
84	1	140	[PAPCONV] PAP test - conventional
85	1	141	[PAPLIQ] PAP test - liquid-based
86	1	142	[PAPUNSP] PAP test – unspecified
87	1	143	[PREGTEST] Pregnancy/HCG test
88	1	144	[URINE] Urinalysis (UA)
89	1	145	[SIGCOLON] (derived from PRF Q7, box 23, 24 and 34 and PRF Q9, box 14 and 15.) This item was created during data processing and indicates whether any type of sigmoidoscopy/colonoscopy was ordered or performed at the visit, based on write-in procedure entries. It is a summary variable only and should not be added to results from the write-in procedure fields.
90	1	146	[EXAM] Examination This item was created during data processing and indicates whether any of the write-in procedures reflect an ICD-9-CM code indexed specifically to Examinations. It is a summary variable only and should not be added to results from the write-in procedure fields.
91	1	147	[HTTAKE] Height taken (derived from PRF Q6)
92	1	148	[WTTAKE] Weight taken (derived from PRF Q6)
93	1	149	[TEMPTAKE] Temperature taken (derived from PRF Q6)
94	1	150	[BLODPRES] Blood pressure taken (derived from PRF Q6)
95	1	151	[CAM] Complementary alternative medicine
96	1	152	[DME] Durable medical equipment
97	1	153	[HOMEHLTH] Home health care
98	1	154	[PT] Physical therapy
99	1	155	[RADTHER] Radiation therapy
100	1	156	[SPOCTHER] Speech/Occupational therapy
101	1	157	[PSYCHOTH] Psychotherapy
102	1	158	[OTHMNTL] Other mental health counseling
103	1	159	[EXCISION] Excision of tissue
104	1	160	[WOUND] Wound care
105	1	161	[CAST] Cast
106	1	162	[SPLINT] Splint or wrap
107	1	163	[OTHSERV] Other diagnostic/screening service or non-medication treatment This created checkbox reflects the presence of at least one write-in procedure, combining data from items 7 and 9. Procedures 1-9 are derived from the write-in fields in items 7 and 9. To get a complete picture of the number and type of procedures reported at a visit, data users should include results from all of the procedure fields.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
108	4	164-167	[PROC1] Procedure #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
109	4	168-171	[PROC2] Procedure # 2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
110	4	172-175	[PROC3] Procedure # 3 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
111	4	176-179	[PROC4] Procedure #4 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
112	4	180-183	[PROC5] Procedure #5 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
113	4	184-187	[PROC6] Procedure #6 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99
114	4	188-191	[PROC7] Procedure #7 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0101-999 = 01.01-99.99

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

115   4   192-195   [PROC8] Procedure #8
(ICD-9-CM, Vol.3, Procedure Classification)
A left-justified alphanumeric code with an implied decimal after the
first two digits; inapplicable fourth digits have a dash inserted.
-9 = Blank
0101-999 = 01.01-99.99

116   4   196-199   [PROC9] Procedure #9
(ICD-9-CM, Vol.3, Procedure Classification)
A left-justified alphanumeric code with an implied decimal after the
first two digits; inapplicable fourth digits have a dash inserted.
-9 = Blank
0101-999 = 01.01-99.99

117   2   200-201   [TOTSERV] Total number of diagnostic/screening services and
non-medication treatment checkboxes and write-in entries
(adjusted to avoid doublecounting between procedures that
could be reported as both a checkbox and with more detail in
the write-in field)
0-26 (26 was the highest number reported in 2010)

HEALTH EDUCATION (from PRF Q8)

118   1   202   [HLTHED] Was any health education ordered or provided at this
visit?
0 = No
1 = Yes
2 = No answer (Entire item blank, including "None" box.)

0 = No, 1 = Yes

119   1   203   [ASTHMAED] Asthma education
120   1   204   [DIETNUTR] Diet/Nutrition
121   1   205   [EXERCISE] Exercise
122   1   206   [FAMPLAN] Family planning/Contraception
123   1   207   [GRWTHDEV] Growth/Development
124   1   208   [INJPREV] Injury prevention
125   1   209   [STRESMGT] Stress management
126   1   210   [TOBACED] Tobacco use/exposure
127   1   211   [WTREDUC] Weight reduction
128   1   212   [OTHLTHED] Other health education

129   2   213-214   [TOTHLTED] Total health education ordered or provided
-9 = Entire item blank
0-9

MEDICATIONS & IMMUNIZATIONS (See page 21 for
more information. See Appendix III for Code List.)
(from PRF Q10)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
130	1	215	[MED] WERE MEDICATIONS OR IMMUNIZATIONS ORDERED OR PROVIDED AT THIS VISIT? 0 = No 1 = Yes 2 = Entire item blank, including "None" box
131	5	216-220	[MED1] MEDICATION #1 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
132	5	221-225	[MED2] MEDICATION #2 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
133	5	226-230	[MED3] MEDICATION #3 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
134	5	231-235	[MED4] MEDICATION #4 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
135	5	236-240	[MED5] MEDICATION #5 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
136	5	241-245	[MED6] MEDICATION #6 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
137	5	246-250	[MED7] MEDICATION #7 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
138	5	251-255	[MED8] MEDICATION #8 -9 = Blank 00001-99227 = 00001-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
139	2	256-257	[NCMED1] Was medication #1 new or continued? -9 = Blank -7 = Not applicable (no drug listed) 1 = New 2 = Continued 3 = Both "New" and "Continued" were checked
140	2	258-259	[NCMED2] Was medication #2 new or continued? See NCMED1.
141	2	260-261	[NCMED3] Was medication #3 new or continued? See NCMED1.
142	2	262-263	[NCMED4] Was medication #4 new or continued? See NCMED1.
143	2	264-265	[NCMED5] Was medication #5 new or continued? See NCMED1.
144	2	266-267	[NCMED6] Was medication #6 new or continued? See NCMED1.
145	2	268-269	[NCMED7] Was medication #7 new or continued? See NCMED1.
146	2	270-271	[NCMED8] Was medication #8 new or continued? See NCMED1
147	1	272	[NUMNEW] NUMBER OF NEW MEDICATIONS CODED 0 – 8
148	1	273	[NUMCONT] NUMBER OF CONTINUED MEDICATIONS CODED 0 – 8 NOTE: For NUMNEW and NUMCONT, the value '0' can reflect the following situations: for NUMNEW, a) no drug listed; b) drug listed as continued medication only; or c) drug listed but unknown whether new or continued; for NUMCONT, a) no drug listed; b) drug listed as new medication only, or c) drug listed but unknown whether new or continued
149	1	274	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 8 PROVIDERS SEEN (from PRF Q11) 0 = No, 1 = Yes
150	1	275	[NOPROVID] No answer to item
151	1	276	[PHYS] Physician
152	1	277	[PHYSASST] Physician assistant
153	1	278	[NPNMW] Nurse practitioner/Midwife
154	1	279	[RNLPN] RN/LPN

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
155	1	280	[MHP] Mental health provider
156	1	281	[OTHPROV] Other provider
			VISIT DISPOSITION (from PRF Q12)
			0 = No, 1 = Yes
157	1	282	[NODISP] No answer to item
158	1	283	[REFOTHMD] Refer to other physician
159	1	284	[RETAPPT] Return at specified time
160	1	285	[REFERED] Refer to ER/Admit to hospital
161	1	286	[OTHDISP] Other visit disposition
162	6	287-292	[PATWT] PATIENT VISIT WEIGHT (See page 25 in Section I) A right-justified integer developed by NCHS staff for the purpose of producing national estimates from sample data.
163	1	293	[REGION] GEOGRAPHIC REGION (Based on actual location of the hospital.) 1 = Northeast 2 = Midwest 3 = South 4 = West
164	1	294	[MSA] METROPOLITAN/NON METROPOLITAN STATUS (Based on actual location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget. In a few cases MSA was masked for confidentiality). 1 = MSA (Metropolitan Statistical Area) 2 = Non-MSA (including micropolitan statistical areas)
165	1	295	[OWNER] HOSPITAL OWNERSHIP 1 = Voluntary non-profit 2 = Government, non-Federal 3 = Proprietary
166	2	296-297	[BLANK1] Reserved for possible future use
167	3	298-300	[HOSPCODE] HOSPITAL CODE A unique code assigned to all the records from a particular hospital. 1-216
168	1	301	[CLINTYPE] TYPE OF CLINIC 1 = General medicine 2 = Surgery 3 = Pediatric 4 = Obstetrics and Gynecology 5 = Substance abuse 6 = Other
169	3	302-304	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular hospital. 1-450

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

**** THE FOLLOWING FIELDS SHOW WHETHER DATA WERE IMPUTED TO REPLACE BLANKS ****

IMPUTED FIELDS

0 = Not imputed
1 = Imputed

170	1	305	[BDATEFL] Patient birth year
171	1	306	[SEXFL] Patient sex
172	1	307	[ETHNICFL] Patient ethnicity
173	1	308	[RACERFL] Patient race
174	1	309	[SENBEFL] Has the patient been seen in this clinic before?
175	1	310	[PASTFL] If yes, how many past visits in last 12 months?

****************** END OF IMPUTED DATA FIELDS ******************

ITEM	FIELD	FILE	
NO.	LENGTH	LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #1

NOTE: Starting with the 2006 data release, all drug codes based on entry name (using NCHS' standard classification system) were also assigned a unique generic drug code from Multum's Lexicon Drug Database, where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient, as in past years of NHAMCS drug data. All Multum codes start with the letter "d" but there were some drugs reported in NHAMCS that could not be assigned a code in Multum. These received a prefix of either "a" (when ingredients could be determined) or "c" (when ingredients could not be determined). For more on the structure of the 2006 drug data (including information on therapeutic class and drug ingredients, please see page 21.)

176   6   311-316   [DRUGID1] DRUG ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum   but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

177   1   317   [PRESCR1] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the Counter

178   1   318   [CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

179   1   319   [COMSTAT1] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

180   3   320-322   [RX1CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.
"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

181   3   323-325   [RX1CAT2] MULTUM DRUG CATEGORY # 2
See RX1CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
182	3	326-328	[RX1CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
183	3	329-331	[RX1CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

DRUG CATEGORY LEVELS

See RX1CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

184	3	332-334	[RX1V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
185	3	335-337	[RX1V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
186	3	338-340	[RX1V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
187	3	341-343	[RX1V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
188	3	344-446	[RX1V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
189	3	347-349	[RX1V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
190	3	350-352	[RX1V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
191	3	353-355	[RX1V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
192	3	356-358	[RX1V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
193	3	359-361	[RX1V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
194	3	362-364	[RX1V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
195	3	365-367	[RX1V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #2

| 196 | 6 | 368-373 | [DRUGID2] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008) |

197   1   374   [PRESCR2] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

198   1   375   [CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

199   1   376   [COMSTAT2] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

200   3   377-379   [RX2CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.
"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

201   3   380-382   [RX2CAT2] MULTUM DRUG CATEGORY # 2
See RX2CAT1.

202   3   383-385   [RX2CAT3] MULTUM DRUG CATEGORY # 3
See RX2CAT1.

203   3   386-388   [RX2CAT4] MULTUM DRUG CATEGORY # 4
See RX2CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX2CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

204	3	389-391	[RX2V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
205	3	392-394	[RX2V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
206	3	395-397	[RX2V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
207	3	398-400	[RX2V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
208	3	401-403	[RX2V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
209	3	404-406	[RX2V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
210	3	407-409	[RX2V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
211	3	410-412	[RX2V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
212	3	413-415	[RX2V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
213	3	416-418	[RX2V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
214	3	419-421	[RX2V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
215	3	422-424	[RX2V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #3

| 216 | 6 | 425-430 | [DRUGID3] Drug ID (See p. 201 for more information.) |

a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

| 217 | 1 | 431 | [PRESCR3] PRESCRIPTION STATUS CODE |

1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

| 218 | 1 | 432 | [CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE |

1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

| 219 | 1 | 433 | [COMSTAT3] COMPOSITION STATUS CODE |

1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

| 220 | 3 | 434-436 | [RX3CAT1] MULTUM DRUG CATEGORY # 1 |

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

| 221 | 3 | 437-439 | [RX3CAT2] MULTUM DRUG CATEGORY # 2 |

See RX3CAT1.

| 222 | 3 | 440-442 | [RX3CAT3] MULTUM DRUG CATEGORY # 3 |

See RX3CAT1.

| 223 | 3 | 443-445 | [RX3CAT4] MULTUM DRUG CATEGORY # 4 |

See RX3CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DRUG CATEGORY LEVELS
			See RX3CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.
224	3	446-448	[RX3V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
225	3	449-451	[RX3V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
226	3	452-454	[RX3V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
227	3	455-457	[RX3V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
228	3	458-460	[RX3V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
229	3	461-463	[RX3V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
230	3	464-466	[RX3V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
231	3	467-469	[RX3V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
232	3	470-472	[RX3V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
233	3	473-475	[RX3V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
234	3	476-478	[RX3V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
235	3	479-481	[RX3V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #4

| 236 | 6 | 482-487 | [DRUGID4] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008) |

| 237 | 1 | 488 | [PRESCR4] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter |

| 238 | 1 | 489 | [CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined |

| 239 | 1 | 490 | [COMSTAT4] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined |

| 240 | 3 | 491-493 | [RX4CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category |

| 241 | 3 | 494-496 | [RX4CAT2] MULTUM DRUG CATEGORY # 2
See RX4CAT1. |

| 242 | 3 | 497-499 | [RX4CAT3] MULTUM DRUG CATEGORY # 3
See RX4CAT1. |

| 243 | 3 | 500-502 | [RX4CAT4] MULTUM DRUG CATEGORY # 4
See RX4CAT1. |

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX4CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
244	3	503-505	[RX4V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
245	3	506-508	[RX4V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
246	3	509-511	[RX4V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
247	3	512-514	[RX4V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
248	3	515-517	[RX4V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
249	3	518-520	[RX4V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
250	3	521-523	[RX4V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
251	3	524-526	[RX4V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
252	3	527-529	[RX4V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
253	3	530-532	[RX4V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
254	3	533-535	[RX4V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
255	3	536-538	[RX4V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #5

256   6   539-544   [DRUGID5] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

257   1   545   [PRESCR5] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

258   1   546   [CONTSUB5] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

259   1   547   [COMSTAT5] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

260   3   548-550   [RX5CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

261   3   551-553   [RX5CAT2] MULTUM DRUG CATEGORY # 2
See RX3CAT1.

262   3   554-556   [RX5CAT3] MULTUM DRUG CATEGORY # 3
See RX3CAT1.

263   3   557-559   [RX5CAT4] MULTUM DRUG CATEGORY # 4
See RX3CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX5CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

264	3	560-562	[RX5V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
265	3	563-565	[RX5V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
266	3	566-568	[RX5V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
267	3	569-571	[RX5V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
268	3	572-574	[RX5V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
269	3	575-577	[RX5V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
270	3	578-580	[RX5V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
271	3	581-583	[RX5V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
272	3	584-586	[RX5V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
273	3	587-589	[RX5V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
274	3	590-592	[RX5V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
275	3	593-595	[RX5V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #6

276	6	596-601	[DRUGID6] Drug ID (See p. 201 for more information.) a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients) d00001-d07347 = Multum code n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

276 · 6 · 596-601 · [DRUGID6] Drug ID (See p. 201 for more information.)

277   1   602   [PRESCR6] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

278   1   603   [CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

279   1   604   [COMSTAT6] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

280   3   605-607   [RX6CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

281   3   608-610   [RX6CAT2] MULTUM DRUG CATEGORY # 2
See RX6CAT1.

282   3   611-613   [RX6CAT3] MULTUM DRUG CATEGORY # 3
See RX6CAT1.

283   3   614-616   [RX6CAT4] MULTUM DRUG CATEGORY # 4
See RX6CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX6CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
284	3	617-619	[RX6V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
285	3	620-622	[RX6V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
286	3	623-625	[RX6V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
287	3	626-628	[RX6V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
288	3	629-631	[RX6V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
289	3	632-634	[RX6V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
290	3	635-637	[RX6V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
291	3	638-640	[RX6V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
292	3	641-643	[RX6V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
293	3	644-646	[RX6V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
294	3	647-649	[RX6V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
295	3	650-652	[RX6V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #7

| 296 | 6 | 653-658 | [DRUGID7] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008) |

| 297 | 1 | 659 | [PRESCR7] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter |

| 298 | 1 | 660 | [CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined |

| 299 | 1 | 661 | [COMSTAT7] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined |

| 300 | 3 | 662-664 | [RX7CAT1] MULTUM DRUG CATEGORY # 1
Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category |

| 301 | 3 | 665-667 | [RX7CAT2] MULTUM DRUG CATEGORY # 2
See RX7CAT1. |

| 302 | 3 | 668-670 | [RX7CAT3] MULTUM DRUG CATEGORY # 3
See RX7CAT1. |

| 303 | 3 | 671-673 | [RX7CAT4] MULTUM DRUG CATEGORY # 4
See RX7CAT1. |

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX7CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

304	3	674-676	[RX7V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
305	3	677-679	[RX7V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
306	3	680-682	[RX7V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
307	3	683-685	[RX7V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
308	3	686-688	[RX7V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
309	3	689-691	[RX7V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
310	3	692-694	[RX7V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
311	3	695-697	[RX7V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
312	3	698-700	[RX7V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
313	3	701-703	[RX7V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
314	3	704-706	[RX7V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
315	3	707-709	[RX7V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG-RELATED INFO FOR MEDICATION #8

316   6   710-715   [DRUGID8] Drug ID (See p. 201 for more information.)
a07001-a71066 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007)
c00002-c07003 = NCHS code (for drugs not found in Multum and with undetermined ingredients)
d00001-d07347 = Multum code
n08001-n08999 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)

317   1   716   [PRESCR8] PRESCRIPTION STATUS CODE
1 = Prescription Drug   4 = Illicit (no longer used in NHAMCS)
2 = Nonprescription Drug   5 = Both Prescription and
3 = Undetermined   Over-the-Counter

318   1   717   [CONTSUB8] CONTROLLED SUBSTANCE STATUS CODE
1 = Schedule I (Research Only)
2 = Schedule II   5 = Schedule V   8 = Multiple Schedules
3 = Schedule III   6 = No Control
4 = Schedule IV   7 = Undetermined

319   1   718   [COMSTAT8] COMPOSITION STATUS CODE
1 = Single Entity Drug
2 = Combination Drug
3 = Undetermined

320   3   719-721   [RX8CAT1] MULTUM DRUG CATEGORY # 1

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 21. The complete Multum classification is shown in Appendix III.

"   " = Blank/Not applicable
001 - 899 = Drug category
999 = Undetermined category

321   3   722-724   [RX8CAT2] MULTUM DRUG CATEGORY # 2
See RX8CAT1.

322   3   725-727   [RX8CAT3] MULTUM DRUG CATEGORY # 3
See RX8CAT1.

323   3   728-730   [RX8CAT4] MULTUM DRUG CATEGORY # 4
See RX8CAT1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

DRUG CATEGORY LEVELS

See RX8CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

324	3	731-733	[RX8V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
325	3	734-736	[RX8V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
326	3	737-739	[RX8V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
327	3	740-742	[RX8V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
328	3	743-745	[RX8V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
329	3	746-748	[RX8V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
330	3	749-751	[RX8V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
331	3	752-754	[RX8V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
332	3	755-757	[RX8V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
333	3	758-760	[RX8V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
334	3	761-763	[RX8V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
335	3	764-766	[RX8V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

IMPORTANT: The initial release of the 2010 NHAMCS does not include data on electronic medical records. Specifically, the following 35 items (EBILLRECO through PAYYRH) are all blank. Data for these items will be added to a subsequent release of the public use file.

336	2	767-768	[EBILLRECO] DOES YOUR OPD SUBMIT CLAIMS ELECTRONICALLY (ELECTRONIC BILLING)?

-9 = Blank
-8 = Don't know
1 = Yes, all electronic
2 = Yes, part paper and part electronic
3 = No

337	2	769-770	[EMROPD] DOES YOUR OPD USE ELECTRONIC MEDICAL RECORDS (EMR) (NOT INCLUDING BILLING RECORDS)?

-9 = Blank
-8 = Unknown
1 = Yes, all electronic
2 = Yes, part paper and part electronic
3 = No

338	2	771-772	[EDEMOGO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM FOR PATIENT HISTORY & DEMOGRAPHIC INFORMATION?

-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

(Note: On the data collection instrument, category 3 was used for responses of "Unknown." Since the "Unknown" response was standardized to a value of -8 to during data processing, category 3 is not used here.)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
339	2	773-774	[EPROLSTO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR PATIENT HISTORY & DEMOGRAPHIC INFORMATION, DOES IT INCLUDE A PATIENT PROBLEM LIST? -9 = Blank -8 = Unknown -7 = Not applicable 1= Yes 2 = No 4 = Turned off
340	2	775-776	[EPNOTESO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM FOR CLINICAL NOTES? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off
341	2	777-778	[EMEDSO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A LIST OF MEDICATIONS THAT THAT THE PATIENT IS TAKING? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
342	2	779-780	[EALLERGO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR CLINICAL NOTES, DO THEY INCLUDE A COMPREHENSIVE LIST OF THE PATIENT'S ALLERGIES? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 4 = Turned off
343	2	781-782	[ECPOEO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS? -9 = Blank -8 = Unknown 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

344   2   783-784   [EWARNO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE THERE WARNINGS OF DRUG INTERACTIONS OR CONTRAINDICATIONS PROVIDED?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

345   2   785-786   [ESCRIPO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR PRESCRIPTIONS, ARE PRESCRIPTIONS SENT ELECTRONICALLY TO THE PHARMACY?
-9 = Blank
-8 = Unknown
-7 = Not applicable
1 = Yes
2 = No
4 = Turned off

346   2   787-788   [ECTOEO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM FOR ORDERS FOR TESTS?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

347   2   789-790   [EORDERO] IF YOUR OPD HAS A COMPUTERIZED SYSTEM FOR ORDERS FOR TESTS, ARE ORDERS SENT CTRONICALLY?
-9 = Blank
-8 = Unknown
-7 = Not applicable
1 = Yes
2 = No
4 = Turned off

348   2   791-792   [ERESULTO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM FOR VIEWING LAB RESULTS?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

349   2   793-794   [ERESEHRO] IF YOUR OPD HAS A COMPUTERIZED
SYSTEM FOR VIEWING LAB RESULTS, ARE RESULTS
INCORPORATED IN EMR/EHR?
-9 = Blank
-8 = Unknown
-7 = Not applicable
1 = Yes
2 = No
4 = Turned off

350   2   795-796   [ERANGEO] IF YOUR OPD HAS A COMPUTERIZED
SYSTEM FOR VIEWING LAB RESULTS, ARE OUT OF
RANGE LEVELS HIGHLIGHTED?
-9 = Blank
-8 = Unknown
-7 = Not applicable
1 = Yes
2 = No
4 = Turned off

351   2   797-798   [EIMGRESO] DOES YOUR OPD HAVE A
COMPUTERIZED SYSTEM FOR VIEWING IMAGING
RESULTS?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

352   2   799-800   [EREMINDO] DOES YOUR OPD HAVE A
COMPUTERIZED SYSTEM FOR REMINDERS FOR
GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING
TESTS?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

353   2   801-802   [EIMMREGO] DOES YOUR OPD HAVE A COMPUTERIZED SYSTEM
FOR ELECTRONIC REPORTING TO IMMUNIZATION REGISTRIES?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE
SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM?
(Unedited, see section j on page 4 for more information.)

0 = Box is not marked
1 = Box is marked

354	1	803	[EHRWHO1E] Prescribing practitioner
355	1	804	[EHRWHO2E] Other clinician (including RN)
356	1	805	[EHRWHO3E] Lab technician
357	1	806	[EHRWHO4E] Administrative personnel
358	1	807	[EHRWHO5E] Other
359	1	808	[EHRWHO6E] Prescriptions and lab tests not submitted electronically
360	1	809	[EHRWHO7E] Unknown

IF ORDERS FOR PRESCRIPTIONS OR LAB TESTS ARE
SUBMITTED ELECTRONICALLY, WHO SUBMITS THEM?
(Edited in conjunction with ECTOE and ECPOE. See section j on
page 4 for more information.)

0 = Box is not marked
1 = Box is marked
-7 = Not applicable (prescriptions and lab tests are not submitted
      electronically)

361	2	810-811	[EHRWHO1ER] Prescribing practitioner
362	2	812-813	[EHRWHO2ER] Other clinician (including RN)
363	2	814-815	[EHRWHO3ER] Lab technician
364	2	816-817	[EHRWHO4ER] Administrative personnel
365	2	818-819	[EHRWHO5ER] Other
366	2	820-821	[EHRWHO6ER] Prescriptions and lab tests not submitted electronically
367	2	822-823	[EHRWHO7ER] Unknown

368   2   824-825   [EHRINSO] DOES YOUR OPD HAVE PLANS FOR INSTALLING A
NEW EMR/EHR SYSTEM WITHIN THE NEXT 18 MONTHS?
-9 = Blank
-8 = Unknown
1 = Yes
2 = No
3 = Maybe

369   2   826-827   [PAYHITH] DOES YOUR HOSPITAL HAVE PLANS TO APPLY FOR
MEDICARE OR MEDICAID INCENTIVE PAYMENTS FOR
MEANINGFUL USE OF HEALTH IT?
-9 = Blank
1 = Yes
2 = No
3 = Uncertain

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES

370   2   828-829   [PAYYRH] WHAT YEAR DOES YOUR HOSPITAL EXPECT TO
                                         APPLY FOR MEANINGFUL USE PAYMENTS?
                                         -9 = Blank
                                         -8 = Unknown
                                         -7 = Not applicable
                                         1 = 2011
                                         2 = 2012
                                         3 = After 2012

371   2   830-831   [BLANK2] Reserved for possible future use

372   2   832-833   [CCS] DOES THIS CLINIC OFFER ANY TYPE OF CERVICAL
                                         CANCER SCREENING?

NOTE: CCS data are not available as of October 2012. They will be added to a later release of the public file. Currently, this item is set to -9.

                                         -9 = Blank
                                         -8 = Unknown
                                         -7 = Not applicable (not a General Medicine or OB-GYN clinic)
                                         1 = Yes
                                         2 = No

373   1   834   [ETHIM] ETHNICITY (WITH MISSING DATA IMPUTED)
                                     1 = Hispanic
                                     2 = Not Hispanic

                 The following 4 items are recoded from other survey items.

374   1   835   [RACER] RACE RECODE (WITH MISSING DATA IMPUTED)
                                     1= White
                                     2= Black
                                     3= Other

375   1   836   [RACERETH] RACE/ETHNICITY (WITH MISSING DATA IMPUTED)
                                     1 = White Only, Non-Hispanic
                                     2 = Black Only, Non-Hispanic
                                     3 = Hispanic
                                     4 = Other, Non-Hispanic

376   3   837-839   [AGEDAYS] AGE IN DAYS
                                         -7 = More than 365 days
                                         001-365 = 001-365 days

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
377	1	840	[AGER] AGE RECODE 1 = Under 15 years 2 = 15-24 years 3 = 25-44 years 4 = 45-64 years 5 = 65-74 years 6 = 75 years and over

NUMERIC RECODES FOR CAUSE OF INJURY, DIAGNOSIS, AND PROCEDURES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NHAMCS micro-data files were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of '1' was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of '20' was substituted for the letter 'V' for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory and Hospital Care Statistics software systems. Similar conversions were made for ICD-9-CM procedure codes and external cause of injury codes. Specific coding conventions are discussed in the public use documentation for each data year.

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. For specific details pertaining to each type of code (diagnosis, procedure, cause of injury), refer to the documentation for the survey year of interest. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zero-filling.

It has come to our attention that some users of NHAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, we have included numeric recodes for diagnoses and procedure reported under scope procedures, "other" diagnostic/screening services, and other surgical and non-surgical non-medication treatments, as listed below. These are in addition to the actual codes for these variables which appear earlier on the public use file. Users can make their own choice about which format best suits their needs. We would be interested in hearing from data users as to which format they prefer so that a decision can be made about whether to include both formats in future years. Please contact Susan Schappert, Ambulatory and Hospital Care Statistics Branch, at 301-458-4480.

DIAGNOSIS RECODE

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
378	6	841-846	[DIAG1R] DIAGNOSIS #1 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] -9 = Blank 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 209980 = Entry of "Not applicable," "NA," or "Blank"
379	6	847-852	[DIAG2R] DIAGNOSIS #2 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] See DIAGNOSIS #1 for details.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
380	6	853-858	[DIAG3R] DIAGNOSIS #3 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] See DIAGNOSIS #1 for details.
381	4	859-862	[PROC1R] WRITE-IN PROCEDURE #1 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
382	4	863-866	[PROC2R] WRITE-IN PROCEDURE #2 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
383	4	867-870	[PROC3R] WRITE-IN PROCEDURE #3 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
384	4	871-874	[PROC4R] WRITE-IN PROCEDURE #4 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
385	4	875-878	[PROC5R] WRITE-IN PROCEDURE #5 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
386	4	879-882	[PROC6R] WRITE-IN PROCEDURE #6 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
387	4	883-886	[PROC7R] WRITE-IN PROCEDURE #7 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
388	4	887-890	[PROC8R] WRITE-IN PROCEDURE #8 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99
389	4	891-894	[PROC9R] WRITE-IN PROCEDURE #9 (Recode to Numeric Field) -9 = Blank 0101-999 = 01.01 - 99.99

END OF NUMERIC RECODES

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
390	2	895-896	[WHOCOMP] WHO COMPLETED THE PATIENT RECORD FORMS?

IMPORTANT NOTE: Last year, NCHS programming staff identified a problem in their processing of the WHOCOMP variable which appears to affect years 1999 and 2001-2008. The result was that data for the traditional category 1 (Hospital staff) were switched with data for category 3 (Census field representative – Abstraction after reporting period). The simplest solution for all years (1999, 2001-2008) is to switch the labels for this item to reflect the correct data, as shown below. Downloadable public use dataset documentation and SAS format statements for the affectede years will be revised to reflect these changes as resources permit.

-9 = Blank
1 = Census field representative - Abstraction after reporting period
2 = Census field representative - Abstraction during reporting period
3 = Hospital staff
4 = Other
5 = Multiple categories checked

| 391 | 1 | 897 | [SETTYPE] SETTING TYPE |

This item is intended for use when combining data from the NAMCS or NHAMCS-ED public use files with OPD data.

1 = Physician Office (NAMCS)
2 = Outpatient Department (NHAMCS-OPD)
3 = Emergency Department (NHAMCS-ED)

| 392 | 4 | 898-901 | [YEAR] SURVEY YEAR (2010) |

NHAMCS DESIGN VARIABLES

Masked design variables were first released on the 2000 NHAMCS (and NAMCS) public use files, and were subsequently added to the 1993-1999 public use files. These variables reflected the multi-stage sampling design of the surveys, and were for use with statistical software like SUDAAN that takes such information into account. However, these variables could not be used in other statistical software packages, such as SAS and Stata, which employ an ultimate cluster model to estimate variance, without substantial modification. Therefore, two new variables were created and first added to the 2002 file, CSTRATM and CPSUM. They can be used to estimate variance with SUDAAN's with-replacement (WR) option, as well as with Stata, SPSS, SAS, and other statistical software packages utilizing an ultimate cluster model for variance estimation. The decision was made to include only these new variables, CSTRATM and CPSUM, and not the multi-stage design variables, beginning with the 2003 data release. These variables and their use are described more fully in the "Relative Standard Errors" section of the public use file documentation. For those who wish to combine data from 2003 forward with survey data from years prior to 2002 which do not contain CSTRATM and CPSUM, please see the technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files,* at http://www.cdc.gov/nchs/nhamcs.htm.

| 393 | 8 | 902-909 | [CSTRATM] CLUSTERED PSU STRATUM MARKER (masked) 20108201-40400000 |

| 394 | 6 | 910-915 | [CPSUM] CLUSTERED PSU MARKER (masked) 5-100197 |

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
395	6	916-921	[OPDWT] OPD WEIGHT OPDWT enables data users to make outpatient-department-level estimates. Please see pp. 26 and 129 for more information. Data users should be especially careful of small cell sizes when making facility-level estimates. For example, using the OPD weight results in only 27 facilities that are not in an MSA. 1-85
396	2	922-923	[PCTPOVR] PERCENT POVERTY IN PATIENT'S ZIP CODE -9 = Missing data 1 = Less than 5.00 percent 2 = 5.00-9.99 percent 3 = 10.00-19.99 percent 4 = 20.00 percent or more
397	2	924-925	[HINCOMER] MEDIAN HOUSEHOLD INCOME IN PATIENT'S ZIP CODE -9 = Missing data 1 = Quartile 1 ($32,793 or less) 2 = Quartile 2 ($32,794-$40,626) 3 = Quartile 3 ($40,627-$52,387) 4 = Quartile 4 ($52,388 or more)
398	2	926-927	[PBAMORER] PERCENT OF ADULTS WITH BACHELOR'S DEGREE OR HIGHER IN PATIENT'S ZIP CODE -9 = Missing data 1 = Quartile 1 (Less than 12.84 percent) 2 = Quartile 2 (12.84-19.66 percent) 3 = Quartile 3 (19.67-31.68 percent) 4 = Quartile 4 (31.69 percent or more)
399	2	928-929	[URBANRUR] URBAN-RURAL CLASSIFICATION OF PATIENT'S ZIP CODE -9 = Missing data 1 = Large central metro 2 = Large fringe metro 3 = Medium metro 4 = Small metro 5 = Non-metro (micropolitan and non-core)
400	1	930	[INJR1] Is this visit related to an injury or poisoning? Recoded version #1 (recoded from PRF Q2, PRF Q3 and PRF Q5).

Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit and first-listed diagnosis** only. Note than adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on **first-listed reason for visit and first-listed diagnosis**, can be found in category 4 of the INJDETR1 item.

0 = No
1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
401	1	931	[INJR2] Is this visit related to an injury or poisoning? Recoded version #2 (recoded from PRF Q2, PRF Q3 and PRF Q5).

Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit and any-listed diagnosis.** Note than adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on **any-listed reason for visit and any-listed diagnosis**, can be found in category 4 of the INJDETR2 item.

0 = No
1 = Yes

402	1	932	[INJDETR1] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #1). Is this visit related to any of the following: (from PRF Q2 and edited in conjunction with PRF Q3 and PRF Q5)

Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit and first-listed diagnosis** only. In addition, **first-listed reason for visit and first-listed diagnosis** codes were used to edit checkbox 4.

1 = Unintentional injury/poisoning
2 = Intentional injury/poisoning
3 = Injury/poisoning – unknown intent
4 = Adverse effect of medical/surgical care or adverse effect
    of medicinal drug
5 = None of the above
8 = More than one box is marked

403	1	933	[INJDETR2] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #2). Is this visit related to any of the following: (from PRF Q2 and edited in conjunction with PRF Q3 and PRF Q5)

Please see important discussion of Injury Data on page 5.

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit and any-listed diagnosis**. In addition, **any-listed reason for visit and any-listed diagnosis** codes were used to edit checkbox 4.

1 = Unintentional injury/poisoning
2 = Intentional injury/poisoning
3 = Injury/poisoning – unknown intent
4 = Adverse effect of medical/surgical care or adverse effect
    of medicinal drug
5 = None of the above
8 = More than one box is marked

III. MARGINAL DATA

A. EMERGENCY DEPARTMENT PATIENT VISITS

PATIENT AGE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
1 - Under 15 years	6,792	25,503,311	19.642
2 - 15-24 years	5,583	20,749,629	15.981
3 - 25-44 years	9,919	36,259,297	27.925
4 - 45-64 years	7,521	27,876,942	21.470
5 - 65-74 years	2,140	8,199,275	6.315
6 - 75 years and over	2,981	11,254,923	8.668

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
1 - Female	19,067	71,535,194	55.093
2 - Male	15,869	58,308,183	44.907

PATIENT RACE (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
1 - White	25,457	97,583,157	75.155
2 - Black	7,941	27,833,678	21.346
3 - Other	1,538	4,426,542	3.409

PATIENT ETHNICITY (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
1 - Hispanic or Latino	5,203	18,921,386	14.572
2 - Not Hispanic or Latino	29,733	110,921,991	85.428

RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
-9 - All sources of payment are blank	563	1,794,195	1.382
-8 - Unknown	1,322	4,347,583	3.348
1 - Private insurance	10,328	39,159,178	30.159
2 - Medicare	6,117	22,945,648	17.672
3 - Medicaid	10,055	35,762,836	27.543
4 - Worker's compensation	333	1,321,606	1.018
5 - Self-pay	5,057	19,706,536	15.177
6 - No charge	327	1,392,063	1.072
7 - Other	834	3,413,732	2.629

RECODED IMMEDIACY WITH WHICH PATIENT SHOULD BE SEEN (TRIAGE LEVEL)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
1 - Immediate	440	1,485,622	1.144
2 - Emergent	3,555	13,261,120	10.213
3 - Urgent	14,725	56,346,717	43.396
4 - Semi-urgent	11,374	42,433,030	32.680
5 - Nonurgent	2,675	9,025,662	6.951
7 - Visit occurred in ESA that does not conduct nursing triage	2,167	7,291,226	5.617

NUMBER OF MEDICATION CODES THIS VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,936	129,843,377	100.000
0	7,582	26,843,319	20.674
1	8,388	31,101,622	23.953
2	7,480	27,970,327	21.542
3	4,931	18,929,406	14.579
4	2,922	11,237,217	8.654
5	1,631	6,221,326	4.791
6	878	3,392,636	2.613
7	500	1,998,785	1.539
8	624	2,148,739	1.655

B. EMERGENCY DEPARTMENT DRUG MENTIONS

PATIENT AGE

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	71,744	271,423,215	100.000
1 - Under 15 years	9,842	37,305,656	13.744
2 - 15-24 years	10,704	41,275,154	15.207
3 - 25-44 years	22,457	85,015,727	31.322
4 - 45-64 years	17,918	67,551,737	24.888
5 - 65-74 years	4,815	18,599,375	6.853
6 - 75 years and over	6,008	21,675,566	7.986

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	71,744	271,423,215	100.000
1 - Female	40,304	153,481,756	56.547
2 - Male	31,440	117,941,459	43.453

PATIENT RACE (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	71,744	271,423,215	100.000
1 - White	52,077	201,563,430	74.262
2 - Black	16,331	60,019,989	22.113
3 - Other	3,336	9,839,796	3.625

DRUG THERAPEUTIC CATEGORIES (USING LEVEL 1 CODES)

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	80,969	307,623,828	100.000
'001'=Anti-infectives	10,654	40,561,158	13.185
'020'=Antineoplastics	56	181,567	0.059
'028'=Biologicals	13	39,854	0.013
'040'=Cardiovascular agents	4,429	16,732,579	5.439
'057'=Central nervous system agents	36,012	139,551,998	45.364
'081'=Coagulation modifiers	1,760	7,163,804	2.329
'087'=Gastrointestinal agents	4,040	14,822,156	4.818
'097'=Hormones	2,369	8,896,611	2.892
'105'=Miscellaneous agents	1,677	6,246,759	2.031
'113'=Genitourinary tract agents	320	1,153,049	0.375
'115'=Nutritional products	4,464	16,765,344	5.450
'122'=Respiratory agents	9,051	34,481,074	11.209
'133'=Topical agents	2,368	8,852,458	2.878
'153'=Plasma expanders	7	30,430	0.010
'218'=Alternative medicines	47	153,366	0.050
'242'=Psychotherapeutic agents	1,090	3,011,406	0.979
'254'=Immunological agents	1,052	3,603,351	1.171
'331'=Radiologic agents	284	993,417	0.323
'358'=Metabolic agents	921	3,099,984	1.008
'365'=Medical gases	323	1,178,379	0.383
'899'=Pharmaceutical aids	32	105,084	0.034

Therapeutic categories are based on Lexicon Plus®, a proprietary database of Cerner Multum, Inc. The Lexicon Plus is a comprehensive database of all prescription and some nonprescription drug products available in the U.S. drug market. For additional information on the Multum Lexicon Drug Database, please refer to the following Web site: http://www.multum.com/Lexicon.htm. For more information on coding therapeutic categories in NHAMCS, see page 21.

C. EMERGENCY DEPARTMENTS

REGION

CATEGORY	RECORDS	WEIGHTED EMERGENCY DEPTS	PERCENT
Total	350	4,722	100.000
1 - Northeast	79	626	13.257
2 - Midwest	79	1,394	29.521
3 - South	128	1,835	38.861
4 - West	64	867	18.361

MSA

CATEGORY	RECORDS	WEIGHTED EMERGENCY DEPTS	PERCENT
Total	350	4,722	100.000
MSA (Metropolitan Statistical Area)	300	2,978	63.066
Not MSA	50	1,744	36.934

OWNER

CATEGORY	RECORDS	WEIGHTED EMERGENCY DEPTS	PERCENT
Total	350	4,722	100.000
Voluntary non-profit	261	3,485	73.803
Government, non-Federal	58	737	15.608
Proprietary	31	500	10.589

D. OUTPATIENT DEPARTMENT PATIENT VISITS

PATIENT AGE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - Under 15 years	6,376	21,125,141	20.970
2 - 15-24 years	3,982	10,537,019	10.459
3 - 25-44 years	8,212	21,409,490	21.252
4 - 45-64 years	9,891	27,738,668	27.534
5 - 65-74 years	3,359	10,674,611	10.596
6 - 75 years and over	2,898	9,257,130	9.189

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - Female	21,072	60,021,571	59.579
2 - Male	13,646	40,720,488	40.421

PATIENT RACE (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - White	25,467	77,476,952	76.906
2 - Black/African American	7,456	19,215,406	19.074
3 - Other	1,795	4,049,701	4.020

PATIENT ETHNICITY (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - Hispanic or Latino	6,268	15,616,480	15.501
2 - Not Hispanic or Latino	28,450	85,125,579	84.499

RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
-9 - All sources of payment are blank	290	1,147,967	1.140
-8 - Unknown	1,271	2,457,559	2.439
1 - Private insurance	10,387	35,856,111	35.592
2 - Medicare	7,255	22,071,011	21.908
3 - Medicaid	11,388	28,401,939	28.193
4 - Workers compensation	256	408,142	0.405
5 - Self-pay	2,015	5,718,023	5.676
6 - No charge	895	1,595,852	1.584
7 - Other	961	3,085,455	3.063

HAS PATIENT BEEN SEEN IN THIS CLINIC BEFORE?

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - Yes, established patient	28,187	85,201,706	84.574
2 - No, new patient	6,531	15,540,353	15.426

CLINIC TYPE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
1 - General medicine	12,274	58,921,537	58.488
2 - Surgery	8,058	16,014,777	15.897
3 - Pediatrics	4,011	10,799,127	10.720
4 - Obstetrics/Gynecology	4,682	7,933,273	7.875
5 - Substance abuse	492	495,906	0.492
6 - Other	5,201	6,577,439	6.529

NUMBER OF MEDICATIONS

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	34,718	100,742,059	100.000
0	10,613	25,783,057	25.593
1	6,918	19,333,787	19.191
2	4,589	13,471,551	13.372
3	3,001	8,863,165	8.798
4	2,004	6,411,945	6.365
5	1,554	5,205,180	5.167
6	1,321	4,471,384	4.438
7	1,182	3,927,792	3.899
8	3,536	13,274,198	13.176

D. OUTPATIENT DEPARTMENT DRUG MENTIONS

PATIENT AGE

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	85,373	285,056,496	100.000
1 - Under 15 years	10,152	33,402,099	11.718
2 - 15-24 years	5,829	16,696,683	5.857
3 - 25-44 years	15,865	48,055,714	16.858
4 - 45-64 years	29,986	99,956,843	35.066
5 - 65-74 years	12,101	45,352,056	15.910
6 - 75 years and over	11,440	41,593,101	14.591

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	85,373	285,056,496	100.000
1 - Female	50,174	169,849,226	59.584
2 - Male	35,199	115,207,270	40.416

PATIENT RACE (WITH MISSING DATA IMPUTED)

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	85,373	285,056,496	100.000
1 - White	64,511	222,366,535	78.008
2 - Black/African American	17,348	52,828,182	18.533
3 - Other	3,514	9,861,779	3.460

DRUG THERAPEUTIC CATEGORIES (USING LEVEL 1 CODES)

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	92,504	307,682,251	100.000
'001'=Anti-infectives	5,488	18,904,854	6.144
'020'=Antineoplastics	1,177	3,513,625	1.142
'028'=Biologicals	107	227,786	0.074
'040'=Cardiovascular agents	12,368	46,036,449	14.962
'057'=Central nervous system agents	19,379	58,758,445	19.097
'081'=Coagulation modifiers	3,493	13,385,282	4.350
'087'=Gastrointestinal agents	5,024	16,363,590	5.318
'097'=Hormones	4,318	15,499,046	5.037
'105'=Miscellaneous agents	2,568	6,032,083	1.960
'113'=Genitourinary tract agents	615	2,473,652	0.804
'115'=Nutritional products	7,582	23,115,399	7.513
'122'=Respiratory agents	6,676	24,460,220	7.950
'133'=Topical agents	5,233	15,565,255	5.059
'218'=Alternative medicines	998	3,620,541	1.177
'242'=Psychotherapeutic agents	5,726	16,634,796	5.406
'254'=Immunological agents	3,712	11,744,731	3.817
'331'=Radiologic agents	70	294,502	0.096
'358'=Metabolic agents	7,781	30,748,442	9.994
'365'=Medical gases	99	187,614	0.061
'889'=Pharmaceutical aids	90	115,939	0.038

Therapeutic categories are based on Lexicon Plus®, a proprietary database of Cerner Multum, Inc. The Lexicon Plus is a comprehensive database of all prescription and some nonprescription drug products available in the U.S. drug market. For additional information on the Multum Lexicon Drug Database, please refer to the

following Web site: http://www.multum.com/Lexicon.htm. For more information on coding therapeutic categories in NHAMCS, see page 21.

E. OUTPATIENT DEPARTMENTS

REGION

CATEGORY	RECORDS	WEIGHTED OUTPATIENT DEPTS	PERCENT
Total	216	2,826	100.000
Northeast	57	445	15.747
Midwest	54	993	35.138
South	71	826	29.229
West	34	562	19.887

MSA

CATEGORY	RECORDS	WEIGHTED OUTPATIENT DEPTS	PERCENT
Total	216	2,826	100.000
MSA (Metropolitan Statistical Area)	189	1,801	63.730
Not MSA	27	1,025	36.270

OWNER

CATEGORY	RECORDS	WEIGHTED OUTPATIENT DEPTS	PERCENT
Total	216	2,826	100.000
Voluntary non-profit	156	2,072	73.319
Government, non-Federal	39	385	13.623
Proprietary	21	369	13.057

APPENDIX I

A. RELATIVE STANDARD ERRORS

The standard error is primarily a measure of the sampling variability that occurs by chance because only a sample is surveyed, rather than the entire universe. The relative standard error (RSE) of an estimate is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate.   Standard errors and other measures of sampling variability are best determined by using a statistical software package that takes into account the sample designs of surveys to produce such measures.

While the initial release of masked design variables (starting with the 2000 data year, and continuing with re-released files for 1993-99) included the multi-stage variables necessary for running SUDAAN's full sample without-replacement design option, the 2002 release added two new variables (CSTRATM and CPSUM) needed for running programs that use an ultimate cluster model. Ultimate cluster variance estimates depend only on the first stage of the sample design, so that only first-stage cluster and first-stage stratum identification are required. The earlier version of the masked design variables could not be used with such software without substantial recoding. For 2003 forward, the decision was made to include only those two new variables on the files. The new variables, CSTRATM and CPSUM, differ from the earlier design variables STRATM and PSUM, in that providers are the first-stage sampling units in certainty areas (geographic areas selected with certainty), while geographic areas are the first-stage sampling units in non-certainty areas. Therefore, one should not use the new and old versions (CSTRATM and STRATM or CPSUM and PSUM) together (as for example, when combining years of data). Researchers who wish to combine data from 2003 forward with prior files which do not contain CSTRATM and CPSUM should refer to the technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files,* at http://www.cdc.gov/nchs/nhamcs.htm.

Using computer software like SUDAAN to produce standard errors will, in general, yield results that are more accurate than those produced using the generalized variance curve described below. This is especially true for clustered variables like race, provider seen, or expected source of payment. The standard errors produced with such software using masked design variables, while improving substantially over the generalized variance curve results, will not always be as accurate as those produced using unmasked data. However, data files containing unmasked variables are confidential and are only available through the NCHS Research Data Center.

Examples using CSTRATM and CPSUM in Stata, SPSS, SUDAAN's 1-stage WR (with replacement) design option, and SAS's PROC SURVEYMEANS applications are presented below:

Stata

The pweight (PATWT), strata (CSTRATM), and PSU (CPSUM) are set with the svyset command as follows:

Stata 8:
svyset [pweight=patwt], psu(cpsum) strata(cstratm)

Stata 9 and 10:
svyset cpsum [pweight=patwt], strata(cstratm)

SPSS

This code pertains to SPSS Inc.'s Complex Samples 12.0 module. It would be used with the "Analysis Preparation Wizard" component of that module. The PLAN FILE statement would be invoked in statistical runs, as in the example for CSTABULATE shown below.

```
CSPLAN ANALYSIS
 /PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'
 /PLAN VARS ANALYSISWEIGHT=PATWT
 /PRINT PLAN
 /DESIGN STAGELABEL= 'ANY LABEL'   STRATA=CSTRATM   CLUSTER=CPSUM
 /ESTIMATOR TYPE=WR.

CSTABULATE
 /PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'
 /TABLES VARIABLES = var1 var2
 /CELLS POPSIZE
 /STATISTICS SE
 /MISSING SCOPE = TABLE CLASSMISSING = EXCLUDE.
```

SUDAAN 1-stage WR Option

The program below provides a with replacement ultimate cluster (1-stage) estimate of standard errors for a cross-tabulation.

```
PROC CROSSTAB DATA=COMB1 DESIGN=WR FILETYPE=SAS;
NEST CSTRATM CPSUM/MISSUNIT;
```

SAS - PROC SURVEYMEANS

```
PROC SURVEYMEANS DATA=COMB1;
CLUSTER CPSUM;
STRATA CSTRATM;
```

Since the ultimate cluster procedures discussed above compute Taylor series variance estimates, results should be identical. Results differ, however, when a single case stratum, or singleton, is present on the data file because each software package treats such cases differently. There are no singletons on the 2008 NHAMCS files, so this should not present a problem.

IMPORTANT NOTE: These examples can be used when producing visit or drug estimates. For department-level estimates, the statements are the same, but replace PATWT with either EDWT (for emergency department estimates) or OPDWT (for outpatient department estimates). The EDWT and OPDWT are only placed on the first record for each emergency department or outpatient department on the file. When running purely facility level analysis, it is recommended that only records with EDWT > 0 or OPDWT > 0 be selected; this will give the correct sample counts and will not affect estimation of variance. Weighted estimates will be correct either way.

In addition to producing estimates of department-level characteristics, it is possible to compute means of visit characteristics at the department level, for example, average waiting time to see a physician in the ED. This is a more complicated process, and is described with sample SAS code at the Ambulatory Health Care Data website (www.cdc.gov/nchs/nhamcs.htm). For more information, contact the Ambulatory and Hospital Care Statistics Branch at 301-458-4600.

For data users who do not wish to use SUDAAN or similar programs to produce measures of sampling variability, we may be able to provide tables which contain relative standard errors based on generalized variance curves for a wide range of visit estimates and drug mention estimates by physician specialty. (Estimates with a relative standard error greater than 30 percent are considered unreliable by the standards of the National Center for Health Statistics. It should also be noted here that estimates based on fewer than 30 sample records are considered unreliable, regardless of the magnitude of the relative standard error.) The following formulas may be used to calculate approximate relative standard errors for visit estimates and drug mention estimates.

For aggregate estimates, relative standard errors may be calculated using the following general formula, where "x" is the aggregate of patient visits or drug mentions in thousands, and coefficients "A" and "B" are obtained from table III:

$$RSE(x) = \sqrt{A + \frac{B}{x}} \bullet 100$$

For estimates of percentages, relative standard errors may be calculated using the following general formula, where "p" is the percent of visits or drug mentions, "x" is the denominator of the percent in thousands, and coefficient "B" is obtained from table III:

$$RSE(p) = \sqrt{\frac{B \bullet (1 - p)}{p \bullet x}} \bullet 100$$

TABLE III. Coefficients appropriate for determining approximate relative standard errors of estimates by type of estimate and setting: National Hospital Ambulatory Medical Care Survey, 2010.

	Coefficient for use with estimates in thousands		
	A	B	Lowest reliable estimate in thousands
Patient visits			
Emergency departments	0.0023	6.126	70
Outpatient departments	0.0090	8.610	106
Drug mentions			
Emergency departments	0.0028	23.666	274
Outpatient departments	0.0136	52.467	687

For estimates of visit rates in which the numerator is the number of visits for a particular characteristic and the denominator is the total United States population, the relative standard error is equivalent to the relative standard error of the numerator, as shown in the previous paragraph on aggregate estimates.

B. INSTRUCTIONS FOR COMPLETING PATIENT RECORD FORMS (PRFs)

I. EMERGENCY DEPARTMENT PATIENT RECORD FORM

---

1.   PATIENT INFORMATION

ITEM 1a. DATE AND TIME OF VISIT

(1) Arrival – Record the month, day, and 2-digit year of arrival in figures, for example, 05/17/10 for May 17, 2010. Record the hour and minutes when the patient first arrived. For example, enter 01:15 for 1:15 a.m. or 1:15 p.m. and check the appropriate box (a.m. or p.m. or Military). Enter the first time listed in the medical record (i.e., arrival/registration/triage).

(2) Seen by MD/DO/PA/NP – Record the month, day, and 2-digit year the patient was first seen by a physician, physician assistant, or nurse practitioner in figures, for example, 05/17/10 for May 17, 2010. Record the hour and minutes when the patient was first seen first by a physician, physician assistant, or nurse practitioner. For example, enter 01:45 for 1:45 a.m. or 1:45 p.m. and check the appropriate box (a.m. or p.m. or Military).

(3) ED discharge – Record the month, day, and 2-digit year the patient was discharged from the ED in figures, for example, 05/17/10 for May 17, 2010. Record the hour and minutes when the patient was discharged. For example, enter 04:30 for 4:30 a.m. or 4:30 p.m. and check the appropriate box (a.m. or p.m. or Military). The ED discharge time should accurately reflect the actual time that the patient left the ED.

It is important that this item be recorded correctly. Pay special attention to the Military, a.m., and p.m. boxes. Cross-check Arrival Time (item 1a(1)), Time seen by MD/DO/PA/NP (item 1a(2)), and ED discharge (item 1a(3)). For example, time of ED discharge should be after the time the patient entered ED.

ITEM 1b. ZIP CODE

Enter the 5-digit ZIP Code from patient's mailing address.

ITEM 1c. DATE OF BIRTH

Record the month, day, and 4-digit year of the patient's birth in figures, for example, 06/26/2007 for June 26, 2007. In the rare event the date of birth is unknown, the year of birth should be estimated as closely as possible.

ITEM 1d. PATIENT RESIDENCE

	Residence	**Definition**
1	Private residence	The patient's current place of residence is a private home (such as an apartment, single-family home, townhouse, etc.). This includes the patient staying at the private home of a friend or relative. A P.O. box should be considered a private residence, unless there is information to the contrary.
2	Nursing home	The patient's current place of residence is a nursing home.

3	Homeless	The patient has no home (e.g., lives on the street) or patient's current place of residence is a homeless shelter.
4	Other	The patient's current place of residence is a hotel, college dormitory, assisted-living center, or an institution other than a nursing home (such as a prison, mental hospital, group home for the mentally retarded or physically disabled, etc.).
5	Unknown	If you cannot determine the patient's current residence, mark "Unknown."

ITEM 1e. SEX

Please check the appropriate category based on observation or your knowledge of the patient or from information in the medical record.

ITEM 1f. ETHNICITY

Ethnicity refers to a person's national or cultural group. The ED Patient Record form has two categories for ethnicity, "Hispanic or Latino" and "Not Hispanic or Latino."

Mark the appropriate category according to your hospital's usual practice or based on your knowledge of the patient or from information in the medical record. You are not expected to ask the patient for this information. If the patient's ethnicity is not known and is not obvious, mark the box which in your judgment is most appropriate. The definitions of the categories are listed below. Do not determine the patient's ethnicity from their last name.

	Ethnicity	**Definition**
1	Hispanic or Latino	A person of Cuban, Mexican, Puerto Rican, South or Central American or other Spanish culture or origin, regardless of race.
2	Not Hispanic or Latino	All other persons.

ITEM 1g. RACE

Mark *all* appropriate categories based on observation or your knowledge of the patient or from information in the medical record. You are not expected to ask the patient for this information. If the patient's race is not known or not obvious, mark the box(es) which in your judgment is (are) most appropriate. Do not determine the patient's race from their last name.

	Race	**Definition**
1	White	A person having origins in any of the original peoples of Europe, Middle East, or North Africa.
2	Black or African American	A person having origins in any of the black racial groups of Africa.
3	Asian	A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example,

Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

4	Native Hawaiian or Other Pacific Islander	A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.
5	American Indian or Alaska Native	A person having origins in any of the original peoples of North America, and who maintains cultural identification through tribal affiliation or community recognition.

ITEM 1h. ARRIVAL BY AMBULANCE

	Ambulance	Definition
1	Yes	The patient arrived in an ambulance, either air or ground. This includes private and public ambulances that can provide either Advanced Life Support or Basic Life Support.
2	No	The patient did not arrive by ambulance.
3	Unknown	The mode of arrival is unknown.

ITEM 1i. EXPECTED SOURCE(S) OF PAYMENT FOR THIS VISIT

Mark the expected source or sources of payment that will pay for *this visit*. This information may be in the patient's file; however, in some hospitals, the billing information may be kept in the business office.

Mark **all** sources of payment that apply.

	Primary Expected Source of Payment	Definition
1	Private insurance	Charges paid in-part or in-full by a private insurer (e.g., Blue Cross/Blue Shield) either directly to the hospital or reimbursed to the patient. Include charges covered under a private insurance-sponsored prepaid plan.
2	Medicare	Charges paid in-part or in-full by a Medicare plan. Includes payments directly to the hospital as well as payments reimbursed to the patient. Include charges covered under a Medicare-sponsored prepaid plan. Summacare is a health plan servicing the Akron, Ohio area and is sometimes utilized in lieu of Medicare for that area.
3	Medicaid or CHIP/SCHIP	Charges paid in-part or in-full by a Medicaid plan. Includes payments made directly to the hospital as well as payments reimbursed to the patient. Include charges covered under a Medicaid sponsored prepaid plan or the Children's Health Insurance Program (CHIP), formerly known as the State Children's Health Insurance Program (SCHIP).
4	Worker's compensation	Includes programs designed to enable employees injured on the job to receive financial compensation regardless of fault.

5 Self-pay   Charges, to be paid by the patient or patient's family, which will not be
                           reimbursed by a third party. "Self-pay" includes visits for which the patient
                           is expected to be ultimately responsible for most of the bill, even though the
                           patient never actually pays it. DO NOT check this box for a copayment or
                           deductible.

6 No charge/Charity   Visits for which no fee is charged (e.g., charity, special research, or
                           teaching).   Do not include visits paid for as part of a total package (e.g.,
                           prepaid plan visits, postoperative visits included in a surgical fee, and
                           pregnancy visits included in a flat fee charged for the entire pregnancy).
                           Mark the box or boxes that indicate how the services were originally paid.

7 Other   Any other sources of payment not covered by the above categories, such
                           as TRICARE, state and local governments, private charitable
                           organizations, and other liability insurance (e.g., automobile collision policy
                           coverage).

8 Unknown   The source of payment is not known.

---

2.   TRIAGE

ITEM 2a. INITIAL VITAL SIGNS

Record the following initial vital signs as assessed in triage:

(1) Temperature (check the appropriate box - degrees C or F).
(2) Heart rate – beats per minute.
(3) Respiratory rate – breaths per minute.
(4) Blood pressure – systolic and diastolic.
(5) Pulse oximetry (percent of oxyhemoglobin saturation; value is usually 80-100%).
(6) On oxygen (at time of arrival and/or before pulse oximetry was performed)
(7) Glasgow Coma Scale (range is 3-15; 3-8 indicates that patient is in a coma; 15 is normal).

ITEM 2b. TRIAGE LEVEL

Enter the triage level assigned by the triage nurse upon ED arrival. Most ED patients will be assigned
a number from 1-5 with the lowest number indicating the most urgent cases. The triage level may be
expressed as a Roman numeral.

Mark "No triage," if the emergency service area does not perform triage or the patient arrived DOA.
Mark "Unknown," if the triage level is unknown.

ITEM 2c. PAIN SCALE

Enter a number from 0 (no pain)-10 (worst pain imaginable) that indicates the level of the patient's pain
at triage as recorded in the medical record. Mark "Unknown," if pain level is unknown.

The pain scale for children may consist of 6 faces (0=no hurt to 5=hurts worst). If this is used by the ED, then adapt it to the 11-point scale by multiplying the value on the faces scale by 2 (e.g., for 5 on the faces scale, enter 10). For 0 on the faces scale, enter 0.

3.   PREVIOUS CARE

ITEM 3a. HAS PATIENT BEEN –

(1) SEEN IN THIS ED WITHIN THE LAST 72 HOURS?

Indicate whether the patient has been seen in this emergency department within the 72 hours prior to the current visit using the check boxes provided. If you are unable to determine whether the patient has been seen in this time period, mark "Unknown."

(2) DISCHARGED FROM ANY HOSPITAL WITHIN THE LAST 7 DAYS?

Indicate whether the patient has been discharged from any hospital within the last 7 days prior to the current visit by using the check boxes provided. If you are unable to determine whether the patient was discharged from any hospital within the last 7 days, mark "Unknown."

ITEM 3b. HOW MANY TIMES HAS PATIENT BEEN SEEN IN THIS ED WITHIN THE LAST 12 MONTHS?

Record how many times the patient has been seen in this ED within the last 12 months. Do not include the current visit in your **total**. If you cannot determine how many past visits were made, mark "Unknown."

4.   REASON FOR VISIT

ITEM 4a. PATIENT'S COMPLAINT(S), SYMPTOM(S), OR OTHER REASON(S) FOR THIS VISIT (*use patient's own words.*)

Enter the Patient's complaint(s), symptom(s), or other reason(s) for this visit *in the Patient's own words*. Space has been allotted for the "most important" and two "other" complaints, symptoms, and reasons as indicated below.

(1) **Most important**
(2) **Other**
(3) **Other**

The ***Most Important*** reason should be entered in (1). Space is available for two other reasons in (2) and (3). By "most important" we mean the problem or symptom which, in the physician's judgment, was most responsible for the patient making this visit. Since we are interested only in the patient's ***most important complaints/ symptoms/ reasons,*** it is not necessary to record more than three.

This is one of the most important items on the Patient Record form. No similar data on emergency department visits are available in any other survey and there is tremendous interest in the findings. Please take the time to be sure you understand what is wanted--especially the following two points:

♦ We want the patient's principal complaint(s), symptom(s) or other reason(s) in the patient's own words. The physician may recognize right away, or may find out after the examination, that the real problem is something entirely different. In item 4a we are interested in how the patient defines the reason for the visit (e.g., "cramps after eating," "fell and twisted my ankle").

♦ The item refers to the patient's complaint(s), symptom(s), or other reason(s) for *this visit.* Conceivably, the patient may be undergoing a course of treatment for a serious illness, but if his/her principal reason for this visit is a cut finger or a twisted ankle, then that is the information we want.

There will be visits by patients for reasons other than some complaint or symptom. Examples might be follow-up for suture removal or recheck of a heart condition. In such cases, simply record the **reason for the visit**.

Reminder: If the reason for a patient's visit is to pay a bill, ask the physician to complete an insurance form, or drop off a specimen, then the patient is not eligible for the sample. A Patient Record form should not be completed for this patient.

ITEM 4b. EPISODE OF CARE

The "Episode of care" attempts to measure the nature of the care provided at the visit, an initial visit versus a follow-up visit. An episode of care begins with the initial visit for care for a particular problem and ends when the patient is no longer continuing treatment. A problem may recur later, but that is considered a new episode of care. An initial visit may be diagnostic in nature whereas a follow-up visit may be to check progress or continue therapy.

	Episode of care	Definition
1	Initial visit for problem	This is the FIRST VISIT by this patient for care of this particular problem or complaint.
2	Follow-up visit for problem	Care was previously provided for this problem. This is the second or subsequent visit for this problem or complaint.
3	Unknown	Cannot determine if this is the first or follow-up visit for this problem.

Visits for follow-up care for injuries such as removal of casts would be reported under "Follow-up visit." An initial visit for a new episode of a chronic problem flare-up would be listed under "Initial visit" whereas a follow-up visit for a chronic problem flare-up would be listed under "Follow-up visit."

5.   INJURY/POISONING/ADVERSE EFFECT

ITEM 5a. IS THIS VISIT RELATED TO AN INJURY, POISONING, OR ADVERSE EFFECT OF MEDICAL TREATMENT?

Mark the "Yes" or "No" box to indicate whether the patient's visit was due to any type of injury, poisoning, or adverse effect of medical treatment. The injury/poisoning/adverse effect does not need to be recent. It can include those visits for follow up of previously treated injuries and visits for flare-ups of problems due to old injuries. This not only includes injuries or poisonings, but also adverse effects of medical treatment or surgical procedures (e.g., unintentional cut during a surgical procedure, foreign object left in body during procedure, and adverse drug events). Include any prescription, over-the-counter medication or illegal drugs involved in an adverse drug event (e.g., allergies, overdose, medication error, drug interactions). If the box is marked "No," skip to item 6.

ITEM 5b. IS THIS INJURY/POISONING INTENTIONAL?

Indicate whether the injury was intentional (i.e., self inflicted or an assault), unintentional, or unknown.

ITEM 5c. CAUSE OF INJURY, POISONING OR ADVERSE EFFECT

Provide a brief description of the *who, what, when, where, and why* associated with the injury, poisoning or the adverse effects of medical treatment or surgical procedures including adverse drug events (e.g., allergy to penicillin). Refer to page 2 in the NHAMCS-250, which is a Job Aid designed to assist you with Item 5 of the Patient Record form. Indicate the place of the injury (e.g., residence, recreation or sports area, street or highway, school, hospital, public building, or industrial place). Include any post-surgical complications and if it involved an implant, specify what kind. If safety precautions were taken, describe them (e.g., seat belt use). Be sure to include the mechanism that caused the injury (e.g., farm equipment, fire, arsenic, knife, pellet gun). If it was a work-related injury or poisoning, specify the industry of the patient's employment (e.g., food service, agricultural, mining, health services, etc.).

Describe in detail the circumstances that caused the injury (e.g., fell off monkey bars, motor vehicle collision with another car, spouse beaten with fists by spouse), **but do not include proper names or dates**. Include information on the role of the patient associated with the injury (e.g., bicyclist, pedestrian, unrestrained driver or passenger in a motor vehicle, horseback rider), the specific place of occurrence (e.g., lake, school football field), and the activity in which the patient was engaged at the time of the injury (e.g., swimming, boating, playing football).

Also include what happened to the patient and identify the mechanism of injury that was immediately responsible for the injury. In addition, record the underlying or precipitating cause of injury (i.e., the event, or external cause of injury that initiated and led to the mechanism of injury). An example is a house fire that caused a person to jump out of the window. Both the precipitating or underlying cause (house fire) and the mechanism (fall from roof) would be important to record.
It is especially important to record as much detail about falls and motor vehicle crashes as possible. For fall, indicate what the fall was from (e.g., steps) and where the patient landed (e.g., pavement). For motor vehicle crash, indicate if it occurred on the street or highway versus a driveway or parking lot. The National Center for Health Statistics will use the information collected to classify the cause of the injury using the International Classification of Diseases, Supplementary Classification of External Causes of Injury and Poisoning codes (ICD-9-CM E-Codes).

6.   PROVIDER'S DIAGNOSIS FOR THIS VISIT

ITEM 6a. As specifically as possible, list diagnoses related to this visit including chronic conditions.

This is one of the most important items on the Patient Record form.   Item 6(1) refers to the provider's primary diagnosis for this visit. While the diagnosis may be tentative, provisional, or definitive it should represent the provider's best judgment at this time, expressed in acceptable medical terminology including "problem" terms. If the patient was not seen by a physician, then the diagnosis by the main medical provider should be recorded. If a patient appears for *postoperative* care (follow-up visit after surgery), record the postoperative diagnosis as well as any other. The postoperative diagnosis should be indicated with the letters "P.O."

(1) Primary diagnosis
(2) Other
(3) Other

Space has been allotted for two "other" diagnoses. In items 6(2) and 6(3) list the diagnosis of **other conditions related to this visit**. Include chronic conditions (e.g., hypertension, depression, etc.) if related to this visit.

ITEM 6b. Does the patient have –

Mark all that apply.

	Condition	Definition
1	Cerebrovascular disease/History of stroke	Includes stroke, transient ischemic attacks (TIAs), and history of stroke.
2	Congestive heart failure	Congestive heart failure or cardiomyopathy. Does not include asystole or cardiac arrest.
3	Condition requiring dialysis	Includes end-stage renal disease (ESRD) and chronic kidney failure due to diabetes or hypertension that requires the patient to be on kidney dialysis. Include both hemodialysis and peritoneal dialysis.
4	HIV	Human immunodeficiency virus and AIDS.
5	Diabetes	Includes both insulin dependent diabetes mellitus (IDDM) and noninsulin dependent diabetes mellitus (NIDDM). DoesNOT include diabetes insipidus.
6	None of the above	Mark (X) if none of the conditions above exist.

7.   DIAGNOSTIC/SCREENING SERVICES

Mark all services that were ordered or provided during *this visit* for the purpose of screening (i.e., early detection of health problems in asymptomatic individuals) or diagnosis (i.e., identification of health problems causing individuals to be symptomatic).   EACH SERVICE ORDERED OR PROVIDED SHOULD BE MARKED.

Mark the "NONE" box if no blood tests, imaging services, or other tests were ordered or provided.

If services were ordered or provided but not listed, mark the "Other blood test," "Other test/service," or "Other imaging" boxes.

Services meriting special attention are as follows:

Answer Box	Service	Special Instruction
	Blood tests	
2	CBC	CBC is a complete blood count and includes white blood cell (WBC) count, hemoglobin, hematocrit, platelets, and other indices.
3	BUN/Creatinine	BUN is blood urea nitrogen. BUN and creatinine are kidney tests.
4	Cardiac enzymes	May be abbreviated as CE. Include any of the following tests: CKMB (MB fraction of creatine kinase) or CPK-MB; troponin I or troponin T (TnI, cTnI).
5	Electrolytes	Include any of the following 4 tests: sodium (Na), chloride (Cl), potassium (K), bicarbonate (HCO_3) or carbon dioxide (CO_2).
7	Liver function tests	May be abbreviated as LFT. Include any of the following tests: SGPT (serum glutamate pyruvate transaminase) or ALT (alanine transaminase), SGOT (serum glutamic-oxaloacetic transaminase) or AST (aspartate aminostransferase), GGT (gamma-glutamyl transpeptidase), and serum bilirubin.
8	Arterial blood gases	May be abbreviated as ABG. An artery is punctured, usually in the wrist (radial artery), and measures the levels of pH, oxygen (PO_2 or PaO_2) carbon dioxide (PCO_2 or $PaCO_2$), bicarbonate (HCO_3), and oxygen saturation (SaO_2). ABG is not the same as a venous blood gas (VBG).
9	Prothrombin time /INR	PT/INR. INR is International Normalized Ratio. Usually collected with PTT (partial thromboplastin time). May be called "coags."
10	Blood culture	May be abbreviated as BC. Cx = culture. Determines if bacteria or fungi are present in the blood. Often obtained in sets of 2 or 3 at the same time.
	Other tests	
16	Influenza test	Includes any type of influenza test, i.e., nasal or throat swab (rapid), nasal culture, or serology (blood).
18	Toxicology screen	Tests for several drugs of abuse and is usually a urine sample, but could also be blood.
20	Wound culture	Used to detect and identify bacteria or fungi that may be infecting the skin or wound. Specimen is usually obtained by a cotton swab of pus or the wound base.

Basic blood chemistry panels (e.g., SMA7, Chem-1, CPBASIC, BMP) include kidney tests (BUN and creatinine), electrolytes (sodium, potassium, bicarbonate, and chloride), and glucose.

Comprehensive blood chemistry panels (e.g., SMA18, Chem-2, CPCOMP, CMP) include the 7 tests in the basic panel as well as others (e.g., bilirubin, alkaline phosphatase, etc.)

8.   PROCEDURES

Mark all procedures provided at *this visit*. Mark the "NONE" box if no procedures were provided.

	Procedure	**Definition**
1	None	No procedures provided.
2	IV fluids	Administration of intravenous fluids.
3	Cast	Application of a rigid dressing made of plaster or fiberglass, molded to the body while pliable and hardening as it dries, to give firm support.
4	Splint or wrap	Application of a rigid or flexible appliance used to maintain in position a displaced or moveable part, or to keep in place and protect an injured part. May also be made of plaster, but is not circumferential.
5	Suturing/Staples	Process of using stitches, sutures, or staples to hold skin or tissue together.
6	Incision & drainage (I&D)	Incision and drainage (I&D) is a common treatment for skin infections and abscesses. A scalpel is inserted into the skin overlying the pus and the pus is drained.
7	Foreign body removal	Process of removing an object found in a part of the body where it does not naturally occur.
8	Nebulizer therapy	Therapy where bronchodilator (airway-opening) medications (e.g., albuterol, ipratropium) are delivered through a nebulizer which changes liquid medicine into fine droplets (in aerosol or mist form) that are inhaled through a mouthpiece or facemask. Used for patients with asthma or COPD (chronic obstructive pulmonary disease).
9	Bladder catheter	Any type of catheter used to obtain urine from the bladder (e.g., Foley).
10	Pelvic exam	An examination of the organs of the female reproductive system.
11	Central line	A central venous line (also known as central venous catheter or CVC) is usually inserted into a large vein in the neck, chest, or groin to administer medications or fluids and to obtain blood for testing and cardiovascular measurements.
12	CPR	Cardiopulmonary resuscitation.
13	Endotracheal intubation	Insertion of a laryngoscope into the mouth followed by a tube into the trachea. May sometimes be inserted through the nose.
14	Other	Mark if other procedures were provided but not listed.

9.   MEDICATIONS & IMMUNIZATIONS

List up to 8 drugs given at this visit or prescribed at ED discharge, using either the brand or generic names. Include prescription and over-the-counter drugs, immunizations, and anesthetics.

Record the exact drug name (brand or generic) written on any prescription or medical record.

Do not enter broad drug classes, such as "laxative," "cough preparation," "analgesic," "antacids," "birth control pill," or "antibiotics." The one exception is "allergy shot."

Limit entries to **drug name only**. Additional information such as dosage, strength, or regimen is **not** required. For example, the medication might be in the forms of pills, injections, salves or ointments, drops, suppositories, powders, or skin patches, but this information should not be entered on the Patient Record form.

For each drug listed, mark the appropriate box indicating if the medication was given in the ED or prescribed at discharge. If the same drug was both given in the ED and prescribed at discharge, then mark (X) both boxes.

If more than eight drugs were given in the ED and/or prescribed at ED discharge, then record the medications/immunizations according to the following priority:

1. All medications (including OTC drugs)/immunizations associated with the listed diagnoses
2. All medications (including OTC drugs)/immunizations **given in the ED**, excluding vitamins and dietary supplements
3. All medications (including OTC drugs)/immunizations **prescribed at discharge**, excluding vitamins and dietary supplements
4. Vitamins and dietary supplements

10. PROVIDERS

Mark all providers seen during this visit. If care was provided, at least in part, by a person not represented in the seven categories, mark the "Other" box.

Answer Box	Provider	Provider (Definition)
3	Consulting physician	Physician who is called to the ED by the patient's ED provider and who may leave a consultation note.
7	EMT	EMT is emergency medical technician. Only mark this box if an EMT provided care in the ED as opposed to in the ambulance.
8	Mental health provider	Include psychologists, counselors, social workers, and therapists who provide mental health counseling. Exclude psychiatrists.

11. SERVICE LEVEL

Mark the level of emergency service. CPT (Current Procedural Terminology) codes are used by the ED physician for billing purposes.

Answer Box	Level	CPT Code (Definition)
1	1 (99281)	An ED visit for a self-limited or minor problem that includes a problem focused history, problem focused examination, and straightforward medical decision making.
2	2 (99282)	An ED visit for a problem of low to moderate severity that includes an expanded problem focused history, expanded problem focused examination, and medical decision making of low complexity.)
3	3 (99283)	An ED visit for a problem of moderate severity that includes an expanded problem focused history, expanded problem focused examination, and medical decision making of moderate complexity.
4	4 (99284)	An ED visit for a problem of moderate to high severity that includes a detailed history, detailed examination, and medical decision making of moderate complexity.
5	5 (99285)	An ED visit for a problem of high severity that includes a comprehensive history, comprehensive examination, and medical decision making of high complexity.
6	Critical care (99291)	Evaluation and management of a critically ill or injured patient.
7	Unknown	CPT Code is not indicated.

12. VISIT DISPOSITION

Mark all that apply.

	Visit Disposition	Definition
1	No follow-up planned	No return visit or telephone contact is scheduled or planned for the patient's problem.
2	Return if needed, PRN/appointment	The patient is instructed to return to the ED as needed; or the patient was told to schedule an appointment or was given an appointment to return to the ED at a particular time.

	Visit Disposition	**Definition**
3	Return/Refer to physician/clinic for FU	The patient was referred to the ED by his or her personal physician or some other physician and is now instructed to consult with the physician who made the referral. The patient was screened, evaluated, stabilized, and then referred to another physician or clinic for follow-up.
4	Left before triage	The patient left before being triaged.
5	Left after triage	The patient left after being triaged, but before being seen by the main health care provider.
6	Left AMA	The patient left against medical advice, that is, the patient was evaluated by the hospital staff and advised to stay and receive or complete treatment.
7	DOA	The patient was dead on arrival (DOA). This patient is still included in the sample if listed on the arrival log.
8	Died in ED	The patient died in the ED. This patient is still included in the sample if listed on the arrival log.
9	Return/Transfer to nursing home	The patient returned to the nursing home that is their usual place of residence or was transferred to a nursing home.
10	Transfer to psychiatric hospital	The patient was transferred to a psychiatric hospital.
11	Transfer to other hospital	The patient was transferred to another non-psychiatric hospital.
12	Admit to this hospital	The patient was instructed that further care or treatment was needed and was admitted to this hospital. If "Admit to hospital" was marked, then continue with item 13 – HOSPITAL ADMISSION on the reverse side.
13	Admit to observation unit, then hospitalized	The patient was admitted to a designated observation unit operated by the ED for evaluation and management or to wait for an inpatient bed, and then was admitted to the hospital. If "Admit to observation unit, then hospitalized" was marked, then continue with item 13 – HOSPITAL ADMISSION on the reverse side.
14	Admit to observation unit, then discharged	The patient was admitted to a designated observation unit in the ED for evaluation and management, but was discharged from the ED and was never admitted to a hospital. The observation unit must be located in a separate geographical area from the ED and does not merely indicate a change in status. If "Admit to observation unit, then discharged" was marked, then continue with item 14 – OBSERVATION UNIT STAY on the reverse side. Other names of ED observation units include clinical decision unit, chest pain evaluation unit, short-stay unit, and rapid diagnostic and treatment unit.
15	Other	Any other disposition not included in the above list.

13. HOSPITAL ADMISSION

If box either **"12 – Admit to this hospital"** or **"13 – Admit to observation unit, then hospitalized"** in **ITEM 12. VISIT DISPOSITION** was marked, continue on the reverse side of the NHAMCS-100(ED) and complete **ITEM 13. HOSPITAL ADMISSION**. If the information for items 13e-13g are not available at the time of the abstraction, then complete the NHAMCS-105, Hospital Admission Log. If efforts have been exhausted to collect the data, mark the "Unknown" box for each item.

If box **"11 – Admit to observation unit, then discharged"** in **ITEM 12. VISIT DISPOSITION** was marked, continue on the reverse side of the NHAMCS-100(ED) and complete **ITEM 14. OBSERVATION UNIT STAY**.

ITEM 13a. ADMITTED TO:

	Type of Unit	Definition
1	Critical care unit	The patient was admitted to a critical care unit of the hospital (e.g., Intensive Care Unit (ICU), Coronary Care Unit (CCU), Pediatric Intensive Care Unit (PICU)).
2	Stepdown unit	The patient was admitted to a stepdown unit area of the hospital where special machines are used to closely monitor patients. The level of care is less intense than in the ICU, but is not present in all hospitals.
3	Operating room	The patient was sent directly to the operating room.
4	Mental health or detox unit	The patient was admitted to a mental health or psychiatric unit or a unit providing detoxification services for drugs and alcohol.
5	Cardiac catheterization lab	The patient was sent directly to the cardiac catheterization lab.
6	Other bed/unit	The patient was admitted to a bed/unit in the hospital not listed above (e.g., med/surg unit).
7	Unknown	Information is not available to determine where the patient was admitted.

ITEM 13b. ADMITTING PHYSICIAN

Indicate whether the admitting physician is a hospitalist. A hospitalist is a physician whose primary professional focus is the general medical care of hospitalized patients. A hospitalist oversees ED patients being admitted to the hospital. If the records do not indicate that the admitting physician is a hospitalist, mark "Unknown."

ITEM 13c. DATE AND TIME BED WAS REQUESTED FOR HOSPITAL ADMISSION

Record the month, day, and year in figures when a bed was requested for hospital admission, for example 05/17/10 for May 17, 2010. Record the hour and minutes when the bed request was made in figures. For example, enter 05:45 and check the appropriate box (a.m., p.m., or Military).
If the date and time when a bed was requested is unknown, mark the appropriate box.

ITEM 13d. DATE AND TIME PATIENT ACTUALLY LEFT ED OR OBSERVATION UNIT

Record the month, day, and year in figures when the patient actually left the ED or observation unit, for example 05/17/10 for May 17, 2010.

Record the hour and minutes when the patient actually left the ED in figures. For example, enter 06:00 for 6:00 a.m. or 6:00 p.m. and check the appropriate box (a.m., p.m., or Military).

If the date and time when the patient actually left the ED is unknown, mark the appropriate box.

ITEM 13e. HOSPITAL DISCHARGE DATE

Record the month, day, and year in figures when the patient was discharged from an inpatient stay in the hospital, for example, 05/17/10 for May 17, 2010. If the date and time when the patient was discharged from the hospital is unknown, mark the appropriate box.

ITEM 13f.   PRINCIPAL HOSPITAL DISCHARGE DIAGNOSIS

Enter the principal hospital discharge diagnosis. If the discharge diagnosis is unknown, mark the appropriate box.

ITEM 13g. HOSPITAL DISCHARGE STATUS/DISPOSITION

Mark the appropriate box to indicate whether the patient was discharged alive, dead, the discharge status is unknown, or the data are unavailable. If the patient was discharged "Alive," mark one of the following:

	Status	**Definition**
1	Home/ Residence	The patient was discharged to their normal place of residence (e.g., private home, assisted living, nursing home, college dormitory, homeless shelter, hospice, prison, or group home for mentally retarded or physically disabled).
2	Return/Transfer to nursing home	The patient was discharged to their normal place of residence (e.g., private home, assisted living, nursing home, college dormitory, homeless shelter, hospice, prison, or group home for mentally retarded or physically disabled).
3	Transfer to another facility (not usual place of residence)	The medical record states that the patient was transferred to another facility that is not their normal place of residence (e.g., psychiatric hospital, detox, rehabilitation hospital, another short-term hospital, intermediate care facility (ICF), extended care facility, and custodial care facility. If an extended care facility or custodial care facility has a distinct unit that provides skilled nursing care, then mark "2 Return/Transfer to nursing home."
4	Other	Any other disposition where the patient neither returned to their normal place of residence nor were transferred.
5	Uknown	Information is not available to determine where the patient was discharged to.

14. OBSERVATION UNIT STAY

COMPLETE THIS ITEM FOR PATIENTS WHO WERE DISCHARGED FROM THE OBSERVATION UNIT TO RETURN TO THEIR RESIDENCE.

Record the month, day, and year in figures when the patient was discharged from the observation unit, for example 05/1710 for May 17, 2010.

Record the hour and minutes when the patient was discharged from the observation unit. For example, enter 05:45 for 5:45 a.m. or 5:45 p.m. and check the appropriate box (a.m., p.m., or Military).

If the date and time when the patient was discharged from the observation unit is unknown, mark the appropriate box.

II. OUTPATIENT DEPARTMENT PATIENT RECORD FORM

1.   PATIENT INFORMATION

ITEM 1a. DATE OF VISIT

Record the month, day, and 2-digit year of arrival in figures, for example, 05/17/10 for May 17, 2010.

ITEM 1b. ZIP CODE – same as ED.

ITEM 1c. DATE OF BIRTH – same as ED.

ITEM 1d. SEX – same as ED, Item 1e.

ITEM 1e. ETHNICITY – same as ED, Item 1f.

ITEM 1f. RACE – same as ED, Item 1g.

ITEM 1g. EXPECTED SOURCE OF PAYMENT FOR THIS VISIT – same as ED, Item 1j.

ITEM 1h. TOBACCO USE

Tobacco use is defined as smoking cigarettes/cigars, using snuff, or chewing tobacco. Mark "Not current" if the patient does not currently use tobacco. Mark "Current" if the patient uses tobacco. Mark "Unknown" if it cannot be determined whether the patient currently uses or does not use tobacco.

2.   INJURY/POISONING/ADVERSE EFFECT

ITEM 2.   IS THIS VISIT RELATED TO ANY OF THE FOLLOWING?

If ANY PART of this visit was related to an injury or poisoning or adverse effect of medical or surgical care (e.g., unintentional cut during a surgical procedure, foreign object left in body during procedure) or an adverse effect of a medicinal drug, then mark the appropriate box. The injury/poisoning/adverse effect does not need to be recent. It can include those visits for follow-up of previously treated injuries and visits for flare-ups of problems due to old injuries. This item not only includes injuries or poisonings, but also adverse effects of medical treatment or surgical procedures. Include any prescription or over-the-counter medication involved in an adverse drug event (e.g., allergies, overdose, medication error, drug interactions).

Injury/Poisoning/ Adverse effect	Definition
1 Unintentional injury/poisoning	Visit related to an injury or poisoning that was unintentional, such as an insect bite.
2 Intentional injury/poisoning	Visit was related to an injury or poisoning that was intentional, such as a suicide attempt or assault.
3 Injury/poisoning – unknown intent	Visit related to an injury or poisoning, but the intent is unknown.
4 Adverse effect of medical/surgical care or adverse effect of medicinal drug	Visit due to adverse reactions to drugs, adverse effects of medical treatment or surgical procedures.
5 None of the above	Visit not related to an injury, poisoning, or adverse effect of medical or surgical care or an adverse effect of a medicinal drug.

3. REASON FOR VISIT – same as ED, Item 4.

4. CONTINUITY OF CARE

ITEM 4a. IS THIS CLINIC THE PATIENT'S PRIMARY CARE PROVIDER?

The primary care provider plans and provides the comprehensive primary health care of the patient. Mark "Yes" if the health care provided to the patient during this visit was from his/her primary care provider and skip to item 4b. If the provider seen at this visit was substituting for the primary care provider, also check "Yes." Mark "No" if care was not from the primary care provider or "Unknown" if it is not known.

If "No" or "Unknown" is checked, also indicate whether the **patient was referred for this visit by another health care provider**. This item provides an idea of the "flow" of ambulatory patients from one provider to another. Mark the "Yes," "No," or "Unknown" category, as appropriate.
Notice that this item concerns referrals to the sample clinic by a *different* provider or clinic. The interest is in referrals for *this* visit and not in referrals for any prior visit.

Referrals are any visits that are made because of the advice or direction of a clinic or physician/provider other than the clinic or physician/provider being visited.

ITEM 4b. HAS THE PATIENT BEEN SEEN IN THIS CLINIC BEFORE?

"Seen" means "provided care for" at any time in the past. Mark "Yes, established patient" if the patient was seen before by any provider in the clinic. Exclude this visit.

Mark "No, new patient" if the patient has not been seen in the clinic before.
If "Yes" is checked, also indicate approximately **how many past visits the patient has made to this clinic within the last 12 months** using the write-in box provided. **Do not include the current visit in your total.** If you cannot determine how many past visits were made, then mark "Unknown." Include all visits to other providers in this clinic.

ITEM 4c. MAJOR REASON FOR THIS VISIT

Mark the major reason for the patient's current visit. Be sure to *check only one* of the following "Major Reasons:"

	Problem	**Definition**
1	New problem (<3 mos. onset)	A visit for a condition, illness, or injury having a relatively sudden or recent onset (within three months of this visit).
2	Chronic problem, routine	A visit primarily to receive care or examination for a pre-existing chronic condition, illness, or injury (onset of condition was three months or more before this visit).
3	Chronic problem, flare-up	A visit primarily due to sudden exacerbation of a pre-existing chronic condition.
4	Pre/Post surgery	A visit scheduled primarily for care required prior to or following surgery (e.g., pre-surgery tests, removing sutures).
5	Preventive care	General medical examinations and routine periodic examinations. Includes prenatal and postnatal care, annual physicals, well-child exams, screening, and insurance examinations.

5.   PROVIDER'S DIAGNOSIS FOR THIS VISIT

ITEM 5a. AS SPECIFICALLY AS POSSIBLE, LIST DIAGNOSES RELATED TO THIS VISIT INCLUDING CHRONIC CONDITIONS.

(1) Primary diagnosis

(2) Other
(3) Other

This is one of the most important items on the Patient Record form.   Item 5a(1) refers to the provider's primary diagnosis for this visit. While the diagnosis may be tentative, provisional, or definitive, it should represent the provider's best judgment at this time, expressed in acceptable medical terminology including "problem" terms. If the patient was not seen by a physician, then the diagnosis by the main health care provider should be recorded. If a patient appears for ***postoperative*** care (follow-up visit after surgery), record the postoperative diagnosis as well as any other. The postoperative diagnosis should be indicated with the letters "P.O." Space has been allotted for two "other" diagnoses. In Items 5a(2) and 5a(3) list the diagnosis of **other conditions related to this visit**. Include chronic conditions (e.g., hypertension, depression, etc.), if related to this visit.

ITEM 5b.   REGARDLESS OF THE DIAGNOSES WRITTEN IN 5a, DOES PATIENT NOW HAVE:

The intent of this item is to supplement the diagnosis reported in item 5a(1), 5a(2), and 5a(3). Mark all of the selected condition(s) regardless of whether it is already reported in item 5a. Even if the condition is judged to be not clinically significant for this visit, it should still be checked. General descriptions for each condition are listed below.

	Condition	**Description**
1	Arthritis	Includes those types of rheumatic diseases in which there is an inflammation involving joints (e.g., osteoarthritis, rheumatoid arthritis, acute arthritis, juvenile chronic arthritis, hypertrophic arthritis, Lyme arthritis, and psoriatic arthritis).
2	Asthma	Includes extrinsic, intrinsic, and chronic obstructive asthma.
3	Cancer	Includes any type of cancer (ca), such as, carcinoma, sarcoma, leukemia, and lymphoma.

0	In situ	In situ
1	Stage I	Stage I
2	Stage II	Stage II
3	Stage III	Stage III
4	Stage IV	Stage IV
5	Unknown stage	Unknown stage

Select the appropriate cancer stage based on information from the medical record by the treating physician seeing the cancer patient. Definitions of cancer stages can vary by type of cancer. See page 18 for examples of cancer stages.

	Condition	**Description**
4	Cerebrovascular disease	Includes stroke and transient ischemic attacks (TIAs).
5	Chronic renal failure	Includes end-stage renal disease (ESRD) and chronic kidney failure due to diabetes or hypertension
6	Congestive heart failure	Congestive heart failure (CHF).
7	COPD	Chronic obstructive pulmonary disease. Includes chronic bronchitis and emphysema. Excludes asthma.

	Condition	**Description**
8	Depression	Includes affective disorders and major depressive disorders, such as episodes of depressive reaction, psychogenic depression, and reactive depression.
9	Diabetes	Includes both diabetes mellitus and diabetes insipidus.
10	Hyperlipidemia	Includes hyperlipidemia and hypercholesterolemia.
11	Hypertension	Includes essential (primary or idiopathic) and secondary hypertension.
12	Ischemic heart disease	Includes angina pectoris, coronary atherosclerosis, acute myocardial infarction, and other forms of ischemic heart disease.
13	Obesity	Includes body weight 20% over the standard optimum weight.
14	Osteoporosis	Reduction in the amount of bone mass, leading to fractures after minimal trauma.
15	None of the above	Mark (X) if none of the conditions above exist.

Several cancer staging systems exist. A cancer patient's prognosis and treatment is determined using the American Joint Committee on Cancer (AJCC) *Cancer Staging Handbook*. For comparability of stage and treatment results over time, the Surveillance, Epidemiology and End Results (SEER) Summary Stage is still collected and used. Below is a scheme of how the staging systems compare. The stage should be derived from the medical record using information from the treating physician (medical oncologist or surgeon) seeing the cancer patient. This information can usually be found in the last section of the written or dictated notes from the patient's visit (usually in the section labeled Impression and Plan).

Comparability between AJCC staging system and SEER Summary Stage
with the exception of prostate cancer

AJCC Stage	**SEER Summary Stage**	**In item 5b(3), mark box**
0 (In situ)	In situ	0 – In situ
I	Localized	1 – Stage I
II	Regional (by direct extension or positive lymph nodes)	2 – Stage II
III	Regional (by direct extension or positive lymph nodes)	3 – Stage III
IV	Distant (cancer found in other organs)	4 – Stage IV
Unknown	Unknown	5 – Unknown stage

NOTE: Whether a cancer is designated as Stage II or Stage III can depend on the specific type of cancer.

Prostate cancer represents a special situation as most patients do not undergo surgery. The table below provides a summary of the equivalent correlations between the staging systems.

Comparability between AJCC staging system and SEER Summary Stage for prostate cancer

Prostate (AJCC)	Prostate Cancer (SEER)	In item 5b(3), mark box
0 (In situ)	In situ	0 – In situ
I (T1a) no extension (Stage A)	Localized (confined to prostate gland)	1 – Stage I
II (T2b, T1c, T2) no extension, negative lymph nodes (Stage B)	Localized (confined to prostate gland)	2 – Stage II
III (T3) negative lymph nodes (Stage C)	Regional (extends to other organs, no lymph nodes involved)	3 – Stage III
IV (T4) positive lymph nodes (Stage D) Distant metastases	Regional (extends to other organs; lymph nodes involved) Distant metastases	4 – Stage IV
Unknown	Unknown	5 – Unknown stage

6. VITAL SIGNS

(1) Height   Record the patient's height if measured at this visit and enter the value in the box indicating the unit of measurement (ft/in or cm). If it was not measured at this visit and the patient is 21 years of age or over, then review the chart (up to 1 year) for the last time that height was recorded and enter that value.

(2) Weight   Record the patient's weight if measured at this visit and enter the value in the box indicating the unit of measurement (lb or kg). If it was not measured at this visit and the patient is 21 years of age or over, then review the chart (up to 1 year) for the last time that weight was recorded and enter that value.

(3) Temperature Record the patient's initial temperature if measured at this visit. Mark the appropriate box, indicating the type of measurement (degrees C or F).

(4) Blood pressure Record the patient's initial blood pressure if measured at this visit. Enter the systolic and diastolic values in the appropriate box.

7. DIAGNOSTIC/SCREENING SERVICES

Mark all services that were **ordered** or **provided** during *this visit* for the purpose of screening (i.e., early detection of health problems in asymptomatic individuals) or diagnosis (i.e., identification of health problems causing individuals to be symptomatic). EACH SERVICE ORDERED OR PROVIDED SHOULD BE MARKED. At visits for a complete physical exam, several tests may be ordered prior to the visit, so that the results can be reviewed during the visit. Since these services are related to the visit, the appropriate box(es) should be marked.

Mark the "NONE" box, if no examinations, imaging, blood tests, scope procedures, or other tests were ordered or provided.

Services meriting special attention are as follows:

	Service	**Special Instruction**
3	Foot exam	Includes visual inspection, sensory exam, and pulse exam.
6	Retinal exam	Includes ophthalmoscopy, funduscopic exam, and dilated retinal exam (DRE).
20	Lipids/ Cholesterol	Include any of the following tests - cholesterol, LDL, HDL, cholesterol/HDL ratio, triglycerides, coronary risk profile, lipid profile.
23	Scope Procedure - *Specify*	Mark (X) for scope procedures ordered or provided. Write in the type of procedure in the space provided.
24	Biopsy - *Specify*	Include any form of open or closed biopsy of lesions or tissues. Specify the site of the biopsy.
25	Chlamydia test	Only include the following tests if Chlamydia is specifically mentioned: enzyme-linked immunosorbent assay (ELISA, EIA), direct fluorescent antibody test (DFA), nucleic acid amplification test (NAAT), nucleic acid hybridization test (DNA probe testing), or Chlamydia culture.
28	HPV DNA test	Detects the presence in women of human papillomavirus and is performed by collecting cells from the cervix.
29	Pap test - conventional	Refers to a smear spread on a glass slide and fixed.
30	Pap test - liquid-based	Refers to a specimen suspended in liquid solution.
34	Other exam/ test/service - *Specify*	Mark (X) for services ordered or provided that are not listed. Write in the service(s) in the space provided.

8. HEALTH EDUCATION

Mark all appropriate boxes for any of the following types of health education **ordered or provided** to the patient during the visit. Exclude medications.

	Health Education	Definition
1	NONE	No health education was provided.
2	Asthma education	Information regarding the elimination of allergens that may exacerbate asthma, or other activities that could lead to an asthma attack, or instruction on the use of medication, such as an inhaler.
3	Diet/Nutrition	Any topic related to the foods and/or beverages consumed by the patient. Examples include general dietary guidelines for health promotion and disease prevention, dietary restrictions to treat or control a specific medical problem or condition, and dietary instructions related to medications. Includes referrals to other health professionals, for example, dietitians and nutritionists.
4	Exercise	Any topics related to the patient's physical conditioning or fitness. Examples include information aimed at general health promotion and disease prevention and information given to treat or control a specific medical condition. Includes referrals to other health and fitness professionals. Does not include referrals for physical therapy. Physical therapy ordered or provided at the visit is listed as a separate check box in item 9.
5	Family planning/ Contraception	Information given to the patient to assist in conception or intended to help the patient understand how to prevent conception.
6	Growth/ Development	Any topics related to human growth and development.
7	Injury prevention	Any topic aimed at minimizing the chances of injury in one's daily life. May include issues as diverse as drinking and driving, seat belt use, child safety, avoidance of injury during various physical activities, and use of smoke detectors.
8	Stress management	Information intended to help patients reduce stress through exercise, biofeedback, yoga, etc. Includes referrals to other health professionals for the purpose of coping with stress.
9	Tobacco use/ Exposure	Information given to the patient on issues related to tobacco use in any form, including cigarettes, cigars, snuff, and chewing tobacco, and on the exposure to tobacco in the form of "secondhand smoke." Includes information on smoking cessation as well as prevention of tobacco use. Includes referrals to other health professionals for smoking cessation programs.

Health Education		**Definition**
10	Weight reduction	Information given to the patient to assist in the goal of weight reduction. Includes referrals to other health professionals for the purpose of weight reduction.
11	Other	Check if there were other types of health education ordered or provided that were not listed above.

9. NON-MEDICATION TREATMENT

Mark (X) all non-medication treatments **ordered or provided** at this visit.

Non-Medication treatment		**Definition**
1	NONE	No non-medication treatments were ordered, scheduled, or performed at this visit.
2	Complementary alternative medicine (CAM)	Includes medical interventions neither widely taught in medical schools nor generally available in physician offices or hospitals (e.g., acupuncture, chiropractic, homeopathy, massage, or herbal therapies).
3	Durable medical equipment	Equipment which can withstand repeated use (i.e., could normally be rented and used by successive patients); is primarily used to serve a medical purpose; generally is not useful to a person in the absence of illness or injury; and is appropriate for use in the patient's home (e.g., cane, crutch, walker, wheelchair).
4	Home health care	Includes services provided to individuals and families in their places of residence for the purpose of promoting, maintaining, or restoring health or for maximizing the level of independence while minimizing the effects of disability and illness (including terminal illness). Services may include skilled nursing care; help with bathing, using the toilet, or dressing provided by home health aides; and physical therapy, speech language pathology services, and occupational therapy.
5	Physical therapy	Physical therapy includes treatments using heat, light, sound, or physical pressure or movement (e.g., ultrasonic, ultraviolet, infrared, whirlpool, diathermy, cold, or manipulative therapy).
6	Speech/ Occupational therapy	Speech therapy includes the treatment of defects and disorders of the voice and of spoken and written communication. Occupational therapy includes the therapeutic use of work, self-care, and play activities to increase independent function, enhance development, and prevent disability.
7	Psychotherapy	All treatments involving the intentional use of verbal techniques to explore or alter the patient's emotional life in order to effect symptom reduction or behavior change.

	Non-Medication treatment	**Definition**
8	Other mental health counseling	General advice and counseling about mental health issues and education about mental disorders. Includes referrals to other mental health professionals for mental health counseling.
9	Excision of tissue	Includes any excision of tissue. Excludes wound care and biopsy.
10	Wound care	Includes cleaning, debridement, and dressing of burns; repair of lacerations with skin tape or sutures. Includes removal of foreign bodies only if a wound exists. If an object is removed from an orifice, mark (X) the "Other non-surgical procedures" box and specify the procedure.
11	Cast	Application of a rigid dressing made of plaster or fiberglass molded to the body while pliable and hardening as it dries, to give firm support.
12	Splint or wrap	Application of a rigid or flexible appliance used to maintain in position a displaced or moveable part, or to keep in place and protect an injured part. May also be made of plaster, but is not circumferential.
13	Other non-surgical procedures - *Specify*	Write-in any non-surgical procedure ordered or performed at this visit that was not previously recorded.
14	Other surgical procedures - *Specify*	Write-in any surgical procedure ordered or performed at this visit that was not previously recorded. Surgical procedures may be simple (e.g., insertion of intrauterine contraceptive device) or complex (e.g., cataract extraction, hernia repair, hip replacement, etc.).

10. MEDICATIONS & IMMUNIZATIONS

If medications or immunizations were ordered, supplied, administered, or continued at this visit, list up to 8 in the space provided using either the brand or generic names. Record the exact drug name (brand or generic) written on any prescription or on the medical record. Do not enter broad drug classes, such as "laxative," "cough preparation," "analgesic," "antacid," "birth control pill," or "antibiotic." The one exception is "allergy shot." If no medication was prescribed, provided, or continued, then mark the "NONE" box and continue.

Medication, broadly defined, includes the specific name of any:
♦   prescription *and* over-the-counter medications, anesthetics, hormones, vitamins, immunizations, allergy shots, and dietary supplements.

♦   medications and immunizations which the physician/provider ordered or provided *prior to this visit* and *instructs or expects* the patient to continue taking regardless of whether a "refill" is provided at the time of visit.

For each medication, record if it was new or continued.

If more than eight drugs are listed, then record according to the following level of priority:

1. All medications (including OTC drugs)/immunizations associated with the listed diagnoses
2. All **new** medications (including OTC drugs)/immunizations, excluding vitamins and dietary supplements
3. All **continued** medications (including OTC drugs)/immunizations, excluding vitamins and dietary supplements
4. Vitamins and dietary supplements

11. PROVIDERS

Mark all providers seen during this visit. If care was provided, at least in part, by a person not represented in the four categories, mark the "Other" box.

For mental health provider, include psychologists, counselors, social workers, and therapists who provide mental health counseling. Exclude psychiatrists.

12. VISIT DISPOSITION

Mark all that apply.

	Visit Disposition	**Definition**
1	Refer to other physician	The patient was instructed to consult or seek care from another physician. The patient may or may not return to this clinic at a later date.
2	Return at specified time	The patient was told to schedule an appointment or was given an appointment to return to the clinic at a particular time.
3	Refer to ER/Admit to hospital	The patient was instructed to go to the emergency room/department for further evaluation and care immediately or the patient was admitted as an inpatient in the hospital.
4	Other	Any other disposition not included in the above list.

C. DEFINITIONS OF CERTAIN TERMS USED IN THE SURVEY

Patient - An individual seeking personal health services not currently admitted to any health care institution on the premises. Patients arriving by ambulance are included. Patients are defined as in scope or out of scope as follows:

In scope - A patient seen by hospital staff in an in scope emergency service area or clinic except as excluded below.

Out of scope - Patients seen by a physician in their private office, nursing home, or other extended care institution or in the patient's home. Patients who contact and receive advice from hospital staff via telephone. Patients who come to the hospital only to leave a specimen, to pick up insurance forms, to pick up medication, or to pay a bill.

Visit - A direct, personal exchange between an ambulatory patient seeking care and a physician or other hospital staff member working under the physician's supervision for the purpose of rendering personal health services.

Drug mention - The health care provider's entry on the Patient Record form of a pharmaceutical agent ordered, supplied, administered or continued during the visit-- by any route of administration--for prevention, diagnosis, or treatment. Generic as well as brand name drugs are included, as are nonprescription as well as prescription drugs. Along with all new drugs, the hospital staff also records continued medications if the patient was specifically instructed during the visit to continue the medication.

Hospital - All hospitals with an average length of stay for all patients of less than 30 days (short-stay) or hospital whose specialty is general (medical or surgical) or children's general are eligible for the National Hospital Ambulatory Medical Care Survey except Federal hospitals and hospital units of institutions, and hospitals with less than six beds staffed for patient use.

Ownership - Hospitals are designated according to the primary owner of the hospital based on the Verispan Hospital Data Base.

> Voluntary nonprofit - Hospitals that are church-related, are a nonprofit corporation, or have other nonprofit ownership.

> Government, non-Federal - Hospitals that are operated by State, county, city, city-county, or hospital district or authority.

> Proprietary - Hospitals that are individually or privately owned or are partnerships or corporations for profit.

MSA - Metropolitan Statistical Area as defined by the U.S. Office of Management and Budget. The definition of an individual MSA involves two considerations: first, a city or cities of specified population that constitute the central city and identify the county in which it is located as the central county; second, economic and social relationships with "contiguous" counties that are metropolitan in character so that the periphery of the specific metropolitan area may be determined. MSAs may cross state lines. In New England, MSAs consist of cities and towns rather than counties.

Non-MSA – Not a Metropolitan Statistical Area (area other than metropolitan).

Emergency department - Hospital facility for the provision of unscheduled outpatient services to patients whose conditions require immediate care and which is staffed 24 hours a day. Emergency departments that are open less than 24 hours a day are included as part of the hospital's outpatient department.

Emergency service area - Area within the emergency department where emergency services are provided. This includes services provided under the "hospital as landlord" arrangement in which the hospital rents space to a physician group.

Outpatient department - Hospital facility where non-urgent ambulatory medical care is provided under the supervision of a physician.

Clinic - Administrative unit within an organized outpatient department that provides ambulatory medical care under the supervision of a physician. This excludes the "hospital as landlord" arrangement in which the hospital only rents space to a physician group and is not otherwise involved in the delivery of services.

Clinics are grouped into the following six specialty groups for purposes of systematic sampling and non-response adjustment: general medicine, surgery, pediatrics, obstetrics/gynecology, substance abuse, and other. Clinics are defined as in scope or out of scope as follows:

In scope - General Medicine

23/24 Hour Observation
Adult - Screening
Adult HIV
AIDS
Allergy (Adult)
Ambulatory Care
Andrology
Anticoagulation
Apnea (Adult)
Arthritis/Rheumatology (Adult)
Asthma
Bariatrics/Bariatric Medicine
Brain Tumor
Breast Medical Oncology
Cancer Center
Cancer Screening
Cardiology (Adult)
Cardiovascular
CD4
Cerebral Palsy (Adult)
Chest
Chest TB
Chorea/Huntington's Disease
Coagulant
Congestive Heart Failure
Connective Tissue
Cystic Fibrosis (Adult)
Cytomegalovirus (CMV)
Dermatology
Diabetes
Digestive Disease
Down's Syndrome (Adult)
Endocrinology (Adult)
Epilepsy
Family Practice
Gastroenterology (Adult)
General Medicine
General Medicine (Outreach Program)
General Practice
Genetics (Adult)
Geriatric Medicine
Head (Non-Surgical)
Head & Neck (Non-Surgical)
Hematology (Adult)
Hemophilia (Adult)
Hepatology
HIV (Adult)
Holistic Medicine
Homeless
Huntington's Disease/Chorea
Hyperlipidemia (Adult)
Hypertension
Immunology
Immunosuppression
Infectious Diseases (Adult)

Internal Medicine (Adult)
Lead Poisoning (Adult)
Leukemia
Lipid
Liver
Lupus (Systemic Lupus Erythematosus/SLE)
Medical Oncology
Medical Screening
Melanoma
Metabolic
Movement and Memory Disorders
Multiple Sclerosis (MS)
Muscular Dystrophy (MD)
Nephrology (Adult)
Neurocutaneous
Non-Surgical Head
Non-Surgical Head & Neck
Obesity (Adult)
Occupational Medicine
Oncology
Outreach Program (General Medicine)
Pacemaker
Pentamidine
Peripheral Vascular Disease
Pheresis
Pigmented Lesion
Plasmapheresis
Primary Care
Pulmonary (Adult)
Renal
Respiratory
Rheumatology/Arthritis (Adult)
Sarcoidosis
Screening (Adult)
Screening - Cancer
Screening and/or Walk-In
Seizure
Senior Care
Sexually Transmitted Diseases (STD)
Sickle Cell (Adult)
SLE/Systemic Lupus Erythematosus (Lupus)
Spina Bifida (Adult)
STD/Sexually Transmitted Diseases
Systemic Lupus Erythematosus/SLE (Lupus)
Thyroid
Transplant Medicine
Travel Medicine
Tuberculosis
Tumor
Urgent Care
Vascular
Walk-in and/or Screening
Weight Management
Wellness

In scope - Surgery

Abdominal Surgery
Amputee (Surgery and Rehabilitation)
Ano-Rectal
Back Care
Bariatric Surgery
Bone Marrow Aspiration
Bone Marrow Transplant
Breast
Breast Care
Burn
Cardiothoracic Surgery
Cardiovascular Surgery
Cast/Brace
Chief Resident (Follow-up Surgery)
Chronic Wound
Cleft Palate
Club Foot
Cochlear
Colon & Rectal Surgery
Craniofacial
Cryosurgery
Elective Surgery
ENT (Ear, Nose, and Throat) (Adult)
ENT (Ear, Nose, and Throat) (Pediatric)
Eye
Eye Retinopathy of Prematurity
Fine Needle Aspiration
Fracture
General Surgery
Genitourinary
Genitourinary Surgery
Hand Surgery
Head and Neck Surgery
Heart Transplant
Injury
Injury (Pediatric)
Knee
Neurosurgery
Oncologic Surgery
Ophthalmologic Surgery
Ophthalmology (Adult)
Ophthalmology (Pediatric)
Orthopedic Surgery
Orthopedics (Adult)
Orthopedics (Pediatric)
Ostomy
Otolaryngologic Surgery
Otolaryngology (Adult)
Otolaryngologic (Pediatric)
Otology
Otorhinolaryngology
Plastic Surgery (Adult)
Plastic Surgery (Pediatric)
Postoperative

Preoperative
Proctology
Pulmonary/Thoracic Surgery
Rectal & Colon Surgery
Renal Surgery
Renal Transplant
Scoliosis (Adult)
Scoliosis (Pediatric)
Spinal Cord Injury
Spine (Adult)
Spine (Pediatric)
Sports Medicine
Surg
Surgery (Adult)
Surgery (Pediatric)
Surgery Cancer Detection
Surgical Oncology
Suture
Thoracic Surgery/Pulmonary
Transplant Surgery
Trauma
Traumatic Brain Injury
Traumatic Surgery
Urodynamics
Urologic Surgery
Urology (Adult)
Urology (Pediatric)
Vascular Surgery
Visual Fields
Wound Care

In scope – Pediatrics

Abuse (Child)/Sexual Assault
Adolescent Medicine
Adolescent/Young Adult
After Hours (Pediatric)
Airway (Pediatric)
Allergy (Pediatric)
Apnea (Infant)
Arthritis/Rheumatology (Pediatric)
Asthma (Pediatric)
Attention Deficit Disorder
Autism
Behavior and Development (Child)
Birth Defect
Cardiac (Pediatric)
Cardiology (Pediatric)
Cerebral Palsy (Child)
Chest (Pediatric)
Clotting (Pediatric)
Congenital Heart
Craniomalformation
Critical Care (Pediatric)
Cystic Fibrosis (Child)
Dermatology (Pediatric)

In scope – Pediatrics (cont.)

Developmental Disability
Developmental Evaluation
Diabetes (Pediatric)
Diagnostic (Pediatric)
Down's Syndrome (Child)
Endocrinology (Pediatric)
Epilepsy (Pediatric)
Feeding Disorder (Pediatric)
Gastroenterology (Pediatric)
Gastrointestinal (Pediatric)
General Pediatrics
Genetics (Pediatric)
GI (Pediatric)
Growth Hormone
Hematology (Pediatric)
Hemoglobinopathy (Pediatric)
Hemophilia (Child)
High Risk Pediatrics
HIV Pediatrics
Hyperlipidemia (Pediatric)
Immunization
Immunology (Pediatric)
Infectious Diseases (Pediatric)
Internal Medicine (Pediatric)
Lead Poisoning (Pediatric)
Learning Disorder
Metabolic (Pediatric)
Neonatal
Neonatal Follow-up
Neonatology
Nephrology (Pediatric)
Newborn
Obesity (Pediatric)
Oncology (Pediatric)
Pediatrics (General)
Perinatal
Phenylketonuria
Prader-Willi Syndrome
Pulmonary (Pediatric)
Renal and Diabetes (Pediatric)
Rheumatic Heart Disease
Rheumatology/Arthritis (Pediatric)
Screening (Pediatric)
Sexual Assault/Abuse (Child)
Short Stay (Pediatric)
Sickle Cell (Child)
Skeletal Dysplasia
Spina Bifida (Child)
Teen Health
Teen-Tot
Teenage
Urgent care (Pediatric)
Well Child Care

In scope - Obstetrics/Gynecology

Adolescent Gynecology
Antepartum
Birth Control
Dysplasia (Gynecologic)
Endocrinology (Gynecologic)
Endocrinology (Reproductive)
Family Planning
Fertility
Gynecology
Gynecology (Adolescent)
Gynecology (Dysplasia)
Gynecology (Endocrinologic)
Gynecology (Oncologic)
Gynecology (Pediatric)
Gynecology (Preteen)
High Risk Obstetrics
HIV Obstetrics
In Vitro Fertilization
Infertility
Maternal Fetal Medicine
Maternal Health
Maternity
Obstetrics
Oncology (Gynecologic)
Perinatal (Obstetrics)
Postpartum (Obstetrics)
Pregnancy Verification
Prenatal
Prenatal (Obstetrics)
Preteen Gynecology
Reproductive
Reproductive Endocrinology
Well Woman
Women's Care

In scope - Substance Abuse

Alcohol Abuse
Alcohol Detoxification
Alcohol Walk-in
Chemical Dependence (excluding Methadone Maintenance)
Drug Abuse (excluding Methadone Maintenance)
Drug Detoxification (excluding Methadone Maintenance)
Substance Abuse (excluding Methadone Maintenance)
Walk-in – Alcohol
Women's Alcohol Program

In scope - Other

Anxiety
Behavioral Medicine
Biofeedback
Eating Disorder
General Preventive Medicine
Geriatric Psychiatry
Headache (Neurology)
Hyperbaric oxygen
Mental Health
Mental Hygiene
Myasthenia Gravis
Myelomeningocele
Neurofibromatosis
Neurology (Adult)
Neurology (Pediatric)
Neuromuscular
Neurophysiology
Neuropsychiatry
Palliative Medicine
Preventive Medicine
Psychiatry (Adolescent)
Psychiatry (Adult)
Psychiatry (Child)
Psychiatry (Geriatric)
Psychiatry (Pediatric)
Psychopharmacology
Sleep Disorder
Sleep Medicine
Toxicology
Voice and Swallowing

Out of scope

Abortion/Pregnancy Termination
Acupuncture
Adult Day Care
Ambulatory Surgery Center
Amniocentesis
Anesthesia
Anesthesiology
Arthroscopy
Audiology
Blood Bank
Bone Density Screening
Bronchoscopy
Cardiac Catheterization
CAT Scan & Imaging
Chemotherapy
Chiropractic
Colonoscopy
Colposcopy
Cystoscopy
Day Hospital
Dental
Dental Surgery

Diabetic Foot Clinic
Diagnostic X-ray (Imaging)/Radiology
Dialysis
Dietary
Drug Immunotherapy
Echocardiology
Electrocardiogram (ECG)
Electroconvulsive Therapy (ECT)
Electromyography
Employee Health Service/Center
Endoscopy
Fetal Diagnostic Testing
Hearing & Speech
Hemodialysis
Home Intravenous Therapy
Imaging & CAT Scan
Infusion
Infusion Therapy
IV Therapy
Kidney (Renal) Dialysis
Laser Surgery
Lasik Surgery
Lithotripsy
Mammography
Methadone Maintenance
Nuclear Medicine
Nurse Clinic/Nurse Only
Nutrition
Occupational Health
Occupational Safety and Health
Occupational Therapy
Optometry
Oral Surgery
Orthotics
Pain
Pain Block
Pain Management
Pain Medicine
Partial Hospitalization
Partial Hospitalization Program (Psyc)
Path Lab
Pathology
Pharmacy
Physiatry
Physical Medicine
Physical Therapy
Physiotherapy
Podiatry
Preadmission Testing
Pregnancy Termination/Abortion
Psychology
Pulmonary Function Lab
Radiation Diagnosis
Radiation Oncology
Radiation Therapy
Radiology/Diagnostic X-ray (Imaging)

Out of scope (cont.)

Reading & Language
Reference Lab
Reference X-Ray
Rehabilitation
Renal (Kidney) Dialysis
Same Day Surgery
School Programs
Sigmoidoscopy
Social Work
Speech & Hearing
Student Health Service/Center
Tele-Health
Transfusion
Ultrasound
Vertical Balance

Region - Hospitals are classified by location in one of the four geographic regions of the United States that correspond to those used by the U.S. Bureau of the Census.

Region	States included
Northeast.......	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont
Midwest........	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin
South............	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, and West Virginia
West..............	Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming

APPENDIX II
REASON FOR VISIT CLASSIFICATION

A. SUMMARY OF CODES

MODULE	CODE NUMBER
SYMPTOM MODULE	
General Symptoms	1001-1099
Symptoms Referable to Psychological and Mental Disorders	1100-1199
Symptoms Referable to the Nervous System (Excluding Sense Organs)	1200-1259
Symptoms Referable to the Cardiovascular and Lymphatic Systems	1260-1299
Symptoms Referable to the Eyes and Ears	1300-1399
Symptoms Referable to the Respiratory System	1400-1499
Symptoms Referable to the Digestive System	1500-1639
Symptoms Referable to the Genitourinary System	1640-1829
Symptoms Referable to the Skin, Nails, and Hair	1830-1899
Symptoms Referable to the Musculoskeletal System	1900-1999
DISEASE MODULE	
Infective and Parasitic Diseases	2001-2099
Neoplasms	2100-2199
Endocrine, Nutritional, Metabolic, and Immunity Diseases	2200-2249
Diseases of the Blood and Blood-forming Organs	2250-2299
Mental Disorders	2300-2349
Diseases of the Nervous System	2350-2399
Diseases of the Eye	2400-2449
Diseases of the Ear	2450-2499
Diseases of the Circulatory System	2500-2599
Diseases of the Respiratory System	2600-2649
Diseases of the Digestive System	2650-2699
Diseases of the Genitourinary System	2700-2799
Diseases of the Skin and Subcutaneous Tissue	2800-2899
Diseases of the Musculoskeletal System and Connective Tissue	2900-2949
Congenital Anomalies	2950-2979
Perinatal Morbidity and Mortality Conditions	2980-2999
DIAGNOSTIC, SCREENING AND PREVENTIVE MODULE	
General Examinations	3100-3199
Special Examinations	3200-3299
Diagnostic Tests	3300-3399
Other Screening and Preventive Procedures	3400-3499
Family Planning	3500-3599
TREATMENT MODULE	
Medications	4100-4199
Preoperative and Postoperative Care	4200-4299
Specific Types of Therapy	4400-4499
Specific Therapeutic Procedures	4500-4599
Medical Counseling	4600-4699
Social Problem Counseling	4700-4799
Progress Visit, NEC	4800-4899

MODULE	CODE NUMBER
INJURIES AND ADVERSE EFFECTS MODULE	
Injury by Type and/or Location	5001-5799
Injury, NOS	5800-5899
Poisoning and Adverse Effects	5900-5999
TEST RESULTS MODULE	6100-6700
ADMINISTRATIVE MODULE	7100-7140
UNCODABLE ENTRIES	8990-8999
BLANK	9000

NOTE: NOS = Not otherwise specified; NEC = not elsewhere classified

B. REASON FOR VISIT CLASSIFICATION TABULAR LISTING

SYMPTOM MODULE
GENERAL SYMPTOMS (1001-1099)

1005.0   Chills

1010.0   Fever

                    Includes:
                      High temperature

1012.0   Other symptoms of body temperature
                    Excludes:
                      Chills (1005.0)
                       Fever (1010.0)

                       1012.1 Feeling cold
                       1012.2 Feeling hot
                       1012.3 Feeling hot and cold

1015.0   Tiredness, exhaustion

                    Includes:
                      Exercise intolerance
                      Fatigue
                      Lack of energy
                      No energy
                      Run down
                      Worn out

1020.0   General weakness

1025.0   General ill feeling

                    Includes:
                      Diffuse Cx
                      Feeling bad all over
                      Illness, NOS
                      Malaise
                      Not feeling well
                      Multiple complaints
                      Sick, NOS

                    Excludes:
                      General symptoms of infants (10800)

1030.0   Fainting (syncope)

                    Includes:
                      Blacking out
                      Fainting spells
                      Passing out

                    Excludes:
                      Unconsciousness (5840.0)

1035.0   Symptoms of fluid abnormalities
                    Includes:
                      Fluid imbalance
                      Fluid retention
                      Holding water

                       1035.1 Edema
                                Includes:
                                  Ankles swelling (both)
                                  Bloated
                                  Dropsy
                                  Legs (both)
                                  Peripheral
                                  Swollen with water
                                Excludes:
                                  Swelling of one ankle
                                   (1930.5)
                                  Swelling of one leg (1920.5)

                       1035.2 Excessive sweating, perspiration
                                Includes:
                                  Cold sweats
                                  Diaphoresis

                       1035.3 Excessive thirst

1040.0   Weight gain

                    Includes:
                      Fat pads (localized)
                      Fatty deposits
                      Obesity
                      Overweight
                      Too fat

                    Excludes:
                      Counseling for weight problem (4600.0)
                    Multiple medical problems
1045.0   Weight loss

                       1045.1 Recent weight loss

                       1045.2 Underweight

1046.0   Symptoms of face, NEC

                    Includes:
                      Mass

                    Excludes:
                      Facial pain 1055.4
                      Facial paralysis 1230.0

1050.0   Chest pain and related symptoms (not referable to a
          specific body system)

          1050.1 Chest pain, soreness

                  Excludes:
                    Heart pain (1265.0)

          1050.2 Chest discomfort, pressure, tightness,
                  heaviness

                  Includes:
                    C - pressure

          1050.3 Burning sensation in the chest

1055.0   Pain, specified site not referable to a specific body
          system

          Includes:
            Buttock pain
            Gluteal pain
            Perineal pain

          Excludes:
            Abdominal pain (see 1545.1-1545.3)
            Chest pain (1050.1)
            Phantom leg/limb (2307.0)

          1055.1   Rib pain

          1055.2   Side pain, flank pain

          1055.3   Groin pain

                    Includes:
                      Pubic pain

          1055.4   Facial pain

                    Includes:
                      Jaw pain
                      Pain over eye

1060.0   Pain and related symptoms, NEC

          1060.1   Pain, unspecified

                    Includes:
                      Ache all over (generalized)
                      Incisions (postopcode 4205.0
                        also)

          1060.2   Cramps, spasms, site unspecified

                    Excludes:
                      Menstrual cramps (1745.2)

          1060.3   Stiffness, site unspecified

1065.0   Tumor or mass, site unspecified

          1065.1   Internal mass, NOS

1066.0   Lesion, Internal NOS (excludes brain and skin)

1070.0   Bleeding, multiple or unspecified sites

1075.0   Symptoms of growth and developmental disorders

          Includes:
            Developmental regression

          1075.1   Lack of growth

                    Includes:
                      Failure to thrive
                      Immaturity, physical
                      Poor weight gain
                      Slowness, physical
                      Too short

          1075.2   Excessive growth

                    Includes:
                      Development, early (physical)
                      Too big for age
                      Too tall

1080.0   General symptoms of infants (under 1 year of age),
          NEC

          Excludes:
            General ill feeling (1025.0)

          1080.1   Cranky, crying too much, fussy,
                    fidgety, irritable

          1080.2   Regurgitation, spitting up

                    Excludes:
                      Vomiting (1530.0)

          1080.3   Feeding problem, eating
                    difficulty

1085.0   General or unspecified nonviral infection
          Code also symptoms of specified joint (hip, shoulder,
          etc.)

          Includes:
            Infection, NOS

1090.0   Allergy, NOS

          Includes:
            Angioedema
            Allergic reaction, NOS
            Food allergy, NOS
            Milk allergy, NOS

          Excludes:
            Allergic skin reaction (2825.0)
            Allergy to medications (5905.0)
            Nasal allergy (2635.0)

1095.0   Disorders of motor functions

            Includes:
             Ataxia
             Clumsiness
             Difficulty in walking
             Dyskinesia
             Fall, NOS
             Limping
             Staggering
             Stumbling
             Uncoordinated
             Unsteady gait

1096.0 Dyslexia, NOS

SYMPTOMS REFERABLE TO PSYCHOLOGICAL AND MENTAL DISORDERS (1100-1199)

1100.0   Anxiety and nervousness

            Includes:
             Apprehension
             Bad nerves
             Jittery
             Panicky feeling
             Stress
             Tension
             Upset
             Worried

1105.0   Fears and phobias

            Includes:
              General fearfulness
              Agoraphobia

1110.0   Depression

            Includes:
             Crying excessively
             Dejected
             Distress (NOS)
             Feeling down
             Feeling low
             Grief
             Hopelessness
             Sadness
             Tension
             Tension headache
                  (also code 1210.0)
             Unhappy

1115.0   Anger
            Includes:
             Bitterness
             Hostile feelings

            Excludes:
             Temper problems (1130.4)

1120.0   Problems with identity and self-esteem

            Includes:
             Co-dependency
             Dependency
             Don't like myself
             Guilt
             Helpless
             Identity crisis
             Insecurity, emotional
             Lack of motivation
             Loss of identity
             No confidence
             No goals
             Poor boundaries
             Too much is expected of me

1125.0   Restlessness

            Includes:
             Can't rest
             Hyperactivity
             Overactivity

1130.0   Behavioral disturbances

            Includes:
             Agitated
             Behavior problem
             Gambling problem
             Lack of self control
             Out of control

          1130.1   Antisocial behavior

                      Includes:
                       Avoiding people
                       Excessive shyness
                       Lying
                       Social isolation
                       Withdrawal

          1130.2   Hostile behavior

                      Includes:
                       Aggressiveness
                       Child abuser
                       Child neglecter
                       Combative
                       Criminality
                       Cruelty
                       Destructiveness
                       Elder abuser
                       Homicidal
                       Negativism
                       Parent abuser
                       Quarrelsome
                       Spouse abuser
                       Spouse batterer

1130.0   Behavioral disturbances (cont.)
        1130.3   Hysterical behavior

        1130.4   Temper problems

              Includes:
               Blowing up
               Fussy
               Irritability
               Losing temper
               Temper tantrums

              Excludes:
               Fussyinfants
               (1080.1)

        1130.5   Obsessions and
                   compulsions

1135.0   Disturbances of sleep
        Includes:
         Night terrors

        1135.1   Insomnia

              Includes:
               Can't sleep
               Sleeplessness
               Trouble falling asleep

        1135.2   Sleepiness (hypersomnia)

              Includes:
               Can't stay awake
               Drowsiness
               Groggy

        1135.3   Nightmares
        1135.4   Sleepwalking

        1135.5   Apnea
              Includes:
               Sleep apnea (use additional
                 code 1420.0 if breathing
                 problem)

1140.0   Smoking problems

        Includes:
         Can't quit smoking
         Smoking too much

        Excludes:
         Physical symptoms of smoking (see
          particular symptom)
         Smoker's cough (1440.0)

1145.0   Alcohol-related problems

        Includes:
         Alcohol abuse
         Drinking problem

        Excludes:
         Adverse effects of alcohol (5915.0)
         Alcoholism (2320.0)

1150.0   Abnormal drug usage
        Includes:
         Drug abuse
         Frequent or excessive use of stimulants,
          hallucinogens, depressants, etc.

        Excludes:
         Drug addiction (2321.0)
         Drug dependence (2321.0)
         Intoxication with drugs (5910.0)
         Overdose, intentional (5820.1)
         Overdose, unintentional, NOS (5910.0)

1155.0   Delusions or hallucinations

        Includes:
         Flashback
         Grandiosity
         Hearing voices
         Ideas of reference
         Medicine is poisoned
         Seeing things

1160.0   Psychosexual disorders

        1160.1   Frigidity, loss of sex drive, lack of
                   response, lack of libido

        1160.2   Homosexuality, concerns with

        1160.3   Impotence, Erectile dysfunction

        1160.4   Premature ejaculation

        1160.5   Masturbation excessive, concerns
                   about

        1160.6   Orgasm, problem with

        1160.7   Preoccupation with sex

1165.0   Other symptoms or problems relating to psychological
          and mental disorders, NEC
        Includes:
         Bad attitude
         Blunted affect
         Can't cope
         Change in mental status
         Chemical imbalance
         Constricted affect
         Danger to self
         Deja vu feelings
         Disoriented
         Difficulty concentrating
         Feeling heavy
         Frantic
         Frustration
         Going crazy
         Guarded
         Hate everybody
         Inhibited
         Learning disability
         Losing my mind
         Mood fluctuation

1165.0   Other symptoms or problems relating to psychological
          and mental disorders, NEC (cont.)

                    Mood swings
                    Non-communicative
                    Overwhelmed
                    Peculiar thinking
                    Psychological problems, NOS
                    Racing thoughts
                    Reserved
                    Rumination
                    Sundown syndrome
                    Trouble concentrating
                    Wandering around

                 Excludes:
                    Character disorder (2315.0)
                    Personality disorder (2315.0)

          1165.1   Nailbiting

          1165.2   Thumbsucking

**SYMPTOMS REFERABLE TO THE NERVOUS SYSTEM
(EXCLUDING SENSE ORGANS) (1200 - 1259)**

1200.0   Abnormal involuntary movements

                 Includes:
                    Jerking
                    Shaking
                    Tics
                    Tremors
                    Twitch

                 Excludes:
                    Eye movements (see 1325.0-1325.4)
                    Eyelid twitch (1340.4)

1205.0   Convulsions

                 Includes:
                    Febrile convulsions (Code fever also)
                    Fits
                    Seizures
                    Spells

                 Excludes:
                    Fainting (1030.0)

1207.0   Symptoms of head, NEC

                 Excludes:
                    Headache, pain in head (1210.0)

1210.0   Headache, pain in head
                 Includes:
                    Post-traumatic (also code 5575.0)
                 Excludes:
                    Migraine (2365.0)
                    Sinus headache (1410.1)
                    Symptoms of head, NEC (1207.0)

1215.0   Memory, disturbances of

                 Includes:
                    Amnesia
                    Forgetfulness
                    Lack or loss of memory
                    Temporary loss of memory

1220.0   Disturbances of sensation

          1220.1   Loss of feeling (anesthesia)

                       Includes:
                          Lack of sensation
                          No response to pain
                          Numbness
                          Stunned

                       Excludes:
                          Post-op complications of
                             anesthesia

                 Note: Use additional code to identify body
                       part.

          1220.2   Increased sensation
                       (hyperesthesia)

          1220.3   Abnormal sensation (paresthesia)

                       Includes:
                          Burning legs
                          Burning, tingling sensation
                          Needles and pins
                          Prickly feeling
                          Stinging

          1220.4   Other disturbances of sense,
                       including smell and taste

1225.0   Vertigo - dizziness

                 Includes:
                    Falling sensation
                    Giddiness (dizziness)
                    Lightheadedness
                    Loss of sense of equilibrium or balance
                    Room spinning

1230.0   Weakness (neurologic)

                 Includes:
                    Drooping, facial or NOS
                    Right- or left-sided weakness

                 Excludes:
                    General weakness (1020.0)

1235.0   Disorders of speech, speech disturbance
            Includes:
            Groping for words
             Speech/verbal apraxia
            Unable to speak

            1235.1   Stuttering, stammering

            1235.2   Slurring

1240.0   Other symptoms referable to the nervous system
            Includes:
            Brain lesion
            Confusion
            Cognitive decline
            Damaged nerves
            Neuralgia
            Neurovegative
            Pinched nerve
            Postical

            Excludes:
            Nerve block 4560.0

            1240.1 Apraxia

                  Excludes:
                  Speech/verbal apraxia 1235.0

**SYMPTOMS REFERABLE TO THE CARDIOVASCULAR
AND LYMPHATIC SYSTEMS (1260-1299)**

1260.0   Abnormal pulsations and palpitations

            1260.1   Increased heartbeat

                  Includes:
                  Pulse too fast
                  Rapid heartbeat

            1260.2   Decreased heartbeat

                  Includes:
                  Pulse too slow
                  Slow heart

            1260.3   Irregular heartbeat

                  Includes:
                  Fluttering
                  Jumping
                  Racing
                  Skipped beat

1265.0   Heart pain

            Includes:
            Anginal pain
            Heart distress
            Pain over heart

            Excludes:
            Angina pectoris (2515.0)
            Chest pain (1050.1)

1270.0   Other symptoms of the heart

                  Includes:
                  Bad heart
                  Heart condition
                  Poor heart
                  Weak heart

1275.0   Symptoms of lymph glands (or nodes)

            1275.1   Swollen or enlarged glands

            1275.2   Sore glands

1280.0   Other symptoms referable to the
            cardiovascular/lymphatic system, NEC
            (blocked blood vessel, spider vein)

                        Includes:
                        Telangiectasia

            1280.1   Poor circulation
                        Includes:
                        Cold feet, hands

            1280.2   Pallor, paleness

            1280.3   Flushed, blushing

**SYMPTOMS REFERABLE TO THE EYES AND EARS
(1300-1399)**

1305.0   Vision dysfunctions

            Excludes:
            Refractive errors (2405.0)

            1305.1   Blindness and half vision
                        Includes:
                        Visual field deficit

            1305.2   Diminished vision

                        Includes:
                        Blurred vision
                        Can't see distances
                        Difficulty reading
                        Focus, Eyes won't (other than
                              Infant 1335.0)
                        Obstruction, Vision
                        Poor vision
                        Scotoma
                        Trouble seeing
                        Weak eyes

            1305.3   Extraneous vision

                        Includes:
                        Cloudy vision
                        Fuzzy vision
                        Spots in front of eyes (floaters)

            1305.4   Double vision (diplopia)

1310.0   Discharge from eye
                        1310.1   Bleeding

                        1310.2   Tearing, watering (lacrimation)

                        1310.3   Pus, matter, white discharge,
matted

1315.0   Eye infection and inflammation

                        1315.1   Pinkeye

1320.0   Abnormal sensations of the eye

                    Includes:
                        Foreign body sensation

                        1320.1   Pain

                                  Includes:
                                      Irritation

                        1320.2   Itching

                        1320.3   Burning, stinging

                        1320.4   Strain

1325.0   Abnormal eye movements

                        1325.1   Abnormal retraction

                        1325.2   Cross-eyed

                        1325.3   Pupils unequal
                        1325.4   Deviation
                                  Includes:
                                      Drifting
                                      Lazy eye
                                      Turns in

1330.0   Abnormal appearance of eyes

                        1330.1   Abnormal color

                                  Includes:
                                      Bloodshot
                                      Red

                                  Excludes:
                                      Yellow (1610.2)

                        1330.2   Protrusion (exophthalmos)

                        1330.3   Cloudy, dull, hazy appearance,
                                  cloudy capsule

1335.0   Other and unspecified symptoms referable to eye, NEC

                    Includes:
                        Defect, NOS
                        Eyes not focusing (infant)

1335.0   Other and unspecified symptoms referable to eye, NEC
          (cont.)

                        1335.1   Contact lens problems

                        1335.2   Allergy

                        1335.3   Swelling

                                  Excludes:
                                      Foreign body (5600.0)
                                      Injury (5510.0)
                                      Abrasion (5410.0)

1340.0   Symptoms of eyelids
                    Includes:
                        Can't close eye
                        Lesion
                        Rash

                        1340.1   Infection, inflammation, swelling

                        1340.2   Itching

                        1340.3   Mass or growth

                        1340.4   Abnormal movement

                                  Includes:
                                      Blinking
                                      Drooping
                                      Squinting
                                      Twitching

1345.0   Hearing dysfunctions

                        1345.1   Diminished hearing

                                  Includes:
                                      Deafness
                                      Hearing loss
                                      Trouble hearing
                        1345.2   Heightened or acute hearing

                        1345.3   Extraneous hearing

                                  Includes:
                                      Ringing (tinnitus)
                                  Excludes:
                                      Hearing things (1155.0)

1350.0   Discharge from ear

                    Includes:
                        Fluid in ear

                        1350.1   Bleeding

                        1350.2   Pus (purulent drainage), otorrhea

                        1350.3   Swimmer's ear

1355.0   Earache, or ear infection

        1355.1   Earache, pain

        1355.2   Ear infection

1360.0   Plugged feeling in ear

    Includes:
      Blocked
      Congestion in ear
      Cracking
      Ear feels full
      Ears need cleaning
      Ear wax
      Popping

1365.0   Other and unspecified symptoms referable to the ears, NEC

    Includes:
      Ear problem
      Eustachian tube dysfunction
      Pressure
      Red, redness

        1365.1   Itching

        1365.2   Growths or mass

        1365.3   Pulling at ears, picking at ears

        1365.4   Abnormal size or shape, "ears stick out"

           Excludes:
             Foreign body in ear (5620.0)

SYMPTOMS REFERABLE TO THE RESPIRATORY SYSTEM (1400-1499)

1400.0   Nasal congestion

    Includes:
      Drippy nose
      Excess mucus
      Nasal obstruction
      Post-nasal drip
      Runny nose
      Sniffles
      Stuffy nose

1405.0   Other symptoms of nose
    Excludes:
      Nasal allergy (2635.0)

        1405.1   Nosebleed (epistaxis)

        1405.2   Sore in nose

        1405.3   Inflammation and swelling
           Includes:
             Infection
             Red nose
             Sore nose

1405.0   Other symptoms of nose (cont.)
        1405.4   Problem with appearance of nose

           Includes:
             Bump(s)
             Too large
             Undesirable appearance

1410.0   Sinus problems

    Includes:
      Sinus cyst
      Sinus drainage

        1410.1   Pain and pressure

           Includes:
             Sinus headache

        1410.2   Sinus inflammation, infection

        1410.3   Sinus congestion

1415.0   Shortness of breath

    Includes:
      Breathlessness
      Out of breath
      Sensation of suffocation

1420.0   Labored or difficult breathing (dyspnea)

    Includes:
      Anoxia
      Breathing stopped
      Can't breathe
      Can't catch breath
      Heavy breathing
      Hypoxia
      Respiratory distress
      Smothering
      Trouble breathing

1425.0   Wheezing

    Includes:
      Sighing respiration

1430.0   Breathing problems, NEC

    Includes:
      Hurts to breathe

        1430.1   Disorders of respiratory sound, NEC

           Includes:
             Abnormal breathing sounds
             Snoring
             Rales
             Rattles
             Stridor

        1430.2   Rapid breathing (hyperventilation)

1435.0   Sneezing

1440.0   Cough

>   Includes:
>   Congested
>   Croupy cough
>   Smoker's cough

1445.0   Head cold, upper respiratory infection (coryza)

>   Includes:
>   Cold, NOS

>   Excludes:
>   Chest cold (1475.0)

1450.0   General viral infection

   1450.1   Flu

>   Includes:
>   Grip
>   Influenza

>   Excludes:
>   Croup (2600.0)

1455.0   Symptoms referable to throat, raw throat

   1455.1   Soreness

>   Includes:
>   Throat hurts

   1455.2   Pain

   1455.3   Infection

>   Includes:
>   Throat virus

>   Excludes:
>   Strep throat (2010.0)

   1455.4   Irritation, scratch, tickle, itch

   1455.5   Swelling

   1455.6   Lump or mass

>   Includes:
>   Sensation of something in
>   throat

>   Excludes:
>   Foreign body in throat (5615.0)

1460.0   Symptoms referable to tonsils

>   Includes:
>   Hypertrophy
>   Infection
>   Inflammation

1470.0   Abnormalities of sputum or phlegm

   1470.1   Coughing up blood

>   Includes:
>   Hemoptysis

   1470.2   Pus in sputum

   1470.3   Excessive sputum

>   Includes:
>   Productive

1475.0   Congestion in chest

>   Includes:
>   Lung congestion
>   Chest cold

1480.0   Disorders of voice

   1480.1   Hoarseness, loss of voice

>   Includes:
>   Croaky

   1480.2   Hypernasality

1485.0   Other symptoms referable to the respiratory system,
         NEC

>   Includes:
>   Drainage in throat

   1485.1 Lung pain

   1485.2 Lung infection

**SYMPTOMS REFERABLE TO THE DIGESTIVE SYSTEM
(1500-1639)**

1500.0   Symptoms of teeth and gums

>   Includes:
>   Loose tooth (no injury)
>   Teething, one year old and over
>   Tooth infection

   1500.1   Toothache

   1500.2   Gum pain

   1500.3   Bleeding gums

1501.0   Symptoms of the jaw, NOS

>   Includes:
>   Jaw problem, unspecified
   1501.1   Swelling
   1501.2   Lump or mass

1505.0   Symptoms referable to lips

    Includes:
      Sore on lip

    1505.1   Cracked, bleeding, dry, chapped

    1505.2   Abnormal color

    1505.3   Cold sore

1510.0   Symptoms referable to mouth

    Includes:
      Blister in mouth
      Foaming at the mouth
      Infection of mouth
      Saliva too thick
      White spots

    1510.1   Pain, burning, soreness
    1510.2   Bleeding
    1510.3   Dryness
    1510.4   Ulcer, sore

1515.0   Symptoms referable to tongue

    Includes:
      Ulcer on tongue
      Sore on tongue

    1515.1   Pain

    1515.2   Bleeding

    1515.3   Inflammation, infection, swelling

    1515.4   Abnormal color, ridges, coated

1520.0   Difficulty in swallowing (dysphagia)

    Includes:
      Choking
      Inability to swallow

1525.0   Nausea
    Includes:
      Feel like throwing up
      Nervous stomach
      Sick to stomach
      Upset stomach

1530.0   Vomiting

    Includes:
      Can't keep food down
      Dry heaves
      Retching
      Throwing up

    Excludes:
      Regurgitation, infants (1080.2)
      Vomiting blood (1580.2)

1535.0   Heartburn and indigestion (dyspepsia)

    Includes:
      Acid in stomach
      Excessive belching

1540.0   Gastrointestinal infection

    Includes:
      Intestinal virus
      Stomach flu
      Stomach virus
      Viral gastroenteritis

1545.0   Stomach and abdominal pain, cramps and spasms

    Includes:
      Gastric pain

    Excludes:
      Groin pain (1055.3)

    1545.1   Abdominal pain, cramps, spasms, NOS

        Includes:
          Abdominal discomfort, NO
          Gas pains
          Intestinal colic

    1545.2   Lower abdominal pain, cramps, spasms,

        Includes:
          Right lower quadrant (RLQ)
          pain
          Left lower quadrant (LLQ)
          pain
          Inguinal pain

    1545.3   Upper abdominal pain, cramps, spasms

        Includes:
          Epigastric pain
          Left upper quadrant (LUQ) pain
          Pain in umbilical region
          Right upper quadrant (RUQ)
          pain

1565.0   Change in abdominal size

    1565.1   Distention, fullness, NOS

        Includes:
          Abdominal bloating
          Stomach fullness

    1565.2   Mass or tumor

        Includes:
          Mass in groin
          Mass, inguinal

    1565.3   Abdominal swelling, NOS

1570.0   Appetite, abnormal
          1570.1   Excessive appetite
                    Eats too much
                    Always hungry

          1570.2   Decreased appetite
                    Decreased fluid intake
                    Loss of appetite
                    Not eating
                    Not hungry

1575.0   Difficulty eating
          Excludes:
                    Feeding problem, difficulty eating (less
          than
                    one year [1080.3])

1580.0   Gastrointestinal bleeding
          Includes:
            Bowel

          1580.1   Blood in stool (melena)

          1580.2   Vomiting blood (hematemesis)

1585.0   Flatulence

          Includes:
            Bloated, gas
            Distention due to gas
            Excessive gas
            Gas

          Excludes:
            Gas pains (1545.1)

1590.0   Constipation

1595.0   Diarrhea

          Includes:
            Loose stools
            The runs

1600.0   Other symptoms or changes in bowel function

          1600.1   Discharge in stools

                    Includes:
                      Guaiac positive
                      Hemocult positive
                      Mucus
                      Pus

          1600.2   Worms

          1600.3   Changes in size, color, shape, or
                    odor

                    Includes:
                      Bulky stools
                      Too narrow
                      Unusual odor or color

1600.0   Other symptoms or changes in bowel function (cont.)

          1600.4   Incontinence of stool
                    Includes:
                      Dirty pants (encopresis)
                      Leaking stools

1605.0   Symptoms referable to anus-rectum

          1605.1   Pain

                    Includes:
                      Burning
                      Irritation

          1605.2   Bleeding

          1605.3   Swelling or mass

          1605.4   Itching

1610.0   Symptoms of liver, gallbladder, and biliary tract

          1610.1   Pain

          1610.2   Jaundice

                    Includes:
                      Yellow eyes
                      Yellow skin

1615.0   Other and unspecified symptoms referable to digestive
          system

                    Includes:
                      Abdominal pressure
                      Bad breath
                      Epigastric distress
                      Gastrointestinal distress
                      Halitosis
                      Hiccoughs
                      Regurgitation (adult)
                      Sour taste in mouth
                      Stomach problem
                      Stomach trouble

**SYMPTOMS REFERABLE TO THE GENITOURINARY
SYSTEM (1640-1829)**

1640.0   Abnormalities of urine

                    Excludes:
                      Abnormal findings of urine tests (6200.0)

          1640.1   Blood in urine (hematuria)

          1640.2   Pus in urine

          1640.3   Unusual color or odor

1645.0   Frequency and urgency of urination
          1645.1   Excessive urination, night
                    (nocturia)

1650.0   Painful urination

            Includes:
              Burning, discomfort

1655.0   Incontinence of urine (enuresis)

              1655.1   Involuntary urination, can't hold
                        urine, dribbling, wetting pants

              1655.2 Bedwetting

1660.0   Other urinary dysfunctions

            Includes:
              Trouble going
              Urinary pressure
              Weak Stream

              1660.1   Retention of urine

                          Includes:
                            Can't urinate

              1660.2   Hesitancy

                          Includes:
                            Difficulty in starting stream

              1660.3   Large volume

                          Includes:
                            Polyuria

              1660.4   Small volume

1665.0   Symptoms of bladder

            Includes:
              Bladder trouble

              1665.1   Pain

              1665.2   Infection

              1665.3   Mass

1670.0   Symptoms of the kidneys

            Includes:
              Kidney trouble

              1670.1   Pain
              1670.2   Infection
              1670.3   Mass

1675.0   Urinary tract infection, NOS

            Includes:
              Genitourinary infection
              Urine infection

1680.0   Other symptoms referable to urinary tract

            Includes:
              Passed stones
              Urethral bleeding
              Urinary irritation
            Excludes:
              Kidney stones or bladder stones (2705.0)

1700.0   Symptoms of penis

              1700.1   Pain,   aching,   soreness,
                        tenderness,

                          painful erection

              1700.2   Infection, inflammation, swelling

              1700.3   Lumps, bumps, growths, warts

1705.0   Penile discharge

1710.0   Symptoms of prostate

            Includes:
              Prostate trouble

              1710.1   Swelling

              1710.2   Infection

1715.0   Symptoms of the scrotum and testes

              1715.1   Pain, aching, tenderness

              1715.2   Swelling, inflammation

              1715.3   Growths, warts, lumps, bumps

              1715.4   Itching, jock itch

1720.0   Other symptoms of male reproductive system
            Includes:
              Blood in semen
              Early sexual development, males
              Painful ejaculation

            Excludes:
              Psychosexual problems (1160.0-1160.6)

1730.0   Absence of menstruation (amenorrhea)

            Excludes:
              Suspected pregnancy (3200.0)
              Missed a period (3200.0)
              Period late (3200.0)

1735.0   Irregularity of menstrual interval

              1735.1   Frequent

              1735.2   Infrequent

              1735.3   Unpredictable

1740.0   Irregularity of menstrual flow

      1740.1   Excessively heavy (menorrhagia)

      1740.2   Scanty flow (oligomenorrhea)

      1740.3   Abnormal material, including clots

1745.0   Menstrual symptoms, other and unspecified

      Includes:
       Long periods

      1745.1   Premenstrual symptoms, PMS

         Includes:
          Bloating before periods
          Premenstrual tension
           or irritability

      1745.2   Painful menstruation (dysmenorrhea)

         Includes:
          Menstrual cramps
          Pain in legs and back
           during menstruation

1750.0   Menopausal symptoms

      1750.1   Early or late onset of menopause

      1750.2   Vasomotor symptoms-hot flashes

      1750.3   Emotional symptoms, change of
           life problems

1755.0   Uterine and vaginal bleeding

      Excludes:
       Bleeding during pregnancy (1790.2)

      1755.1   Intermenstrual bleeding
           (metrorrhagia)

         Includes:
          Bleeding between periods
          Breakthrough bleeding

      1755.2   Postmenopausal bleeding

      1755.3   Postcoital bleeding, female

1760.0   Vaginal discharge

      Includes:
       Bloody, brown, white (leukorrhea),
        excessive

1765.0   Other vaginal symptoms

      1765.1   Pain

      1765.2   Infection

      1765.3   Itching, burning

      1765.4   Vaginal dryness

1770.0   Vulvar disorders

      1770.1   Itching and irritation, swelling
      1770.2   Mass, lump
      1770.3   Growth, wart, cyst, ulcer, sore

1775.0   Pelvic symptoms

      1775.1   Pain

      1775.2   Pressure or dropping sensation

         Includes:
          Feeling of uterus falling out

      1775.3   Infection, inflammation

1790.0   Problems of pregnancy
      Includes:
       Fetal movement

      Excludes:
       Routine prenatal visits (3205.0)

      1790.1   Pain during pregnancy

      1790.2   Spotting, bleeding during
           pregnancy

      1790.3   Symptoms of onset of labor

         Includes:
          Water broke
          Ruptured membranes
          Labor pain, contractions
          Labor, NOS

1791.0   Postpartum problems

      Includes:
       Bleeding
       Pain

      Excludes:
       Postpartum examination, routine (3215.0)

1795.0   Other symptoms referable to the female reproductive
      system
      Includes:
       Early sexual development, female
       Frequent miscarriage

1800.0   Pain or soreness of breast
                    Includes:
                       Tenderness

1805.0   Lump or mass of breast

                    Includes:
                       Bump
                       Knot
                       Nodule
                       Cyst

1810.0   Other symptoms referable to breast

                    1810.1   Bleeding or discharge from nipple
                                 or breast

                    1810.2   Postpartum problems

                             Includes:
                                Engorgement
                                Postpartum infection
                                Nursing difficulties

                    1810.3   Problems with shape or size

                             Includes:
                                Too large
                                Too small
                                Sagging
                                Uneven development

1815.0   Symptoms of infertility

                    Includes:
                       Can't get pregnant
                       Inability to conceive
                       Sterility

1820.0   Hormone deficiency or problem

1825.0   Symptoms of sexual dysfunction

                    Includes:
                       Dyspareunia
                       Painful intercourse

                    Excludes:
                       Psychological disorders (see 1160.0-
                       1160.6)

**SYMPTOMS REFERABLE TO THE SKIN, NAILS, AND
HAIR (1830-1899)**

1830.0   Acne or pimples

                    Includes:
                       Bad complexion
                       Blackheads
                       Blemishes
                       Breaking out
                       Complexion, NOS
                       Whiteheads

1835.0   Discoloration or abnormal pigmentation

                    Includes:
                       Birthmark
                       Blotches
                       Circles under eyes
                       Freckles
                       Redness
                       Spots

                    Excludes:
                       Blushing (1280.3)
                       Bruise (see 5405.0-5430.0)
                       Flushing (1280.3)
                       Jaundice (1610.2)

1840.0   Infections of skin, NOS

                    Includes:
                       Draining wound
                       Infected blister
                       Infected wound

                    Excludes:
                       Athlete's foot (2025.0)
                       Wound drainage (as treatment)

                    1840.1   Infection of skin of head or neck
                                 area

                    1840.2   Infection of skin of arm, hand, or
                                 finger

                    1840.3   Infection of skin of leg, foot, or
                                 toe

1845.0   Symptoms of skin moles

                    Includes:
                       Skin mole, NOS

                    1845.1   Change in size or color

                    1845.2   Bleeding mole

1850.0   Warts, NOS

                    Includes:
                       Condyloma
                       Condyloma acuminatum

                    Excludes:
                       Plantar's warts (2015.0)

1855.0   Other growths of skin

                    Includes:
                       Callus
                       Corns
                       Cysts, NOS
                       Cyst, scalp
                       Skin growth, NOS
                       Skin tag

1860.0   Skin rash

> Includes:
> Rash
> Skin eruption
>
> Excludes:
> Poison ivy (2825.0)
> Poison oak (2825.0)

    1860.1   Diaper rash

1865.0   Skin lesion, NOS

> Includes:
> Blister
> Face
> Papule
> Pustule
> Raw area
> Sore
> Ulcer

1870.0   Skin irritations, NEC

    1870.1   Pain

    1870.2   Itching

1875.0   Swelling of skin

> Includes:
> Bumps, lumps
> Nodules
> Welts, except hives (2825.0)
> Tumor, skin

1880.0   Other symptoms referable to skin

> Excludes:
> Navel problems (1895.0)

    1880.1   Oiliness

    1880.2   Dryness, peeling, scaliness, roughness

    1880.3   Wrinkles

1885.0   Symptoms referable to nails

    1885.1   Infected

    1885.2   Ingrown

    1885.3   Brittle, breaking, splitting, cracked, ridged

1890.0   Symptoms referable to hair and scalp

> Includes:
> Scalp lesion

    1890.1   Too little hair

> Includes:
> Alopecia
> Baldness
> Falling out
> Losing hair

    1890.2   Unwanted hair

> Includes:
> Abnormal hairiness
> Hirsutism
> Superfluous hair

    1890.3   Dryness, flaky scalp, dry scalp

    1890.4   Itching

1895.0   Navel problems

> Includes:
>
> Umbilicus not healing
> Protrusion

SYMPTOMS REFERABLE TO THE MUSCULOSKELETAL SYSTEM (1900-1999)

These codes exclude all injuries (See Injuries and Adverse Effects Module.)

The following fifth digits should be used with categories 1900-1970 in place of the zero when there is adequate information given:

.1	pain, ache, soreness, discomfort
.2	cramps, contractures, spasms
.3	limitation of movement, stiffness, tightness
.4	weakness
.5	swelling (for example, one leg/one ankle; if both legs/ankles code to 1035.1)
.6	lump, mass, tumor

1900.0   Neck symptoms

1905.0   Back symptoms

1910.0   Low back symptoms

1915.0   Hip symptoms

1920.0   Leg symptoms

1925.0   Knee symptoms

1930.0   Ankle symptoms

1935.0   Foot and toe symptoms

1940.0   Shoulder symptoms

1945.0   Arm symptoms

1950.0   Elbow symptoms

1955.0   Wrist symptoms

1960.0   Hand and finger symptoms
                    Includes:
                        Ring stuck on finger

1965.0   Symptoms of unspecified muscles

1970.0   Symptoms of unspecified joints

1975.0   Musculoskeletal deformities
                    Includes:
                        Crooked back
                        Hammer toe

                    Excludes:
                        Clubfoot (2960.0)
                        Curvature of spine (2910.0)

          1975.1   Bowlegged, knock-kneed

          1975.2   Posture problems

          1975.3   Pigeon-toed, feet turn in

1980.0   Other musculoskeletal symptoms

                    Includes:
                        Bone pain
                        Stump pain

                    DISEASE MODULE

INFECTIVE AND PARASITIC DISEASES (2001-2099)

2005.0   Intestinal infectious diseases

                    Includes:
                        Cholera
                        Dysentery
                        Enteritis
                        Gastroenteritis
                        Giardia
                        Salmonella

2010.0   Streptococcal infection

                    Includes:
                        Streptococcal tonsillitis
                        Scarlet fever

2015.0   Viral diseases

                    Includes:
                        Chickenpox
                        Genital warts
                        German measles (rubella)
                        Hepatitis (infectious and NOS)
                        Herpes simplex
                        Infectious mononucleosis
                        Measles
                        Meningitis, Viral
                        Mumps
                        Plantar's warts
                        Poliomyelitis
                        PPS
                        Rabies
                        Respiratory syncytival virus (RSV)
                        Shingles (Herpes zoster)
                        Smallpox, NOS
                        Venereal warts
                        Verruca

          2015.1   Human immunodeficiency virus
          (HIV) with or without associated conditions

                    Includes:
                        Acquired immunodeficiency
                          syndrome
                        AIDS
                        AIDS-like syndrome
                        AIDS-related complex
                        ARC
                        HIV positive

                    Excludes:
                        Results, follow-up of test for
                          HIV (6106.0)

          2015.2   Hemorrhagic fevers

                    Includes:
                        Botulism
                        Ebola
                        Fever, Hemorrhagic
                        Marburg

2020.0   Sexually transmitted diseases

                    Includes:
                        Chlamydia
                        Gonorrhea
                        Syphilis

2025.0   Fungus infections (mycoses)

                    Includes:
                        Athlete's foot
                        Candidiasis monilia
                        Dermatophytoses
                        Moniliasis
                        Ringworm
                        Thrush
                        Tinea
                        Yeast infection

2030.0   Parasitic diseases
                    Includes:
                     Ascaris
                     Leeches
                     Lice
                     Maggots
                     Pinworms
                     Scabies

2031.0   Sepsis, septicemia

2035.0   Other and unspecified infectious and parasitic diseases

                    Includes:
                     Bacterial infection
                     Behcet's syndrome
                     Cattleman's disease
                     E. Coli
                     Lyme disease
                     PCP (pneumocystis carinii)
                     Plague
                     Staphylococcal infections
                     Trichomonas vaginitis
                     Tuberculosis
                     Tularemia

NEOPLASMS (2100-2199)

Malignant neoplasms:

2100.0   Cancer, gastrointestinal tract

                    Includes:
                     Colon
                     Esophagus
                     Liver
                     Small intestine
                     Stomach

2105.0   Cancer, respiratory tract

                    Includes:
                     Bronchus
                     Larynx
                     Lung
                     Throat
                     Trachea

2110.0   Cancer, skin and subcutaneous tissues

                    Includes:
                     Basal cell carcinoma
                     Melanoma
                     Squamous cell carcinoma

2115.0   Cancer, breast

2120.0   Cancer, female genital tract

                    Includes:
                     Cervix
                     Endometrium
                     Fallopian tube(s)
                     Ovary(ies)
                     Uterus
                     Vagina
                     Vulva

2125.0   Cancer, male genital tract

                    Includes:
                     Epididymitis
                     Penis
                     Prepuce (foreskin)
                     Prostate
                     Scrotum
                     Spermatic Cord
                     Testes

2126.0   Cancer of urinary tract

                    Includes:
                     Bladder
                     Kidney
                     Renal pelvis
                     Ureter
                     Urethra

2130.0   Other malignant neoplasms

                    Includes:
                     Bone cancer
                     Metastatic carcinoma
                     Brain tumor
                     Carcinoma-in-situ, NOS

2135.0   Hodgkin's disease, lymphomas, leukemias

                    Includes:
                     Cancer of blood
                     Lymphosarcoma
                     Multiple myeloma
                     Polycythemia vera

Benign and uncertain nature neoplasms:

2140.0   Fibroids and other uterine neoplasms
                    Includes:
                     Cervical polyp
                     Leiomyomata
                     Myoma
                     Nabothian cyst

2145.0   Other benign neoplasms
          Includes:
             Bartholin's cyst
             Dermoid cyst (ovary)
             Hemangioma
             Lipoma
             Nasal polyp
             Nevus
             Ovarian cyst
             Rectal polyp
             Vaginal inclusion
             Vocal cord

          Excludes:
             Cyst, NOS (1855.0)
             Epidermoid cyst (2825.0)
             Pilonidal cyst (2825.0)
             Sebaceous cyst (2825.0)

2150.0   Neoplasm of uncertain nature
          Includes:
             Myelodysplasia
             Plasmacytoma

          Excludes:
             Brain tumor (2130.0)

ENDOCRINE, NUTRITIONAL, METABOLIC AND IMMUNITY DISEASES (2200-2249)

2200.0   Diseases of the thyroid gland

          Includes:
             Goiter
             Hyperthyroidism
             Hypothyroidism
             Myxedema
             Thyroid nodule
             Thyrotoxicosis

2205.0   Diabetes mellitus

2210.0   Gout, hyperuricemia

2215.0   Other endocrine, nutritional, metabolic and immunity
          diseases
          Includes:
             Amyloidosis
             Barter's Syndrome
             Calcium deficiency
             Cystinosis
             Disorders of intestinal absorption
             Electrolyte imbalance
             Female hormone deficiency
             Hematochromatosis
             HL, elevated
             Hormone imbalance
             Hypercholesterolemia
             Hyperlipidemia
             Hypoglycemia
             Impaired immune system
             Iron deficiency
             Low blood sugar
             Malnutrition

2215.0   Other endocrine, nutritional, metabolic and immunity
          Diseases (cont.)
             Ovarian dysfunction
             Poor nutrition
             Sugar reaction (if due to drug, code also
             59050)
             Wilson's syndrome

DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (2250-2299)

2250.0   Anemia

          Includes:
             Anemia, NOS
             Iron deficiency anemia
             Pernicious anemia
             Sickle cell anemia

2255.0   Other diseases of blood and blood-forming organs
          Includes:
             Hemophilia
             HS Purpura
             Pancytopenia
             Thrombocytopenia
             von Willebrand's disease

MENTAL DISORDERS (2300-2349)

2300.0   Organic psychoses
          Includes:
             Alcoholic psychoses
             Drug withdrawal
             Organic brain syndromes
             Senile dementia

2305.0   Functional psychoses

          Includes:
             Autism
             Bipolar disease
             Depression, Major
             Manic-depressive psychoses
             Paranoid states
             Psychosis, NOS
             Schizophrenia, all types

2310.0   Neuroses

          Includes:
             Anxiety reaction
             Depressive neurosis
             Depressive reaction
             Neurosis, NOS
             Obsessive compulsive neurosis

          Excludes:
             Anxiety (1100.0)
             Depression (1110.0)

2315.0   Personality and character disorders

2320.0   Alcoholism

        Includes:
         Alcohol dependence

        Excludes:
         Adverse effect of alcohol (5915.0)
         Alcohol abuse (1145.0)
         Alcohol-related problems (1145.0)

2321.0   Drug dependence

        Includes:
         Drug addiction
         Nicorette dependency

        Excludes:
         Abnormal drug usage (1150.0)
         Adverse effect of drug abuse (5910.0)
         Overdose, intentional (5820.1)

2325.0   Mental retardation

2330.0   Other and unspecified mental disorders

        Includes:
         Adolescent adjustment reaction
         Attention deficit disorder (ADD)
         Attention deficit hyperactivity disorder
          (ADHD)
          Note: Use additional code (1125.0) for
          hyperactivity.
         Bruxism
         Dyslexia, Mental
         Eating disorder
         Grief reaction
         Sexual deviations
         Transient situational disturbances

DISEASES OF THE NERVOUS SYSTEM (2350-2399)

2350.0   Multiple sclerosis
2355.0   Parkinson's disease (paralysis agitans)
2360.0   Epilepsy
2365.0   Migraine headache
2370.0   Other and unspecified diseases of the nervous system

        Includes:
         Acute lateral sclerosis
         Alzheimer's disease
         Bell's palsy
         Carpal tunnel syndrome
         Cerebral palsy
         Demyelinating disease
         Guillain-Barre
         Meningitis
         Morton's neuroma
         Muscular dystrophy
         Myasthenia gravis
         Neurofibromatosis
         Neuropathy
         Paralysis, NEC
         Phantom leg/limb pain
         Thoracic outlet syndrome
         Tourette's syndrome

DISEASES OF THE EYE (2400-2449)

2400.0   Inflammatory diseases of the eye

        Includes:
         Blepharitis
         Conjunctivitis
         Ophthalmia
         Iritis
         Keratitis (includes sicca)
         Sty
         Ulcer

        Excludes:
         Infection, NOS (1315.0)

2405.0   Refractive error

        Includes:
         Anisometropia
         Astigmatism
         Hyperopia, farsightedness
         Myopia, nearsightedness
         Presbyopia

2405.0   Refractive error (continued)
        Excludes:
         Test for refractive errors (3230.0)

2410.0   Cataract

2415.0   Glaucoma
        Includes:
         Glaucoma suspect
         Hypertensive ocular disease
         Increased ocular pressure

2420.0   Other diseases of the eye

        Includes:
         Amaurosis fugax
         Amblyopia
         Aphakia
         Color blindness
         Esotropia
         Exotropia
         Krukenberg's spindle
         Macular degeneration
         Pterygium
         Retinal detachment
         Strabismus

DISEASES OF THE EAR (2450-2499)

2450.0   Otitis media

2455.0   Other diseases of the ear

                Includes:
                 Abscess
                 Labyrinthitis
                 Meniere's disease
                 Ruptured tympanic membrane

                Excludes:
                 Deafness (1345.1)
                 Infection, NOS (1355.2)

DISEASES OF THE CIRCULATORY SYSTEM (2500-2599)

2500.0   Rheumatic fever and chronic rheumatic heart disease
                Includes:
                 Chorea

2505.0   Hypertension with involvement of target organs
                Includes:
                 HCD
                 HCVD
                 Hypertensive cardiovascular disease
                 Hypertensive heart disease
                 Pulmonary hypertension
                 Renal hypertension

2510.0   Hypertension, hypertensive
                Includes:
                 High blood pressure

2515.0   Ischemic heart disease
                Includes:
                 Angina pectoris
                 Arteriosclerotic cardiovascular disease
                   (ACVD)
                 Arteriosclerotic heart disease (ASHD)
                 Coronary
                 Coronary artery disease
                 Heart attack
                 Myocardial infarction

2520.0   Other heart disease
                Includes:
                 Aortic valve stenosis
                 Arrhythmia, NOS
                 Atrial fibrillation
                 Cardiac arrhythmia
                 Cardiac dysrhythmias
                 Cardiomyopathy
                 Cardiomyopathy (congestive)
                 Congestive heart failure
                 Cor pulmonale
                 Heart failure
                 Heart murmur
                 Mitral valve prolapse
                 Mitral valve regurgitation
                 Paroxysmal tachycardia
                 Premature ventricular contractions
                   (PVCs)
                 Ventricular tachycardia

2525.0   Cerebrovascular disease
                Includes:
                 Carotid stenosis
                 Cerebral arteriosclerosis
                 Cerebral hemorrhage
                 Cerebral stenosis
                 Cerebrovascular accident (CVA)
                 Stroke
                 TIA

2530.0   Atherosclerosis
                Includes:
                 Arteriosclerosis
                 Hardening of the arteries

                Excludes:
                 Cerebral arteriosclerosis (2525.0)

2535.0   Phlebitis, thrombophlebitis
                Includes:
                 Phlebothrombosis

2540.0   Varicose veins

2545.0   Hemorrhoids

                Includes:
                 Perineal tags

2550.0   Other disease of circulatory system
                Includes:
                 Aneurysm
                 Artery diseas
                 Blood clots
                 Pulmonary embolism
                 Heart disease, NOS
                 Infarct(s), NOS
                 Lymphadenitis
                 Lymphadenopathy
                 Postphlebitic syndrome
                 Raynaud's disease
                 Stasis dermatitis
                 Temporal arteritis
                 Vasculitis
                 Venous insufficiency

DISEASES OF THE RESPIRATORY SYSTEM (2600-2649)

2600.0   Upper respiratory infections except tonsillitis

                Includes:
                 Croup
                 Laryngitis
                 Pharyngitis
                 Rhinitis
                 Sinusitis

                Excludes:
                 Allergic rhinitis (2635.0)
                 Cold (1445.0)
                 Nose infection, NOS (1405.3)
                 Sinus infection, NOS (1410.2)
                 Throat infection, NOS (1455.3)

2605.0   Tonsillitis

2610.0   Bronchitis

          Includes:
             Acute bronchitis
             Bronchitis, NOS
             Chronic bronchitis

2620.0   Emphysema
2625.0   Asthma
2630.0   Pneumonia

          Includes:
             Bacterial pneumonia
             Bronchopneumonia
             Pneumonitis
             Viral pneumonia

2635.0   Hay fever

          Includes:
             Allergic rhinitis
             Allergy to:
                     Dust
                     Pollen
                     Animals
                     Ragweed
             Nasal allergy
             Pollenosis

2640.0   Other respiratory diseases

          Includes:
             Bronchiolitis
             Bronchospasm
             Chronic obstructive pulmonary disease
             Deviated nasal septum
             Hemothorax
             Other respiratory problems
             Pleurisy
             Pneumothorax
             Pulmonary edema
             Respiratory failure
             SARS

DISEASES OF THE DIGESTIVE SYSTEM (2650-2699)

2650.0   Diseases of the esophagus, stomach, and duodenum

          Includes:
             Barrett's esophagus
             Duodenal ulcer
             Esophageal ulcer
             Esophagitis
             Gastritis
             GERD
             Peptic ulcer
             Reflux
             Stomach ulcer

          Excludes:
             Gastroenteritis (2005.0)
             Stomach flu (1540.0)

2655.0   Appendicitis, all types

2660.0   Hernia of abdominal cavity

          Includes:
             Abdominal
             Femoral
             Hiatus
             Inguinal
             Umbilical
             Ventral

2665.0   Diseases of the intestine and peritoneum

          Includes:
             Abscess, rectal
             Adhesions (abdominal or NOS; if states
                post-op, code 42050 also)
             Crohn's disease
             Diverticulitis
             Diverticulosis
             Fissure - rectal, anal
             Fistula - rectal, anal
             Ileitis
             Irritable bowel syndrome
             Proctitis
             Small bowel obstruction
             Spastic colitis
             Ulcerative colitis

          Excludes:
             Intestinal virus (1540.0)

2670.0   Diseases of the liver, gallbladder, and pancreas

          Includes:
             Biliary colic
             Cholecystitis
             Cholelithiasis (gallstones)
             Cirrhosis
             Liver diseases
             Pancreatitis

2675.0   Other diseases of digestive system, NEC
          Includes:
             Mandibular cyst

             2675.1 Dental abscess
             2675.2 Dental cavities
             2675.3 Canker sore
             2675.4 Stomatitis
             2675.5 Temperomandibular joint (TMJ) pain,
                    Temperomandibular joint (TMJ)
                    syndrome

DISEASES OF THE GENITOURINARY SYSTEM (2700-2799)

2700.0   Cystitis

          Excludes:
             Bladder infection (1665.2)

2705.0   Urinary tract disease except cystitis

          Includes:
            Bladder stones
            Glomerulonephritis
            Glomerulonephrosis
            Kidney cyst
            Kidney stones
            Neurogenic bladder
            Pyelonephritis
            Renal failure
            Ureteral calculus
            Urethritis
            Urolithiasis

          Excludes:
            Bladder infection (1665.2)
            Kidney infection, NOS (1670.2)
            Passed stones (1680.0)
            Urinary tract infection (1675.0)

2710.0   Diseases of the male genital organs

          Includes:
            Benign prostatic hypertrophy (BPH)
            Epididymitis
            Hydrocele
            Peyronie's disease
            Phimosis
            Prostatitis

          Excludes:
            Prostate infection (1710.2)

2715.0   Fibrocystic and other diseases of breast

          Includes:
            Abscess
            Mastitis

          Excludes:
            Cancer (2115.0)
            Infection (1810.0)

2720.0   Pelvic inflammatory disease (PID)

          Includes:
            Oophoritis
            Pelvic peritonitis
            Salpingitis

          Excludes:
            Pelvic infection, NOS (1775.3)

2725.0   Cervicitis, vaginitis

          Includes:
            Cervical erosion
            Vulvovaginitis

2730.0   Other diseases of female reproductive system

          Includes:
            Cervical dysplasia
            Cystocele
            Dysfunctional uterine bleeding
            Endometriosis
            Polycystic ovaries
            Procidentia uteri
            Prolapse of uterus
            Rectal-vaginal fistula
            Rectocele
            Vulvitis

2735.0   Diagnosed complications of pregnancy and puerperium
          (Double code when possible, for example Htn 2510.0
and
          pregnant 2735.0)
          Do not code with 3205.0

          Includes:
            Advanced maternal age (if age<35, use
              3205.0)
            Diabetes during pregnancy
            Ectopic pregnancy
            Edema of pregnancy
            Fetal death in utero
            Gallstones
            High blood pressure during pregnancy
            High risk pregnancy
            Hyperemesis
            Intrauterine growth retardation (IUGR)
            Miscarriage (if patient is pregnant)
            Multiple pregnancy
            Placenta previa
            Post dates
            Previous C-Section
            RH sensitization
            Spontaneous abortion
            Threatened abortion
            Toxemia, Adolescent
            Twins
            Young maternal age

          Excludes:
            Abortion induced (3520.0)

2736.0   Other diseases of the genitourinary system, NEC

**DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE
(2800-2899)**

2800.0   Carbuncle, furuncle, boil, cellulitis, abscess, NEC

2805.0   Impetigo

2810.0   Seborrheic dermatitis
                    Includes:
                      Dandruff

2815.0   Eczema and dermatitis, NOS
                    Includes:
                      Allergic dermatitis
2820.0   Psoriasis

2825.0   Other diseases of the skin

                    Includes:
                      Allergic skin reactions
                      Epidermal inclusion cyst
                      Folliculitis
                      Hidradenitis
                      Hives
                      Keloid
                      Keratosis
                      Lupus erythematosus, NOS
                      Paronychia
                      Pilonidal cyst
                      Poison ivy
                      Poison oak
                      Rosacea
                      Sebaceous cyst
                      Urticaria

                    Excludes:
                      Acne (1830.0)
                      Cyst, NOS (1855.0)

DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (2900-2949)

2900.0   Arthritis

                    Includes:
                      Osteoarthritis
                      Rheumatism, NOS
                      Rheumatoid arthritis
                      Septic

2905.0   Nonarticular rheumatism

                    Includes:
                      Bursitis
                      Ganglion cyst
                      Lumbago
                      Myositis
                      Polymyalgia theumatica
                      Radiculitis/Radiculopathy
                      Synovitis
                      Tendinitis
                      Tenosynovitis

                    Excludes:
                      Rheumatism, NOS (2900.0)

2910.0   Other musculoskeletal or connective tissue disease

                    Includes:
                      Baker's cyst
                      Bone cysts
                      Bone spur
                      Bunions
                      Cervical myelopathy
                      Curvatures of spine
                      Degenerative disc diseases
                      Dupuytren's contracture
                      Exostosis
                      Kyphoscoliosis
                      Kyphosis

2910.0   Other musculoskeletal or connective tissue disease
(cont.)

                      Osteomyelitis
                      Osteoporosis
                      Paget's
                      Plantar fistula
                      Scleroderma
                      Scoliosis
                      Sjogen's
                      Slipped disc
                      Spondylosis
                      Spur, NOS
                      Systemic lupus erythematosus

CONGENITAL ANOMALIES (2950-2979)

2950.0   Congenital anomalies of heart and circulatory system

2955.0   Undescended testicles

                    Includes:
                      Hypospadias

2960.0   Other and unspecified congenital anomalies

                    Includes:
                      Absence of organs
                      Blocked tear duct
                      Cleft palate
                      Cleft lip
                      Clubfoot
                      Congenital dislocation of hip
                      Deformed earlobe
                      Down syndrome
                      Duplication of organs
                      Dysmorphic
                      Harelip
                      Mitochondrial disorders
                      Turner's Syndrome

PERINATAL   MORBIDITY   AND   MORTALITY CONDITIONS (2980-2999)

2980.0   Prematurity

                    Includes:
                      Late effects of prematurity
                      Premature infant

2990.0   All other perinatal conditions

DIAGNOSTIC, SCREENING, AND PREVENTIVE MODULE

GENERAL EXAMINATIONS (3100-3199)

3100.0   General medical examination

                    Includes:
                      Annual exam
                      Checkup, NOS
                      Checkup, routine

3100.0   General medical examination (cont.)

     Evaluation, NOS
     General exam
     Healthy adult
     Healthy child (includes 1 year and older)
     History and physical (H&P)
     Multiphasic screening exam
     Physical exam
     Preventive
     Regular exam
     Routine exam

    Excludes:
     Administrative exam (7100.0-7140.0)
     Followup visit (4800.0)
     Gynecological exam (3225.0)
     Health care maintenance (under 1 year)
     Pre-op exam (4200.0)
     Prenatal exam (3205.0)
     Progress visit (4800.0)

3105.0   Well baby examination (any child under 1 year of age)

3130.0   General psychiatric or psychological examination (mental health)

    Includes:
     Psychological testing

    Excludes:
     Court- or school-ordered examination (7140.0)

SPECIAL EXAMINATIONS (3200-3299)

3200.0   Pregnancy, unconfirmed

    Includes:
     HCG
     Late menses Icode 4800.0 if followup indicated)
     Late menstruation
     Might be pregnant
     Missed period
     Period late
     Possible pregnancy
     Pregnancy test

3205.0   Prenatal examination, routine

    Includes:
     Normal antepartum visit
     Pregnancy, NOS
     Routine obstetrical care

3215.0   Postpartum examination, routine
3220.0   Breast examination

    Excludes:
     Breast thermography (3340.0)
     Mammography (3340.0)
     Xerography (3340.0)

3225.0   Gynecological examination
    Includes:
     Pelvic exam

    Excludes:
     Examination for birth control medication (3505.0)
     Examination for birth control, NOS (3500.0)
     Examination involving IUD (3510.0)
     Repeat or abnormal Pap smear   (6300.0)

3230.0   Eye examination

    Includes:
     Check contacts
     Check glasses
     For contacts
     For glasses
     Glasses, NOS
     Grid
     Need new glasses
     No change in vision
     Routine ophthalmologic exam
     Test for nearsightedness, farsightedness
     To test my eyes
     Vision about the same
     Vision stable
     Vision test
     Visual field test

    Excludes:
     Fitting glasses or contacts (4515.0)

3235.0   Heart examination

    Includes:
     Cardiac care
     Cardiac checkup
     Heart checkup

3240.0   Other special examination

    Includes:
     AICD check
     Check tubes
     Examination of functioning internal prosthetic devices: implants, stents,shunts, etc.
     Hearing aid
     ICD check
     Neurological exam
     Pacemaker check
     Thyroid

DIAGNOSTIC TESTS (3300-3399)

3300.0   Sensitization test
    Includes:
     Allergy test

    Excludes:
     To check results of skin tests (6600.0)

3305.0   Skin immunity test
                    Includes:
                        PPD test
                        Tuberculin test

                    Excludes:
                        To check results of skin tests (6600.0)

3310.0   Glucose level determination (Hgb A1C-
               glycosolated hemoglobin)

                    Includes:
                        Blood sugar test
                        Check sugar
                        Glucose tolerance test
                        Test for diabetes

3314.0   Human immunodeficiency virus (HIV) test

                    Includes:
                        AIDS test

                    Excludes:
                        To check results of human
                         immunodeficiency
                         virus test (6106.0)

3315.0   Other blood test
                    Includes:
                        Blood alcohol
                        Blood count
                        Blood culture
                        Blood test, NOS
                        Blood thinning test
                        CBC
                        Check cholesterol
                        Prothrombin time
                        PSA
                        Sickle cell anemia test

                    Excludes:
                        Premarital blood test (7135.1)

                    3315.1   Blood test for sexually
                        transmitted disease

3320.0   Blood pressure test
                    Includes:
                        Blood pressure check
                        Check blood pressure

3325.0   Urine test

                    Includes:
                        Estriol for fetal evaluation
                        Test urine for sugar
                        Urinalysis
                        Urine culture

3330.0   Diagnostic endoscopies

                    Includes:
                        Arthroscopy
                        Cystoscopy
                        Laparoscopy
                        Proctoscopy
                        Sigmoidoscopy

3335.0   Biopsies
3340.0   Mammography, xerography, breast thermography

                    Excludes:
                        Breast examination (3220.0)

3345.0   Diagnostic radiology

                    Includes:
                        Angiogram/angiography
                        Bone density
                        Bone scan
                        CT scan
                        Hysterosalpingogram
                        IVP
                        MRI
                        Myelogram
                        Radioisotope scanning
                        Venogram
                        X-ray

3350.0   EKG, ECG, electrocardiogram, treadmill, stress testing,
               holter monitor

3355.0   EEG, electroencephalogram

3360.0   Hearing test

                    Includes:
                        Hearing exam

3365.0   Pap smear

3366.0   Nasal swab

3370.0   Other and unspecified diagnostic tests
                    Includes:
                        Amniocentesis
                        Centesis
                        Cervicitis
                        Drug screening
                        Echocardiogram
                        Electronic fetal monitoring
                        Exposure to PID
                        Lab test, NOS
                        Pulmonary function test
                        Spinal tap
                        Ultrasound

                    3370.1   Glaucoma test
                        Includes:
                            ATN check
                            Check intraocular pressure

3370.0   Other and unspecified diagnostic tests (cont.)
        3370.2   Throat culture

        3370.3   Heart catheterization

        3370.4   Other cultures
                Includes:
                  Skin

OTHER SCREENING AND PREVENTIVE PROCEDURES (3400-3499)

3400.0   Prophylactic inoculations

        Includes:
         Flu shot
         F/U vaccine
         Immunization
         Influenza shot
         Rhogam
         Tetanus shot
         Vaccination

3405.0   Exposure to sexually transmitted disease (STD)

        Includes:
         Check for STD
         May have STD

3408.0   Possible HIV

3409.0   Exposure to human immunodeficiency virus (HIV)

        Includes:
         Exposed to AIDS

3410.0   Exposure to other infectious diseases

        Includes:
         Chickenpox
         Infectious hepatitis
         Measles
         Mumps
         Pathogens
         Tuberculosis

3415.0   Exposure to bodily fluids of another person, NOS

        Includes:
         Blood exposure
         Exposure to another's secretions

FAMILY PLANNING (3500-3599)

3500.0   Family Planning, NOS

        Includes:
         Birth control, NOS
         Counseling, examinations,
          and general advice
          regarding:
           Genetics
           Preop/counseling for vasectomy
           Sterilization
         Fertility, NOS
         Unwanted pregnancy, contraceptive, NOS

        Excludes:
         Procedures performed [See Counseling
          and examinations for pregnancy
          interruption (3515.0) through Artificial
          insemination (3530.0)]
         Specified types of birth control:
           Birth control medication
            (3505.0)
           IUD (3510.0)

3505.0   Contraceptive medication

        Includes:
         Depo Provera
         Examinations, instructions, and advice
          regarding:
           Birth control pills
           Contraceptive implants
           Foams, jellies
           Oral contraceptives
           Renewing pill prescription
         Norplant checkup
         Norplant insertion/removal (also code
          4520.0)

3510.0   Contraceptive device

        Includes:
         Diaphragm insertion, removal, checkup
         IUD insertion, removal, checkup

3515.0   Counseling and examinations for pregnancy interruption

        Includes:
         Evaluation for an arrangement for
          abortion
         Wants abortion

3520.0   Abortion to be performed (at this visit)

3525.0   Sterilization and sterilization reversal to be performed (at this visit)

        Includes:
         Male - vasectomy
         Female - tubal ligation

3530.0   Artificial insemination (at this visit)
                       Includes:
                           Assisted reproductive technologies
                           Fetal reduction
                           Intrauterine insemination
                           In vitro fertilization

3535.0   Preconception counseling and education
                       Includes:
                           Counseling, examinations, and general
                           advice regarding:
                                       Artificial insemination
                                       Desires pregnancy
                                       Egg donor
                                       Infertility
                                       Monitoring cycles
                                       Semen analysis
                                       Sperm donor
                                       Sperm washing
                                       Tubal reversal

                       TREATMENT MODULE

MEDICATIONS (4100-4199)

4100.0   Allergy medication

                       Includes:
                           Allergy shots
                           Allergy treatments

                       Excludes:
                           Allergy testing (3300.0)

4110.0   Injections

                       Includes:
                           Antibiotics
                           Fat
                           Hormones
                           Injections, NOS
                           Iron
                           Lupron Depot
                           Shots, NOS
                           Steroid
                           Vitamins

                       Excludes:
                           Allergy shots (4100.0)
                           Immunizations (3400.0)
                           Inoculations (3400.0)
                           Vaccinations (3400.0)

4111.0   Noncompliance with medication therapy

4115.0   Medication, other and unspecified kinds

                       Includes:
                           Antibiotics, NOS
                           Check medication
                           Drug studies
                           For medication
                           Hormone refill
                           Medication for pain
                           Oral
                           Placebo effect
                           Prescribe medication
                           Renew prescription
                           Renew scripts
                           Request prescription
                           Request scripts
                           Scripts

                       Excludes:
                           Antibiotic medication injections
                             (4110.0)
                           Birth control medication (3505.0)
                           Eyeglass prescription (see Eye
                           examination (3230.0) and
                             Fitting glasses and contact lenses
                           (4515.0))

**PREOPERATIVE AND POSTOPERATIVE CARE
(4200-4299)**

4200.0   Preoperative visit for specified and unspecified types
           of surgery

                       Includes:
                           Discuss any surgery
                           Discussion of cosmetic surgery
                           Pre-op examination
                           Surgical consultation

4205.0   Postoperative visit

                       Includes:
                           Check graft
                           Check implant
                           Check shunt
                           Check stoma
                           Check surgical wound
                           Clotted graft/shunt
                           Endoscopy follow-up
                           F/U Endoscopy (immediate post-op care)
                           Postop care
                           Postop pain (code 1060.1 first)
                           Postop suture removal (code suture
                             removal first)
                           Suture removal follow-up

                       Excludes:
                           Complications of surgical or medical
                             procedures and treatments (5930.0)

SPECIFIC TYPES OF THERAPY (4400-4499)

4400.0   Physical medicine and rehabilitation

        Includes:
         Back adjustment
         Cardiac rehabilitation
         Heat therapy
         Hydrotherapy
         Occupational therapy
         Physical therapy
         Pulmonary rehabilitation
         Recreational therapy
         Speech therapy
         Therapeutic exercises
         Vocational rehabilitation

4401.0   Cardiopulmonary resuscitation (CPR)
4405.0   Respiratory therapy

        Includes:
         Asthma treatment
         Inhalation therapy
         Inhaler/breathing treatment

4410.0   Psychotherapy

        Includes:
         Group counseling
           Includes:
             12 Step programs (e.g. AA,
               Overeaters Anonymous, etc.)
         Family therapy
         Group therapy
         Psychoanalysis

4415.0   Radiation therapy
        Includes treatment of s/p

4420.0   Acupuncture

4425.0   Chemotherapy

SPECIFIC THERAPEUTIC PROCEDURES (4500-4599)

4500.0   Tube insertion

        Includes:
         Chest tube
         Flushed catheter
         G-tube
         PEG, Replacement
         PICC
         Port-a-cath placement
         Trach replacement

        Excludes:
         Flushed urinary catheter 4510.0

4505.0   Cauterization, all sites

4507.0   IV therapy, infusion

4510.0   Urinary tract instrumentation and catheterization

        Includes:
         Flushed urinary catheter
         Urethral dilation
         Urinary catheterization

        Excludes:
         Cystoscopy [see Diagnostic endoscopies
         (3330.0)]

4515.0   Fitting glasses and contact lenses

        Includes:
         Broken or lost glasses or contacts
         Clean glasses or contacts
         Pick up glasses or contacts
         Prescription renewal

        Excludes:
         Eye examination (3230.0)

4518.0   Detoxification

        4518.1   Alcohol

        4518.2   Drug

4520.0   Minor surgery

        Includes:
         Ear tube removal
         Ears pierced
         Joint manipulation
         Norplant insertion/removal (also code
         3505.0)
         Ring removal
         Tattoo removal
         Tube removal

        4520.1   Wart removed

4521.0   Major surgery

        Includes:
         Aspiration bone marrow
         Balloon angiogram
         Cervical conization
         Cholecystectomy
         Laser surgery, eye
         Lens extraction
         Liver biopsy
         Percutaneous transluminal angiogram
         Polypectomy
         PTCA (balloon)

4525.0   Kidney dialysis

4529.0   Internal prosthetic devices (fit, adjust, remove)
                  Includes:
                    Breast implants
                    Cardiac pacemaker
                    Joint prostheses
                    VNS

                  Excludes:
                    Complications of surgical or medical
                      procedures and treatments
                      (5930.0)

4530.0   External prosthetic devices, artificial body parts (fit,
          adjust, remove)

                  Excludes:
                    Prosthetic complications (5930.0)

4535.0   Corrective appliances

                  Includes:
                    Fitting and adjusting:
                        Back brace
                        Dental cap, crown
                        Earplugs
                        Eye patch
                        Hearing aid
                        Jobst or ted stockings
                        Leg brace
                        Neck brace
                        Orthopedic shoes
                        Walking cane

4540.0   Cast, splint - application, removal

4545.0   Dressing, bandage - application, change, packing

4550.0   Irrigation, lavage

4555.0   Suture - insertion, removal

4556.0   Cosmetic injection, NOS

                  4556.1 Botox injection
                  4556.2 Collagen injection

4560.0   Other specific therapeutic procedures, NEC
                  Includes:
                    Adjust device
                    Apheresis
                    Cardioversion
                    Cryotherapy
                    Cut toe nails
                    Debridement
                    Earwick
                    ECT
                    Enema
                    Epidural
                    Eye exercises
                    Insulin pump
                    Joint injection
                    Nerve block
                    Pessary, Change/Clean
                    Phototherapy

4560.0   Other specific therapeutic procedures, NEC (cont.)
                    Sclerotherapy
                    Skin rejuvenation
                    TENS unit, NOS
                    Ultraviolet treatment
                    Wound care, NOS

                  Excludes:
                    Pinched nerve (1240.0)

4565.0   Transplants, NOS

                  Includes:
                    Stem cell

                  4565.1 Failure

                        Includes:
                          Bone marrow

                  4565.2 Rejection

MEDICAL COUNSELING (4600-4699)

4600.0   Diet and nutritional counseling

                  Includes:
                    Check weight
                    Counseling for weight reduction

4604.0   Human immunodeficiency virus (HIV) counseling

                  Includes:
                    AIDS counseling
                    AIDS information, education
                    ARC counseling
                    Worried, concerned about getting,
                      transmitting AIDS

4605.0   Medical Counseling, NOS

                  Includes:

                    Alcohol
                    Disease counseling
                    Drug
                    Drug rehabilitation
                    Locate advocate
                    Medical consultation
                    New patient
                    Open house
                    Patient education
                    Personal problem
                    Questions about condition
                    Referral
                    Relapse prevention
                    Schedule test or study
                    Second opinion
                    To learn about a condition
                    To meet doctor
                    Trouble toilet training
                    Wants to talk to doctor

4605.0   Medical Counseling, NOS (cont.)

      4605.1 Family history of cardiovascular
              disease

      4605.2 Family history of cancer

      4605.3 Family history of diabetes

      4605.4 Family history of other disease or
              condition

SOCIAL PROBLEM COUNSELING (4700-4799)

4700.0   Economic problem

    Includes:
      Can't pay bills
      Too little income

4702.0   Problem with access to medical care

    Includes:
      Blocked access to medical care
      Care not covered by insurance
      Insurance problem
      Limited access to medical care

4705.0   Marital problems

    Includes:

      Alcoholic spouse
      Custody battle
      Divorce, desertion, separation
      Marriage counseling, NOS
      Premarital counseling
      Problem with husband, wife

4710.0   Parent-child problems

    Includes:
      Adopted or foster child
      Concern about childhood behavior
      Discipline
      Maturation problems
      Opposional defiance
      Working mother

4715.0   Other problems of family relationship

    Includes:
      Aged parents or in-laws
      Brother sister difficulty
      Divorced parents
      Family fights and disruptions
      Problems with relatives

4720.0   Educational problems

    Includes:
      Absenteeism, truancy
      Hates school
      Problems with teachers
      School behavior problems

4725.0   Occupational problems

    Includes:
      Job dissatisfaction
      Out of work
      Problem with boss or coworkers
      Unable to work
      Unemployment

4730.0   Social adjustment problems

    Includes:
      Discrimination problems
      Don't have any friends
      Loneliness
      Neighborhood and community relations
       problems
      Social isolation

4735.0   Legal problems

    Includes:
      Imprisonment, prosecution
      Lawsuits, litigation

      4735.1   Police involvement in
              outpatient visit circumstances

        Includes:
         Brought in by police
         Police called

4740.0   Other social problems

    Includes:
      Disabled
      Disappointment in others
      Disasters
      [Other person] is drunk
      Homeless
      Housing and clothing problems
      Pregnancy out-of-wedlock
      Problem with boyfriend or girlfriend
      Problems of aging
      Relationship problems

PROGRESS VISIT, NEC (4800-4899)

4800.0   Progress visit, NOS (Use only when the only
       information given is progress or followup)
    Includes:
      Chronic, NOS
      Followup, NOS
      Getting better
      I'm better
      I'm the same
      I'm worse
      Monthly visit
      Ongoing treatment, NOS
      Recheck
      Revisit
      Routine followup
      Same problems, NOS
      Touching base

4800.0   Progress visit, NOS (Use only when the only
             information given is progress or followup) (cont.)

             Excludes:

             Followup, disease (Code to disease)
             Followup, injury (Code to injury)
             Followup, symptom (Code to symptom)
             Followup, test results (Code to 6100.0-
              6700.0)
             General checkup (3100.0)
             Postoperative followup (4205.0)
             Preventive medicine (3100.0)

INJURIES AND ADVERSE EFFECTS MODULE

INJURY BY TYPE AND/OR LOCATION (5001-5799)

Fractures and dislocations:

5005.0   Head and face
             Includes:
             Facial bones
             Jaw
             Nose
             Skull

5010.0   Spinal column

             Includes:
             Back
             Neck
             Vertebrae

5015.0   Trunk area, except spinal column

             Includes:
             Clavicle
             Collarbone
             Pelvic scapula
             Rib

5020.0   Leg
             Includes:
             Femur
             Fibula
             Hip
             Knee
             Tibia
5025.0   Ankle

5030.0   Foot and toes

5035.0   Arm

             Includes:
             Elbow
             Humerus
             Radius
             Shoulder
             Ulna

5040.0   Wrist
5045.0   Hand and fingers

5050.0   Fracture, other and unspecified

Sprains and strains:

5105.0   Cervical spine, neck

             Includes:
             Whiplash
5110.0   Back

5115.0   Knee

5120.0   Ankle

5125.0   Wrist

5130.0   Sprain or strain, other and unspecified

Lacerations and cuts:

5205.0   Head and neck area
             Excludes:
             Face (5210.0)

5210.0   Facial area
             Includes:
             Eye
             Ear
             Forehead
             Lip
             Nose

5215.0   Trunk area
             Includes:
             Perineum

5220.0   Lower extremity

             Includes:
             Ankle
             Foot

5225.0   Upper extremity

             Includes:
             Arm
             Fingers
             Hand
             Wrist

5230.0   Laceration and cuts, site unspecified

Puncture wounds:

5305.0   Head, neck and facial area

5310.0   Trunk area

5315.0   Lower extremity

5320.0   Upper extremity

5325.0   Puncture wound, site unspecified

        Includes:
         Needlestick, NOS

Contusions, abrasions, and bruises:

5405.0   Head, neck, and face

        Excludes:
         Eye (5410.0)

5410.0   Eye

        Includes:
         Black eye
         Contusion
         Corneal abrasion

5415.0   Trunk area

        Includes:
         Injury to scrotum

5420.0   Lower extremity

5425.0   Upper extremity

5430.0   Contusion, abrasion, bruise, site unspecified

Injury, other and unspecified type:

5505.0   Head, neck, and face

        Includes:
         Post concussive syndrome
         Tooth fracture
         Tooth knocked out
         Traumatic brain injury (TBI)

        Excludes:
         Loose tooth (no injury) 1500.0

5510.0   Eye

5515.0   Back

        Includes:
         Tail bone

5520.0   Chest and abdomen

        Includes:
         Internal injuries

5525.0   Hip

5530.0   Leg

5535.0   Knee

5540.0   Ankle

5545.0   Foot and toe(s)

5550.0   Shoulder

5555.0   Arm

5560.0   Elbow

5565.0   Wrist

5570.0   Hand and finger(s)

5575.0   Injury, multiple or unspecified
        Includes post-traumatic (NOS) headache
         (and 1210.0)

Foreign body:

5600.0   Eye

5605.0   Nose

5610.0   Skin

5615.0   Digestive tract (if choking present, code 15200 first)

        Includes:
         Mouth
         Rectum
         Throat

5616.0   Respiratory tract

5620.0   Other and unspecified sites

Burns, all degrees:

5705.0   Head, neck, and face
        Includes eyes

5710.0   Trunk area

5715.0   Extremities

        Includes:
         Lower
         Upper

5720.0   Burn, site unspecified
5750.0   Sunburn, windburn

        Excludes:
         Sun poisoning 5920.0

Bites:

5755.0   Insect

        Includes:
         Sting
         Tick

5760.0   Animal ,snake, human

INJURY, NOS (5800-5899)

5800.0   Late effects of an old injury

                    Includes:
                      Deformities
                      Scars
5805.0   Motor vehicle accident, type of injury unspecified

                    Includes:
                      Auto accident
                      Car accident
                      Motorcycle accident

5810.0   Accident, NOS

                    Includes:
                      Fall, type or location of injury
                        unspecified

5815.0   Violence, NOS

                    Includes:
                      Abuse
                      Beat up
                      In a fight
                      Stabbing

                    Excludes:
                      Violence against oneself (5818.0,
                        5820.0)

            5815.1   Child abuse or neglect

                        Excludes:
                          Child sexual abuse (5830.1)

            5815.2   Battered spouse

            5815.3   Elder abuse

            5815.4   Gunshot wound

5818.0   Intentional self-mutilation

                    Includes:
                      Self-abuse
                      Tried to hurt self

                    Excludes:
                      Suicide attempt (5820.0)
5820.0   Suicide attempt
                    Includes:
                      Found in car with motor running
                      Hanging oneself
                      Slashed wrists
                        Code also: Laceration of wrists
                          (5225.0)
                      Stabbed oneself

            5820.1 Overdose, intentional
                        Excludes:
                          Unintentional overdose
                            (5910.0)

5830.0   Rape

                    Includes:
                      Sexual assault

            5830.1   Sexual abuse

                        Includes:
                          Molestation

5835.0   Dead on arrival (DOA)

                    Includes:
                      Death

                    Excludes:
                      Cardiac arrest (5837.0)
                      Cardiopulmonary arrest (5839.0)
                      Respiratory arrest (5836.0)

5836.0   Respiratory arrest

                    Excludes:
                      Cardiac arrest (5837.0)
                      Cardiopulmonary arrest (5839.0)
                      Dead on arrival (5835.0)
                      Drowning (5838.0)
                      Near drowning (5838.0)

5837.0   Cardiac arrest
                    Includes:
                      Code blue

                    Excludes:
                      Cardiopulmonary arrest (5839.0)
                      CPR (4401.0)
                      Dead on arrival (5835.0)
                      Respiratory arrest (5836.0)

5838.0   Drowning
                    Includes:
                      Near drowning

5839.0   Cardiopulmonary arrest
                    Excludes:
                      Cardiac arrest (5837.0)
                      Respiratory arrest (5836.0)

5840.0   Unconscious on arrival

                    Includes:
                      Coma
                      Found unconscious
                      Knocked out
                      Shock
                      Stupor
                      Unresponsive

5841.0   State of consciousness not specified
                    Includes:
                      Brought in by ambulance
                      Found on floor
                      Verbally unresponsive

5842.0   Altered level of consciousness, NOS

    Excludes:
     Adverse effect of alcohol 5915.0
     Adverse effect of drug abuse 5910.0

POISONING AND ADVERSE EFFECTS (5900-5999)

5900.0   Unintentional poisoning

    5900.1   Food poisoning

    5900.2   Ingestion, inhalation, or
        exposure to potentially
        poisonous products

      Includes:
       Heavy metal toxicity
       Household products
       Chemicals
       Drugs
       Gas
       Smoke
       Lead
       Mace in eyes

5905.0   Adverse effect of medication

    Includes:
     Allergy to medication
     Anaphylactic shock
     Bad reaction to prescribed medication
     Penicillin allergy
     Sugar too low (insulin reaction)
      (Code 2215.0 also)

5910.0   Adverse effect of drug abuse

    Includes:
     Bad trip
     Combination of drugs and alcohol
      (nonsuicidal)
     Drug-induced hallucinations
     Freaked out on drugs
     Ingestion of drugs for nonmedicinal
      purposes
     Unintentional overdose

    Excludes:
     Intentional overdose (5820.1)

5915.0   Adverse effect of alcohol

    Includes:
     Acute intoxication
     Drunk
     Intoxication

5920.0   Adverse effects of environment

    Includes:
     Air pollution
     Frostbite
     Hypothermia
     Noise pollution
     Sun damage
     Sun poisoning
     Too hot
     Water pollution

5921.0   Adverse effects of second-hand smoke (Code also
    symptomatic conditions related to second-hand
    smoke exposure, for example, bronchitis,
    emphysema)
     Includes:
      Persons living with heavy smoker
      Exposure in public buildings
      Work environment exposure

5922.0   Adverse effects of terrorism and bioterrorism
     Includes:
      Anthrax, skin
      Anthrax, respiratory (inhalation)
      Bombing
      Food/water contamination
      Smallpox

Note: Use an additional code to identify the complaint, symptom,
or disease, if any.

5925.0   Adverse effects, other and unspecified
     Includes:
      Seasickness

5930.0   Complications of surgical or medical procedures and
    treatments

    Includes:
     Artificial openings (ostomies, stoma)
     Catheter
     Foreign body (accidentally left during
      surgery e.g. sponge, instrument)
     Medical complication, NOS
     Non-healing surgical wound
     Post-op fever
     Post-op hemorrhage (bleeding)
     Post-op infection or inflammation
     Post-op sepsis (septicemia)
     Shunt
     Tubes
     Wound dehiscence

    Use additional code to identify condition
     Such as: UTI (1675.0)
        Fever (1010.0)

    Excludes:
     Postpartum conditions (1791.0 and
      1810.2)
     Complication of transplant organs
      (4565.1-4565.2)

TEST RESULTS MODULE

   (Includes all abnormal test results and followups for test results)

6100.0   For results of blood glucose tests

            Includes:
             Abnormal glucose tolerance test
             Elevated blood sugar
             Glucose control
             High blood sugar
             Hyperglycemia
             Sugar in blood

6105.0   For results of cholesterol and triglyceride tests

            Includes:
             High cholesterol

6106.0   For results of test for human immunodeficiency
           virus (HIV)

            Includes:
             Results of AIDS test

            Excludes:
             History of positive HIV test findings
             (2015.1)

6110.0   For other findings of blood tests

            Includes:
             Elevated sed rate
             Low potassium
             Positive blood culture
             Positive serology, VDRL
             PSA results

6200.0   For results of urine tests

            Includes:
             Abnormal urinalysis
             Positive urine culture
             Sugar in urine

6300.0   For cytology findings

            Includes:
             Abnormal Pap smear
             Atypical Pap smear
             For results of Pap smear of cervix or
               other area
             Positive Pap smear
             Repeat Pap smear

6400.0   For radiological findings

            Includes:
             Abnormal X-ray
             X-ray results
             Xeromammography results

6500.0   For results of EKG, Holter monitor review

6600.0   For results of skin tests

6700.0   For other and unspecified test results

            Includes:
             Abnormal EEG
             Abnormal lab test results, NOS
             Abnormal scans
             Abnormal pulmonary function test
             Colonoscopy results
             CT scans
             Failed hearing, vision
             MRI
             Results of biopsy
             Results of fetal evaluation tests
             To discuss test results with physician
             Ultrasonography results

ADMINISTRATIVE MODULE

7100.0   Physical examination required for school or
           employment

           7100.1   Physical examination required
                for employment

                Includes:
                Preemployment examination
                Required company physical
                Return to work checkup
                Teacher's certificate physical

           7100.2   Executive physical examination

           7100.3   Physical examination required
                for school

                Includes:
                College
                Day care center
                Grade school
                High school
                Nursery school

           7100.4   Physical examination for
                extracurricular activities

                Includes:
                Athletics
                Boy Scouts or Girl Scouts
                Camp
                Little League

7120.0   Driver's license examination, DOT

7125.0   Insurance examination

7130.0   Disability examination

            Includes:
             Evaluation of disability
             Social Security examination

7131.0   Worker's comp exam

7135.0   Premarital examination

        7135.1   Premarital blood test

7137.0   Direct admission to hospital

        Includes:
         Admit to hospital
         Direct admit
         For admission
         Here for admission
         Involuntary commitment
         Pre admission evaluation
         Pre admission exam
         Voluntary commitment

7140.0   Other reason for visit required by party other than
       the patient or the health care provider

        Includes:
         Medical certificate
         Physical certificate
         Physical examination for adoption
         Psychiatric examination required by
          court
         Travel
         WIC medical clearance

UNCODABLE ENTRIES

8990.0   Problems, complaints, NEC

8991.0   Patient unable to speak English

8993.0   Patient (or patient's spokesperson) refused care

        Includes:
         Left AMA
         Walked out

8997.0   Entry of "none" or "no complaint"

        Includes:
         Asymptomatic, NOS
         Doing well
         Feeling good

8998.0   Insufficient information

8999.0   Illegible entry

SPECIAL CODE

-9   Blank

APPENDIX III

A. GENERIC CODES AND NAMES IN NUMERIC ORDER

This list reflects the new classification being used to code drugs reported in NHAMCS. Starting with 2006 data, the Multum Lexicon Plus system was used to classify drugs in NHAMCS. Drugs starting with a "d" prefix are those for which a match was found in the Multum Lexicon Plus®, a proprietary database of Cerner Multum, Inc., and the code reflects the Multum code for the drug. Drugs starting with an "a" prefix are those which were added to the NCHS database in 2006 and 2007 for which a match could not be found in Multum but for which ingredients could be identified. Drugs starting with a "c" prefix are those drugs added to the NCHS database in 2006 and 2007 for which ingredients could not be determined. Drugs starting with "a" or "c" were assigned codes by NCHS. Starting in 2008, the "a" and "c" codes are no longer being used to code drugs in the NCHS database. Starting in 2008, drugs which were added to the NCHS database for which no match could be found in Multum use an "n" prefix. Ingredients are separated by semi-colons or dashes.

a07001 FOLIC ACID;NIACIN; VITAMIN E;PYRIDOXINE; CYANOCOBALAMIN
a07002 CHOLECALCIFEROL- CALCIUM CITRATE
a07003 MULTIVITAMIN-LUTEIN
a07009 PASSIFLORA EXTRACT;MAGNESIUM CITRATE;CALCIUM LACTATE;VALERIAN
a07010 ASCORBIC ACID- GLYCERIN
a07018 CAYENNE PEPPER- GARLIC
a07019 VITAMIN A; RIBOFLAVIN; PYRIDOXINE; CHOLECALCIFEROL; THIAMINE
a07026 BIOTIN;VITAMIN B COMPLEX;FOLIC ACID;ASCORBIC ACID
a07027 CALCIUM; MAGNESIUM; CHOLECALCIFEROL
a07033 HIV VACCINE
a07035 ANALGESICS;DIETARY SUPPLEMENT; ANTIOXIDANTS
a07047 MUSHROOM EXTRACT
a07049 CARRASYN
a07050 ANGIOTENSIN II RECEPTOR BLOCKERS
a07056 OAK EXTRACT
a07061 XANTHAN GUM
a07065 CURCUMIN
a07069 CYANOACRYLATE
a07071 TYROSINE
a07073 TICILIMUMAB
a07074 SOLUBLE FIBER

a10001 ACACIA GUM; HYDROCORTISONE; LEVONORGESTREL; NEOMYCIN;POLYMYXIN B SULFATE
a10002 ACETONE;BORIC ACID TOPICAL;CARBOL- FUCHSIN;RESORCINOL TOPICAL
a10004 ACETONE; ETHANOL;FUCHSIN; PHENOL TOPICAL;RESORCINOL TOPICAL
a10007 ACETONE;ISOPROPYL ALCOHOL TOPICAL;POVIDONE IODINE TOPICAL
a10009 ACETONE-BENZOYL PEROXIDE TOPICAL
a10017 ALLANTOIN TOPICAL;AMINACRINE; SULFANILAMIDE TOPICAL
a10022 AMINOACETIC ACID- CALCIUM CARBONATE
a10030 AMMONIUM PHOSPHATE;SODIUM PHOSPHATE;SODIUM PYROPHOSPHATE
a10032 ANETHOLE;BENZOCAINE TOPICAL; DEXTROMETHORPHAN; MENTHOL;PEPPERMINT
a10035 ANTIMONY POTASSIUM; ETHANOL; GLYCYRRHIZA; OPIUM

a10036 AMMONIUM CHLORIDE;ANTIMONY POTASSIUM;POTASSIUM GUAIACOLSULFONATE; WHITE PINE SYRUP; WILD CHERRY SYRUP
a10046 BENZETHONIUM CHLORIDE-ISOPROPYL ALCOHOL TOPICAL
a10047 BENZOPHENONE; LANOLIN TOPICAL; MINERAL OIL;PEG-4 DILAURATE
a10051 BENZYL ALCOHOL; SOYBEAN OIL;STARCH TOPICAL
a10054 BENZYL ALCOHOL- LIDOCAINE
a10055 BENZOCAINE TOPICAL- BENZYL ALCOHOL
a10068 ASCORBIC ACID; BIOTIN;VITAMIN B COMPLEX
a10078 BISMUTH ANTI- DIARRHEA;KAOLIN; OPIUM;PECTIN;ZINC TOPICAL AGENTS, EXTERNAL USE
a10096 ASPIRIN-BUFFERS
a10103 CALCIUM REPLACEMENT; ERGOCALCIFEROL;IRON PREPARATIONS
a10112 CALCIUM REPLACEMENT; GUAIFENESIN; HYOSCYAMINE; PHENOBARBITAL; TERPIN HYDRATE
a10115 CALCIUM REPLACEMENT- NIACIN

a10124 CALCIUM REPLACEMENT-SODIUM PROPIONATE
a10125 CALCIUM REPLACEMENT-ERGOCALCIFEROL
a10127 CALCIUM REPLACEMENT-CHOLECALCIFEROL
a10133 CALCIUM ION;CHLORIDE ION;MAGNESIUM ANTACIDS;POTASSIUM ION;SODIUM ION
a10135 CALCIUM ION;CHLORIDE ION;POTASSIUM ION;SODIUM ACETATE;SODIUM ION
a10140 CALCIUM ION; MAGNESIUM CHLORIDE;POTASSIUM ION;SODIUM CHLORIDE
a10142 ALUMINUM HYDROXIDE;CALCIUM PANTOTHENATE; MAGNESIUM ANTACIDS
a10146 CALCIUM PANTOTHENATE; NIACIN;PYRIDOXINE; RIBOFLAVIN
a10147 CALCIUM PANTOTHENATE;NIACIN; PYRIDOXINE; RIBOFLAVIN;THIAMINE
a10148 ASCORBIC ACID;CALCIUM PANTOTHENATE;NIACIN; RIBOFLAVIN
a10150 CANTHARIDIN; PODOPHYLLUM RESIN TOPICAL;SALICYLIC ACID TOPICAL
a10156 ALGINIC ACID;BORIC ACID TOPICAL; CARMELLOSE;GLYCERIN TOPICAL;PROPYLENE GLYCOL
a10160 CASEIN;COCONUT OIL;MAGNESIUM AMINO ACIDS CHELATE; SUCROSE;TAPIOCA
a10162 CASEIN;CORN OIL; LECITHIN; MULTIVITAMIN; SODIUM ION
a10163 CASEIN; MULTIVITAMIN; SAFFLOWER OIL;SOYBEAN OIL;SUCROSE
a10166 CERESIN WAX;MINERAL OIL;PETROLATUM TOPICAL;WOOLWAX ALCOHOL

a10168 BETA-CAROTENE; CERESIN WAX;MINERAL OIL;PETROLATUM TOPICAL
a10171 BENZOCAINE TOPICAL-CETALKONIUM CHLORIDE
a10172 CETEARETH; PETROLATUM TOPICAL;PROPYLENE GLYCOL;SORBITOL
a10176 AMMONIUM LACTATE TOPICAL;CETYL ALCOHOL;GLYCERYL; MINERAL OIL;PARABENS
a10179 CETYL ALCOHOL; PROPYLENE GLYCOL;SODIUM LAURYL SULFATE;STEARYL ALCOHOL
a10184 CETYL ALCOHOL; COLFOSCERIL; TYLOXAPOL OPHTHALMIC
a10200 BORIC ACID TOPICAL; CHLOROTHYMOL; EUCALYPTUS OIL; MENTHOL TOPICAL; THYMOL
a10207 CINOXATE; GLYCERYL;METHYL ANTHRANILATE; MINERAL OIL;SORBITOL
a10208 CINOXATE;MINERAL OIL; OXYBENZONE; TRETINOIN TOPICAL
a10217 COCOA BUTTER; PARABENS; ZINC TOPICAL AGENTS, EXTERNAL USE
a10223 COLIFORM VACCINE-PHENOL TOPICAL
a10227 CAJEPUT; COTTONSEED OIL; EUCALYPTUS OIL; PEPPERMINT; PINE OIL
a10230 CYSTINE; METHIONINE; UREA TOPICAL
a10237 DETERGENT-LANOLIN TOPICAL
a10242 DEXTROSE; FRUCTOSE; PHOSPHORIC ACID
a10244 DEXTROSE; MAGNESIUM ACETATE; POTASSIUM REPLACEMENT SOLUTIONS; SODIUM CHLORIDE
a10249 DEXTROSE-RINGERS LACTATED

a10251 ASCORBIC ACID; DEXTROSE; VITAMIN B COMPLEX
a10252 DEXTROSE-NORMAL SALINE
a10253 DEXTROSE-LACTATED RINGERS
a10255 DEXTROSE-NUTRITIONAL PRODUCTS
a10263 DEXTROSE-NITROGLYCERIN
a10264 DEXTROSE; POTASSIUM CHLORIDE; SODIUM CHLORIDE
a10266 DEXTROSE; POTASSIUM CHLORIDE; STERILE WATER
a10267 DEXTROSE-SODIUM CHLORIDE
a10268 DEXTROSE; SODIUM CHLORIDE; THIAMINE
a10271 CASANTHRANOL; DEXTROSE; PSYLLIUM
a10277 DEXTROSE; POTASSIUM ACETATE; POTASSIUM PHOSPHATE; STERILE WATER
a10279 DEXTROSE-STERILE WATER
a10285 DIMETHICONE; GLYCERIN; METHYLPARABEN; PETROLATUM TOPICAL
a10288 CHOLECALCIFEROL; DIMETHICONE; VITAMIN A; VITAMIN E TOPICAL; ZINC OXIDE TOPICAL
a10290 ALOE VERA TOPICAL; DIMETHICONE; ETHANOL; GLYCERIN TOPICAL; PETROLATUM TOPICAL
a10299 ELECTROLYTES-MINERALS
a10300 ASCORBIC ACID; ELECTROLYTES; MINERALS; VITAMIN B COMPLEX
a10304 ELECTROLYTES-POLYETHYLENE GLYCOL 3350
a10312 ETHANOL; EUCALYPTUS OIL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL; THYMOL

a10313 BENZOIN TOPICAL; CAMPHOR TOPICAL; EUCALYPTUS OIL; MENTHOL TOPICAL; THYMOL

a10315 BORIC ACID TOPICAL; EUCALYPTUS OIL; PETROLATUM TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10317 BENZOCAINE TOPICAL; CAMPHOR TOPICAL; CETYLPYRIDINIUM TOPICAL; EUCALYPTUS OIL; MENTHOL TOPICAL

a10319 CAMPHOR TOPICAL; CLOVE; EUCALYPTUS OIL; MENTHOL TOPICAL; PHENOL TOPICAL

a10324 BENZOYL PEROXIDE TOPICAL; EUGENOL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL

a10327 FIBRINOLYSIN-FIBRINOLYSIN AND DESOXYRIBONUCLEASE TOPICAL

a10331 ASPIRIN; CAFFEINE; GELSEMIUM; PHENACETIN

a10336 CALCIUM CARBONATE; CITRIC ACID; GLUCONIC ACID; MAGNESIUM CARBONATE; MAGNESIUM CITRATE

a10338 GLYCINE-IMMUNE GLOBULIN INTRAMUSCULAR

a10339 GLYCYRRHIZA-MENTHOL

a10340 FENNEL; GLYCYRRHIZA; SENNA; SUCROSE; SULFUR TOPICAL

a10351 HOMOSALATE; LANOLIN TOPICAL; PARAFFIN; PETROLATUM TOPICAL; WAX

a10362 HYDROCORTISONE TOPICAL; IODOCHLOR-HYDROXYQUIN; PRAMOXINE TOPICAL

a10363 HYDROCORTISONE TOPICAL-IODOCHLOR-HYDROXYQUIN

a10366 IRON PREPARATIONS; MINERALS; MULTIVITAMIN

a10379 IRON PREPARATIONS-VITAMIN B COMPLEX

a10383 IRON PREPARATIONS-VITAMINS

a10385 ETHINYL ESTRADIOL; IRON PREPARATIONS; NORETHINDRONE

a10386 FOLIC ACID-IRON PREPARATIONS

a10387 CALCIUM CARBONATE; FOLIC ACID; IRON PREPARATIONS; MULTIVITAMIN; NIACIN

a10388 ASCORBIC ACID; FOLIC ACID; IRON PREPARATIONS; PYRIDOXINE; VITAMIN A

a10390 ASCORBIC ACID; FOLIC ACID; IRON PREPARATIONS; RIBOFLAVIN; THIAMINE

a10394 ASCORBIC ACID; CYANOCOBALAMIN; FOLIC ACID; IRON PREPARATIONS; LIVER DERIVATIVE COMPLEX

a10399 FOLIC ACID; IRON PREPARATIONS; MULTIVITAMIN

a10409 ERGOCALCIFEROL; IRON PREPARATIONS; NIACIN; RIBOFLAVIN; THIAMINE

a10411 CYANOCOBALAMIN; IRON PREPARATIONS; NIACIN; PYRIDOXINE

a10414 ASCORBIC ACID; CHOLECALCIFEROL; IRON PREPARATIONS; VITAMIN A; VITAMIN E

a10420 CYANOCOBALAMIN; IRON PREPARATIONS; PYRIDOXINE; RIBOFLAVIN

a10421 CYANOCOBALAMIN; IRON PREPARATIONS; PYRIDOXINE; RIBOFLAVIN; THIAMINE

a10423 ASCORBIC ACID; CYANOCOBALAMIN; IRON PREPARATIONS; RIBOFLAVIN

a10425 CYANOCOBALAMIN; IRON PREPARATIONS; LIVER DERIVATIVE COMPLEX; RIBOFLAVIN; THIAMINE

a10427 IRON PREPARATIONS; RIBOFLAVIN; THIAMINE

a10430 ASCORBIC ACID; CYANOCOBALAMIN; IRON PREPARATIONS

a10435 ASCORBIC ACID-IRON PREPARATIONS

a10442 IRON PREPARATIONS-MULTIVITAMIN

a10443 BREWER'S YEAST-IRON PREPARATIONS

a10445 CHLORPHENIRAMINE; ISOPROPAMIDE; PHENYLPRO-PANOLAMINE

a10450 JUNIPER; RESORCINOL TOPICAL; SULFUR TOPICAL; THYMOL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10452 LACTOSE-NORETHINDRONE

a10453 LACTOSE-MOMETASONE NASAL

a10454 EPLERENONE-LACTOSE

a10455 LACTOSE-TROSPIUM

a10463 ALUMINUM HYDROXIDE; DIPHENHYDRAMINE TOPICAL; LIDOCAINE; MAGNESIUM ANTACIDS

a10464 ASPIRIN; CALCIUM CARBONATE; MAGNESIUM ANTACIDS

a10465 ALUMINUM HYDROXIDE; ASPIRIN; MAGNESIUM ANTACIDS

a10466 ATROPINE; MAGNESIUM ANTACIDS; PHENOBARBITAL

a10467 ALUMINUM HYDROXIDE; ATROPINE; MAGNESIUM ANTACIDS; PHENOBARBITAL

a10471 CALCIUM CARBONATE-MAGNESIUM ANTACIDS

a10474 ALUMINUM HYDROXIDE-MAGNESIUM ANTACIDS

a10475 ALUMINUM HYDROXIDE; MAGNESIUM ANTACIDS; SIMETHICONE

a10477 CASCARA SAGRADA-MAGNESIUM ANTACIDS

a10497 ASPARTAME; DEXTROMETHORPHAN; GUAIFENESIN; METHYLPARABEN; PHENYLALANINE

a10500 ALLANTOIN TOPICAL; ALLIUM CEPA; METHYLPARABEN; POLYETHYLENE GLYCOL 3350; SORBIC ACID

a10502 GLYCERIN TOPICAL; METHYLPARABEN; MINERAL OIL; STERILE WATER

a10504 LANOLIN TOPICAL; METHYLPARABEN; MULTIVITAMIN; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL

a10509 CALCIUM CASEINATE; CARBOHYDRATES; MINERALS; MULTIVITAMIN; WATER

a10510 CARBOHYDRATES; MINERALS; MULTIVITAMIN; WATER

a10520 LECITHIN; MALTODEXTRIN; MINERALS; MULTIVITAMIN; WATER

a10522 MINERALS; MULTIVITAMIN; SOY FIBER; SOY PROTEIN

a10525 ANTIOXIDANTS; MINERALS; MULTIVITAMIN

a10529 MINERALS; MULTIVITAMIN; PYRIDOXINE; RIBOFLAVIN

a10530 MINERALS-MULTIVITAMIN

a10531 MINERALS; DIGESTIVE ENZYMES; LECITHIN; MULTIVITAMIN

a10533 CAMPHOR TOPICAL; ISOPROPYL ALCOHOL TOPICAL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL; MUSTARD OIL

a10534 ETHANOL; METHYL SALICYLATE TOPICAL; MYRRH; ZINC TOPICAL AGENTS, EXTERNAL USE

a10536 GUAIFENESIN-NOSCAPINE

a10537 BENZOCAINE TOPICAL; NUTMEG OIL; PETROLATUM TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10543 ALOE VERA TOPICAL; CALENDULA; OLIVE OIL; OREGON GRAPE

a10545 COLLOIDAL OATMEAL TOPICAL; OLIVE OIL; PETROLATUM TOPICAL

a10548 CALCIUM CASEINATE; DIGLYCERIDE; MONOGLYCERIDE; OLEIC ACID; ZINC SULFATE

a10549 DEHYDROCHOLIC ACID; HOMATROPINE; OX BILE EXTRACT; PHENOBARBITAL

a10557 MISCELLANEOUS TOPICAL AGENTS-OXYBENZONE

a10569 ACETAMINOPHEN; PAMABRON; PYRIDOXINE

a10571 ASCORBIC ACID; PANTHENOL; VITAMIN B COMPLEX

a10578 ASCORBIC ACID; NIACIN; PANTOTHENIC ACID; PYRIDOXINE; RIBOFLAVIN

a10579 NIACIN; PANTOTHENIC ACID; PYRIDOXINE; RIBOFLAVIN; THIAMINE

a10582 BENZALKONIUM CHLORIDE TOPICAL; HYDROCORTISONE TOPICAL; PARACHOLORO-METAXYLENOL; PRAMOXINE TOPICAL

a10583 GLYCERIN TOPICAL; MINERAL OIL; PARAFFIN; PETROLATUM TOPICAL; WOOL ALCOHOLS

a10588 MINERAL OIL-PEANUT OIL

a10597 DIMENHYDRINATE; NIACIN; PENTYLENETETRAZOL

a10599 DIPHTHERIA TOXOID; HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE); PERTUSSIS IMMUNE GLOBULIN; TETANUS TOXOID

a10603 ASPIRIN; CAFFEINE; CODEINE; PHENACETIN

a10611 ASPIRIN; CAFFEINE; PHENACETIN

a10612 ASPIRIN; CAFFEINE; CAMPHOR TOPICAL; OPIUM; PHENACETIN

a10623 ASPARTAME; MANNITOL; NICOTINE; PHENYLALANINE

a10625 LIVE YEAST CELL; PHENYLMERCURIC NITRATE; SHARK LIVER OIL

a10632 PHENOBARBITAL; POTASSIUM BROMIDE; SODIUM BROMIDE

a10638 PHOSPHORUS; POTASSIUM REPLACEMENT SOLUTIONS; SODIUM CHLORIDE

a10640 POTASSIUM REPLACEMENT SOLUTIONS-SODIUM CHLORIDE

a10651 POTASSIUM ION-SODIUM CHLORIDE

a10655 POTASSIUM ACIDIFYING-SODIUM ACID PHOSPHATE

a10660 ISOPROPYL ALCOHOL TOPICAL; PROPYLENE GLYCOL; SODIUM LAURYL SULFATE; SORBITOL; STEARYL ALCOHOL

a10664 HP GUAR; POLYETHYLENE GLYCOL 3350; PROPYLENE GLYCOL; SODIUM BORATE TOPICAL

a10667 LACTIC ACID TOPICAL; MINERAL OIL; PETROLATUM TOPICAL; PROPYLENE GLYCOL; UREA TOPICAL

a10675 GLYCERIN TOPICAL-PROPYLENE GLYCOL

a10678 CARBOHYDRATES; MULTIVITAMIN; PROTEIN SUPPLEMENT

a10680 AMYLASE; BELLADONNA; BUTABARBITAL; CELLULASE; PROTEINASE

a10681 AMYLASE; CELLULASE; HYOSCYAMINE; LIPASE; PROTEINASE

a10685 PEG-150; QUATERNIUM; SODIUM LAURETH-13 CARBOX; SODIUM TRIDECETH SULFATE

a10687 CHOLINE; INOSITOL; RACEMETHIONINE; THIMEROSAL

a10697 GINSENG; MEADOWFOAM OIL; PETROLATUM TOPICAL; SAFFLOWER OIL; SESAME OIL

a10701 MINERAL OIL; PETROLATUM TOPICAL; PHENYLEPHRINE TOPICAL; SHARK LIVER OIL

a10703 GLYCERIN TOPICAL; PETROLATUM TOPICAL; PHENYLEPHRINE TOPICAL; SHARK LIVER OIL

a10704 BALSAM PERU TOPICAL; MINERAL OIL; SILICONE; ZINC TOPICAL AGENTS, EXTERNAL USE

a10707 SOAP-WATER

a10715 MULTIVITAMIN-SODIUM FLUORIDE

a10716 ERTAPENEM; SODIUM BICARBONATE; SODIUM HYDROXIDE

a10717 CITRIC ACID; SODIUM CITRATE; SODIUM ION

a10721 PHENOBARBITAL-SODIUM NITRATE

a10726 POLYETHYLENE GLYCOL 3350; POTASSIUM CHLORIDE; SODIUM BICARBONATE; SODIUM CHLORIDE; SODIUM SULFATE

a10730 HORSETAIL; MANGANESE SULFATE; STEARIC ACID

a10734 ALOE VERA TOPICAL; BENZOIN TOPICAL; ETHANOL; STORAX; TOLU BALSAM

a10738 AMPICILLIN-SULBACTIN SODIUM

a10739 SULFADIAZINE; SULFAMERAZINE; SULFAMETHAZINE

a10749 TALC-ZINC TOPICAL AGENTS, EXTERNAL USE

a10757 DEXTROMETHORPHAN-TERPIN HYDRATE

a10759 ACETAMINOPHEN; CAFFEINE; PHENYLEPHRINE; THENYLDIAMINE

a10771 ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; THIMEROSAL; VITAMIN A

a10777 BENZOCAINE TOPICAL; EPHEDRINE; PHENOL TOPICAL; TANNIC ACID TOPICAL; THYMOL

a10783 GLYCERIN TOPICAL; MINERAL OIL; TRIETHANOLAMINE; UREA TOPICAL; WHEAT GERM

a10785 CALCIUM CARBONATE; CHOLECALCIFEROL; VITAMIN K

a10800 DIPERODON TOPICAL; PHENYLEPHRINE; PYRILAMINE; ZINC TOPICAL AGENTS, EXTERNAL USE

a10802 BENZOCAINE TOPICAL; CALAMINE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10813 DIPERODON TOPICAL; HYDROCORTISONE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10816 BALSAM PERU TOPICAL; BENZYL BENZOATE TOPICAL; BISMUTH RESORCIN TOPICAL; BISMUTH SUBGALLATE; ZINC TOPICAL AGENTS, EXTERNAL USE

a10821 CALAMINE TOPICAL-ZINC TOPICAL AGENTS, EXTERNAL USE

a10824 CALAMINE TOPICAL; CAMPHOR TOPICAL; LANOLIN TOPICAL; PHENOL TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10826 CALAMINE TOPICAL; RESORCINOL TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10829 BALSAM PERU TOPICAL; BENZYL BENZOATE TOPICAL; ZINC TOPICAL AGENTS, EXTERNAL USE

a10834 CYANOCOBALAMIN; FOLIC ACID; VITAMIN B

a10835 VITAMIN B-VITAMIN E

a10836 ASCORBIC ACID; VITAMIN B; VITAMIN E

a10840 ASCORBIC ACID; FOLIC ACID; VITAMIN B COMPLEX; VITAMIN E; ZINC

a10842 ASCORBIC ACID; D-BIOTIN; FOLIC ACID; VITAMIN B COMPLEX

a10843 D-BIOTIN; FOLIC ACID; INOSITOL; VITAMIN B COMPLEX

a10846 FOLIC ACID-VITAMIN B COMPLEX

a10848 ASCORBIC ACID; CALCIUM ACETATE; FOLIC ACID; VITAMIN A; VITAMIN B COMPLEX

a10849 ASCORBIC ACID; FOLIC ACID; VITAMIN B COMPLEX

a10850 CALCIUM ACETATE; FOLIC ACID; VITAMIN B COMPLEX

a10855 ASCORBIC ACID; CALCIUM ACETATE; CHOLECALCIFEROL; VITAMIN B COMPLEX; VITAMIN E

a10856 CYANOCOBALAMIN-VITAMIN B COMPLEX

a10857 ASCORBIC ACID-VITAMIN B COMPLEX

a10859 ASCORBIC ACID; LIVER DERIVATIVE COMPLEX; VITAMIN B COMPLEX

a10864 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; MAGNESIUM AMINO ACIDS CHELATE; MULTIVITAMIN; PROTEIN

a10865 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; MULTIVITAMIN; PROTEIN

a10866 CARBOHYDRATES; FAT SUPPLEMENT, ORAL; PROTEIN

a10873 FOLLICLE STIMULATING HORMONE-LEUTENIZING HORMONE

a10874 CHONDROITIN; GLUCOSAMINE; HYALURONIC ACID; METHYLSULFONYL-METHANE

a10875 GLUCOSAMINE-METHYLSULFONYL-METHANE

a10876 MINERAL OIL-PETROLEUM

a10878 HYDROXYQUINOLINE TOPICAL; LANOLIN TOPICAL; PETROLEUM

a10879 PENICILLIN (OBSOLETE)-PENICILLIN G BENZATHINE

a10880 ADENOSYL-TRIPHOSPHATE-METHIONINE

a10881 DOCOSAHEXAENOIC ACID-EICOSAPENTAENOIC ACID

a10882 DOCOSAHEXAENOIC ACID; EICOSAPENTAENOIC ACID; VITAMIN E

a10890 CLINDAMYCIN TOPICAL-METHYL PARABEN

a10897 HOMATROPINE METHYL BROMIDE-HYDROCODONE

a10900 ESTRADIOL-ESTRIOL

a10902 ASCORBIC ACID; CALCIUM ACETATE; LUTEIN; VITAMIN E; ZINC

a10903 ASCORBIC ACID; COPPER GLUCONATE; LUTEIN; VITAMIN E; ZINC

a10904 BETA-CAROTENE; BILBERRY; LUTEIN; LYCOPENE; VITAMIN E

a10907 BILBERRY-LUTEIN

a10909 ADRENALINE; TETRACAINE TOPICAL; XYLOCAINE

a10910 BUPIVACAINE-XYLOCAINE

a10911 TRIAMCINOLONE-XYLOCAINE

a10912 HYALURONIDASE-XYLOCAINE

a10913 MULTIVITAMIN-NORMAL SALINE

a10915 CALCIUM ACETATE; CHOLECALCIFEROL; COPPER GLUCONATE; MAGNESIUM; ZINC

a10916 CALCIUM ACETATE; COPPER GLUCONATE; IRON; MULTIVITAMIN; ZINC

a10919 PYRIDOXINE-ZINC

a10921 MULTIVITAMIN-ZINC

a10925 ISOPROTERENOL-PHENYLEPHRINE BITARTRATE

a10927 EDETATE DISODIUM; METRONIDAZOLE TOPICAL; PARABENS

a10928 BENZONATATE-PARABENS

a10937 ADRENALINE; LIDOCAINE; TETRACAINE TOPICAL

a10941 CITRIC ACID; COLLAGEN PROTEIN; POTASSIUM SORBATE; TRYPTOPHAN; WATER

a10944 CADEXOMER IODINE-POLYETHYLENE GLYCOL 3350

a10950 CHORIOGONADOTROPIN ALFA; MANNITOL; ORTHOPHOSPHORIC ACID

a10956 CHLORPHENIRAMINE-HYDROCODONE POLISTIREX

a10961 BUROW'S SOLUTION; CAMPHOR TOPICAL; MENTHOL TOPICAL; PHENOL TOPICAL

a10962 BENZOCAINE TOPICAL; BUTYL AMINOBENZOATE; TETRACAINE TOPICAL

a10963 ALOE VERA TOPICAL; MENTHOL TOPICAL; SALICYLIC ACID TOPICAL; TEA TREE OIL; VITAMIN E TOPICAL

a10968 MINERAL OIL; MINERAL WAX; PETROLATUM TOPICAL; WOOLWAX ALCOHOL

a10969 DEODORIZED KEROSENE; PIPERONYL BUTOXIDE TOPICAL; PYRETHRINS TOPICAL

a10972 ACETIC ACID TOPICAL; HYDROCORTISONE OTIC; PROPYLENE GLYCOL DIACETATE; SODIUM ACETATE

a10973 ALUMINUM HYDROXIDE; DONNATAL; LIDOCAINE; MAGNESIUM HYDROXIDE; SIMETHICONE

a10978 DIPHTHERIA TOXOID; FILAMENTOUS HEMAGGLUTININ; PERTACTIN; PERTUSSIS, ACELLULAR; TETANUS TOXOID

a10982 ZINC CITRATE-ZINC GLUCONATE

a10985 CALCIUM CASEINATE-WHEY

a10986 MULTIVITAMIN-WHEY

a10988 L-METHYLFOLATE; METHYLCOBALAMIN; PYRIDOXINE

a10991 CHICORY ROOT EXTRACT-LACTOBACILLUS GG

a10995 CALCIUM ACETATE-MAGNESIUM

a11004 ALOE VERA TOPICAL; BLACK WALNUT; CASCARA SAGRADA; RHUBARB; SENNA

a11006 FLAVOCOXID-MALTODEXTRIN

a11007 ASCORBIC ACID-MALTODEXTRIN

a11010 ASCORBIC ACID; CYANOCOBALAMIN; FOLIC ACID; IRON

a11014 ELEUTHEROSIDE E-GINSENG

a11015 ILEX-MENTHOL TOPICAL

a11020 ASCORBIC ACID; CALCIUM SULFATE; CHOLECALCIFEROL; VITAMIN A; VITAMIN E

a11022 AMYLASE; CELLULASE; GLUCOAMYLASE; LIPASE; PROTEASE

a11026 ANTIOXIDANTS; BILBERRY; GRAPE SEED OIL; PYCNOGENOL; UBIQUINONE

a11027 ACETAMINOPHEN-MISCELLANEOUS ANALGESICS

a11029 LAXATIVES-SENNA

a11030 CONTRACEPTIVES-NORETHINDRONE

a11031 MISCELLANEOUS UNCATEGORIZED AGENTS-PHENTOLAMINE

a11033 ANTISEPTIC AND GERMICIDES-ETHANOL

a11034 MISCELLANEOUS TOPICAL AGENTS-PETROLATUM TOPICAL

a11036 COAL TAR TOPICAL-MISCELLANEOUS TOPICAL AGENTS

a11039 HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC-MISCELLANEOUS OPHTHALMIC AGENTS

a11041 CIPROFLOXACIN-
DEXAMETHASONE
a11042 CIPROFLOXACIN-
HYDROCORTISONE
a11046 ACETAMINOPHEN;
CODEINE; GUAIFENESIN;
PHENYLPRO-
PANOLAMINE
a11055 CHLORPHENIRAMINE;
CODEINE;
PHENYLEPHRINE
a11064 CODEINE-PAPAVERINE
a11068 CODEINE; GUAIFENESIN;
PSEUDOEPHEDRINE;
TRIPROLIDINE
a11071 CODEINE-PYRILAMINE
a11080 HYDROXYZINE-
MEPERIDINE
a11082 ABACAVIR; AMPRENAVIR;
LAMIVUDINE;
ZIDOVUDINE
a11087 CYCLOPHOSPHAMIDE;
DOXORUBICIN;
MITOMYCIN
a11088 CYCLOPHOSPHAMIDE;
DOXORUBICIN;
PREDNISONE;
VINCRISTINE
a11089 CYCLOPHOSPHAMIDE;
PREDNISONE;
VINCRISTINE
a11091 PHENAZOPYRIDINE;
SULFAMETHIZOLE;
TETRACYCLINE
a11092 ERYTHROMYCIN-
NEOMYCIN
a11102 ACETAMINOPHEN;
CAFFEINE;
CHLORPHENIRAMINE;
PHENYLEPHRINE;
SALICYLAMIDE
a11114 ACETAMINOPHEN-
PHENYLPRO-
PANOLAMINE
a11116 ACETAMINOPHEN;
GUAIFENESIN;
PHENYLPRO-
PANOLAMINE
a11125 ATROPINE;
HYOSCYAMINE;
LIDOCAINE;
PHENOBARBITAL;
SCOPOLAMINE
a11126 BUPIVACAINE-LIDOCAINE
a11129 DIPHENHYDRAMINE-
LIDOCAINE
a11130 HYDROCORTISONE-
LIDOCAINE

a11131 BACITRACIN; LIDOCAINE;
NEOMYCIN; POLYMYXIN
B SULFATE
a11133 GLUCOSE-LIDOCAINE
a11134 LIDOCAINE-
TRIAMCINOLONE
a11135 LIDOCAINE-
METHYLPREDNISOLONE
TOPICAL
a11136 LIDOCAINE-PROPOFOL
a11137 ALUMINUM HYDROXIDE;
LIDOCAINE; MAGNESIUM
HYDROXIDE;
SIMETHICONE
a11138 EPINEPHRINE TOPICAL;
LIDOCAINE;
TETRACAINE TOPICAL
a11139 BENZALKONIUM
CHLORIDE TOPICAL;
ETHANOL; LIDOCAINE
a11141 NEOMYCIN; POLYMYXIN
B SULFATE;
PREDNISOLONE
a11146 GENTAMICIN
OPHTHALMIC-
PREDNISOLONE
a11151 ATROPINE;
HYOSCYAMINE;
METHENAMINE;
METHYLENE BLUE;
PHENYL SALICYLATE
a11152 ATROPINE; BENZOIC
ACID; HYOSCYAMINE;
METHENAMINE; PHENYL
SALICYLATE
a11154 ATROPINE; BENZOIC
ACID; METHENAMINE;
METHYLENE BLUE;
PHENYL SALICYLATE
a11156 HYOSCYAMINE;
METHENAMINE;
METHYLENE BLUE;
PHENYL SALICYLATE;
SODIUM PHOSPHATE
a11157 METHENAMINE-SODIUM
SALICYLATE
a11159 HYOSCYAMINE;
METHENAMINE;
METHYLENE BLUE;
PHENYL SALICYLATE;
SODIUM BIPHOSPHATE
a11163 POLYMYXIN B SULFATE-
TRIMETHOPRIM
a11166 DORZOLAMIDE
OPHTHALMIC-TIMOLOL

a11169 EPHEDRINE;
GUAIFENESIN;
PHENOBARBITAL;
THEOPHYLLINE
a11179 IODINATED GLYCEROL-
THEOPHYLLINE
a11183 ASPIRIN-
CHLORPHENIRAMINE
a11185 ASPIRIN-
PHENOBARBITAL
a11186 ASPIRIN-
PROPOXYPHENE
a11190 ASPIRIN; CAFFEINE;
CINNAMEDRINE
a11198 ATROPINE;
CHLORPHENIRAMINE;
HYOSCYAMINE;
PHENYLEPHRINE;
PHENYLPRO-
PANOLAMINE
a11206 ALUMINUM HYDROXIDE;
ATROPINE;
HYOSCYAMINE;
PHENOBARBITAL;
SCOPOLAMINE
a11216 BUPIVACAINE-
TRIAMCINOLONE
a11231 ASCORBIC ACID;
CHLORPHENIRAMINE;
PHENYLEPHRINE
a11237 CHLORPHENIRAMINE;
PHENYLEPHRINE;
PHENYLPRO-
PANOLAMINE;
TRIPELENNAMINE
a11243 CAFFEINE;
CHLORPHENIRAMINE;
PHENYLEPHRINE;
SALICYLAMIDE
a11245 ALUMINUM HYDROXIDE;
AMINOPHYLLINE;
BUTABARBITAL;
CHLORPHENIRAMINE;
PHENYLPRO-
PANOLAMINE
a11250 BELLADONNA;
CHLORPHENIRAMINE;
PHENYLPRO-
PANOLAMINE
a11257 CYTARABINE-
DAUNORUBICIN
a11258 DEXAMETHASONE-
TRIAMCINOLONE
a11259 AMMONIUM CHLORIDE-
DEXTROMETHORPHAN
a11271 BROMPHENIRAMINE;
DEXTROMETHORPHAN;
GUAIFENESIN

a11273 DEXTROMETHORPHAN-IODINATED GLYCEROL
a11276 DIPHENHYDRAMINE-EPHEDRINE
a11278 ALUMINUM HYDROXIDE; DIPHENHYDRAMINE; MAGNESIUM HYDROXIDE; SIMETHICONE
a11284 ETHINYL ESTRADIOL; FERROUS FUMARATE; NORETHINDRONE
a11285 FLUOROURACIL; IRINOTECAN; LEUCOVORIN
a11286 FLUOROURACIL; LEUCOVORIN; OXALIPLATIN
a11290 FOLIC ACID; NIACINAMIDE; PANTOTHENATE; RIBOFLAVIN; THIAMINE
a11291 CYANOCOBALAMIN; FOLIC ACID; PYRIDOXINE
a11294 CYANOCOBALAMIN-FOLIC ACID
a11298 FOLIC ACID; MULTIVITAMIN; SODIUM CHLORIDE; THIAMINE
a11299 FOLIC ACID; MAGNESIUM SULFATE; MULTIVITAMIN; THIAMINE
a11300 FOLIC ACID-MULTIVITAMIN
a11301 CALCIUM ACETATE; FERROUS GLUCONATE; FOLIC ACID; MULTIVITAMIN
a11303 FOLIC ACID-IRON POLYSACCHARIDE
a11306 COLISTIN SULFATE OTIC; HYDROCORTISONE; NEOMYCIN; THONZONIUM BROMIDE OTIC
a11315 INSULIN-INSULIN ISOPHANE
a11316 IPRATROPIUM-LEVALBUTEROL
a11318 MANNITOL-SOMATROPIN
a11319 MANNITOL-PEMETREXED
a11320 AZACITIDINE-MANNITOL
a11322 ESTRADIOL; METHYLTESTOSTERONE; PYRIDOXINE; RIBOFLAVIN
a11324 DIETHYLSTILBESTROL-METHYLTESTOSTERONE

a11325 NEOMYCIN-POLYMYXIN B SULFATE
a11328 BACITRACIN TOPICAL; NEOMYCIN; POLYMYXIN B SULFATE
a11329 BACITRACIN OPHTHALMIC; NEOMYCIN; POLYMYXIN B SULFATE
a11330 BACITRACIN OPHTHALMIC; HYDROCORTISONE OPHTHALMIC; NEOMYCIN; POLYMYXIN B SULFATE
a11331 DEXAMETHASONE OPHTHALMIC; NEOMYCIN; POLYMYXIN B SULFATE
a11332 HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B SULFATE
a11333 CHLOROXYLENOL TOPICAL; HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B SULFATE
a11343 DEXAMETHASONE OPHTHALMIC-NEOMYCIN
a11344 HYDROCORTISONE OTIC; NEOMYCIN; POLYMYXIN B OPHTHALMIC
a11345 NEOMYCIN-POLYMYXIN B OPHTHALMIC
a11350 ERGOCALCIFEROL; NIACIN; RIBOFLAVIN; THIAMINE; VITAMIN A
a11351 ASCORBIC ACID; ERGOCALCIFEROL; NIACIN; PYRIDOXINE; VITAMIN A
a11354 ASCORBIC ACID; NIACIN; RIBOFLAVIN; THIAMINE; VITAMIN E
a11355 CYANOCOBALAMIN; NIACIN; PYRIDOXINE; RIBOFLAVIN
a11357 CYANOCOBALAMIN; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE
a11358 ASCORBIC ACID; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE
a11360 DEXPANTHENOL; NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE
a11361 NIACIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE

a11367 ASCORBIC ACID-NIACIN
a11375 BUTABARBITAL; PHENOBARBITAL; SECOBARBITAL
a11383 BELLADONNA-PHENOBARBITAL
a11387 DICYCLOMINE-PHENOBARBITAL
a11391 HOMATROPINE-PHENOBARBITAL
a11392 DEXAMETHASONE TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B SULFATE
a11394 BACITRACIN TOPICAL-POLYMYXIN B SULFATE
a11396 DEXAMETHASONE OPHTHALMIC; NEOMYCIN OPHTHALMIC; POLYMYXIN B SULFATE
a11399 POLYMYXIN B OPHTHALMIC-POLYMYXIN B SULFATE
a11403 DEXTRAN, HIGH MOLECULAR WEIGHT; HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC; POTASSIUM CHLORIDE; SODIUM BORATE TOPICAL; SODIUM CHLORIDE
a11405 CALCIUM CHLORIDE; MAGNESIUM CHLORIDE; POTASSIUM CHLORIDE; SODIUM CHLORIDE
a11408 PREDNISONE-VINCRISTINE
a11413 VITAMIN A-VITAMIN E
a11415 ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A; VITAMIN E
a11416 ASCORBIC ACID; VITAMIN A; VITAMIN E
a11419 ASCORBIC ACID; COPPER GLUCONATE; VITAMIN A; VITAMIN E; ZINC OXIDE TOPICAL
a11420 CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; VITAMIN A
a11421 CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE; VITAMIN A
a11424 ERGOCALCIFEROL; PYRIDOXINE; RIBOFLAVIN; THIAMINE; VITAMIN A

a11426 CYANOCOBALAMIN; ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A

a11428 ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; VITAMIN A

a11429 ASCORBIC ACID; ERGOCALCIFEROL; RIBOFLAVIN; THIAMINE; VITAMIN A

a11431 ASCORBIC ACID; CHOLECALCIFEROL; FLUORIDE; VITAMIN A

a11432 ASCORBIC ACID; ERGOCALCIFEROL; VITAMIN A

a11436 CHOLECALCIFEROL-VITAMIN A

a11439 VITAMIN A-VITAMIN E TOPICAL

a11440 ASCORBIC ACID-VITAMIN E

a11441 CHOLECALCIFEROL-VITAMIN E

a11444 GINSENG-VITAMIN E

a11445 ASCORBIC ACID; CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN

a11446 ASCORBIC ACID; CYANOCOBALAMIN; PYRIDOXINE; RIBOFLAVIN; THIAMINE

a11447 CYANOCOBALAMIN; L-METHYLFOLATE; PYRIDOXINE; RIBOFLAVIN

a11452 ASCORBIC ACID; NIACINAMIDE; PANTOTHENATE; RIBOFLAVIN; THIAMINE

a11456 CYANOCOBALAMIN-PYRIDOXINE

a11458 PANCREATIN-PYRIDOXINE

a11459 PYRIDOXINE-THIAMINE

a11460 DOXYLAMINE-PYRIDOXINE

a11465 CYANOCOBALAMIN-THIAMINE

a11466 CYANOCOBALAMIN-MULTIVITAMIN

a11471 CALCIUM CARBONATE; CALCIUM CITRATE; MAGNESIUM CITRATE; MAGNESIUM OXIDE

a11472 CALCIUM CARBONATE-CHOLECALCIFEROL

a11474 ASCORBIC ACID; CALCIUM GLUCONATE; MAGNESIUM CARBONATE

a11476 ASCORBIC ACID-CARBONYL IRON

a11477 FLUORIDE-MULTIVITAMIN

a11482 SODIUM ACETATE-SODIUM CHLORIDE

a11483 SODIUM CHLORIDE-SODIUM PHOSPHATE

a11487 DEXTRAN 1; POLYCARBOPHIL; SODIUM CHLORIDE

a11493 SODIUM CHLORIDE-STERILE WATER

a11499 CITRIC ACID; POTASSIUM BICARBONATE; SODIUM BICARBONATE

a11501 SODIUM BICARBONATE-SODIUM CHLORIDE NASAL

a11508 AMMONIUM CHLORIDE-CAFFEINE

a11511 ALOE VERA TOPICAL; CYSTEINE; GRAPE SEED OIL; MULTIVITAMIN; SELENIUM

a11518 CONJUGATED ESTROGENS-PROGESTERONE

a11520 NYSTATIN-TRIAMCINOLONE

a11523 NYSTATIN TOPICAL-TRIAMCINOLONE

a11524 EDETATE DISODIUM-UREA TOPICAL

a11525 BENZOYL PEROXIDE TOPICAL; EDETATE DISODIUM; GLYCERIN TOPICAL; UREA TOPICAL

a11526 CHLOROPHYLLIN COPPER COMPLEX TOPICAL; PAPAIN TOPICAL; UREA TOPICAL

a11528 ACETYLCYSTEINE-ISOPROTERENOL

a11532 EPHEDRINE-PSEUDOEPHEDRINE

a11549 EDETATE DISODIUM-RIFAXIMIN

a11551 GUAIFENESIN; PHENIRAMINE; PHENYLPRO-PANOLAMINE; PYRILAMINE

a11555 DIHYDROCODEINE-PHENYLPRO-PANOLAMINE

a11557 DIHYDROCODEINE-PSEUDOEPHEDRINE

a11558 NAPHAZOLINE OPHTHALMIC-PHENIRAMINE

a11567 BENZOCAINE TOPICAL; CHLOROXYLENOL TOPICAL; RESORCINOL TOPICAL; SALICYLIC ACID TOPICAL

a11568 BENZOCAINE TOPICAL-TRICLOSAN TOPICAL

a11572 BALSAM PERU TOPICAL; BENZOCAINE TOPICAL; BISMUTH SUBGALLATE; ZINC OXIDE TOPICAL

a11576 ANTIPYRINE OTIC-BENZOCAINE TOPICAL

a11578 ANTIPYRINE OTIC; BENZOCAINE TOPICAL; PHENYLEPHRINE OTIC

a11579 ANTIPYRINE OTIC; BENZOCAINE TOPICAL; GLYCERIN OTIC

a11581 BENZOCAINE TOPICAL-MENTHOL TOPICAL

a11585 BENZOCAINE TOPICAL-RESORCINOL TOPICAL

a11587 KAOLIN; OPIUM; PECTIN

a11592 ALUMINUM HYDROXIDE-SIMETHICONE

a11597 PANCREATIN-PEPSIN

a11599 BORIC ACID TOPICAL; CALCIUM CITRATE; CHOLECALCIFEROL; MAGNESIUM CITRATE

a11600 CALCIUM ACETATE; CALCIUM LACTATE; MAGNESIUM CITRATE

a11606 DEHYDROCHOLIC ACID; DOCUSATE; PHENOLPHTHALEIN

a11608 BALSAM PERU TOPICAL; BORIC ACID TOPICAL; CASTOR OIL; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL

a11610 BARIUM SULFATE-BISACODYL

a11611 DOCUSATE-MINERAL OIL

a11612 GLYCERIN TOPICAL; HYDROCORTISONE TOPICAL; MINERAL OIL; PETROLATUM TOPICAL

a11613 ALLANTOIN TOPICAL; CAMPHOR TOPICAL; LANOLIN TOPICAL; MINERAL OIL; PHENOL TOPICAL

a11614 MINERAL OIL-PETROLATUM TOPICAL

a11615 LANOLIN TOPICAL; MINERAL OIL; PETROLATUM TOPICAL

a11620 COLLOIDAL OATMEAL TOPICAL-MINERAL OIL

a11621 AMMONIUM LACTATE TOPICAL-MINERAL OIL

a11630 HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE)-HEPATITIS B VACCINE

a11631 DIPHTHERIA TOXOID; HAEMOPHILUS B CONJUGATE VACCINE (OBSOLETE); PERTUSSIS, ACELLULAR; TETANUS TOXOID

a11632 HEPATITIS A VACCINE (OBSOLETE)-HEPATITIS B VACCINE

a11633 EPINEPHRINE TOPICAL-PROCAINE

a11639 SULFACETAMIDE SODIUM OPHTHALMIC-SULFUR TOPICAL

a11640 COAL TAR-SALICYLIC ACID TOPICAL-SODIUM HYALURONATE OPHTHALMIC

a11646 DEXTRAN, LOW MOLECULAR WEIGHT-HYDROXYPROPYL METHYLCELLULOSE OPHTHALMIC

a11648 CHLORHEXIDINE TOPICAL-ISOPROPYL ALCOHOL TOPICAL

a11654 FLUOCINOLONE TOPICAL; HYDROQUINONE TOPICAL; TRETINOIN

a11655 FLUOCINOLONE TOPICAL-NEOMYCIN TOPICAL

a11664 ALUMINUM SULFATE TOPICAL; CAMPHOR TOPICAL; LACTOBACILLUS ACIDOPHILUS; MENTHOL TOPICAL; SALICYLIC ACID TOPICAL

a11669 LANOLIN TOPICAL; SALICYLIC ACID TOPICAL; SULFUR TOPICAL

a11671 LACTIC ACID TOPICAL-SALICYLIC ACID TOPICAL

a11679 BENZALKONIUM CHLORIDE TOPICAL-ETHANOL

a11683 BENZALKONIUM CHLORIDE TOPICAL; OCULAR LUBRICANT; POVIDONE IODINE OPHTHALMIC

a11684 BENZALKONIUM CHLORIDE TOPICAL-BROMFENAC

a11685 BENZALKONIUM CHLORIDE TOPICAL-CYANOCOBALAMIN NASAL

a11686 ALBUMIN HUMAN-PACLITAXEL

a11687 IODINE-IOPAMIDOL

a11688 DIATRIZOATE-IODINE

a11689 DEXTRAN 1-METHYLCELLULOSE

a11692 AMYLASE; LIPASE; PROTEASE

a11693 AMYLASE-PAPAIN TOPICAL

a11695 GRAMICIDIN TOPICAL; NEOMYCIN TOPICAL; NYSTATIN TOPICAL; TRIAMCINOLONE TOPICAL

a11697 NAPHAZOLINE NASAL-PHENIRAMINE

a11702 CHOLECALCIFEROL-MULTIVITAMIN

a11703 CALCIUM ACETATE-CHOLECALCIFEROL

a11705 CALCIUM ACETATE-MULTIVITAMIN

a11706 CETYLPYRIDINIUM TOPICAL-ETHANOL

a11707 CETYLPYRIDINIUM TOPICAL; ETHANOL; MENTHOL TOPICAL

a11710 ETHANOL; RESORCINOL TOPICAL; SULFUR TOPICAL

a11714 MICONAZOLE TOPICAL; PETROLATUM TOPICAL; ZINC OXIDE TOPICAL

a11715 MENTHOL TOPICAL-ZINC OXIDE TOPICAL

a11717 BETAMETHASONE TOPICAL-CLOTRIMAZOLE TOPICAL

a11720 ALOE VERA TOPICAL-HYDROCORTISONE TOPICAL

a11723 FLUOROMETHOLONE OPHTHALMIC-NEOMYCIN TOPICAL

a11724 BACITRACIN TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B OPHTHALMIC

a11725 LACTIC ACID TOPICAL-VITAMIN E TOPICAL

a11727 ACETIC ACID TOPICAL-HYDROCORTISONE OTIC

a11730 BUDESONIDE NASAL-FORMOTEROL

a11731 CAMPHOR TOPICAL; MENTHOL TOPICAL; PETROLATUM TOPICAL

a11732 LANOLIN TOPICAL-PETROLATUM TOPICAL

a11738 CAMPHOR TOPICAL; MENTHOL TOPICAL; PHENOL TOPICAL

a11739 GLYCERIN TOPICAL; IODINE; PHENOL TOPICAL

a11741 CAMPHOR TOPICAL; MENTHOL TOPICAL; METHYL SALICYLATE TOPICAL

a11748 BACITRACIN TOPICAL-POLYMYXIN B OPHTHALMIC

a11750 CHLOROXYLENOL TOPICAL; HYDROCORTISONE OTIC; PRAMOXINE OTIC

a11756 CAPECITABINE-OXALIPLATIN

a11757 ASCORBIC ACID-CRANBERRY

a11759 CETEARETH; DIMETHICONE; GLYCERIN TOPICAL; HYALURONIC ACID

a11768 ACETAMINOPHEN; ETHANOL; GLYCERIN; HYDROCODONE; PARABENS

a11769 ASCORBIC ACID; BIOTIN; FOLIC ACID; VITAMIN B COMPLEX; ZINC

a50000 UNDETERMINED

a50004 ACACIA GUM

a50035 ACETONE
a50160 ALUMINUM SUBACETATE
a50190 AMINOACETIC ACID
a50613 BILE SALTS
a50770 CALCIUM REPLACEMENT
a50776 CALCIUM
a50780 CALCIUM BROMIDE
a50823 CALCIUM
      UNDECYLENATE
a50860 CANTHARIDIN
a50870 CARAMEL
a51185 CHOLESTEROL
a51209 CHROMIUM
a51375 COLLODION
a51390 CONTACT LENS
      SOLUTION
a51630 DESOXYCORTICO-
      STERONE
a51675 DEXTROSE
a51740 DIETARY SUPPLEMENT
a51765 DIGALLOYL TRIOLEATE
a51817 DIMETHICONE
a51865 DIPHENIDOL
a52023 ELECTROLYTES
a52170 ETHYLNOREPINEPHRINE
a52358 FOOD SUPPLEMENT
a52395 GELATIN
a52535 HAMAMELIS WATER
a52565 HEXAFLUORENIUM
a52640 HYDROCHLORIC ACID
a52691 HYDROXYETHYL
      CELLULOSE
a52755 INDIGOINDISULFONATE
a52775 INFANT FORMULA
a52885 IRON PREPARATIONS
a52968 KELP
a52973 L-TRYPTOPHANE
a52990 LACTOSE
a53100 LINOLENIC ACID
a53155 LYPRESSIN
a53175 MAGNESIUM ANTACIDS
a53298 MEGLUMINE
a53315 MENINGOCOCCAL
      VACCINE
a53380 MERCAPTOMERIN
a53490 METHANDRIOL
a53718 MILK SOLIDS NONFAT
a53723 MINERALS
a53735 MITHRAMYCIN
a53778 MOXALACTAM
a53940 NITROGEN
a53990 NYLIDRIN
a54015 OINTMENT HYDROPHILIC
a54020 OLEANDOMYCIN
a54030 OLIVE OIL
a54065 OX BILE EXTRACT
a54275 PENTAERYTHRITOL

a54325 PERTUSSIS IMMUNE
      GLOBULIN
a54420 PHENPROCOUMON
a54445 PHENYLALANINE
a54485 PHTHALYLSULFA-
      THIAZOLE
a54555 PNEUMOCOCCAL
      VACCINE
a54575 POLIO VACCINE
a54585 POLLEN ANTIGEN
a54645 POTASSIUM BROMIDE
a54655 POTASSIUM
      REPLACEMENT
      SOLUTIONS
a54705 POTASSIUM HYDROXIDE
a54715 POTASSIUM NITRATE
a54720 POTASSIUM
      OXYQUINOLINE
      SULFATE
a54730 POTASSIUM
      PERMANGANATE
a54735 POTASSIUM ACIDIFYING
a54760 PRAZEPAM
a54922 PROTEIN SUPPLEMENT
a55040 QUINETHAZONE
a55061 RACEMETHIONINE
a55063 RACEPHEDRINE
a55075 RESCINNAMINE
a55115 RINGERS LACTATED
a55135 RUTIN
a55140 SACCHARIN
a55145 SAFFLOWER OIL
a55218 SILICONE
a55260 ANTIVENIN SNAKE BITE
a55290 SODIUM BISULFITE
a55310 SODIUM CARBONATE
a55330 SODIUM FLUORIDE
a55360 SODIUM LAURYL
      SULFATE
a55400 SODIUM SUCCINATE
a55440 SOYBEAN OIL
a55505 STRYCHNINE
a55510 SUCCINLYCHOLINE
a55635 SYRUP
a56198 VITAMIN K
a56265 ZINC TOPICAL AGENTS,
      EXTERNAL USE
a56320 SODIUM ASCORBATE
a56345 VITAMIN B COMPLEX
a56580 POLOXAMER 188
a56615 RETINOIC ACID
a56740 INTERFERON BETA
a56800 SODIUM TETRABORATE
      DECAHYDRATE
a57001 BLOOD SUGAR
      DIAGNOSTIC
a57014 ERYTHROPOIETIN
a57024 MAGNESIUM ION

a57034 PHOSPHORUS
a57050 HYDROACTIVE
      DRESSING
a57052 DIDEOXYCYTIDINE
a57092 RECOMBINANT HUMAN
      DEOXYRIBONUCLEASE
a57118 MONOCHLOREACETIC
      ACID
a57154 CD4
a57158 TECHNETIUM
a57166 PROTEIN
a57194 HYPERTONIC SALINE
a57204 HEPATITIS C VACCINE
a57210 QUERCETIN
a59603 HEPATITIS VACCINE
a59611 THYROID STIMULATING
HORMONE
a59615 SOMATOSTATIN
a59632 DEHYDROEPIANDRO-
      STERENE
a59717 ANDROGENS
a59812 DOMPERIDONE
a59813 FOLLITROPIN BETA
a59814 FOLLITROPIN ALPHA
a59835 RECOMBINANT HUMAN
      INTERLEUKIN ELEVEN
a59841 GRAPESEED
a59842 TROVAFLOXACIN;
      ALTROFLOXAVIN
a70009 HYALURONIC ACID
a70010 SEROTONIN
a70038 PETROLEUM
a70048 OIL OF EVENING
      PRIMROSE
a70062 FENRETINIDE
a70071 DOCOSAHEXAENOIC
      ACID
a70113 PERINDOPRIL ERBUMINE
a70116 SOY
a70123 BISMUTH
a70159 SILVER
a70199 MAGNESIUM GLYCINATE
a70203 RACEMIC EPINEPHRINE
a70204 ACEMANNAN
a70223 FERRIMIN
a70385 SILYBUM
a70480 ALPHA LIPOICACID
a70484 CARBOXYMETHYL-
      CELLULOSE SODIUM
a70491 HYOSCYNAMINE
      SULFATE
a70509 EDATREXATE
a70521 GRIFFONIA
      SIMPLICIFOLIA
a70550 SOLUMET
a70607 OXYQUINOLONE
      SULFATE
a70699 LYCOPENE

a70725 ASPARTAME
a70732 EPIDURAL
a70733 VITAMIN K5
a70743 CLODRONATE DISODIUM
a70747 PROLINE
a70751 METOMIDATE
a70759 ALFALFA
a70795 L-GLUTAMINE
a70832 OAT BRAN
a70841 POLOXAMER 331
a70842 CALCIUM-SODIUM
       ALGINATE FIBE
a70886 IRON
a70887 ALGINATE
a70973 POLYDIMETHYL-
       SILOXANE
a71002 FLOXACILLIN
a71008 TECHNETIUM TC 99M
       MERTIATIDE INJECTION
a71012 SULFUR HEXAFLUORIDE
a71019 GLUCAN
a71021 HISTERLIN
a71022 THERAPEUTICS-
       RADIOPHARMA-
       CEUTICALS
a71063 CODOXIME
a71065 CLOBAZAM
a71066 DEFLAZACORT
c00002 AMEBICIDES
c00007 ANTIVIRAL AGENTS
c00009 CEPHALOSPORINS
c00012 MISCELLANEOUS
       ANTIBIOTICS
c00014 QUINOLONES
c00015 SULFONAMIDES
c00024 ANTINEOPLASTIC
       HORMONES
c00025 MISCELLANEOUS
       ANTINEOPLASTICS
c00027 RADIOPHARMA-
       CEUTICALS
c00028 BIOLOGICALS
c00033 IMMUNE GLOBULINS
c00039 MISCELLANEOUS
       BIOLOGICALS
c00040 CARDIOVASCULAR
       AGENTS
c00042 ANGIOTENSIN
       CONVERTING ENZYME
       INHIBITORS
c00045 ANTIANGINAL AGENTS
c00048 CALCIUM CHANNEL
       BLOCKING AGENTS
c00049 DIURETICS
c00051 MISCELLANEOUS
       CARDIOVASCULAR
       AGENTS
c00054 VASOPRESSORS
c00055 ANTIHYPERTENSIVE
       COMBINATIONS

c00057 CENTRAL NERVOUS
       SYSTEM AGENTS
c00059 MISCELLANEOUS
       ANALGESICS
c00060 NARCOTIC ANALGESICS
c00061 NONSTEROIDAL ANTI-
       INFLAMMATORY
       AGENTS
c00065 ANTIEMETIC;
       ANTIVERTIGO AGENTS
c00067 ANXIOLYTICS,
       SEDATIVES, AND
       HYPNOTICS
c00070 MISCELLANEOUS
       ANXIOLYTICS,
       SEDATIVES AND
       HYPNOTICS
c00071 CNS STIMULANTS
c00072 GENERAL ANESTHETICS
c00076 MISCELLANEOUS
       ANTIDEPRESSANTS
c00077 MISCELLANEOUS
       ANTIPSYCHOTIC
       AGENTS
c00080 MISCELLANEOUS
       CENTRAL NERVOUS
       SYSTEM AGENTS
c00082 ANTICOAGULANTS
c00085 MISCELLANEOUS
       COAGULATION
       MODIFIERS
c00087 GASTROINTESTINAL
       AGENTS
c00088 ANTACIDS
c00089 ANTICHOLINERGICS;
       ANTISPASMODICS
c00090 ANTIDIARRHEALS
c00091 DIGESTIVE ENZYMES
c00095 LAXATIVES
c00096 MISCELLANEOUS GI
       AGENTS
c00097 HORMONES; HORMONE
       MODIFIERS
c00098 ADRENAL CORTICAL
       STEROIDS
c00099 ANTIDIABETIC AGENTS
c00100 MISCELLANEOUS
       HORMONES
c00102 CONTRACEPTIVES
c00105 MISCELLANEOUS
       AGENTS
c00107 CHELATING AGENTS
c00109 LOCAL INJECTABLE
       ANESTHETICS
c00110 MISCELLANEOUS
       UNCATEGORIZED
       AGENTS
c00112 RADIOCONTRAST
       AGENTS
c00115 NUTRITIONAL PRODUCTS

c00117 MINERALS AND
       ELECTROLYTES
c00118 ORAL NUTRITIONAL
       SUPPLEMENTS
c00119 VITAMINS
c00123 ANTIHISTAMINES
c00124 ANTITUSSIVES
c00127 DECONGESTANTS
c00129 MISCELLANEOUS
       RESPIRATORY AGENTS
c00131 ANTIASTHMATIC
       COMBINATIONS
c00132 UPPER RESPIRATORY
       COMBINATIONS
c00133 TOPICAL AGENTS
c00135 ANTISEPTIC AND
       GERMICIDES
c00136 DERMATOLOGICAL
       AGENTS
c00138 TOPICAL STEROIDS
c00139 TOPICAL ANESTHETICS
c00140 MISCELLANEOUS
       TOPICAL AGENTS
c00143 TOPICAL ACNE AGENTS
c00147 OPHTHALMIC
       PREPARATIONS
c00156 THIAZIDE DIURETICS
c00163 OPHTHALMIC ANTI-
       INFECTIVES
c00164 OPHTHALMIC GLAUCOMA
       AGENTS
c00168 OPHTHALMIC
       LUBRICANTS AND
       IRRIGATIONS
c00169 MISCELLANEOUS
       OPHTHALMIC AGENTS
c00172 MISCELLANEOUS OTIC
       AGENTS
c00174 MISCELLANEOUS
       ANTIHYPERLIPIDEMIC
       AGENTS
c00178 SKELETAL MUSCLE
       RELAXANTS
c00187 MISCELLANEOUS SEX
       HORMONES
c00193 ANTIMIGRAINE AGENTS
c00198 MISCELLANEOUS
       ANTIEMETICS
c00204 MISCELLANEOUS
       ANTICONVULSANTS
c00208 SSRI ANTIDEPRESSANTS
c00209 TRICYCLIC
       ANTIDEPRESSANTS
c00219 NUTRACEUTICAL
       PRODUCTS
c00220 HERBAL PRODUCTS
c00243 LEUKOTRIENE
       MODIFIERS
c00248 TOPICAL EMOLLIENTS
c00251 ANTIPSYCHOTICS

c00254 IMMUNOLOGIC AGENTS
c00269 MISCELLANEOUS VAGINAL AGENTS
c00286 MYDRIATICS
c00290 TOPICAL ANTIBIOTICS
c00292 TOPICAL ANTIFUNGALS
c00296 INHALED CORTICOSTEROIDS
c00301 GLUCOCORTICOIDS
c00309 MISCELLANEOUS ANTIDIABETIC AGENTS
c00331 RADIOLOGIC AGENTS
c00333 IODINATED CONTRAST MEDIA
c00344 NASAL ANTI-INFECTIVES
c00361 MISCELLANEOUS METABOLIC AGENTS
c00899 PHARMACEUTICAL AID
c07002 ANTIFUNGALS-ANTISEPTIC AND GERMICIDES
d00001 ACYCLOVIR
d00002 AMIODARONE
d00003 AMPICILLIN
d00004 ATENOLOL
d00005 BRETYLIUM
d00006 CAPTOPRIL
d00007 CEFAZOLIN
d00008 CEFOTAXIME
d00009 CEFTAZIDIME
d00010 CEFTIZOXIME
d00011 CIPROFLOXACIN
d00012 CODEINE
d00013 ENALAPRIL
d00014 GENTAMICIN
d00015 IBUPROFEN
d00016 LABETALOL
d00017 MEPERIDINE
d00018 NADOLOL
d00019 NAPROXEN
d00020 QUINIDINE
d00021 RANITIDINE
d00022 WARFARIN
d00023 ALLOPURINOL
d00024 AZATHIOPRINE
d00025 CHLORAMPHENICOL
d00026 FENOPROFEN
d00027 HALOPERIDOL
d00028 KETOPROFEN
d00029 NAFCILLIN
d00030 PENTAMIDINE
d00031 PROBENECID
d00032 PROPRANOLOL
d00033 SULINDAC
d00034 ZIDOVUDINE
d00035 CHLOROQUINE
d00036 CYCLOPHOSPHAMIDE
d00037 DOXYCYCLINE

d00039 INDOMETHACIN
d00040 OXAZEPAM
d00041 TETRACYCLINE
d00042 CHLORPROPAMIDE
d00043 CLINDAMYCIN
d00044 CLONIDINE
d00045 DILTIAZEM
d00046 ERYTHROMYCIN
d00047 RIFAMPIN
d00048 VERAPAMIL
d00049 ACETAMINOPHEN
d00050 METHADONE
d00051 NIFEDIPINE
d00052 CEFTRIAXONE
d00053 CEPHRADINE
d00054 TOLMETIN
d00055 CEFOTETAN
d00056 CEFUROXIME
d00057 PIPERACILLIN
d00058 CARBAMAZEPINE
d00059 LIDOCAINE
d00060 METHOTREXATE
d00061 LITHIUM
d00064 CHLORPROMAZINE
d00065 FOSCARNET
d00067 AZTREONAM
d00068 ETHAMBUTOL
d00069 TOBRAMYCIN
d00070 FUROSEMIDE
d00071 FLUCONAZOLE
d00072 CEFIXIME
d00073 CEFPROZIL
d00075 PROCAINAMIDE
d00077 AMPHOTERICIN B
d00078 DIDANOSINE
d00079 CYCLOSPORINE
d00080 CEFADROXIL
d00081 CEFACLOR
d00082 IMIPENEM-CILASTATIN
d00083 VALPROIC ACID
d00084 PREDNISOLONE
d00085 RIBAVIRIN
d00086 AMANTADINE
d00087 AMIKACIN
d00088 AMOXICILLIN
d00089 AMOXICILLIN-CLAVULANATE
d00091 AZITHROMYCIN
d00092 CARBENICILLIN
d00093 CEFMETAZOLE
d00094 CEFOXITIN
d00095 CEFPODOXIME
d00096 CEPHALEXIN
d00097 CLARITHROMYCIN
d00098 DAPSONE
d00099 ENOXACIN
d00100 GRISEOFULVIN
d00101 ISONIAZID

d00102 ITRACONAZOLE
d00103 KETOCONAZOLE
d00104 LOMEFLOXACIN
d00106 METHENAMINE
d00107 METHICILLIN
d00108 METRONIDAZOLE
d00110 MINOCYCLINE
d00112 NITROFURANTOIN
d00113 NORFLOXACIN
d00114 OFLOXACIN
d00115 OXACILLIN
d00116 PENICILLIN (OBSOLETE)
d00117 PYRAZINAMIDE
d00118 SULFADIAZINE
d00119 SULFAMETHOXAZOLE
d00122 TICARCILLIN-CLAVULANATE
d00123 TRIMETHOPRIM
d00124 SULFAMETHOXAZOLE-TRIMETHOPRIM
d00125 VANCOMYCIN
d00128 ACEBUTOLOL
d00131 GUANETHIDINE
d00132 HYDRALAZINE
d00133 METHYLDOPA
d00134 METOPROLOL
d00135 MINOXIDIL
d00136 NITROPRUSSIDE
d00137 PINDOLOL
d00138 PRAZOSIN
d00139 TIMOLOL
d00140 CIMETIDINE
d00141 FAMOTIDINE
d00142 THEOPHYLLINE
d00143 PHENYTOIN
d00144 NORTRIPTYLINE
d00145 DESIPRAMINE
d00146 AMITRIPTYLINE
d00147 CHLORAL HYDRATE
d00148 DIAZEPAM
d00149 LORAZEPAM
d00150 COLCHICINE
d00152 CLOXACILLIN
d00153 DICLOXACILLIN
d00154 MEBENDAZOLE
d00161 ACETAZOLAMIDE
d00164 ADENOSINE
d00167 ALFENTANIL
d00168 ALPRAZOLAM
d00169 AMILORIDE
d00170 ASPIRIN
d00171 AMOBARBITAL
d00172 INAMRINONE
d00173 ATRACURIUM
d00174 ATROPINE
d00175 BENZTROPINE
d00176 BETAXOLOL
d00177 BLEOMYCIN

d00178 BROMOCRIPTINE
d00179 BUMETANIDE
d00180 BUPIVACAINE
d00181 BUPROPION
d00182 BUSPIRONE
d00183 BUSULFAN
d00184 CARBIDOPA
d00185 CARBOPLATIN
d00186 CEPHALOTHIN
d00187 CEPHAPIRIN
d00188 CHLORAMBUCIL
d00189 CHLORDIAZEPOXIDE
d00190 CHLOROTHIAZIDE
d00191 CHLORPHENIRAMINE
d00192 CHLORTHALIDONE
d00193 CHOLESTYRAMINE
d00195 CISPLATIN
d00197 CLONAZEPAM
d00198 CLORAZEPATE
d00199 CLOZAPINE
d00200 CROMOLYN
d00201 CYTARABINE
d00202 DACARBAZINE
d00203 DACTINOMYCIN
d00204 DANAZOL
d00206 DEXAMETHASONE
d00207 DEXTROMETHORPHAN
d00208 DIFLUNISAL
d00210 DIGOXIN
d00211 DIHYDROERGOTAMINE
d00212 DIPHENHYDRAMINE
d00213 DIPYRIDAMOLE
d00214 DISOPYRAMIDE
d00215 DOBUTAMINE
d00216 DOPAMINE
d00217 DOXEPIN
d00218 DOXORUBICIN
d00219 DROPERIDOL
d00220 EDROPHONIUM
d00222 ERGOTAMINE
d00223 EPOETIN ALFA
d00224 ESMOLOL
d00227 ETHOSUXIMIDE
d00230 ETOPOSIDE
d00231 FELODIPINE
d00233 FENTANYL
d00234 FLECAINIDE
d00235 FLUOROURACIL
d00236 FLUOXETINE
d00237 FLUPHENAZINE
d00238 FLURAZEPAM
d00239 FLURBIPROFEN
d00240 FLUTAMIDE
d00241 FOLIC ACID
d00242 FOSINOPRIL
d00245 GEMFIBROZIL
d00246 GLIPIZIDE
d00248 GLYBURIDE
d00250 GOLD SODIUM
       THIOMALATE

d00251 HALOTHANE
d00252 HEPARIN
d00253 HYDROCHLOROTHIAZIDE
d00254 HYDROCORTISONE
d00255 HYDROMORPHONE
d00257 IFOSFAMIDE
d00259 IMIPRAMINE
d00260 INDAPAMIDE
d00262 INSULIN
d00265 IPRATROPIUM
d00267 ISOFLURANE
d00268 ISOSORBIDE DINITRATE
d00269 ISOSORBIDE
       MONONITRATE
d00270 ISRADIPINE
d00271 KANAMYCIN
d00272 KETAMINE
d00273 KETOROLAC
d00275 LEUCOVORIN
d00276 LEVAMISOLE
d00277 LEVODOPA
d00278 LEVOTHYROXINE
d00279 LINCOMYCIN
d00280 LOVASTATIN
d00282 MANNITOL
d00283 MECLOFENAMATE
d00284 MEDROXY-
       PROGESTERONE
d00285 MEFENAMIC ACID
d00286 MEFLOQUINE
d00287 MELPHALAN
d00288 MEPROBAMATE
d00289 MERCAPTOPURINE
d00290 METHIMAZOLE
d00292 METHSUXIMIDE
d00293 METHYLPREDNISOLONE
d00295 METHYLTESTOSTERONE
d00297 METIPRANOLOL
       OPHTHALMIC
d00298 METOCLOPRAMIDE
d00299 METOLAZONE
d00300 MEXILETINE
d00301 MIDAZOLAM
d00302 MILRINONE
d00303 MISOPROSTOL
d00305 MITOMYCIN
d00306 MITOXANTRONE
d00307 MORICIZINE
d00308 MORPHINE
d00310 NABUMETONE
d00311 NALOXONE
d00312 NEOMYCIN
d00313 NEOSTIGMINE
d00314 NIACIN
d00315 NICARDIPINE
d00316 NICOTINE
d00318 NIMODIPINE
d00321 NITROGLYCERIN
d00322 NIZATIDINE
d00323 NOREPINEPHRINE

d00325 OMEPRAZOLE
d00328 OXYBUTYNIN
d00329 OXYCODONE
d00330 PANCURONIUM
d00332 PENBUTOLOL
d00334 PENTAZOCINE
d00335 PENTOBARBITAL
d00336 PENTOXIFYLLINE
d00337 PHENAZOPYRIDINE
d00340 PHENOBARBITAL
d00343 PIROXICAM
d00344 POLYMYXIN B SULFATE
d00345 POTASSIUM CHLORIDE
d00346 POVIDONE IODINE
       TOPICAL
d00348 PRAVASTATIN
d00350 PREDNISONE
d00352 PRIMIDONE
d00353 PROBUCOL
d00354 PROCARBAZINE
d00355 PROCHLORPERAZINE
d00356 PROMAZINE
d00358 PROPAFENONE
d00359 PROPANTHELINE
d00360 PROPOXYPHENE
d00361 PROPYLTHIOURACIL
d00362 PROTAMINE
d00363 PYRIDOSTIGMINE
d00364 PYRIMETHAMINE
d00365 QUINAPRIL
d00366 QUININE
d00367 RESERPINE
d00368 SECOBARBITAL
d00370 OCTREOTIDE
d00371 SOTALOL
d00372 SPECTINOMYCIN
d00373 SPIRONOLACTONE
d00376 SUCCINYLCHOLINE
d00377 SUCRALFATE
d00378 SUFENTANIL
d00379 SULFASALAZINE
d00381 TAMOXIFEN
d00384 TEMAZEPAM
d00386 TERAZOSIN
d00387 TERFENADINE
d00388 THIOPENTAL
d00389 THIORIDAZINE
d00391 THIOTHIXENE
d00393 TOLAZAMIDE
d00394 TOLBUTAMIDE
d00395 TRAZODONE
d00396 TRIAMTERENE
d00397 TRIAZOLAM
d00399 VECURONIUM
d00400 VINBLASTINE
d00401 VINCRISTINE
d00402 VITAMIN A
d00405 VITAMIN E
d00409 RIBOFLAVIN
d00412 PYRIDOXINE

d00413 CYANOCOBALAMIN
d00425 CALCIUM CARBONATE
d00426 ASCORBIC ACID
d00428 FLUORIDE
d00434 MANGANESE SULFATE
d00438 SODIUM CHLORIDE
d00439 CITRIC ACID-POTASSIUM
          CITRATE
d00440 SODIUM BICARBONATE
d00468 MAGNESIUM SULFATE
d00472 TROMETHAMINE
d00475 SODIUM PHOSPHATE
d00476 AMMONIUM CHLORIDE
d00485 IODINE TOPICAL
d00488 LYSINE
d00491 LEVOCARNITINE
d00492 CHOLINE SALICYLATE
d00496 INOSITOL
d00497 OMEGA-3
          POLYUNSATURATED
          FATTY ACIDS
d00512 FILGRASTIM
d00513 SARGRAMOSTIM
d00514 TICLOPIDINE
d00521 ALTEPLASE
d00524 ANTITHROMBIN III
d00525 ANTIHEMOPHILIC
          FACTOR (OBSOLETE)
d00527 FACTOR IX COMPLEX
          (OBSOLETE)
d00528 AMINOCAPROIC ACID
d00529 TRANEXAMIC ACID
d00534 ESTRONE
d00537 ESTRADIOL
d00541 CONJUGATED
          ESTROGENS
d00543 ESTROPIPATE
d00546 DIETHYLSTILBESTROL
d00550 PROGESTERONE
d00554 HYDROXY-
          PROGESTERONE
d00555 NORETHINDRONE
d00557 LEVONORGESTREL
d00558 TESTOSTERONE
d00563 FINASTERIDE
d00565 STANOZOLOL
d00566 OXANDROLONE
d00569 CLOMIPHENE
d00570 UROFOLLITROPIN
d00571 MENOTROPINS
d00572 CHORIONIC
          GONADOTROPIN (HCG)
d00573 GONADORELIN
d00574 NAFARELIN
d00575 HISTRELIN
d00576 SOMATREM
d00577 SOMATROPIN
d00578 ARGININE

d00583 DESMOPRESSIN
d00584 OXYTOCIN
d00586 ERGONOVINE
d00587 METHYLERGONOVINE
d00588 CARBOPROST
d00589 DINOPROSTONE
          TOPICAL
d00593 GLUCAGON
d00595 GLUCOSE
d00598 CALCITONIN
d00599 ETIDRONATE
d00601 PAMIDRONATE
d00604 CORTICOTROPIN
d00607 COSYNTROPIN
d00608 FLUDROCORTISONE
d00609 CORTISONE
d00620 TRIAMCINOLONE
d00623 METHYLPREDNISOLONE
          TOPICAL
d00626 DEXAMETHASONE
          TOPICAL
d00628 BETAMETHASONE
d00640 METHAZOLAMIDE
d00643 METHYCLOTHIAZIDE
d00645 HYDROFLUMETHIAZIDE
d00649 ETHACRYNIC ACID
d00651 UREA TOPICAL
d00652 GLYCERIN
d00653 ISOSORBIDE
d00655 THYROID DESICCATED
d00658 LIOTHYRONINE
d00683 LIDOCAINE TOPICAL
d00688 BEPRIDIL
d00689 AMLODIPINE
d00693 ISOXSUPRINE
d00695 PAPAVERINE
d00696 ETHAVERINE
d00697 ISOPROTERENOL
d00699 EPINEPHRINE
d00700 EPHEDRINE
d00704 PHENYLEPHRINE
d00709 BISOPROLOL
d00717 GUANFACINE
d00726 DOXAZOSIN
d00728 RAMIPRIL
d00730 BENAZEPRIL
d00732 LISINOPRIL
d00733 PHENTOLAMINE
d00741 TOLAZOLINE
d00742 EDETATE DISODIUM
d00743 SODIUM POLYSTYRENE
          SULFONATE
d00744 COLESTIPOL
d00746 SIMVASTATIN
d00749 ALBUTEROL
d00750 METAPROTERENOL
d00751 ISOETHARINE
d00752 TERBUTALINE

d00754 BITOLTEROL
d00755 PIRBUTEROL
d00758 AMINOPHYLLINE
d00759 DYPHYLLINE
d00760 BECLOMETHASONE
d00762 ACETYLCYSTEINE
d00767 PHENYLPRO-
          PANOLAMINE
d00769 PSEUDOEPHEDRINE
d00771 NAPHAZOLINE
          OPHTHALMIC
d00772 OXYMETAZOLINE NASAL
d00773 TETRAHYDROZOLINE
          OPHTHALMIC
d00775 ALPHA 1-PROTEINASE
          INHIBITOR
d00777 BERACTANT
d00780 CLEMASTINE
d00782 PYRILAMINE
d00785 BROMPHENIRAMINE
d00787 PROMETHAZINE
d00790 CYPROHEPTADINE
d00791 AZATADINE
d00796 BENZONATATE
d00797 GUAIFENESIN
d00801 CAFFEINE
d00802 DOXAPRAM
d00803 AMPHETAMINE
d00804 DEXTROAMPHETAMINE
d00805 METHAMPHETAMINE
d00806 PHENTERMINE
d00807 BENZPHETAMINE
d00809 PHENDIMETRAZINE
d00810 DIETHYLPROPION
d00811 MAZINDOL
d00812 FENFLURAMINE
d00813 BENZOCAINE TOPICAL
d00814 METHOTRIMEPRAZINE
d00817 HYDROXYCHLOROQUINE
d00821 METHYSERGIDE
          MALEATE
d00824 OPIUM
d00833 OXYMORPHONE
d00837 DEZOCINE
d00838 BUTORPHANOL
d00839 NALBUPHINE
d00840 BUPRENORPHINE
d00842 SALSALATE
d00843 SODIUM SALICYLATE
d00844 SODIUM
          THIOSALICYLATE
d00848 DICLOFENAC
d00851 ETODOLAC
d00853 OXAPROZIN
d00855 PERPHENAZINE
d00858 CYCLIZINE
d00859 MECLIZINE
d00861 DIMENHYDRINATE

d00862 TRIMETHOBENZAMIDE
d00866 DRONABINOL
d00867 ONDANSETRON
d00874 AMOXAPINE
d00875 PROTRIPTYLINE
d00876 CLOMIPRAMINE
d00877 MAPROTILINE
d00880 SERTRALINE
d00882 ISOCARBOXAZID
d00883 PHENELZINE
d00884 TRANYLCYPROMINE
d00890 TRIFLUOPERAZINE
d00896 MOLINDONE
d00897 LOXAPINE
d00898 PIMOZIDE
d00900 METHYLPHENIDATE
d00902 ERGOLOID MESYLATES
d00907 HYDROXYZINE
d00910 ZOLPIDEM
d00915 ESTAZOLAM
d00917 QUAZEPAM
d00923 BUTABARBITAL
d00929 METHOHEXITAL
d00931 ETOMIDATE
d00933 PROPOFOL
d00934 NITROUS OXIDE
d00937 ENFLURANE
d00945 TRIMETHADIONE
d00960 CARISOPRODOL
d00962 CHLORZOXAZONE
d00963 CYCLOBENZAPRINE
d00964 METAXALONE
d00965 METHOCARBAMOL
d00966 ORPHENADRINE
d00967 BACLOFEN
d00968 DANTROLENE
d00969 PROCYCLIDINE
d00970 TRIHEXYPHENIDYL
d00976 SELEGILINE
d00977 PERGOLIDE
d00978 ALUMINUM HYDROXIDE
d00982 MAGNESIUM HYDROXIDE
d00984 MAGALDRATE
d00985 HYOSCYAMINE
d00986 SCOPOLAMINE
d00988 BELLADONNA
d00989 METHSCOPOLAMINE
d00991 CLIDINIUM
d00992 GLYCOPYRROLATE
d00999 DICYCLOMINE
d01002 PANCRELIPASE
d01003 PANCREATIN
d01005 URSODIOL
d01008 MAGNESIUM CITRATE
d01010 CASCARA SAGRADA
d01012 PHENOLPHTHALEIN
d01013 SENNA
d01014 CASTOR OIL
d01015 BISACODYL

d01016 BULK PRODUCING
        LAXATIVES
d01017 POLYCARBOPHIL
d01018 PSYLLIUM
d01019 MINERAL OIL
d01021 DOCUSATE
d01023 POLYETHYLENE GLYCOL
3350 WITH ELECTROLYTES
d01024 LACTULOSE
d01025 LOPERAMIDE
d01026 BISMUTH
        SUBSALICYLATE
d01027 SIMETHICONE
d01028 CHARCOAL
d01030 DEHYDROCHOLIC ACID
d01031 MESALAMINE
d01032 OLSALAZINE
d01068 DEMECLOCYCLINE
d01070 OXYTETRACYCLINE
d01100 ETHIONAMIDE
d01104 PAROMOMYCIN
d01105 IODOQUINOL
d01113 COLISTIMETHATE
d01115 BACITRACIN
d01120 ATOVAQUONE
d01123 PYRANTEL
d01124 PIPERAZINE
d01128 METHYLENE BLUE
d01133 IMMUNE GLOBULIN
        INTRAVENOUS
d01135 IMMUNE GLOBULIN
        INTRAMUSCULAR
d01136 HEPATITIS B IMMUNE
        GLOBULIN
d01137 TETANUS IMMUNE
        GLOBULIN
d01138 VARICELLA ZOSTER
        IMMUNE GLOBULIN
d01139 RHO (D) IMMUNE
        GLOBULIN
d01147 RABIES VACCINE
        (OBSOLETE)
d01148 RABIES IMMUNE
        GLOBULIN, HUMAN
d01150 BCG
d01156 TYPHOID VACCINE,
        INACTIVATED
d01158 HAEMOPHILUS B
        CONJUGATE VACCINE
        (OBSOLETE)
d01159 MEASLES VIRUS
        VACCINE
d01160 RUBELLA VIRUS VACCINE
d01161 MUMPS VIRUS VACCINE
d01163 POLIOVIRUS VACCINE,
        INACTIVATED
d01164 INFLUENZA VIRUS
        VACCINE, INACTIVATED
d01165 YELLOW FEVER VACCINE

d01166 HEPATITIS B VACCINE
        (OBSOLETE)
d01168 TETANUS TOXOID
d01171 TUBERCULIN PURIFIED
        PROTEIN DERIVATIVE
d01184 DIPIVEFRIN OPHTHALMIC
d01185 APRACLONIDINE
        OPHTHALMIC
d01187 LEVOBUNOLOL
        OPHTHALMIC
d01188 ACETYLCHOLINE
        OPHTHALMIC
d01189 CARBACHOL
        OPHTHALMIC
d01191 PILOCARPINE
        OPHTHALMIC
d01198 DAPIPRAZOLE
        OPHTHALMIC
d01199 HOMATROPINE
        OPHTHALMIC
d01200 TROPICAMIDE
        OPHTHALMIC
d01201 CYCLOPENTOLATE
        OPHTHALMIC
d01202 CHYMOTRYPSIN
        OPHTHALMIC
d01204 SUPROFEN OPHTHALMIC
d01208 SULFACETAMIDE
        SODIUM OPHTHALMIC
d01210 YELLOW MERCURIC
        OXIDE OPHTHALMIC
d01215 TRIFLURIDINE
        OPHTHALMIC
d01217 TETRACAINE
d01218 PROPARACAINE
        OPHTHALMIC
d01219 FLUORESCEIN
        OPHTHALMIC
d01222 SODIUM HYALURONATE
        OPHTHALMIC
d01225 BORIC ACID TOPICAL
d01226 HYDROXYPROPYL
        METHYLCELLULOSE
        OPHTHALMIC
d01227 BOTULINUM TOXIN TYPE
        A (OBSOLETE)
d01231 CHLORHEXIDINE
        TOPICAL
d01232 CARBAMIDE PEROXIDE
        TOPICAL
d01233 NYSTATIN
d01234 BUTOCONAZOLE
        TOPICAL
d01236 CLOTRIMAZOLE
d01238 TERCONAZOLE TOPICAL
d01239 GENTIAN VIOLET
        TOPICAL
d01241 CLINDAMYCIN TOPICAL
d01242 NONOXYNOL 9 TOPICAL
d01244 TRETINOIN TOPICAL

d01245 ISOTRETINOIN
d01246 BENZOYL PEROXIDE TOPICAL
d01254 ANTHRALIN TOPICAL
d01257 NITROFURAZONE TOPICAL
d01258 MAFENIDE TOPICAL
d01259 SILVER SULFADIAZINE TOPICAL
d01263 PYRITHIONE ZINC TOPICAL
d01265 SULFACETAMIDE SODIUM TOPICAL
d01267 MUPIROCIN TOPICAL
d01271 ECONAZOLE TOPICAL
d01272 CICLOPIROX TOPICAL
d01274 TOLNAFTATE TOPICAL
d01275 SULCONAZOLE TOPICAL
d01276 HALOPROGIN TOPICAL
d01277 NAFTIFINE TOPICAL
d01278 LINDANE TOPICAL
d01279 PERMETHRIN TOPICAL
d01282 ALCLOMETASONE TOPICAL
d01283 AMCINONIDE TOPICAL
d01288 CLOBETASOL TOPICAL
d01289 CLOCORTOLONE TOPICAL
d01290 DESONIDE TOPICAL
d01291 DESOXIMETASONE TOPICAL
d01292 DIFLORASONE TOPICAL
d01293 FLUOCINOLONE TOPICAL
d01294 FLUOCINONIDE TOPICAL
d01295 FLURANDRENOLIDE TOPICAL
d01296 FLUTICASONE
d01297 HALCINONIDE TOPICAL
d01298 HALOBETASOL TOPICAL
d01301 DIBUCAINE TOPICAL
d01303 PRAMOXINE TOPICAL
d01305 DYCLONINE TOPICAL
d01306 COCAINE TOPICAL
d01307 SALICYLIC ACID TOPICAL
d01308 PODOPHYLLUM RESIN TOPICAL
d01309 PODOFILOX TOPICAL
d01313 TRICHLOROACETIC ACID TOPICAL
d01315 COLLAGENASE TOPICAL
d01316 MASOPROCOL TOPICAL
d01319 HYDROQUINONE TOPICAL
d01320 FORMALDEHYDE TOPICAL
d01321 CAPSAICIN TOPICAL
d01322 ALUMINUM CHLORIDE HEXAHYDRATE TOPICAL

d01323 MONOBENZONE TOPICAL
d01332 HEXACHLOROPHENE TOPICAL
d01333 BENZALKONIUM CHLORIDE TOPICAL
d01335 SODIUM HYPOCHLORITE TOPICAL
d01336 OXYCHLOROSENE SODIUM TOPICAL
d01340 URACIL MUSTARD
d01341 LOMUSTINE
d01342 CARMUSTINE
d01344 FLOXURIDINE
d01345 THIOGUANINE
d01346 FLUDARABINE
d01348 MEGESTROL
d01353 LEUPROLIDE
d01354 GOSERELIN
d01356 PENTOSTATIN
d01368 INTERFERON ALFA-2A
d01370 INTERFERON ALFA-N3
d01373 HYDROXYUREA
d01375 ALDESLEUKIN
d01376 PACLITAXEL
d01378 MITOTANE
d01379 ASPARAGINASE
d01383 SODIUM TETRADECYL SULFATE
d01384 MORRHUATE SODIUM
d01385 BETA-CAROTENE
d01386 YOHIMBINE
d01387 ALPROSTADIL
d01389 DISULFIRAM
d01393 HYALURONIDASE
d01394 PROCAINE
d01395 CHLOROPROCAINE
d01396 PRILOCAINE
d01398 MEPIVACAINE
d01402 DEFEROXAMINE
d01403 EDETATE CALCIUM DISODIUM
d01406 NALTREXONE
d01407 FLUMAZENIL
d01409 PRALIDOXIME
d01411 MESNA
d01416 TRIENTINE
d01417 SUCCIMER
d01420 AMBENONIUM
d01423 POTASSIUM CITRATE
d01425 FLAVOXATE
d01427 BETHANECHOL
d01431 DIMETHYL SULFOXIDE
d01445 BARIUM SULFATE
d01451 GADOPENTETATE DIMEGLUMINE
d01452 IODAMIDE
d01456 IOHEXOL
d01461 IOPAMIDOL

d01469 IOVERSOL
d01473 DIATRIZOATE
d01475 IOTHALAMATE
d01482 ISOSULFAN BLUE
d02374 DESFLURANE
d02375 PLASMA PROTEIN FRACTION
d02376 ALBUMIN HUMAN
d02377 DEXTRAN 1
d02378 HETASTARCH
d03007 MEASLES; MUMPS; RUBELLA VIRUS VACCINE
d03041 ENOXAPARIN
d03050 LORATADINE
d03052 HYDROCHLORO-THIAZIDE-TRIAMTERENE
d03054 AMYLASE
d03056 ATTAPULGITE
d03061 BUTALBITAL
d03066 CITRIC ACID
d03071 DIPHENOXYLATE
d03073 ETHYNODIOL
d03075 HYDROCODONE
d03077 ISOMETHEPTENE MUCATE
d03080 LIPASE
d03085 PEPSIN
d03096 SODIUM BENZOATE
d03097 SODIUM BORATE TOPICAL
d03098 SODIUM CITRATE
d03110 DIPHTH; PERTUSSIS, ACEL; TETANUS (OBSOLETE)
d03112 NEDOCROMIL
d03126 CALCITRIOL
d03127 CALCIFEDIOL
d03128 ERGOCALCIFEROL
d03129 CHOLECALCIFEROL
d03130 THIAMINE
d03133 HYDROXOCOBALAMIN
d03135 PHYTONADIONE
d03137 CALCIUM-VITAMIN D
d03140 MULTIVITAMIN
d03141 MULTIVITAMIN WITH IRON
d03143 MULTIVITAMIN WITH FLUORIDE
d03145 MULTIVITAMIN WITH MINERALS
d03148 MULTIVITAMIN, PRENATAL
d03154 DOXYLAMINE
d03157 PAROXETINE
d03158 RIMANTADINE
d03160 SUMATRIPTAN
d03162 ETHANOL

d03165 PIPERACILLIN-TAZOBACTAM
d03166 CISAPRIDE
d03168 DIHYDROCODEINE
d03170 FELBAMATE
d03171 GRANISETRON
d03176 TACRINE
d03180 RISPERIDONE
d03181 VENLAFAXINE
d03182 GABAPENTIN
d03183 FLUVASTATIN
d03189 TORSEMIDE
d03190 OXICONAZOLE TOPICAL
d03191 TERBINAFINE TOPICAL
d03192 ZINC OXIDE TOPICAL
d03193 AMILORIDE-HYDROCHLORO-THIAZIDE
d03195 MICONAZOLE TOPICAL
d03197 BETAMETHASONE TOPICAL
d03200 ERYTHROMYCIN TOPICAL
d03202 KETOCONAZOLE TOPICAL
d03203 MINOXIDIL TOPICAL
d03204 FLUOROURACIL TOPICAL
d03205 HYDROCORTISONE TOPICAL
d03206 TRIAMCINOLONE TOPICAL
d03208 METRONIDAZOLE TOPICAL
d03210 SELENIUM SULFIDE TOPICAL
d03211 CIPROFLOXACIN OPHTHALMIC
d03214 KETOROLAC OPHTHALMIC
d03219 HYDROXYAMPHETAMINE OPHTHALMIC
d03220 FLURBIPROFEN OPHTHALMIC
d03221 PREDNISOLONE OPHTHALMIC
d03222 TOBRAMYCIN OPHTHALMIC
d03225 PREDNICARBATE TOPICAL
d03227 FLUOROMETHOLONE OPHTHALMIC
d03228 LODOXAMIDE OPHTHALMIC
d03229 LEVOCABASTINE OPHTHALMIC
d03238 ETHINYL ESTRADIOL-NORETHINDRONE
d03241 ETHINYL ESTRADIOL-NORGESTREL

d03242 ETHINYL ESTRADIOL-LEVONORGESTREL
d03244 CONJUGATED ESTROGENS-METHYLTESTOSTERONE
d03245 ESTERIFIED ESTROGENS-METHYLTESTOSTERONE
d03247 HYDROCHLORO-THIAZIDE-SPIRONOLACTONE
d03249 CHLORTHALIDONE-RESERPINE
d03251 HYDROCHLORO-THIAZIDE-RESERPINE
d03257 HYDRALAZINE-HYDROCHLORO-THIAZIDE
d03258 ATENOLOL-CHLORTHALIDONE
d03259 BENDROFLUMETHIAZIDE-NADOLOL
d03261 HYDROCHLORO-THIAZIDE-PROPRANOLOL
d03263 HYDROCHLORO-THIAZIDE-METHYLDOPA
d03264 HYDROCHLORO-THIAZIDE-METOPROLOL
d03265 BENAZEPRIL-HYDROCHLORO-THIAZIDE
d03266 HYDROCHLORO-THIAZIDE-LISINOPRIL
d03267 CHLORTHALIDONE-CLONIDINE
d03269 GUANETHIDINE-HYDROCHLORO-THIAZIDE
d03273 GUAIFENESIN-THEOPHYLLINE
d03276 DYPHYLLINE-GUAIFENESIN
d03277 POTASSIUM IODIDE-THEOPHYLLINE
d03280 EPHEDRINE; PHENOBARBITAL; THEOPHYLLINE
d03283 EPHEDRINE; HYDROXYZINE; THEOPHYLLINE
d03289 ACETAMINOPHEN-PSEUDOEPHEDRINE
d03292 IBUPROFEN-PSEUDOEPHEDRINE
d03296 ACETAMINOPHEN-CHLORPHENIRAMINE
d03297 ACETAMINOPHEN-PHENYLTOLOXAMINE

d03298 CHLORPHENIRAMINE-PSEUDOEPHEDRINE
d03299 CHLORPHENIRAMINE-PHENYLPRO-PANOLAMINE
d03300 CHLORPHENIRAMINE-PHENYLEPHRINE
d03301 BROMPHENIRAMINE-PSEUDOEPHEDRINE
d03302 BROMPHENIRAMINE-PHENYLPRO-PANOLAMINE
d03306 CHLORPHENIRAMINE; PE; PHENYLTOLOXAMINE
d03309 BROMPHENIRAMINE; PHENYLEPHRINE; PPA
d03311 BROMPHENIRAMINE-PHENYLEPHRINE
d03312 DIPHENHYDRAMINE-PSEUDOEPHEDRINE
d03313 CHLORPHENIRAMINE; PHENYLEPHRINE; PYRILAMINE
d03314 CHLORPHENIRAMINE; PHENYLEPHRINE; PPA
d03315 CHLORPHENIRAMINE; PHENYLEPHRINE; PPA; PYRILAMINE
d03316 PSEUDOEPHEDRINE-TRIPROLIDINE
d03317 PHENYLEPHRINE-PROMETHAZINE
d03318 PHENIRAMINE; PPA; PYRILAMINE
d03320 APAP; CHLORPHENIRAMINE; PSEUDOEPHEDRINE
d03331 APAP; CHLORPHENIRAMINE; PHENYLEPHRINE
d03338 CHLORPHENIRAMINE; METHSCOPOLAMINE; PE
d03340 HOMATROPINE-HYDROCODONE
d03344 CHLORPHENIRAMINE; DEXTROMETHORPHAN; PPA
d03347 APAP; CHLORPHENIRAMINE; DEXTROMETHORPHAN; PSE
d03353 HYDROCODONE-PHENYLPRO-PANOLAMINE
d03354 DEXTROMETHORPHAN-PSEUDOEPHEDRINE
d03355 DEXTROMETHORPHAN-PHENYLPRO-PANOLAMINE

d03356 CHLORPHENIRAMINE-HYDROCODONE

d03357 CODEINE-PROMETHAZINE

d03359 CHLORPHENIRAMINE-DEXTROMETHORPHAN

d03360 DEXTROMETHORPHAN-PROMETHAZINE

d03361 CHLORPHENIRAMINE; HYDROCODONE; PHENYLEPHRINE

d03364 CODEINE; PHENYLEPHRINE; PROMETHAZINE

d03368 BROMPHENIRAMINE; DEXTROMETHORPHAN; PSE

d03369 CHLORPHENIRAMINE; DEXTROMETHORP; PHENYLEPHRINE

d03370 CHLORPHENIRAMINE; DEXTROMETHORPHAN; PSE

d03371 DEXTROMETHORPHAN; PHENYLEPHRINE; PYRILAMINE

d03379 GUAIFENESIN-PSEUDOEPHEDRINE

d03381 GUAIFENESIN-PHENYLEPHRINE

d03382 GUAIFENESIN-PHENYLPRO-PANOLAMINE

d03383 GUAIFENESIN; PHENYLEPHRINE; PPA

d03388 ETHINYL ESTRADIOL-ETHYNODIOL

d03389 ESTRADIOL-TESTOSTERONE

d03392 CHLORPHENIRAMINE; GUAIFENESIN; PHENYLEPHRINE

d03393 CODEINE-GUAIFENESIN

d03394 CODEINE-IODINATED GLYCEROL

d03396 GUAIFENESIN-HYDROCODONE

d03397 GUAIFENESIN-HYDROMORPHONE

d03398 CODEINE; GUAIFENESIN; PSE

d03400 DEXTROMETHORPHAN-GUAIFENESIN

d03403 GUAIFENESIN; HYDROCODONE; PHENYLEPHRINE

d03408 DEXTROMETHORPHAN; GUAIFENESIN; PHENYLEPHRINE

d03409 DEXTROMETHORPHAN; GUAIFENESIN; PSEUDOEPHEDRINE

d03411 DEXTROMETHORPHAN; GUAIFENESIN; PPA

d03416 CHLORPHENIRAMINE; HYDROCODONE; PSE

d03419 CHLORPHENIRAMINE; DM; GUAIFENESIN; PHENYLEPHRINE

d03423 ACETAMINOPHEN-CODEINE

d03424 ASPIRIN-CODEINE

d03425 APAP; BUTALBITAL; CAFFEINE; CODEINE

d03426 ASA; BUTALBITAL; CAFFEINE; CODEINE

d03428 ACETAMINOPHEN-HYDROCODONE

d03429 ASPIRIN-HYDROCODONE

d03431 ACETAMINOPHEN-OXYCODONE

d03432 ASPIRIN-OXYCODONE

d03433 MEPERIDINE-PROMETHAZINE

d03434 ACETAMINOPHEN-PROPOXYPHENE

d03436 BELLADONNA-OPIUM

d03437 APAP; ASA; CAFFEINE; SALICYLAMIDE

d03439 APAP; ASA; CAFFEINE

d03445 ACETAMINOPHEN-DIPHENHYDRAMINE

d03447 ASA; CAFFEINE; SALICYLAMIDE

d03448 ASPIRIN-MEPROBAMATE

d03449 ASPIRIN-CAFFEINE

d03454 MAGNESIUM SALICYLATE-PHENYLTOLOXAMINE

d03455 APAP; BUTALBITAL; CAFFEINE

d03456 ACETAMINOPHEN-BUTALBITAL

d03457 ASA; BUTALBITAL; CAFFEINE

d03458 ASPIRIN-BUTALBITAL

d03459 APAP; DICHLORALPHENAZONE; ISOMETHEPTENE

d03462 AMITRIPTYLINE-CHLORDIAZEPOXIDE

d03463 AMITRIPTYLINE-PERPHENAZINE

d03468 ASPIRIN-METHOCARBAMOL

d03469 ASPIRIN-CARISOPRODOL

d03472 ASA; CAFFEINE; ORPHENADRINE

d03473 CARBIDOPA-LEVODOPA

d03474 ALUMINUM HYDROXIDE-MAGNESIUM HYDROXIDE

d03478 AL HYDROXIDE; MG HYDROXIDE; SIMETHICONE

d03485 ATROPINE; HYOSCYAMINE; PB; SCOPOLAMINE

d03486 BELLADONNA-BUTABARBITAL

d03490 ATROPINE-PHENOBARBITAL

d03492 CHLORDIAZEPOXIDE-CLIDINIUM

d03494 HYOSCYAMINE-PHENOBARBITAL

d03495 BELLADONNA; ERGOTAMINE; PHENOBARBITAL

d03496 DOCUSATE-SENNA

d03497 DOCUSATE-PHENOLPHTHALEIN

d03498 CASANTHRANOL-DOCUSATE

d03503 MINERAL OIL-PHENOLPHTHALEIN

d03506 ATROPINE-DIPHENOXYLATE

d03509 ERYTHROMYCIN-SULFISOXAZOLE

d03510 OXYTETRACYCLINE; PHENAZOPYRIDINE; SULFAMETHIZOL

d03511 PHENAZOPYRIDINE-SULFAMETHOXAZOLE

d03521 CYCLOPENTOLATE-PHENYLEPHRINE OPHTHALMIC

d03522 PHENYLEPHRINE-SCOPOLAMINE OPHTHALMIC

d03524 BACITRACIN; NEOMYCIN; POLYMYXIN B TOPICAL

d03525 GRAMICIDIN; NEOMYCIN; POLYMYXIN B OPHTHALMIC

d03536 DEXAMETHASONE-TOBRAMYCIN OPHTHALMIC

d03541 PREDNISOLONE-SULFACETAMIDE SODIUM OPHTHALMIC
d03542 FLUORESCEIN-PROPARACAINE OPHTHALMIC
d03546 HYDROCORTISONE-PRAMOXINE TOPICAL
d03561 BETAMETHASONE-CLOTRIMAZOLE TOPICAL
d03562 NYSTATIN-TRIAMCINOLONE TOPICAL
d03566 CAPTOPRIL-HYDROCHLORO-THIAZIDE
d03569 CARBINOXAMINE
d03570 CARBINOXAMINE-PSEUDOEPHEDRINE
d03576 BROMODIPHEN-HYDRAMINE-CODEINE
d03577 CARBINOXAMINE; DEXTROMETHORPHAN; PSE
d03591 ALGINIC ACID; AL HYDROXIDE; MG CARBONATE
d03600 POTASSIUM BICARBONATE
d03613 PSYLLIUM-SENNA
d03618 HYOSCYAMINE; METHENAM; M-BLUE; PHENYL SALICYL
d03620 ANTAZOLINE-NAPHAZOLINE OPHTHALMIC
d03622 BENOXINATE-FLUORESCEIN OPHTHALMIC
d03623 ACETIC ACID TOPICAL
d03624 ANTIPYRINE OTIC
d03625 ACETIC ACID-HYDROCORTISONE OTIC
d03627 ANTIPYRINE-BENZOCAINE OTIC
d03632 CETYLPYRIDINIUM TOPICAL
d03640 BUDESONIDE NASAL
d03641 PETROLATUM TOPICAL
d03644 LACTOBACILLUS ACIDOPHILUS
d03646 LACTOBACILLUS ACIDOPHILUS AND BULGARICUS
d03647 ISOPROPYL ALCOHOL TOPICAL
d03648 OPHTHALMIC IRRIGATION, INTRAOCULAR

d03649 BENZOIN TOPICAL
d03650 CANDIDA ALBICANS EXTRACT
d03653 CALAMINE TOPICAL
d03655 LIDOCAINE-PRILOCAINE TOPICAL
d03656 ETHYL CHLORIDE TOPICAL
d03663 LECITHIN
d03664 PHENOL TOPICAL
d03665 MENTHOL TOPICAL
d03667 METHACHOLINE
d03668 METHYL SALICYLATE TOPICAL
d03669 METHYL SALICYLATE-MENTHOL TOPICAL
d03680 ASA; CITRIC ACID; NA BICARB
d03682 ACETAMINOPHEN-PENTAZOCINE
d03684 THROMBIN TOPICAL
d03686 UNDECYLENIC ACID TOPICAL
d03687 ALUMINUM ACETATE TOPICAL
d03688 ALUMINUM SULFATE TOPICAL
d03689 CALCIUM ACETATE
d03690 ALUMINUM SULFATE-CALCIUM ACETATE TOPICAL
d03692 BENZYLPENICILLOYL-POLYLYSINE
d03693 ICHTHAMMOL TOPICAL
d03701 CORN STARCH TOPICAL
d03702 SULFUR TOPICAL
d03703 COAL TAR TOPICAL
d03705 SALICYLIC ACID-SULFUR TOPICAL
d03707 ALOE VERA TOPICAL
d03708 LANOLIN-MINERAL OIL TOPICAL
d03724 FAT EMULSION, INTRAVENOUS
d03735 TRIETHANOLAMINE POLYPEPTIDE OLEATE OTIC
d03740 ENALAPRIL-HYDROCHLORO-THIAZIDE
d03744 BISOPROLOL-HYDROCHLORO-THIAZIDE
d03751 DEXBROMPHENIRAMINE-PSEUDOEPHEDRINE
d03752 TACROLIMUS
d03756 BACITRACIN TOPICAL
d03759 SALMETEROL
d03761 LANOLIN TOPICAL
d03766 ROCURONIUM

d03768 OCULAR LUBRICANT
d03770 EMOLLIENTS, TOPICAL
d03773 STAVUDINE
d03774 DOXEPIN TOPICAL
d03775 FAMCICLOVIR
d03778 CHLOROTHIAZIDE-METHYLDOPA
d03780 DESOGESTREL
d03781 ETHINYL ESTRADIOL-NORGESTIMATE
d03782 DESOGESTREL-ETHINYL ESTRADIOL
d03783 BUPIVACAINE-EPINEPHRINE
d03784 EPINEPHRINE-LIDOCAINE
d03786 DIATRIZOATE-IODIPAMIDE
d03788 CALCIPOTRIENE TOPICAL
d03790 POTASSIUM PHOSPHATE
d03796 MAGNESIUM CHLORIDE
d03797 MAGNESIUM OXIDE
d03798 MAGNESIUM GLUCONATE
d03804 FLUVOXAMINE
d03805 DORZOLAMIDE OPHTHALMIC
d03807 METFORMIN
d03808 NEFAZODONE
d03809 LAMOTRIGINE
d03810 VINORELBINE
d03811 ABCIXIMAB
d03812 DALTEPARIN
d03818 LORATADINE-PSEUDOEPHEDRINE
d03819 CONJUGATED ESTROGENS-MEDROXY-PROGESTERONE
d03820 HEPATITIS A VACCINE (OBSOLETE)
d03821 LOSARTAN
d03822 FERROUS GLUCONATE
d03823 IRON POLYSACCHARIDE
d03824 FERROUS SULFATE
d03825 NISOLDIPINE
d03826 TRAMADOL
d03827 CETIRIZINE
d03828 LANSOPRAZOLE
d03829 AMLODIPINE-BENAZEPRIL
d03830 HYDROCHLORO-THIAZIDE-LOSARTAN
d03831 NILUTAMIDE
d03832 VARICELLA VIRUS VACCINE
d03833 DIVALPROEX SODIUM
d03835 MOEXIPRIL
d03836 ACITRETIN
d03838 VALACYCLOVIR
d03839 MYCOPHENOLATE MOFETIL

d03840 IOPROMIDE
d03843 GADOTERIDOL
d03844 DIRITHROMYCIN
d03845 SEVOFLURANE
d03846 ACARBOSE
d03847 CARVEDILOL
d03848 AZELAIC ACID TOPICAL
d03849 ALENDRONATE
d03850 BICALUTAMIDE
d03857 BENZOYL PEROXIDE-
       ERYTHROMYCIN
       TOPICAL
d03858 LAMIVUDINE
d03860 SAQUINAVIR
d03862 MAGNESIUM AMINO
       ACIDS CHELATE
d03863 TRETINOIN
d03864 GLIMEPIRIDE
d03866 CALCIUM CITRATE
d03868 AMIFOSTINE
d03869 RILUZOLE
d03871 IBUTILIDE
d03873 ANASTROZOLE
d03874 CEFTIBUTEN
d03875 CISATRACURIUM
d03879 CANNABIS (SCHEDULE I
       SUBSTANCE)
d03882 CEFEPIME
d03884 TROLAMINE SALICYLATE
       TOPICAL
d03888 BENZOCAINE;
       BUTAMBEN;
       TETRACAINE TOPICAL
d03894 KAOLIN-PECTIN
d03895 SINCALIDE
d03897 LACTASE
d03898 SODIUM CHLORIDE,
       HYPERTONIC,
       OPHTHALMIC
d03902 SODIUM CHONDROITIN-
       HYALURONATE
       OPHTHALMIC
d03904 BALSAM PERU; CASTOR
       OIL; TRYPSIN TOPICAL
d03906 PHENIRAMINE;
       PHENYLTOLOXAMINE;
       PYRILAMINE
d03908 APAP;
       CHLORPHENIRAMINE;
       DEXTROMETHORPHAN;
       PPA
d03911 CHLORPHENIRAMINE;
       METHSCOPOLAMINE;
       PSE
d03915 HYDROCODONE-
       POTASSIUM
       GUAIACOLSULFONATE

d03922 ACETAMINOPHEN-
       CAFFEINE
d03927 BACITRACIN
       OPHTHALMIC
d03940 BENZOCAINE-
       DEXTROMETHORPHAN
d03952 CITRIC ACID-SODIUM
       CITRATE
d03953 ELECTROLYTE
       REPLACEMENT
       SOLUTIONS, ORAL
d03957 CALCIUM CARBONATE;
       CHOLECALCIFEROL;
       FERROUS FUMARATE
d03962 POTASSIUM CITRATE-
       POTASSIUM
       BICARBONATE
d03964 BACITRACIN; NEOMYCIN;
       POLYMYXIN B
       OPHTHALMIC
d03965 BACITRACIN-POLYMYXIN
       B OPHTHALMIC
d03966 BENZOYL PEROXIDE-
       SULFUR TOPICAL
d03968 DEXAMETHASONE
       OPHTHALMIC
d03973 ERYTHROMYCIN
       OPHTHALMIC
d03974 GENTAMICIN
       OPHTHALMIC
d03975 GLYCERIN OPHTHALMIC
d03977 OFLOXACIN OPHTHALMIC
d03979 SCOPOLAMINE
       OPHTHALMIC
d03981 TETRACAINE
       OPHTHALMIC
d03982 TETRACAINE TOPICAL
d03984 RITONAVIR
d03985 INDINAVIR
d03986 GANCICLOVIR
       OPHTHALMIC
d03987 BENZOCAINE OTIC
d03990 CARBAMIDE PEROXIDE
       OTIC
d03994 COLLOIDAL OATMEAL
       TOPICAL
d03995 D-XYLOSE
d03996 DIENESTROL TOPICAL
d03998 STERILE WATER
d03999 PHYSOSTIGMINE
       OPHTHALMIC
d04002 PIPERONYL BUTOXIDE-
       PYRETHRINS TOPICAL
d04003 HYDROGEN PEROXIDE
       TOPICAL
d04006 DEXFENFLURAMINE
d04008 TRANDOLAPRIL
d04009 DOCETAXEL

d04010 GEMCITABINE
d04011 INTERFERON BETA-1A
d04012 TERBINAFINE
d04014 TOPOTECAN
d04015 ADAPALENE TOPICAL
d04016 IODIXANOL
d04017 LATANOPROST
       OPHTHALMIC
d04021 BENZOIC ACID-SALICYLIC
       ACID TOPICAL
d04025 MIRTAZAPINE
d04026 IRINOTECAN
d04027 MEROPENEM
d04028 CIDOFOVIR
d04029 NEVIRAPINE
d04032 SULFACETAMIDE
       SODIUM-SULFUR
       TOPICAL
d04034 REMIFENTANIL
d04035 AMPHETAMINE-
       DEXTROAMPHETAMINE
d04036 CAFFEINE-SODIUM
       BENZOATE
d04037 TIMOLOL OPHTHALMIC
d04038 BETAXOLOL
       OPHTHALMIC
d04040 FEXOFENADINE
d04041 FOSPHENYTOIN
d04044 RESORCINOL TOPICAL
d04047 MIDODRINE
d04048 BRIMONIDINE
       OPHTHALMIC
d04049 AMMONIUM LACTATE
       TOPICAL
d04050 OLANZAPINE
d04051 ROPIVACAINE
d04052 PENTOSAN
       POLYSULFATE SODIUM
d04054 PENCICLOVIR TOPICAL
d04056 ZINC GLUCONATE
d04057 ZINC SULFATE
d04058 MELATONIN
d04061 BISMUTH
       SUBSALICYLATE;
       METRONIDAZOLE; TCN
d04063 BUTENAFINE TOPICAL
d04065 TRANDOLAPRIL-
       VERAPAMIL
d04066 ALBUTEROL-
       IPRATROPIUM
d04068 AZELASTINE NASAL
d04075 CHLOROXYLENOL
       TOPICAL
d04076 CHLOROXYLENOL;
       HYDROCORTISONE;
       PRAMOXINE OTIC
d04079 CHLORPHENIRAMINE-
       EPINEPHRINE

d04081 BENZOYL PEROXIDE-HYDROCORTISONE TOPICAL
d04083 GADODIAMIDE
d04090 LACTIC ACID TOPICAL
d04093 HYDROCORTISONE-IODOQUINOL TOPICAL
d04098 INDOCYANINE GREEN
d04099 DONEPEZIL
d04101 IVERMECTIN
d04102 TIZANIDINE
d04103 ZILEUTON
d04105 ATORVASTATIN
d04106 FOSFOMYCIN
d04108 SPARFLOXACIN
d04109 LEVOFLOXACIN
d04110 MIGLITOL
d04111 GLATIRAMER
d04112 CABERGOLINE
d04113 VALSARTAN
d04114 DANAPAROID
d04115 TOPIRAMATE
d04117 OLOPATADINE OPHTHALMIC
d04118 NELFINAVIR
d04119 DELAVIRDINE
d04120 CAFFEINE-ERGOTAMINE
d04121 TAMSULOSIN
d04122 TROGLITAZONE
d04125 IMIQUIMOD TOPICAL
d04126 ANAGRELIDE
d04128 LVP SOLUTION
d04131 PARENTERAL NUTRITION SOLUTION
d04134 POLYMYXIN B OPHTHALMIC
d04137 TOREMIFENE
d04138 TAZAROTENE TOPICAL
d04139 MIBEFRADIL
d04141 HYDROCHLORO-THIAZIDE-MOEXIPRIL
d04142 CHROMIUM PICOLINATE
d04145 PRAMIPEXOLE
d04150 BROMFENAC
d04153 PHENAZOPYRIDINE-SULFISOXAZOLE
d04156 LETROZOLE
d04159 SORBITOL
d04160 SODIUM BIPHOSPHATE-SODIUM PHOSPHATE
d04168 APAP; DIPHENHYDRAMINE; PSEUDOEPHEDRINE
d04172 CALAMINE-PRAMOXINE TOPICAL
d04175 DIPHENHYDRAMINE-MAGNESIUM SALICYLATE
d04184 POTASSIUM AMINOBENZOATE

d04186 PHENYLEPHRINE NASAL
d04190 PAPAIN TOPICAL
d04191 PAPAIN-UREA TOPICAL
d04192 COLISTIN; HC; NEOMYCIN; THONZONIUM OTIC
d04195 CHLOROPHYLLIN
d04197 HYDROCORTISONE TOPICAL; NEOMYCIN TOPICAL; POLYMYXIN B TOPICAL
d04205 POVIDONE IODINE OPHTHALMIC
d04207 UREA
d04208 SILVER NITRATE TOPICAL
d04209 METHOXSALEN TOPICAL
d04212 GLYCERIN TOPICAL
d04214 DOLASETRON
d04215 ROPINIROLE
d04219 LAMIVUDINE-ZIDOVUDINE
d04220 QUETIAPINE
d04221 TIAGABINE
d04222 IRBESARTAN
d04223 MOMETASONE NASAL
d04224 INTERFERON ALFACON-1
d04225 HYDROCODONE-IBUPROFEN
d04228 ACETIC ACID OTIC
d04233 TRIAMCINOLONE NASAL
d04234 DEXAMETHASONE NASAL
d04237 DEXAMETHASONE-LIDOCAINE
d04240 HYLAN G-F 20
d04242 SODIUM CHLORIDE NASAL
d04244 CHARCOAL-SIMETHICONE
d04245 HYDROCHLORO-THIAZIDE-IRBESARTAN
d04247 PEGASPARGASE
d04248 METHYLCELLULOSE
d04249 CELLULOSE
d04253 ZOLMITRIPTAN
d04255 RITUXIMAB
d04256 CEFDINIR
d04258 CLOPIDOGREL
d04260 SIBUTRAMINE
d04261 RALOXIFENE
d04264 BECAPLERMIN TOPICAL
d04266 EPROSARTAN
d04267 REPAGLINIDE
d04269 APAP; CAFFEINE; DIHYDROCODEINE
d04270 FEXOFENADINE-PSEUDOEPHEDRINE
d04271 DICLOFENAC-MISOPROSTOL

d04272 AMOXICILLIN; CLARITHROMYCIN; LANSOPRAZOLE
d04274 FOMEPIZOLE
d04275 BECLOMETHASONE NASAL
d04276 BUDESONIDE
d04279 FLUNISOLIDE NASAL
d04282 TOLCAPONE
d04283 FLUTICASONE NASAL
d04284 FLUTICASONE TOPICAL
d04285 NARATRIPTAN
d04286 FENOFIBRATE
d04287 CIPROFLOXACIN OTIC
d04288 CIPROFLOXACIN-HYDROCORTISONE OTIC
d04289 MONTELUKAST
d04292 LOTEPREDNOL OPHTHALMIC
d04293 HYDROCHLORO-THIAZIDE-VALSARTAN
d04294 TOLTERODINE
d04295 OXYMETHOLONE
d04299 SILDENAFIL
d04300 RISEDRONATE
d04301 BRINZOLAMIDE OPHTHALMIC
d04311 CAPECITABINE
d04312 PARICALCITOL
d04316 EPTIFIBATIDE
d04317 DIPHTHERIA TOXOID
d04318 PERTUSSIS, ACELLULAR
d04322 CANDESARTAN
d04323 PALIVIZUMAB
d04328 RIZATRIPTAN
d04329 SODIUM HYALURONATE
d04331 THALIDOMIDE
d04332 CITALOPRAM
d04333 ACETAMINOPHEN-SALICYLAMIDE
d04337 PRAMOXINE OTIC
d04342 INFLIXIMAB
d04344 ROTAVIRUS VACCINE
d04349 LEFLUNOMIDE
d04355 EFAVIRENZ
d04357 TRASTUZUMAB
d04362 COPPER GLUCONATE
d04363 SEVELAMER
d04364 TELMISARTAN
d04365 ETANERCEPT
d04369 INSULIN REGULAR
d04370 INSULIN ISOPHANE
d04374 INSULIN ISOPHANE-INSULIN REGULAR
d04375 ESTRADIOL-NORETHINDRONE
d04376 ABACAVIR
d04377 THYROTROPIN ALPHA
d04378 MODAFINIL
d04380 CELECOXIB

d04382 CILOSTAZOL
d04387 SODIUM FERRIC GLUCONATE COMPLEX
d04395 CLOTRIMAZOLE TOPICAL
d04397 FLUORIDE TOPICAL
d04399 NYSTATIN TOPICAL
d04400 DIMETHYL SULFOXIDE TOPICAL
d04401 IMIPENEM
d04405 CLAVULANATE
d04407 ECHINACEA
d04411 GARLIC
d04412 GINSENG
d04413 GINKGO
d04414 GINGER
d04415 SAW PALMETTO
d04416 VALERIAN
d04417 CREATINE
d04418 GLUCOSAMINE
d04419 CHONDROITIN
d04420 CHONDROITIN-GLUCOSAMINE
d04423 GOLDENSEAL
d04425 DEHYDROEPIANDRO-STERONE
d04427 LEVALBUTEROL
d04429 ORLISTAT
d04432 CARBONYL IRON
d04433 ROFECOXIB
d04434 ROSIGLITAZONE
d04435 DOXERCALCIFEROL
d04436 MALATHION TOPICAL
d04441 KETOTIFEN OPHTHALMIC
d04442 PIOGLITAZONE
d04443 ZANAMIVIR
d04445 CARBETAPENTANE; CHLORPHENIRAMINE; PHENYLEPHRINE
d04446 PHENYLEPHRINE-PYRILAMINE
d04447 GANIRELIX
d04448 RABEPRAZOLE
d04450 RAPACURONIUM
d04451 TEMOZOLOMIDE
d04452 ZALEPLON
d04453 SIROLIMUS
d04454 EPIRUBICIN
d04459 DOFETILIDE
d04460 ENTACAPONE
d04461 EXEMESTANE
d04462 OSELTAMIVIR
d04468 CLOVE
d04469 BEE POLLEN
d04472 BLACK COHOSH
d04476 BILBERRY
d04481 ROYAL JELLY
d04487 PEPPERMINT
d04497 ASPIRIN-DIPYRIDAMOLE

d04499 LEVETIRACETAM
d04500 MOXIFLOXACIN
d04503 NEDOCROMIL OPHTHALMIC
d04504 GATIFLOXACIN
d04505 DEXMEDETOMIDINE
d04506 ESTRADIOL-NORGESTIMATE
d04508 NITRIC OXIDE
d04509 HYDROCHLORO-THIAZIDE-QUINAPRIL
d04510 INSULIN LISPRO-INSULIN LISPRO PROTAMINE
d04511 INSULIN LISPRO PROTAMINE
d04512 CEVIMELINE
d04513 OXCARBAZEPINE
d04514 PANTOPRAZOLE
d04516 ALOSETRON
d04519 MEQUINOL-TRETINOIN TOPICAL
d04523 UBIQUINONE
d04527 ZONISAMIDE
d04531 SAMARIUM SM 153 LEXIDRONAM
d04532 MELOXICAM
d04533 VERTEPORFIN
d04534 LINEZOLID
d04535 ARTICAINE-EPINEPHRINE
d04537 RIVASTIGMINE
d04538 INSULIN GLARGINE
d04539 FOSINOPRIL-HYDROCHLORO-THIAZIDE
d04541 AZELASTINE OPHTHALMIC
d04547 ATOVAQUONE-PROGUANIL
d04572 FORMOTEROL
d04597 TETRABENAZINE
d04611 FLUTICASONE-SALMETEROL
d04659 TINZAPARIN
d04661 LIDOCAINE OPHTHALMIC
d04669 VIGABATRIN
d04674 DIPHTH; HAEMOPHILUS; PERTUSSIS; TETANUS; POLIO
d04675 DIPHTHERIA; PERTUSSIS,ACEL; TETANUS; POLIO
d04685 HEPATITIS A-HEPATITIS B VACCINE
d04689 CALAMINE-DIPHENHYDRAMINE TOPICAL
d04694 TENECTEPLASE
d04695 COLESEVELAM

d04696 TRIPTORELIN
d04697 INSULIN ASPART
d04698 ARGATROBAN
d04700 BALSALAZIDE
d04702 DOCOSANOL TOPICAL
d04703 GLYBURIDE-METFORMIN
d04704 EFLORNITHINE TOPICAL
d04705 FLUDEOXYGLUCOSE F18
d04707 LEVOFLOXACIN OPHTHALMIC
d04708 ZOLEDRONIC ACID
d04711 CANDESARTAN-HYDROCHLORO-THIAZIDE
d04716 LOPINAVIR
d04717 LOPINAVIR-RITONAVIR
d04719 COAGULATION FACTOR VIIA
d04721 ESTRADIOL-MEDROXY-PROGESTERONE
d04722 DICLOFENAC TOPICAL
d04723 CALCIUM CARBONATE; FAMOTIDINE; MG HYDROXIDE
d04725 IRON SUCROSE
d04726 5-HYDROXYTRYPTOPHAN
d04727 ABACAVIR; LAMIVUDINE; ZIDOVUDINE
d04737 HYDROCHLORO-THIAZIDE-TELMISARTAN
d04739 BOTULINUM TOXIN TYPE B
d04740 TACROLIMUS TOPICAL
d04742 BENZOYL PEROXIDE-CLINDAMYCIN TOPICAL
d04743 NATEGLINIDE
d04744 BIVALIRUDIN
d04746 PEGINTERFERON ALFA-2B
d04747 ZIPRASIDONE
d04748 CASPOFUNGIN
d04749 ESOMEPRAZOLE
d04750 GALANTAMINE
d04753 TRAVOPROST OPHTHALMIC
d04754 BIMATOPROST OPHTHALMIC
d04755 VALGANCICLOVIR
d04756 ALEMTUZUMAB
d04757 ALMOTRIPTAN
d04758 IMATINIB
d04760 DROSPIRENONE-ETHINYL ESTRADIOL
d04763 NESIRITIDE
d04764 CETIRIZINE-PSEUDOEPHEDRINE

d04766 ACETAMINOPHEN-
        TRAMADOL
d04767 CEFDITOREN
d04770 CARBETAPENTANE-
        CHLORPHENIRAMINE
d04771 DARBEPOETIN ALFA
d04772 ETONOGESTREL
d04773 ETHINYL ESTRADIOL-
        ETONOGESTREL
d04774 TENOFOVIR
d04776 FROVATRIPTAN
d04777 DEXMETHYLPHENIDATE
d04778 VALDECOXIB
d04779 ETHINYL ESTRADIOL-
        NORELGESTROMIN
d04782 BOSENTAN
d04783 ERTAPENEM
d04784 PIMECROLIMUS TOPICAL
d04785 DESLORATADINE
d04786 FONDAPARINUX
d04787 LOVASTATIN-NIACIN
d04788 DUTASTERIDE
d04790 PEGFILGRASTIM
d04791 FLUOCINOLONE;
        HYDROQUINONE;
        TRETINOIN TOPICAL
d04794 CARBINOXAMINE;
        METHSCOPOLAMINE;
        PSEUDOEPHEDRINE
d04796 PERFLUTREN
d04797 ALFUZOSIN
d04798 TEGASEROD
d04799 FULVESTRANT
d04801 OLMESARTAN
d04802 TREPROSTINIL
d04803 VORICONAZOLE
d04804 CHARCOAL-SORBITOL
d04806 SODIUM OXYBATE
d04811 OXALIPLATIN
d04812 ESCITALOPRAM
d04813 HORSE CHESTNUT
d04814 ADEFOVIR
d04815 EPLERENONE
d04818 DEXCHLORPHEN-
        IRAMINE;
        DEXTROMETHORPHAN;
        PSE
d04819 BUPRENORPHINE-
        NALOXONE
d04820 METFORMIN-
        ROSIGLITAZONE
d04823 GLIPIZIDE-METFORMIN
d04824 EZETIMIBE
d04825 ARIPIPRAZOLE
d04826 NITAZOXANIDE
d04827 ATOMOXETINE
d04828 TERIPARATIDE
d04829 TIOTROPIUM

d04832 DIPHTHERIA; HEPB;
        PERTUSSIS,ACEL;
        POLIO; TETANUS
d04835 ADALIMUMAB
d04836 CYCLOSPORINE
        OPHTHALMIC
d04839 INSULIN ASPART-INSULIN
        ASPART PROTAMINE
d04841 THROMBIN TOPICAL;
        FIBRINOGEN TOPICAL;
        APROTININ TOPICAL;
        CALCIUM CHLORIDE
        TOPICAL
d04844 CAMPHOR-MENTHOL
        TOPICAL
d04848 INULIN
d04849 ELETRIPTAN
d04851 ROSUVASTATIN
d04853 ENFUVIRTIDE
d04855 APREPITANT
d04856 BOTULISM ANTITOXIN
d04857 GATIFLOXACIN
        OPHTHALMIC
d04871 BORTEZOMIB
d04877 CARBIDOPA;
        ENTACAPONE;
        LEVODOPA
d04878 HYDROCHLORO-
        THIAZIDE-OLMESARTAN
d04880 BROMPHENIRAMINE;
        HYDROCODONE;
        PSEUDOEPHEDRINE
d04881 OMALIZUMAB
d04882 ATAZANAVIR
d04884 EMTRICITABINE
d04887 BUPIVACAINE-
        HYDROMORPHONE
d04888 PALONOSETRON
d04890 CIPROFLOXACIN OTIC-
        DEXAMETHASONE OTIC
d04893 VARDENAFIL
d04894 DAPTOMYCIN
d04896 TADALAFIL
d04898 EPINASTINE
        OPHTHALMIC
d04899 MEMANTINE
d04901 FOSAMPRENAVIR
d04905 BROMPHENIRAMINE;
        DEXTROMETHORPH;
        PHENYLEPHRINE
d04914 ESTRADIOL-
        LEVONORGESTREL
d04915 SERTACONAZOLE
        TOPICAL
d04917 FLUOXETINE-
        OLANZAPINE
d04920 PNEUMOCOCCAL 7-
        VALENT CONJUGATE
        VACCINE
d04929 TROSPIUM

d04935 TINIDAZOLE
d04986 ACAMPROSATE
d04991 APOMORPHINE
d05029 LUTROPIN ALFA
d05044 BETAMETHASONE-
        CALCIPOTRIENE
        TOPICAL
d05047 PEMETREXED
d05048 AMLODIPINE-
        ATORVASTATIN
d05049 CALCITRIOL TOPICAL
d05101 CETUXIMAB
d05214 BEVACIZUMAB
d05217 MYCOPHENOLIC ACID
d05218 CINACALCET
d05232 ILOPROST
d05234 HYALURONAN
d05265 NEBIVOLOL
d05269 CADEXOMER IODINE
        TOPICAL
d05278 INSULIN GLULISINE
d05283 BRIMONIDINE-TIMOLOL
        OPHTHALMIC
d05293 AZACITIDINE
d05294 RIFAXIMIN
d05332 PITCHER PLANT
d05337 PNEUMOCOCCAL 23-
        POLYVALENT VACCINE
d05338 DIPHTHERIA-TETANUS
        TOXOIDS (DT) PED
d05343 HAEMOPHILUS B
        CONJUGATE (PRP-T)
        VACCINE
d05348 EZETIMIBE-SIMVASTATIN
d05350 POLYETHYLENE GLYCOL
        3350
d05351 APAP;
        PHENYLTOLOXAMINE;
        SALICYLAMIDE
d05352 EMTRICITABINE-
        TENOFOVIR
d05354 ABACAVIR-LAMIVUDINE
d05355 DULOXETINE
d05357 IBANDRONATE
d05361 CARBETAPENTANE-
        GUAIFENESIN
d05366 APAP;
        DEXTROMETHORPHAN;
        DOXYLAMINE
d05370 MEPIVACAINE-
        LEVONORDEFRIN
d05383 APAP;
        CHLORPHENIRAMINE;
        DEXTROMETHORPHAN
d05395 LANTHANUM
        CARBONATE
d05412 ERLOTINIB
d05413 SOLIFENACIN
d05414 NATALIZUMAB
d05415 IBUPROFEN-OXYCODONE

d05420 ALOH; DIPHENHYD; LIDOCAINE; MGOH; SIMETH TOPICAL
d05421 ESZOPICLONE
d05422 DARIFENACIN
d05424 ZICONOTIDE
d05425 LOTEPREDNOL-TOBRAMYCIN OPHTHALMIC
d05426 BROMPHENIRAMINE; HYDROCODONE; PHENYLEPHRINE
d05432 MENINGOCOCCAL CONJUGATE VACCINE
d05433 DIGESTIVE ENZYMES; HYOSCYAMINE; PHENYLTOLOXAMIN
d05434 BROMPHENIRAMINE; CARBETAPENTANE; PHENYLEPHRINE
d05436 INSULIN DETEMIR
d05465 CICLESONIDE
d05471 ALPHA-D-GALACTOSIDASE
d05473 DESLORATADINE-PSEUDOEPHEDRINE
d05487 MICAFUNGIN
d05488 PRAMLINTIDE
d05508 PREGABALIN
d05518 BROMFENAC OPHTHALMIC
d05525 ENTECAVIR
d05526 ALENDRONATE-CHOLECALCIFEROL
d05529 EXENATIDE
d05530 DROSPIRENONE-ESTRADIOL
d05534 TRYPAN BLUE OPHTHALMIC
d05537 TIGECYCLINE
d05538 TIPRANAVIR
d05540 HYDRALAZINE-ISOSORBIDE DINITRATE
d05541 LIDOCAINE-TETRACAINE TOPICAL
d05543 DAPSONE TOPICAL
d05578 RAMELTEON
d05612 RASAGILINE
d05626 EVEROLIMUS
d05630 CALCIUM CARBONATE-RISEDRONATE
d05633 NEPAFENAC OPHTHALMIC
d05635 METFORMIN-PIOGLITAZONE
d05645 MEASLES; MUMPS; RUBELLA; VARICELLA VIRUS VACCINE

d05646 SACCHAROMYCES BOULARDII LYO
d05647 FERRIC SUBSULFATE TOPICAL
d05659 DEFERASIROX
d05674 GLIMEPIRIDE-ROSIGLITAZONE
d05690 IRON POLYSACCHARIDE-FERROUS FUMARATE
d05691 SORAFENIB
d05694 ABATACEPT
d05696 LENALIDOMIDE
d05701 APAP; CAFFEINE; PHENYLTOLOXAMINE
d05702 METHYLSULFONYL-METHANE
d05703 CHONDROITIN; GLUCOSAMINE; METHYLSULFONYL-METHANE
d05704 IMMUNE GLOBULIN SUBCUTANEOUS
d05717 SUNITINIB
d05719 RANOLAZINE
d05736 LUBIPROSTONE
d05771 BENZALKONIUM CHLORIDE-LIDOCAINE TOPICAL
d05773 L-METHYLFOLATE
d05776 IODINE
d05781 TETANUS; DIPHTH; PERTUSS (TDAP) ADULT; ADOL
d05782 DIPHTHERIA; TETANUS; PERTUSSIS (DTAP) PED
d05787 ALGLUCOSIDASE ALFA
d05788 DECITABINE
d05806 FERROUS FUMARATE; FA; IRON POLYSACCHARIDE
d05807 VARENICLINE
d05813 ZOSTER VACCINE LIVE
d05814 DEXTROMETHORPHAN-PHENYLEPHRINE
d05815 FLUORESCEIN
d05817 HUMAN PAPILLOMAVIRUS VACCINE
d05819 DIPHENHYDRAMINE-IBUPROFEN
d05825 DARUNAVIR
d05835 RANIBIZUMAB OPHTHALMIC
d05842 LEVOLEUCOVORIN
d05847 EFAVIRENZ; EMTRICITABINE; TENOFOVIR
d05851 LEVOCETIRIZINE
d05853 POSACONAZOLE

d05856 GLIMEPIRIDE-PIOGLITAZONE
d05866 GUAR GUM
d05874 VON WILLEBRAND FACTOR-ANTIHEMOPHILIC FACTOR
d05879 PANITUMUMAB
d05891 VORINOSTAT
d05893 ARFORMOTEROL
d05896 SITAGLIPTIN
d05899 CICLESONIDE NASAL
d05912 TELBIVUDINE
d05963 COAGULATION FACTOR IX
d05965 FACTOR IX COMPLEX
d05973 CLINDAMYCIN-TRETINOIN TOPICAL
d05974 ANTIHEMOPHILIC FACTOR
d05982 SINECATECHINS TOPICAL
d06032 FLUOCINOLONE OTIC
d06214 COLLAGEN
d06227 IOXILAN
d06297 PALIPERIDONE
d06370 TURMERIC
d06507 CINNAMON
d06619 TRIAMCINOLONE OPHTHALMIC
d06635 MILNACIPRAN
d06662 AMLODIPINE-VALSARTAN
d06663 LISDEXAMFETAMINE
d06665 ALISKIREN
d06672 LAPATINIB
d06673 ECULIZUMAB
d06720 METFORMIN-SITAGLIPTIN
d06831 RETAPAMULIN TOPICAL
d06834 TETRACYCLINE; METRONIDAZOLE; BISMUTH SUBCITRATE POTASSIUM
d06836 TEMSIROLIMUS
d06841 AMBRISENTAN
d06842 ARMODAFINIL
d06848 LUTEIN
d06851 AZITHROMYCIN OPHTHALMIC
d06852 MARAVIROC
d06857 ACETIC; ANTIPYRINE; BENZOCAINE; POLYCOS OTIC
d06860 OXYGEN
d06861 CARBON DIOXIDE
d06864 HELIUM-OXYGEN
d06867 BIOTIN

d06891 CHLOROPHYLLIN COPPER COM; PAPAIN; UREA TOPICAL
d06900 COLLAGEN TOPICAL
d06905 AMLODIPINE-OLMESARTAN
d07048 RALTEGRAVIR
d07049 DORIPENEM
d07051 IXABEPILONE
d07057 NILOTINIB
d07064 BROMPHENIRAMINE; DIPHENHYDRAMINE; PHENYLEPHRINE
d07069 RUFINAMIDE
d07075 PERMETHRIN; PIPERONYL BUTOXIDE; PYRETHR TOPICAL
d07076 ETRAVIRINE
d07077 HYDROCHLORO-THIAZIDE-ALISKIREN
d07110 NIACIN-SIMVASTATIN
d07113 DESVENLAFAXINE
d07121 BENDAMUSTINE
d07130 NAPROXEN-SUMATRIPTAN
d07131 REGADENOSON
d07132 OLOPATADINE NASAL
d07134 CERTOLIZUMAB
d07135 METHYLNALTREXONE
d07137 DABIGATRAN
d07141 ALVIMOPAN
d07162 FESOTERODINE
d07268 CHENODEOXYCHOLIC ACID
d07297 DEXTROMETHORPHAN; PSEUDOEPHEDRINE; PYRILAMINE
d07298 DIFLUPREDNATE OPHTHALMIC
d07315 GLUTAMINE
d07320 ROMIPLOSTIM
d07347 BIFIDOBACTERIUM INFANTIS
d07349 LACOSAMIDE
d07351 CARBETAPENTANE; PSEUDOEPHEDRINE; PYRILAMINE
d07354 SILODOSIN
d07370 FOSPROPOFOL
d07371 FENOFIBRIC ACID
d07382 ADAPALENE-BENZOYL PEROXIDE TOPICAL
d07395 DEXLANSOPRAZOLE
d07396 USTEKINUMAB
d07397 FEBUXOSTAT
d07400 BIFIDOBACTERIUM-LACTOBACILLUS
d07409 PRASUGREL

d07440 AMLODIPINE; HYDROCHLORO-THIAZIDE; VALSARTAN
d07448 BESIFLOXACIN OPHTHALMIC
d07453 TAPENTADOL
d07458 DRONEDARONE
d07459 FERUMOXYTOL
d07464 INFLUENZA VIRUS VACCINE, H1N1, INACTIVATED
d07466 LIRAGLUTIDE
d07467 SAXAGLIPTIN
d07473 ASENAPINE
d07482 BEPOTASTINE OPHTHALMIC
d07486 ALISKIREN-VALSARTAN
d07492 PRALATREXATE
d07496 TOCILIZUMAB
d07506 LACTOBACILLUS REUTERI
d07517 ACETAMINOPHEN; DEXTROMETHORPHAN; DIPHENHYDRAMINE; PHENYLEPHRINE
d07518 SILVER TOPICAL
d07546 DALFAMPRIDINE
d07586 PNEUMOCOCCAL 13-VALENT CONJUGATE VACCINE
d07588 VELAGLUCERASE ALFA
d07631 NAPROXEN-ESOMEPRAZOLE
d07634 TAMSULOSIN-DUTASTERIDE
d07645 ONABOTULINUMTOXINA
d07646 ABOBOTULINUMTOXINA
d07658 CABAZITAXEL
d07660 FORMOTEROL-MOMETASONE
d07668 HYDROCHLORO-THIAZIDE; AMLODIPINE; OLMESARTAN
d07685 CARBOXYMETHYL-CELLULOSE
d07727 PENICILLIN G BENZATHINE
d07757 LIDOCAINE-SODIUM BICARBONATE
n00000 HSV VACCINE
n00002 RED YEAST RICE-UBIQUINONE
n00003 CEDIRANIB
n00004 MORPHINE-LIDOCAINE
n00005 LIDOCAINE-SIMETHICONE
n00006 BUPIVACAINE-MORPHINE
n00007 BUPIVACAINE-HYALURONIDASE

n00008 LIDOCAINE; BUPIVACAINE; EPINEPHRINE
n00009 ROCURONIUM-VECURONIUM
n00010 LIDOCAINE; BUPIVACAINE; METHYLPREDNISOLONE
n00011 LIDOCAINE; BELLADONNA; ALUMINUM HYDROXIDE-MAGNESIUM HYDROXIDE
n08002 FURAZOLIDONE; KAOLIN; PECTIN
n08004 BIRTH CONTROL PILLS
n08009 N,N-DIMETHYLGLYCINE
n08010 MESALT
n08012 PACKED RED BLOOD CELLS
n08013 CALCIUM HYDROXYLAPATITE
n08014 MASTISOL
n08017 COLLAGEN; OXIDISED REGENERATED CELLULOSE
n08021 ADRIAMYCIN-CYTOXAN
n08027 BOSWELLIC ACID
n08028 CHLORINE BLEACH
n08029 CODEINE; ACETAMINOPHEN; CAFFEINE; BUTALBITAL
n08031 AROMATASE INHIBITOR
n08034 BROMPHENIRAMINE; DEXAMETHASONE; DIPHENHYDRAMINE
n08038 CHASTEBERRY
n08039 ADHD MEDS
n08049 OMEGA-3 POLYUNSATURATED FATTY ACIDS-VITAMIN AND MINERAL COMBINATIONS
n08051 GLYCOLIC ACID-HYDROQUINONE TOPICAL
n08053 ECZEMA CREAM
n08058 POMEGRANATE JUICE
n08059 PROMETHAZINE; HYDROMORPHONE HYDROCHLORIDE
n08060 MINERALS; PROTEIN; CARBOHYDRATES; LINOLEIC ACID; MULTIVITAMIN
n08061 PYRIDINE
n08063 TROPONIN
n08064 APPLE JUICE

n08067 VITAMIN B; VITAMIN E; ASCORBIC ACID; ERGOCALCIFEROL
n08069 IDOFORM
n08073 HELICOBACTER PYLORI VACCINE
n08074 FLUCLOXACILLIN
n08078 EMPIRIC ANTIBIOTICS
n08079 PROSTATE MEDICATION
n08083 AMINO ACIDS
n08084 MUSHROOM EXTRACT-ASCORBIC ACID
n08089 INFERTILITY MEDS
n08094 MISCELLANEOUS TOPICAL AGENTS
n08096 GROUP B STREP VACCINE
n08099 VITAMIN AND MINERAL COMBINATIONS
n08105 RESVERATROL
n08112 NICOBAN
n08114 WOUND GEL
n08116 AMLODIPINE-ATENOLOL
n08118 PINE BARK
n08119 VITAMIN E; SELENIUM; LYCOPENE; CHOLECALCIFEROL; ISOFLAVONES
n08120 KETOCONAZOLE-SELENIUM SULFIDE TOPICAL
n08127 ADRENALINE; LIDOCAINE; TETRACAINE
n08137 BLOOD
n08138 LIDOCAINE-CEFTRIAXONE
n08140 OMEGA 6 FATTY ACID
n08152 CALCIUM; ZINC; MAGNESIUM; VITAMIN D; BORON; MANGANESE; COPPER
n08191 PRUNE JUICE
n08197 CLOTRIMAZOLE-HYDROCORTISONE
n08201 POLYETHYLENE GLYCOL 400
n08202 BACTERIAL VACCINE
n08203 PENTAVALENT ROTAVIRUS VACCINE
n08207 THALLIUM
n08208 H2O
n08212 MANGOSTEEN
n08216 TOPICAL C
n08223 FLUOROQUINOLONES
n08228 PYRIDOXINE-VITAMIN D
n08236 BISPHOSPHONATES
n08237 N-ACETYL-CYSTEINE

n08239 GRANULOCYTE COLONY-STIMULATING FACTOR
n08240 SILICONE
n08247 METHYLENE BLUE-GENTIAN VIOLET TOPICAL
n08248 SILVER
n08258 TETROFOSMIN
n08259 HONEY-BANDAGE
n08261 BISMUTH TRIBROMOPHENATE-BANDAGE
n08263 HUMAN FIBROBLAST-DERIVED
n09000 PETROLATUM TOPICAL; SORBITAN SESQUIOLEATE; METHYL PARABEN
n09001 RADIOCONTRAST AGENTS
n09006 HYDROXYDIONE
n09011 PAPAVERINE-PHENTOLAMINE
n09012 BUPIVACAINE-METHYLPREDNISOLONE
n09013 SUCCINYLCHOLINE-ROCURONIUM
n09014 NEOSTIGMINE-GLYCOPYRROLATE
n09015 DEXAMETHASONE-ONDANSETRON
n09016 ACETAMINOPHEN; CAFFEINE; PROPOXYPHENE
n09027 MAGNESIUM HYDROXIDE-BELLADONNA; ERGOTAMINE; PHENOBARBITAL
n09033 OLIVE LEAF EXTRACT
n09035 LIDOCAINE; ATROPINE; HYOSCYAMINE; PB; SCOPOLAMINE; CALCIUM CARBONATE
n09039 GANODERMA LUCIDUM
n09040 DILTIAZEM-LIDOCAINE
n09041 DIPHENYLCYCLO-PROPENONE
n09044 PSORALENS
n09046 ACAI
n09051 CUTICERIN
n09059 GADOLINIUM

n09061 ZINC GLUCONATE; SELENIUM; COPPER SULFATE; MANGANESE SULFATE; METHYLSULFONYL-METHANE; GLUCOSAMINE; CHONDROITIN
n09070 GLUCOSE-INSULIN
n09081 DIMETHYL SULFOXIDE; HEPARIN; CORTISONE; POTASSIUM BICARBONATE
n09089 NEOSTIGMINE-GLYCOPYRROLATE
n09095 DOXORUBICIN; STREPTOZOCIN; FLUOROURACIL
n09098 HYDROXYPROPYL-METHYLCELLULOSE
n09099 VANCOMYCIN-GENTAMICIN
n09100 CAPRYLIDENE
n09109 POTASSIUM CHLORIDE-MAGNESIUM SULFATE
n09114 CHERRY EXTRACT
n09115 TRIAMCINOLONE-POLYMYXIN B SULFATE
n09119 ERGOCALCIFEROL-CYANOCOBALAMIN
n09122 POLYSACCHARIDE
n09127 ACETAMINOPHEN-ISOMETHEPTENE MUCATE
n09128 CORDYCEPS MYCELIUM
n09132 MULTIVITAMIN-PHYTONADIONE
n09134 THIAMINE-FOLIC ACID
n09135 LIDOCAINE; EPINEPHRINE; TETRACAINE
n09138 SILICONE
n09140 SILVER NITRATE TOPICAL-POTASSIUM NITRATE
n09148 OMEGA-3 POLYUNSATURATED FATTY ACIDS; OMEGA-6 POLYUNSATURATED FATTY ACIDS; OMEGA-9 POLYUNSATURATED FATTY ACIDS
n09150 SODIUM CHLORIDE-SODIUM BICARBONATE
n09153 TECHNITIUM TC 99M GLUCEPTATE

n09155 ALUMINUM HYDROXIDE-MAGNESIUM HYDROXIDE-LIDOCAINE
n09156 MOXIFLOXACIN OPHTHALMIC-CYCLOPENTOLATE-PHENYLEPHRINE OPHTHALMIC
n09159 PHENYLEPHRINE OPHTHALMIC-TROPICAMIDE OPHTHALMIC
n09160 BUPIVACAINE; LIDOCAINE; HYALURONIDASE
n09162 LIDOCAINE-HYALURONIDASE
n09165 PHYSIOLOGICAL IRRIGATING SOLUTION-EPINEPHRINE
n09172 LIDOCAINE-HYALURONIDASE
n09178 MENINGOCOCCAL CONJUGATE VACCINE-TETETANUS; DIPHTH; PERTUSS (TDAP) ADULT; ADOL
n09179 CHOLECALCIFEROL-FERROUS GLUCONATE
n09181 ORAL NUTRITIONAL SUPPLEMENTS
n09185 MISCELLANEOUS ANTIBIOTICS
n09193 CODEINE; GUAIFENESIN; PROMETHAZINE
n09199 RHODIOLA ROOT

n09205 ASCORBIC ACID-FERULIC ACID-PHLORETIN
n10000 ELDERBERRY JUICE
n10001 DESOXIMETASONE TOPICAL; COAL TAR TOPICAL; SALICYLIC ACID TOPICAL
n10002 FLUDARABINE; CYCLOPHOSPHAMIDE; RITUXIMAB
n10003 DOCETAXEL-CYCLOPHOSPHAMIDE
n10004 KETOCONAZOLE-CLOTRIMAZOLE
n10005 CYCLOPHOSPHAMIDE-DOXORUBICIN
n10006 PACLITAXEL; DOXACURIUM; CYCLOPHOSPHAMIDE
n10007 PHENYLEPHRINE; MOXIFLOXACIN; CYCLOPENTOLATE OPHTHALMIC; FLURBIPROFEN OPHTHALMIC
n10008 HYALURONIDASE; EPINEPHRINE; BUPIVACAINE
n10009 FORMOCRESOL
n10010 BUPIVACAINE-SUFENTANIL
n10011 POVIDONE IODINE TOPICAL-EPINEPHRINE TOPICAL

n10012 OPHTHALMIC IRRIGATION, INTRAOCULAR; EPINEPHRINE; VANCOMYCIN; GENTAMICIN
n10013 TRIAMCINOLONE TOPICAL-CLOTRIMAZOLE TOPICAL
n10014 PACLITAXEL-CARBOPLATIN
n10015 GLUTATHIONE
n10016 CYCLOPHOSPHAMIDE; DOXORUBICIN; VINCRISTINE; PREDNISONE; RITUXIMAB
n10017 TRYPTOPHAN-MELATONIN
n10018 CELLULOSE; CHROMIUM PICOLINATE; BENZOCAINE TOPICAL
n10019 VICRIVIROC
n10020 STIRIPENTOL
n10021 METAMIZOLE
n10022 BETAMETHASONE-BUPIVACAINE
n10023 CHLORHEXIDINE TOPICAL-NEOMYCIN TOPICAL
n10024 SODIUM FUSIDATE
n10025 BUPIVACAINE; TRIAMCINOLONE; EPINEPHRINE
n11008 CANNABIS (MEDICAL MARIJUANA)

B. DRUG ENTRY CODES AND NAMES IN NUMERIC ORDER

00001 RYZOLT
00002 TAMIFLU
00004 LIDODERM PATCH
00005 A & D VITAMIN
00007 TMP-SMZ DS
00008 VIACTIV
00009 BICILLIN L-A
00012 IPOL
00013 MYCOPHENOLATE
        MOFETIL
00017 SIROLIMUS
00020 A.C.A.
00022 PREVNAR
00025 A.D.C. VITAMIN DROPS
00026 NOXZEMA MEDICATED
        SKIN CREAM
00027 SYNAGIS
00028 TEQUIN
00029 DOSTINEX
00032 EXCEDRIN MIGRAINE
00034 INTERLEUKIN-2
00036 MAALOX PLUS
00037 ACEON
00038 GLYSET
00039 SONATA
00040 SOY
00042 PROTONIX
00043 D-50-W
00044 PANLOR DC
00046 ANTITHROMBIN III
00047 DONNATAL ELIXIR
00048 MOBIC
00052 SILDENAFIL CITRATE
00053 TAMSULOSIN
        HYDROCHLORIDE
00054 COMTAN
00056 ENTEX PSE
00058 MINERAL SUPPLEMENT
00059 RHO IMMUNE GLOBULIN
00060 THERMAZENE
00061 BISMUTH
00062 CHILDREN'S BACTRIM
00064 D5 1/2 NS WITH KCL
00066 EPIRUBICIN HCL
00067 INTEGRILIN
00068 CLEOMYCIN
00069 AURODEX
00071 CERTAVITE
00073 LUXIQ
00076 TRILEPTAL
00078 AGGRENOX
00080 CARBIDOPA-LEVODOPA
00081 EXELON
00084 PREGABALIN
00085 ORAMORPH
00086 HISTOFREEZER

00091 ACT
00092 ESTROSTEP FE
00096 OSTEO-BIFLEX
00098 BANALG LOTION
00099 ALOCRIL
00101 ISOSORBIDE DINITRATE
00102 ISOSORBIDE
MONONITRATE
00104 HAART
00106 ORLISTAT
00107 ROSIGLITAZONE
        MALEATE
00109 URSODIOL
00111 MAXILIFE
00112 MEDERMA
00113 ANDROGEL
00114 DILTIA XT
00115 EDEX
00116 MEN'S FORMULA VITAMIN
00117 CRANBERRY
00118 DURADRIN
00120 URIMAX
00122 GATORADE
00123 NICOTINE
00124 POLY-TUSSIN
00125 AVELOX
00130 A-CAINE
00131 URISTAT
00133 CANDESARTAN
00134 CUREL LOTION
00141 VITAMIN E & D
00142 ANTIANXIETY
        MEDICATION
00144 ESKALITH CR
00145 A-HYDROCORT
00147 PRETZ
00148 PROLIXIN D
00149 D51/2 NS
00150 NICODERM CQ PATCH
00151 TUSSIN
00154 CHILDREN'S IBUPROFEN
00155 A-METHAPRED
00159 KALETRA
00161 BISOPROLOL
00163 A/T/S
00164 FIBRINOGEN (HUMAN)
00165 BIER BLOCK
00167 NOVOLIN N
00168 TRIMO-SAN
00169 KETOROLAC
        TROMETHAMINE
00172 OPHTHALMIC OINTMENT
00173 ELA-MAX
00176 PREDNISOLONE ACETATE
00177 SALT WATER
00184 KEPPRA

00187 OPHTHALMIC DROPS
00193 ALOSETRON HCL
00195 TEMOZOLOMIDE
00198 ENOXAPARIN SODIUM
00200 MEPERIDINE HCL
00202 PENCICLOVIR
00203 SALINEX
00205 VAPONEPHRINE
00206 ACTONEL
00208 CELECOXIB
00209 GLUCOVANCE
00213 PANTOPRAZOLE SODIUM
00217 TEMODAR
00218 CARBAMIDE PEROXIDE
00222 DANAPAROID SODIUM
00223 ACCUTANE
00224 MILK AND MOLASSES
        ENEMA
00226 PEDIACARE INFANTS
        DECONGESTA
00232 KOGENATE
00233 CONCERTA
00236 SBE PROPHALAXIS
00237 VANIQA
00238 ZOLMITRIPTAN
00239 FEMHRT
00240 ACEPHEN
00244 GLUTAMINE
00245 ACETA
00246 LEUKINE
00251 VICODIN ES
00253 LISPRO
00254 CARTIA XT
00257 DECONSAL II
00258 ETHYOL
00259 FML
00260 ACETAMINOPHEN
00261 GRANISETRON HCL
00262 INDOCYANINE GREEN
00265 ACETAMINOPHEN NO. 2
00267 LIQUID TEARS
00268 MOMETASONE FUROATE
00269 SUCCINYLCHOLINE
        CHLORIDE
00270 ACETAMINOPHEN NO. 3
00272 PREMESISRX
00273 PROVIGIL
00274 QVAR
00280 ACETAMINOPHEN
        W/CODEINE
00281 VERTEPORFIN
00283 ACETAMINOPHEN
        W/OXYCODONE
00287 CENESTIN
00288 ACETASOL
00289 AH-CHEW

00290 ACETATED RINGER'S
00292 TEVETEN
00293 AMLACTIN
00295 ACETAZOLAMIDE
00296 PENLAC
00297 PLEXION
00303 ZICAM
00305 ACETIC ACID
00307 METADATE ER
00311 BUPAP
00312 COMBIPATCH
00313 DIGITEK
00314 DILATING DROPS
00316 LEFLUNOMIDE
00317 NICOTROL INHALER
00318 SARAFEM
00320 ACETONE
00321 JUICE PLUS+
00326 ACNE-CLEAR
00327 RID COMPLETE
00328 REHMANNIA VITALIZER
00329 DTAP-HEPB-IPV
00331 PERATIVE
00332 XOPENEX HFA
00333 LODRANE 24D
00334 SLIMFAST
00335 ACETYLCHOLINE
00336 BIOIDENTICAL HORMONE
00337 DTAP/IPV/HIB
00338 ACETYLCYSTEINE
00339 FEROCON
00341 TDAP
00342 TRICYCLICS
00343 TYCO
00344 APIDRA SOLOSTAR
00346 CHOLEAST
00347 VASOPRIL PLUS
00348 PRP
00349 CEFTRON
00350 RENATABS
00351 VALTURNA
00352 HEALTHY COLON
00354 BUCKWHEAT HONEY
00356 COMPOUND HORMONES
00357 ETHYNODIOL DIACETATE
00358 FLORINEF
00359 HBPV
00361 FLOVENT HFA
00362 SUDAFED CHILDRENS
00363 KID KARE
00364 PRP-T
00365 ACETYL-L-CARNITINE
00366 CITRANATAL DHA
00367 CONCEPT OB
00368 HSV VACCINE
00369 PREFERA OB
00371 PHENERGAN
       SUPPOSITORIES
00373 GLUCAFFECT
00374 TYLENOL SINUS

00376 TYZEKA
00383 FOLACIN
00384 CEDIRANIB
00386 PROSTATE SR
00387 JOLESSA
00388 LISPRO PROTAMINE
00389 OXYCODONE WITH
       IBUPROFEN
00391 CEFADIN
00392 CHOLETEC
00393 18 F-FDG
00394 FLUDEOXYGLUCOSE
00396 BUPIVACAINE/XYLOCAINE
00397 BUPIVACAINE/
       DEPOMEDROL
00398 ACOVA
00399 TOLAZOLINE
00401 XYLOCAINE-MPF WITH
DURAMORPH
00402 XYLOCAINE WITH
       ADRENALIN
00403 CARBOPROST
       TROMETHAMINE
00404 LIDOCAINE WITH
       MYLICAN
00406 MARCAINE WITH
       DURAMORPH
00407 FOLNATE
00408 MARCAINE WITH WYDASE
00409 XYLOCAINE/MARCAINE/
       WYOASE
00411 XYLOCAINE/MARCAINE/
       EPINEPHRINE
00412 SENSORCAINE/LIDOCAINE
00413 ZEMURON/VECURONIUM
00414 DOXAPRAM
00416 MARCAINE/XYLOCAINE/
       DEPRO-MEDROL
00417 RADIOISTOPE
00418 MVD COCKTAIL
00419 ACETIC ACID/ANTIPYRINE/
       BENZOCAINE/POLYC
00421 LAPATINIB
00440 ACONITE
00460 ACTHAR
00475 ACTIFED
00485 ACTOL
00486 ACTIVASE
00515 ADAPT
00535 ADENOSINE
00540 ADIPEX
00560 ADRENALIN
00570 ADRIAMYCIN
00580 ADRUCIL
00583 ADSORBENT
00597 ADVIL
00598 AEROBID
00620 AEROSPORIN
00645 AFRIN
00650 AFRINOL REPETAB

00725 ALAMAG
00780 ALBUTEIN
00785 ALCAINE
00790 ALCOHOL
00805 ALCOHOL RUBBING
00810 ALCON
00823 ALCO-RUB
00825 ALDACTAZIDE
00830 ALDACTONE
00845 ALDOMET
00850 ALDORIL
00866 ALFENTA
00880 ALKA-SELTZER
00905 ALKALOL
00915 ALKERAN
00935 ALLBEE W/C
00960 ALLEREST
00976 ALLERGAN
00978 ALLERGESIC
00980 ALLERGY RELIEF OR
       SHOTS
01000 ALLERPHED C
       EXPECTORANT
01001 CLARITIN D
01002 NEXIUM
01003 ANAPROX DS
01006 FERRIMIN
01007 TIKOSYN
01008 ZONEGRAN
01009 LIMBITROL DS 10-25
01010 ALLERPROP T.D.
01011 PANCOF HC
01012 BUDESONIDE
01014 CORVERT
01015 ALLERSONE
01016 ADVIL MIGRAINE
01017 BACTRIM DS
01018 MONSEL'S SOLUTION
01019 NIFEDICAL XL
01020 OPTIVAR
01021 BUTORPHANOL
       TARTRATE
01022 METOPROLOL TARTRATE
01023 PHOSPHENYTOIN
01024 RABAVERT
01026 HUMIBID LA
01027 STROMECTOL
01028 CODEINE COUGH SYRUP
01029 EFFEXOR XR
01030 ALLOPURINOL
01032 TPA
01033 ALL-VIMS
01034 ADVAIR DISKUS
01035 D-2
01036 GEODON
01037 GLUCOTROL XL
01038 HALDOL DECANOATE
01041 RABEPRAZOLE SODIUM
01042 REPAGLINIDE
01043 ZIPRASIDONE HCL

01044 Z-PAK
01046 QUINOLONES
01047 IRBESARTAN
01048 ROFECOXIB
01050 TOLTERODINE TARTRATE
01051 VISICOL
01053 AMPICILLIN AND SULBACTAM
01054 TICARCILLIN AND CLAVULANATE POTASSIUM
01055 ORAPRED
01056 ACTIVELLA
01057 DETROL LA
01058 AL/MG HYDROXIDE-SIMETHICONE
01060 ALMOCARPINE
01062 RHINOCORT AQUA
01063 TEGRETOL XR
01064 WELLBUTRIN SR
01066 ZEBUTAL
01067 ALLERX
01071 LUNELLE
01073 MAXALT-MLT
01076 STARLIX
01081 RESPAHIST
01082 BENZACLIN
01083 BIESTROGEN
01084 LUMIGAN
01085 ALPHA CHYMAR
01086 MSM
01087 PROTOPIC
01093 BOTOX
01094 CARDIZEM CD
01096 CLINDAGEL
01098 DEMEROL/PHEN
01099 ENDODAN
01101 ESTRIOL CREAM
01102 GYNAZOLE I
01104 LOESTRIN FE
01106 LUTEIN
01107 NEOFRIN
01108 QUIXIN
01111 TRAVATAN
01116 ZYVOX
01117 AXERT
01119 INDERAL LA
01121 LESCOL XL
01124 ULTRACET
01125 ALPHAPRODINE
01127 CARAC
01134 UTROPHIN PMG
01144 OLUX
01146 CHROMIUM PICOLINATE
01151 ALBOLENE
01153 VAGIFEM
01154 XYLOCAINE/MARCAINE
01156 MARCAINE/KENALOG

01160 D5NS
01161 ACCURETIC
01162 MULTIVITAMIN W/ZINC
01163 PRIMSOL
01166 WELCHOL
01167 KRISTALOSE
01169 AGRYLIN
01171 AROMASIN
01173 D5 LR
01174 PROACTIVE
01176 GENGRAF
01178 PODOFILOX
01184 TICE BCG
01187 SUFENTANIL CITRATE
01189 BIAXIN XL
01190 ALUM AMMONIUM POWDER
01193 HALOPERIDOL DECONATE
01196 MOXIFLOXACIN
01197 AMBISOME
01199 NEOSURE
01203 BACILLIN C-R
01204 CARRINGTON GEL
01206 COENZYME Q10
01207 LITHIUM CARBONATE
01209 MOTRIN DROPS
01211 PULMICORT RESPULES
01213 ALUMINA W/MAGNESIUM CARBONATE
01214 LANTUS
01216 OXCARBAZEPINE
01217 BIDEX DM
01219 FARESTON
01221 ALUMINUM ACETATE
01222 NORDITROPIN
01223 ALUMINUM CHLORIDE
01224 ACUVITE
01225 ALUMINUM HYDROXIDE
01228 BECLOMETHASONE DIPROPIONATE
01229 PEG-INTRON
01233 RAPAMUNE
01234 RITALIN-SR
01235 ALUMINUM MAGNESIUM HYDROXIDE
01236 VERAPAMIL SR
01237 5-FLUOROURACIL
01238 AMIFOSTINE
01241 EDETATE CALCIUM DISODIUM
01242 CEFAZOLIN SODIUM
01245 ALUMINUM SUBACETATE SOLUTION USP
01246 RIZATRIPTAN BENZOATE
01248 METERED DOSE INHALER
01249 METADATE CD

01250 ALUMINUM-MAGNESIUM HYDROX W/SIMETHICONE
01253 ALUM/MAG HYDROX/SIMETHI
01254 ALUMINUM SULFATE USP
01255 ALUPENT
01256 BENEFIX
01257 BARRIER OINTMENT
01258 ALUPRIN
01259 MILK THISTLE
01262 CORICIDIN HBP COUGH & COLD
01264 DEPACON
01266 INSULIN GLARGINE
01267 HUMALOG MIX 75/25
01268 LORCET PLUS
01271 POSACONAZOLE
01272 RAPAMYCIN
01274 TRIZIVIR
01275 ZONISAMIDE
01278 METROLOTION
01280 XYLOCAINE W/WYDASE
01281 ADDERALL XR
01282 LATANOPROST
01284 NOREL DM
01285 ZOMETA
01286 ANTIMICROBIAL
01287 ASP
01288 OXYFAST
01290 AMANTADINE
01292 CALCIUM POLYCARBOPHIL
01295 AMARIL D
01297 NICOTINE GUM
01299 BABY POWDER
01302 NICOTINE INHALER
01307 DORZOLAMIDE AND TIMOLOL
01308 METHYLERGONOVINE MALEATE
01310 PARICALCITOL
01312 CETYLPYRIDINIUM CHLORIDE
01318 EPTIFIBATIDE
01319 TIAGABINE
01375 AMICAR
01378 AMIDATE
01385 AMIDE V.C. VAGINAL
01405 AMIKACIN
01420 AMINO-CERV
01440 AMINODYNE ELIXIR
01450 AMINOPHYLLINE
01525 AMITRIL
01530 AMITRIPTYLINE
01532 AMITRIPTYLINE/ CHLORDIAZEPOXIDE
01570 AMMONIUM CHLORIDE

01595 AMOBARBITAL
01628 AMOXAPINE
01630 AMOXICILLIN
01635 AMOXICILLIN
         TRIHYDRATE
01640 AMOXIL
01660 AMPHETAMINE
01665 AMPHICOL
01670 AMPHOJEL
01678 AMPHOTERICIN
01680 AMPI-CO
01685 AMPICILLIN
01690 AMPICILLIN TRIHYDRATE
01730 ANA EMERGENCY INSECT
         STING KIT
01755 ANACIN
01775 ANALGESIC
01780 ANALGESIC BALM
01785 ANALGESIC COMPOUND
01838 ANAPROX
01840 ANASPAZ
01853 ANATUSS W/CODEINE
01860 ANBESOL
01865 ANCEF
01890 ANDRO CYP
01930 ANDROLAN AQUEOUS
01960 ANDRYL 200
01970 ANECAL
01975 ANECTINE
01983 ANESTHETIC
01990 ANEXSIA W/CODEINE
01995 ANEXSIA
02011 RONDEC-DM ORAL
         DROPS
02013 BENICAR
02014 BEXTRA
02016 CLARINEX
02018 FOCALIN
02019 FORADIL AEROLIZER
02022 PEDIACARE COUGH-COLD
         LIQUID
02023 SUPARTZ
02024 VITAMIN B & E
02026 YASMIN
02027 GLUCAGEN
02029 ADVICOR
02031 ELIDEL CREAM
02036 EXTRA STRENGTH
         TYLENOL
02037 LEVETIRACETAM
02038 LO-OGESTREL
02039 DTAP-HIB
02040 ANODYNOS FORTE
02041 D5W W/K ACET & K PHOS
02042 DUONEB
02044 NATRECOR
02046 LAT
02047 AUGMENTIN ES
02050 ANOQUAN

02054 TRIMETHOPRIM
         SULFATE/POLYMYXIN B SULFAT
02056 XAP
02059 AZMACORT
02060 DIAMOX SEQUELS
02061 GUAIFENESIN/
         PSEUDOEPHEDRINE
02062 TRILUMA
02064 INVANZ
02065 TNKASE
02067 ACTIQ
02071 BETASEPT
02074 LUPRON
02075 ANTABUSE
02076 MAPAP
02077 MEROPENEM
02079 NITROGLYCERIN
         SUBLINGUAL
02080 ANTACID
02081 PONARIS
02082 MAXIDONE
02083 UNITHROID
02085 ANTACID #6
02086 Z-COF DM SYRUP
02087 SOAPSUDS ENEMA
02092 MUPIROCIN CALCIUM
         OINTMENT
02093 OATMEAL BATH
02096 GREEN COCKTAIL
02097 GASTROCROM
02099 DEPAKOTE ER
02102 GATIFLOXACIN
02103 LEVALBUTEROL HCL
02104 MAGNESIUM HYDROXIDE
02107 ZALEPLON
02108 COLAZAL
02109 MIOCHOL-E
02110 ANTEPAR
02112 DIAPER RASH
02117 PLAN B
02119 LEXAPRO
02120 ANTHRALIN
02124 EPHEDRA
02127 BANANA BAG
02128 BENZONATATE
02129 CLORAZEPATE
         DIPOTASSIUM
02131 ESOMEPRAZOLE
         MAGNESIUM
02133 NITROGLYCERIN
         TRANSLINGUAL
02135 ANTI-ITCH
02136 VISTIDE
02137 ZYPREXA ZYDIS
02138 MAALOX W/ VISCOUS
         LIDOCAINE
02139 CARBOFED DM SYRUP
02140 THIAMINE HCL
02141 HRT
02142 ANTAGON

02143 FOLTX
02144 ORTHO-EVRA
02145 REBIF
02146 ADOXA
02147 METHYLIN
02148 SOLARAZE
02149 DECADRON/KENALOG
02150 ANTI-TUSS
02151 ESCLIM
02152 KENALOG/LIDOCAINE
02153 VITAMIN B12/FOLIC ACID
02154 ENTOCORT EC
02156 GLEEVEC
02158 ANTIBIOTIC AGENT
02159 ANTIBIOTIC EAR DROPS
02160 ANTIBIOPTO
02161 PRINCIPEN
02163 K+ CARE
02164 VITAMIN E & A
02165 ANTICOAGULANT
02168 BLACK COHOSH
02169 ICAR
02170 ANTIHEMOPHILIC FACTOR
         HUMAN
02174 CLARIPEL
02176 ALPHA LIPOIC ACID
02181 DRIXOMED
02184 OGESTREL 0.5/50
02185 ANTIPHLOGISTINE
02186 ORTHO EVRA
02187 ALPHAGAN P
02188 DEXEDRINE SPANSULES
02189 GLUCOPHAGE XR
02191 ZYRTEC-D 12 HOUR
         TABLETS
02193 HIB/HEP B
02194 IODOSORB
02195 ANTIPYRINE
02196 LIQUIGEL
02197 NOVASAL
02198 VITAMIN A & C & E
02199 PREPARATION H
         OINTMENT
02203 ABILIFY
02204 BILBERRY EXTRACT
02205 ANTISEPTIC MOUTHWASH
02206 ECONOPRED PLUS
02209 NOVOLOG
02213 ELIDEL
02214 NULEV
02217 ARANESP
02219 ULTRA-FREEDA
02221 VITAMIN C & E & B
02223 ZETIA
02226 FROVA
02227 LACTINOL E
02228 MALARONE
02231 ADALAT CC
02232 BENEFIBER
02233 EMERGEN-C

02234 TAZTIA XT
02239 DOVE SOAP
02241 FINEVIN
02242 HISTEX SR
02243 BICALUTAMIDE
02244 CALAN SR
02247 FLOXIN OTIC
02249 PEPCID AC
02250 ANTIVERT
02254 ANAGRELIDE
02256 ESCITALOPRAM OXALATE
02259 NEULASTA
02260 U-LACTIN
02261 VORICONAZOLE
02263 EDATREXATE
02268 RETIN-A MICRO GEL
02271 RITALIN LA
02273 LIDEX-E
02274 NIACOR
02279 PULMICORT
02280 APRI
02281 CHICKEN POX VACCINE
02282 5-HYDROXYTRYPTOPHAN
02289 HUMULIN N PREFILLED
02290 CERVIDIL
02292 VENOFER
02293 VALCYTE
02297 CHEWABLE VITAMINS
02298 CYCLESSA
02299 SENNA-GEN
02303 REMIFEMIN
02304 TWINRIX
02309 AXILLERY BLOCK
02310 ANUSOL
02311 PIOGLITAZONE HCL
02312 CABERGOLINE
02314 LORTAB ELIXIR
02315 ANUSOL-HC
02316 PAXIL CR
02321 TENOFOVIR DISOPROXIL
        FUMARATE
02322 THALOMID
02323 ALKA-SELTZER GOLD
02324 B-STRESS
02329 IMMUNOMAX
02331 NEOMYCIN/POLYMYXIN B
        SULFATES/
        HYDROCORT
02332 PANCRECARB MS-8
02333 ROXICODONE
02335 APAP
02336 FIBER-LAX
02339 SOLUMET
02340 APAP W/CODEINE
02341 ARA-C
02344 LACTINOL
02347 CALMOSEPTINE
02348 APAP W/OXYCODONE HCL

02349 LIDOCAINE W/MARCAINE
02351 FEMARA
02354 CALMAX
02358 PROCTOSOL
02359 VIREAD
02362 PROPOFOL W/LIDOCAINE
02364 CALCITRATE
02366 PURALUBE
02367 NUVARING
02368 BAG BALM
02369 KENALOG/XYLOCAINE
02370 APLISOL
02371 SCALPICIN SOLUTION
02373 ZELNORM
02374 REBETOL
02376 MULTIVITAMIN W/D
02377 DROXIA
02382 PERIOSTAT
02384 DOC-Q-LACE
02387 REMIFENTANIL
02391 NITRIC OXIDE
02394 NESIRITIDE
02395 APRESAZIDE
02396 VARICELLA VIRUS
        VACCINE
02397 PLATELET INHIBITOR
02405 APRESOLINE
02465 AQUAMEPHYTON
02470 AQUAPHOR
02485 AQUASOL A
02555 ARGININE
02575 ARISTOCORT
02580 ARISTOCORT A
02585 ARISTOCORT FORTE
02600 ARISTOCORT LP
02615 ARISTOSPAN
02626 ARM-A-MED
02627 ARMOUR THYROID
02645 ARTANE
02660 ARTHRITIS PAIN
        FORMULA
02705 ASCORBIC ACID
02725 ASCRIPTIN
02748 ASENDIN
02750 ASMA SYRUP
02765 ASMACOL
02775 ASMALIX ELIXIR
02800 ASPIRBAR
02803 ASPIRIN W/CODEINE
02805 ASPIRIN
02810 ASPIRIN COMPOUND
02815 ASPIRIN COMPOUND #2
02830 ASPIRIN
        W/PHENOBARBITAL
02852 ASTRAMORPH
02855 ASTRING-O-SOL
02875 ATARAX
02900 ATIVAN

02905 ATOKA
02920 ATROCHOLIN
02935 ATROPINE &
        PHENOBARBITAL
02940 ATROPINE
02950 ATROPINE SULFATE
02960 ATROPINE SULFATE HT
02982 ATROVENT
02985 ATTENUVAX
02995 AURALGAN
03001 VAQTA
03002 AVODART
03003 CORTISPORIN OINTMENT
03006 GI COCKTAIL
        W/DONNATAL
03007 HEPSERA
03012 DEPAKOTE SPRINKLE
03013 DILANTIN INFATABS
03017 TIGER BALM
03018 NORMAL SALINE/
        MULTIVITAMIN
03019 REYATAZ
03021 MOTRIN CHILDREN'S
        COLD SUSP
03028 NITROSPRAY
03039 IMODIUM A-D
03041 OVIDE
03044 RENAL CAPS
03048 RELPAX
03049 HYDROGEN BLOCKER
03050 AVEENO
03051 LITTLE NOSES GENTLE
        FORMULA
03053 CITRA PH
03054 RYNATAN PEDIATRIC
        SUSPENSION
03055 AVEENO LOTION
03056 CITROMA
03057 MEGESTROL ACETATE
03060 AVEENO OILATED
03068 LEXAPRIL
03069 NYSTOP
03070 AVENTYL HCL
03071 OXYTROL
03072 A+D OINTMENT
03073 GENFIBER
03075 AVITENE
03080 STRATTERA
03081 AMOXICILLIN AND
        CLAVULANATE
        POTASSIUM
03084 SYSTANE
03089 ATACAND HCT
03091 AZELASTINE HCL
03093 MSM W/GLUCOSAMINE
03095 AVP-NATAL-FA
03098 VOLTAREN XR
03099 CILOSTAZOL

03101 AXID	03195 AVAR GEL	03296 IVERMECTIN
03104 METROCREAM	03197 CIPRODEX	03300 B O F
03105 AVANDAMET	03198 CLENIA	03301 SOLAGE
03106 ONE A DAY VITAMIN	03201 MEMANTINE	03302 VANAMIDE
03108 ZYMAR	03203 RYNA-12	03303 RESCON
03109 AUGMENTIN XR	03204 ALACOL DM	03305 B VITAMINS W/C
03110 AXOTAL	03207 PHENYTEK	03306 NOVALOG
03113 AYGESTIN	03208 ALAVERT	03309 PROVENTIL HFA
03114 LYMPHAZURIN	03209 ATAZANAVIR SULFATE	03312 CORAL CALCIUM DAILY
03115 AYR SALINE MIST	03211 CIALIS	03313 EPIDURAL ANESTHESIA
03116 URSO	03213 ROSANIL	TRAY
03117 AZACTAM	03214 STALEVO	03315 VITAMIN K5
03118 XTRAMINS	03219 ELIGARD	03317 XYLOCAINE W/
03119 ZOLEDRONATE	03220 AZOTREX	BICARBONATE
03120 AZAPEN	03222 MICARDIS HCT	03318 HEPARIN SODIUM
03121 ALLERCON	03225 AZULFIDINE	03319 TRAMADOL HCL
03122 GINGER	03226 ENALAPRIL MALEATE	03320 B.P.P.-LEMMON
03123 AZATHIOPRINE	03227 EVOXAC	03321 TRIMETHOPRIM SULFATE
03126 BOWEL PREP	03228 AVINZA	03327 BIMATOPROST
03127 CARDIZEM LA	03229 RED YEAST RICE	03328 ENALAPRIL/HCTZ
03129 DIPROLENE AF	03232 PORTIA	03329 FERRLECIT
03130 AZMA-AID	03234 TERAZOL 3	03330 B-C-BID
03131 DUAC	03236 TERAZOL 7	03331 AMOXICOT
03132 FINACEA	03237 ATOMOXETINE HCL	03332 BENADRYL ALLERGY
03134 RESTASIS	03238 BONTRIL SR	03333 BENADRYL ALLERGY &
03136 ACTALIN	03239 CLOBEX LOTION	COLD
03137 BROVEX	03241 TESTIM	03335 B-C-E & ZINC
03139 HECTOROL	03243 VERELAN PM	03336 CORN STARCH
03140 AZO GANTRISIN	03245 B & O SUPPRETTE	03337 LANTISEPTIC ALL BODY
03141 LISINOPRIL/HCTZ	03247 COLESEVELAM HCI	WASH
03142 NIFEDIPINE ER	03250 B COMPLEX	03341 NITROCOT
03148 AVIANE	03251 RANITIDINE HCI	03347 DERMAGRAN TRI-ZINC
03151 STERAPRED DS	03253 GREEN TEA EXTRACT	INCONTINENT WASH
03153 AVAGE	03254 HIBTITER	03353 TRITAN
03156 BUPROPION SR	03255 B COMPLEX #100	03354 L-LYSINE
03157 EPA/DHA ESSENTIALS	03256 PREFEST	03355 B-12
03159 ONE A DAY VITAMINS	03257 PRIMACARE	03358 ZINC LOZENGES
MEN	03261 ALTINAC	03359 MODAFINIL
03161 MICROGESTIN FE	03262 FE-TINIC	03362 TREXALL
03162 PEGASYS	03264 FIBER CHOICE	03366 VALDECOXIB
03168 AZO-SULFA-	03265 B COMPLEX FORTE	03368 LINEZOLID
METHOXAZOLE	03267 INDOCIN SR	03371 ALTEPLASE
03169 FEVERFEW	03269 SEASONALE	03372 DYNACIRC CR
03172 NEVACOR	03272 METOPROLOL	03374 ISOVUE-M 300
03174 CARBONYL IRON	SUCCINATE	03375 ATROPINE-CARE
03175 CYTRA-2	03273 NOVOLIN R	03377 CLODRONATE DISODIUM
03177 CALCARB 600	03276 SUBOXONE	03381 MELOXICAM
03178 HYLAGEN	03277 XYREM	03386 AQUAPHILIC
03179 PEDIARIX	03279 AMPHETAMINE SALT	03387 PRALIDOXIME CHLORIDE
03180 LEVITRA	COMBO	03391 MOISTURE EYE PM
03181 METAGLIP	03282 CANASA	LUBRICANT EYE
03182 NEOPOLYDEX	03283 CEFDINIR	OINTMENT
03184 WELLBUTRIN XL	03285 B COMPLEX W/B-12	03392 TYLENOL ELIXIR
03185 XANAX XR	03286 KARIVA	03395 BACID
03187 CRESTOR	03287 OVACE	03397 SOY MILK
03188 MUCINEX	03290 B COMPLEX W/B-12	03400 BACIGUENT
03189 ORTHO-TRICYCLEN LO	VITAMIN C & LIVER	03404 PROLINE
03192 VIGAMOX	03291 TRI-MIX	03405 SYPRINE
03193 ABELCET	03294 ASPARTAME	03409 ELOXATIN
03194 AVAR	03295 B COMPLEX W/VITAMIN C	03410 BACITRACIN

03411 FLAX SEED	04012 ALTOPREV	04122 AFEDITAB CR
03412 LODINE XL	04014 ARIPIPRAZOLE	04124 CENTANY
03414 METOMIDATE	04019 BENECALORIE	04128 MYLANTA/BENADRYL
03415 BACITRACIN-NEOMYCIN-POLYMYXIN	04020 BENZAC	TOPICAL SOLUTION
03418 GONAK	04021 BENICAR HCT	04129 MYCELEX TROCHES
03420 BACITRACIN-POLYMYXIN	04022 BENEPROTEIN INSTANT PROTEIN POWDER	04133 PROBIOTICA
03421 DARBEPOETIN ALFA	04023 BISOPROLOL/HCTZ	04136 NOVOLOG MIX 70/30
03422 DESFERRIOXAMINE	04030 BENZAGEL	04138 UROXATRAL
03423 BACLOFEN	04031 CERTAGEN	04141 ANTICHOLINERGIC
03426 DIATX	04037 LODOXAMIDE	04143 CATAPRES-TTS-1
03427 HUMIRA	04038 SNURON	04144 POLY-IRON 150 CAPSULES
03428 EMTRICITABINE	04041 ALBUTEROL/ATROVENT	04146 EZETIMIBE
03430 BACTRIM	04042 SPIRIVA	04148 PROSOURCE PROTEIN SUPPLEMENT
03432 SULFAMETIN	04043 SYMBYAX	04151 PROSTAT 64
03434 HYOSCYAMINE	04044 CIPROFLOXACIN EYE SOLUTION	04154 SILVER NITRATE STICK
03435 FUZEON	04045 CLEMASTINE FUMARATE	04156 SPECTRACEF
03437 POLYETHYLENE GLYCOL-ELECTROLYTE SOLUTION	04048 RONDEC ORAL DROPS	04158 LACTASE ENZYME
	04049 CULTURELLE	04162 FLUMIST
03438 BACTROBAN	04050 BENZO MENTH	04164 PRUNE JUICE
03439 EMEND	04051 CYMBALTA	04168 REFRESH TEARS
03442 SILVASORB	04055 DESLORATADINE	04170 BETAMETHASONE
03443 AQUACEL AG	04057 RESOURCE DIABETIC	04171 EMTRIVA
03477 BALANCED SALT SOLUTION	04058 DIALYVITE	04174 ROBAFEN
	04059 DOCUSATE -SENNA	04175 METFORMIN HYDROCHLORIDE ER
03528 BANFLEX	04062 ED-FLEX	
03590 BARIUM	04063 FERREX	04176 SENNA-S
03635 BASALJEL	04065 BENZODENT	04178 TESSALON
03640 BASIC DROPS	04066 FIBER SOURCE	04179 THERAPEUTIC M
03675 BC	04067 FIBER TABLETS	04180 BETAPEN-VK
03685 BCG VACCINE	04068 XOLAIR	04185 VIADUR
03690 BE-CE-PLEX FORTE	04069 FLAVOXATE HCL	04187 XENADERM
03700 BECLOMETHASONE	04070 BENZOIN	04188 BETA-VAL
03709 BECONASE	04071 FORTEO	04190 BETHANECHOL
03715 BECOTIN	04072 NASAL SALINE	04191 PROTOX
03741 BEEPEN VK	04075 BENZOIN COMPOUND	04193 PROSIGHT LUTEIN
03800 BELLADONNA	04077 GERI-LANTA	04194 BUFFERED ASPIRIN
03805 BELLADONNA ALKALOIDS W/PHENOBARBITAL	04079 GLYCOLAX	04196 CADUET
	04085 BENZOYL	04198 KALTOSTAT
03825 BELLADONNA W/PHENOBARBITAL	04086 HERBAVISION	04199 CALCIUM MAGNESIUM CHELATED
	04087 ICAR-C	
03845 BELLERGAL	04088 BENZOYL PEROXIDE	04200 CALCIUM ZINC MAGNESIUM
03900 BEN-GAY	04091 INZO ZINC OXIDE BARRIER CREAM	
03905 BENADRYL		04201 CALTRATE PLUS
03910 BENADRYL W/EPHEDRINE SULFATE	04092 EYE-VITE	04204 CARMEX
	04094 LACLOTION	04206 CANCIDAS
03915 BENADYNE DROPS	04095 BENZYL	04209 CHOLINE MAGNESIUM TRISALICYLATE
03950 BENEGYN	04097 LEXIVA	
03970 BENOQUIN	04098 L-GLUTAMINE	04210 BEXOMAL-C
03980 BENOXYL	04099 MAGNA PAC FOR DAILY BASICS	04212 COENZYME (UNSPECIFIED)
03985 BENSULFOID		
04000 BENTYL	04102 MED PASS 2.0	04213 COLON CLENZ
04002 CALCIUM-MAGNESIUM-ZINC SUPPLEMENT	04110 ISOSOURCE VHN	04214 DACODYL
	04113 FORTAMET	04219 CENTRAL VITE
04005 BENTYL W/PHENOBARBITAL	04114 VYTORIN	04221 CEREFOLIN
	04120 BETADINE	04222 CEROVITE LIQUID
04011 NAMENDA	04121 NOVAREL	04224 CORTIZONE-5

04225 BICARBONATE OF SODA	04362 LIQUID CALCIUM-MAGNESIUM	04492 CHOP
04226 DECONAMINE	04367 NASCOBAL	04493 MAXOLON
04230 BICHLORACETIC ACID	04368 CONTRACEPTIVE AGENT	04494 IMIQUIMOD
04231 VP-16	04370 BISACODYL	04499 FOLBEE
04233 DAILY VITE W/IRON & MINERALS TABLETS	04375 BISACODYL PATIENT PACK	04501 MESNEX
04235 BICILLIN	04379 POLYSACCHARIDE-IRON COMPLEX	04503 PEDIATEX
04237 DILEX -G		04504 ADVANCED NATALCARE
04238 ELESTAT	04381 PENTOXIL	04510 BLISTIK BALM
04240 BICILLIN C-R	04383 PROCTOZONE HC CREAM	04512 TRINESSA
04241 EXCEL	04386 ACULAR LS	04514 TRISPRINTEC
04242 FERREX 150 FORTE	04388 PANGESTYME	04517 ANAMANTLE HC
04243 FIBER TAB	04389 PROANGENOL	04523 CALNA
04245 FLORANEX TABS	04391 PROACTAZYME	04529 METHYLPREDNISOLONE SODIUM SUCCINATE
04246 FLORASTOR	04393 TRUVADA	
04247 FORMULA B	04398 MASANTI DOUBLE STRENGTH	04533 IMIPENEM
04248 TEARS NATURALE FREE		04535 BARIUM SULFATE
04249 ALOXI	04400 ANGIOMAX	04536 ABX OINTMENT
04250 BICITRA	04406 ABREVA	04541 TYLENOL INFANT'S
04255 BICNU	04407 CAPTOPRIL/HCTZ	04544 HYDROCORTISONE VALERATE
04256 HYDROCODONE GF	04413 SOTRET	
04257 GARLIQUE	04414 VITAMIN/FLUORIDE	04546 MYERS COCKTAIL
04264 ZAGAM	04421 ERTAPENEM	04556 SEVELAMER HYDROCHLORIDE
04265 BILAMIDE	04423 LETROZOLE	
04266 GARLIC OIL	04424 TRIFLURIDINE	04558 CALCIUM CHANNEL BLOCKER
04273 VOSPIRE ER	04428 SUDODRIN	
04275 BILE SALTS	04429 ZOCAL	04559 APO-LEVOCARB
04278 RISPERDAL CONSTA	04431 BROMHIST DM PEDIATRIC SYRUP	04561 RAZADYNE
04282 ZEMPLAR		04562 CALCIPOTRIENE
04284 VITA-BEE WITH C	04434 BI-EST	04564 DIABETES MEDICATION
04288 SENNALAX	04437 URELLE	04567 HELIXATE
04289 SAF GEL	04440 BISMUTH SUBSALICYLATE	04571 ISTALOL
04291 SIBERIAN ELEUTHERO	04443 ALENOL	04573 PEXEVA
04292 SENSIPAR	04444 GENASAL	04575 BONATE
04294 SYMAX SR	04446 LYCOPENE	04576 DULOXETINE
04299 TURMERIC	04448 AMMONIUM LACTATE	04577 HORSE CHESTNUT
04305 REFRESH LIQUIGEL	04451 CANDIDA ALBICANS SKIN TEST ANTIGEN	04578 L-ARGININE
04307 SENNOSIDES		04585 BONTRIL PDM
04308 EPIDRIN	04454 NASAL STEROID	04589 TIOTROPIUM BROMIDE
04310 Z-GEN	04456 CLINDAMAX	04593 VITEYES
04311 Q-TUSSIN	04461 KERALAC LOTION	04594 COPEGUS
04312 REFRESH ENDURA	04464 CHAMOMILE	04595 BORIC ACID
04316 ARIXTRA	04468 CELAPRO	04602 MIGRATINE
04317 ALMACONE TABLETS	04469 CHILDREN'S BENADRYL ALLERGY FASTMELT	04603 APEXICON
04320 ATENOLOL/ CHLORTHALIDONE		04605 BOULTON'S SOLUTION
	04470 BLEACHING PEROXIDE 20 VOLUME	04606 RESTYLANE
04321 ATROVENT/XOPENEX		04607 ERTACZO
04322 BIOFREEZE	04471 FASLODEX	04608 SODIUM HYALURONATE
04324 BISAC-EVAC	04473 IOPAMIDOL	04611 DOCETAXEL
04327 BOUDREAUX'S BUTT PASTE	04477 N-ACETYLCYSTEINE	04612 IRON SUCROSE
	04478 BLEOMYCIN	04614 CRYSELLE
04329 ASPIRIN/DIPYRIDAMOLE	04479 NORMASOL R	04617 ACCUNEB
04339 HERBAL DRUG (UNSPECIFIED)	04480 BLEPH	04621 ASTRAGALUS
	04485 BLEPHAMIDE	04622 EXEMESTANE
04340 BIOTIC-O	04486 VELCADE	04626 SILICONE OIL
04345 BIOTIN	04488 ELETRIPTAN HYDROBROMIDE	04627 TRAVOPROST
04351 JANTOVEN		04631 EPZICOM
04356 MEGA OMEGA FISH OIL SOFTGELS	04489 METADATE	04632 FOSAMPRENAVIR CALCIUM
	04491 SYMBICORT	
04357 L-TONIC		04633 B6-PYRIDOXINE
		04642 OYST-CAL

04646 ATRA
04649 MYFORTIC
04650 BRETHINE
04652 RISEDRONATE SODIUM
04654 TRACLEER
04656 BOSENTAN
04657 BREVIBLOC
04659 GALANTAMINE
04662 ROSAVASTATIN CALCIUM
04664 MIRENA
04665 BREVITAL
04667 BUTENAFINE
      HYDROCHLORIDE
04669 B2-RIBOFLAVIN
04673 LOPINAVIR
04674 NATEGLINIDE
04676 CAMPATH
04677 DALTEPARIN SODIUM
04679 STATINS
04680 MAGNOX
04682 UTIRA
04683 NARATRIPTAN
      HYDROCHLORIDE
04803 BROMFED
04808 BROMOCRIPTINE
04845 BROMPHENIRAMINE
04850 BROMPHENIRAMINE
      MALEATE ELIXIR
04873 BRONCHODILATOR
04890 BRONITIN MIST
04905 BRONKEPHRINE
04925 BRONKOSOL
04940 BROWN MIXTURE
04950 BSS
05001 CLOBEX SHAMPOO
05004 PROTOMAX
05005 BUFFERED SOLUTUON
      ISOTONIC
05006 ZYFLAMEND
05007 CLINDESSE
05008 EVOCLIN
05009 HALFLYTELY
05010 BUFFERIN
05012 PRESERVISION
05014 SALEX
05021 SIMILASON
05024 BUMEX
05026 ASCENSIA ELITE
05032 MUCOLYTICS
05033 LUNESTA
05035 BUPIVACAINE
05037 OCUSOFT
05038 SINUS RINSE KIT
05041 DURALEX
05051 VESICARE
05053 BURROW'S OTIC
05054 SUBUTEX
05056 ZEGERID

05059 BENACOL
05061 AMIDRINE
05063 FLUORABON
05066 CAMPRAL
05067 MOVE FREE MSM
05070 BUTABARBITAL
05071 TARCEVA
05072 BONIVA
05074 ENABLEX
05075 BUTABARBITAL-
      BELLADONNA ELIXIR
05077 RIMANTADINE
05081 OXYIR
05083 PROLACTIN RIA
05087 DIABETIC TUSSIN DM
05088 LIPITROL
05090 NEVANAC
05091 OXYDOSE
05092 NOVANATAL
05093 NOVACORT
05095 BUTALBITAL
05097 LYRICA
05099 CLOTRIMAZOLE-
      BETAMETHASONE
      DIPROPRIONAT
05102 CHOLEST-OFF
05104 GICOCKTAIL
      W/LIDOCAINE
05106 GLIPIZIDE ER
05108 BUTATRAN
05109 ALDEX
05117 FLOXACILLIN
05122 METHYLIN ER
05123 PRENATE ELITE
05124 ENPRESSE
05126 OVIDREL
05127 MONONESSA
05128 ALOE VESTA
05130 BUTIBEL-ZYME
05132 CARBOFLEX
05133 RENAX
05138 NORVAL
05141 AVASTATIN
05142 ERBITUX
05143 ROSE HIP VITAMIN C
05145 BUTISOL
05147 PROTON-PUMP INHIBITOR
05149 ULTRA VITAMIN A & D
05152 SYNTHEROL
05153 FOLBIC TABLETS
05156 ERYTHROMYCIN BASE-
      NEOMYCIN
05157 ESTRATEST H.S.
05161 XELOX
05162 BYETTA
05164 NIRAVAM
05166 RADIOPAQUE DYE
05168 PENTOSTATIN

05169 POLYVENT
05171 PRAMOTIC OTIC DROPS
05172 SULFUR HEXAFLUORIDE
05173 CLARAVIS
05174 ANTARA
05176 AVASTIN
05178 FOSRENOL
05180 ELECARE
05184 DUET DHA
05187 ORTHOVISC
05192 ABSORBASE
05194 DUTASTERIDE
05197 LOSARTAN-HCTZ
05199 NITROTAB
05206 GOODY'S POWDER
05207 CEFUROXIME AXETIL
05208 DOCUSIL
05212 FROVATRIPTAN
05213 READICAT
05218 CICLOPIROX
05219 L-M-X4
05222 PYRANTEL
05223 HOMATROPINE-
      HYDROCODONE
05224 FLUORETS
05229 AQUA TEARS
05234 BROMTAPP
05237 VANTAS
05239 THERAPEUTICS-
      RADIOPHARMA-
      CEUTICALS
05240 ISOTRETINOIN
05242 VANOS
05244 ROZEREM
05245 ZMAX
05247 RESPA-DM
05250 CAFERGOT
05252 DIGESTIVE ADVANTAGE
05258 CHLORAPREP
05259 OMACOR
05261 SOLIFENACIN
05263 PROCERIN
05264 ASMANEX TWISTHALER
05265 CAFFEINE
05266 SANCTURA
05269 INSPRA
05270 CAFFEINE & SODIUM
      BENZOATE
05271 METANX
05272 FORMOTEROL
05273 ANTIZOL
05274 FLUTUSS HC
05277 DEPO-MEDROL W/
      LIDOCAINE
05278 OCUVITE LUTEIN
05279 ALIMTA
05283 COLISTIMETHATE
05284 COLISTIN

05291 LIDOCAINE/PRILOCAINE	05635 CAPITAL	06071 IMATINIB
05296 PEGFILGRASTIM	05640 CAPITAL W/CODEINE	06073 VIDAZA
05299 VINORELBINE	05648 CAPOTEN	06074 ZOLEDRONIC ACID
05301 ESTRAGEL	05663 CARAFATE	06077 IVIG
05302 TEV-TROPIN	05665 CARAMEL	06078 VIGABATRIN
05304 ACTICOAT ABSORBENT	05670 CARBACEL	06081 GANIRELIX
05305 CAL-ZO	05675 CARBACHOL	06082 MENOPUR
05306 POLYMEM SILVER	05680 CARBAMAZEPINE	06083 REPLIVA
05308 MUCINEX DM	05690 CARBENICILLIN	06084 TRIGLIDE
05310 CALADRYL	05695 CARBOCAINE	06086 VANDAZOLE
05312 BEVACIZUMAB	05710 CARBON DIOXIDE	06089 XIFAXAN
05316 CETUXIMAB	05750 CARDEC-DM	06091 RALLY PACK
05317 PALONOSETRON	05758 CARDIAC AGENT	06092 ACETADOTE
05320 CALAMINE	05789 CARDIZEM	06093 TACLONEX
05321 TRASTUZUMAB	05810 CARISOPRODOL	06094 XIBROM
05324 EPLERENONE	05818 CARISOPRODOL	06100 CENTRUM
05326 INFLIXIMAB	W/ASPIRIN	06101 TYLENOL COLD
05327 SPRINTEC	05820 CARMOL	06102 BIDIL
05328 BALANCED B	05860 CASCARA	06103 PARCOPA
05329 CAMILA	05880 CASTADERM	06104 DARIFENACIN
05331 COMMIT	05883 CASTELLANI'S PAINT	06106 PERINDOPRIL
05332 ESTROGEL	05885 CASTOR OIL	06107 ZODERM
05333 NORTREL	05888 CASTORIA FLETCHERS	06108 GARDASIL
05335 CALAMINE LOTION	05895 CATAPRES	06109 YAZ
05336 VFEND	05955 CECLOR	06110 CEPACOL
05337 LOFIBRA	05960 CECON DROPS	06114 OASIS
05338 FLUTICASON- SALMETEROL	05983 CEFADROXIL	06116 ZYLET

05339 APAP/DICHLORAL-
    PHENAZONE/
    ISOMETHEPTENE
	05985 CEFADYL	06118 AZILECT

	05990 CEFOL	06121 RANEXA
	05993 CEFTIN	06122 RIFAXIMIN
	05995 CEFAZOLIN	06124 VINATE GT
05342 ETANERCEPT	06002 AMBIEN CR	06125 CEPHALEXIN
05344 FLUOR-A-DAY	06004 FOCALIN XR	06126 AVANDARYL
05347 CALAN	06005 CELESTONE	06128 CEPHALOSPORINS
05348 NATALCARE PLUS	06008 EXJADE	06129 ADACEL
05349 NEOMYCIN SULFATE	06009 FOLFOX	06130 CEPHALOTHIN
05351 ORTHO MICRONOR	06011 FOLFIRI	06133 CEPHRADINE
05355 CALCET	06014 ERRIN	06135 CEPHULAC
05375 CALCIFEROL	06015 CELESTONE SOLUSPAN	06136 GOLDENSEAL
05393 CALCITONIN	06017 AMLODIPINE/BENAZEPRIL	06138 BOOSTRIX
05394 CALCITREL	06018 NOREL SR	06142 CALOTRIM
05395 CALCIUM ACETATE	06019 SYMLIN	06144 PROQUAD
05400 CALCIUM BROMIDE	06021 ABRAXANE	06147 TYGACIL
05405 CALCIUM CARBONATE	06024 R-CHOP	06151 VITAMIN B-6 & B-12
05415 CALCIUM	06027 NITIDINE	06156 PANTOLOC
05418 CALCIUM CHLORIDE	06030 CELONTIN	06159 ACTOSPLUS MET
05430 CALCIUM GLUCONATE	06035 CEN-E	06160 CEROSE

05435 CALCIUM GLUCONATE
    W/VITAMIN D
	06037 RELACORE	06161 EZETIMIBE &
		    SIMVASTATIN

	06038 AMITIZA	
05445 CALCIUM LACTATE	06040 CENA K 10% SUGAR-FREE	06162 CEFUROXIME
05460 CALCIUM-AMINO	06042 TEDRIGEN	06163 CAPTIQUE
05465 CALCIUM-D	06045 FEMRING	06164 LEVEMIR
05480 CALDECORT	06048 PEMETREXED	06166 ALFUZOSIN
05483 CALDEROL	06053 COMBGEN	06167 APREPITANT
05510 CALMOL 4	06054 FORTICAL	06168 NEXAVAR
05541 CALTRATE W/VITAMIN D	06059 XODOL	06169 PRASTERONE
05590 CANDEX	06061 ACTOPLUS MET	06170 CERUMENEX
05593 CANKAID	06062 CEPHADYN	06171 TRELSTAR
05595 CANTHARIDIN	06064 GLYBURIDE/METFORMIN	06172 DAYTRANA
05630 CAPEX	06068 ANASTROZOLE	06173 ROTATEQ

06176 OLOPATADINE	06311 SUTENT	06993 CLORAZEPATE
06180 CETACAINE	06312 EMSAM	06995 CLORAZINE
06181 LIMBREL	06314 EXPECTA	07000 CLORPACTIN
06182 TYSABRI	06315 CHERALIN W/CODEINE	07001 OSELTAMIVIR
06183 FEG-L	06318 CHERATUSSIN	07002 FONDAPARINUX
06184 VUSION	06319 HYLIRA	07003 CLOTRIMAZOLE
06185 CETACORT	06324 CLOBAZAM	07005 CLOVE OIL
06186 TOBRAMYCIN	06326 DEFLAZACORT	07006 VAZOBID
W/DEXAMETHASONE	06374 CHILDREN'S TYLENOL	07007 VAZOTAN
06190 CETAMIDE	06400 CHLOR-TRIMETON	07009 DUETACT
06191 ATOPICLAIR	06420 CHLOR-TRIMETON SYRUP	07014 KEROL
06192 CHANTIX	06440 CHLORAL HYDRATE	07016 MENACTRA
06193 JANUVIA	06445 CHLORAL-METHYLOL	07018 ORENCIA
06194 REVATIO	06455 CHLORAMBUCIL	07021 BARIATRIC ADVANTAGE
06196 SOLODYN	06465 CHLORAMPHENICOL	07022 APTIVUS
06202 RIVASTIGMINE	06470 CHLORASEPTIC	07023 PROBIOTIC ACIDAPHILES
06203 TANDEM-OB	06475 CHLORASEPTIC	07024 VECTIBIX
06207 PROPIMEX	CHILDREN'S	07031 SULFAZINE
06209 EXCEDRIN TENSION	06495 CHLORDIAZEPOXIDE	07032 VITAL CALCIUM
HEADACHE	06565 CHLOROPHYLL	07035 ENDUR-ACIN
06210 CETAPHIL	06580 CHLOROQUINE	07036 ENTORTCORT EC
06212 CLARINEX-D	06590 CHLOROTHIAZIDE	07037 HIV VACCIN
06213 DILT-XR	06605 CHLORPHENIRAMINE	07039 VERDESO
06216 LENALIDOMIDE	06613 CHLORPHENIRAMINE/	07041 GENATON
06219 DESOGESTREL	ASPIRIN	07043 XOLEGEL
06221 DECAVAC	06620 CHLORPROMAZINE	07044 VASOPRESSORS
06223 ACAMPROSATE	06625 CHLORPROPAMIDE	07046 ABHR
06226 CVP	06645 CHLORTHALIDONE	07049 APIDRA
06227 GAMUNEX	06661 CHLORZOXAZONE	07051 ACTAMIN
06229 DAPTOMYCIN	06705 CHOLESTEROL	07058 ESTROVEN
06232 BALACET	06735 CHOLINOL	07061 REVLIMID
06236 ATRIPLA	06765 CHORIONIC	07065 NONI JUICE
06237 CERAVE	GONADOTROPIN	07067 CO-TRIMOXAZOLE
06238 ORACEA	06780 CHROMAGEN	07068 DUOVISC
06242 LEVSIN/SL	06798 CHROMIUM	07069 ENJUVIA
06245 CEVITA	06800 CHRONULAC SYRUP	07072 TEA TREE OIL
06247 FLECAINIDE	06815 CIMETIDINE	07074 EXACTACAIN
06248 EQUETRO	06839 CIPRO	07076 INVEGA
06253 JUNEL FE	06860 CITRATE OF MAGNESIA	07079 BROVANA
06254 DUOMAX	06865 CITRIC ACID	07081 BUDEPRION SR
06256 Q-DRYL	06883 CLAFORAN	07084 CYTRA-K
06258 ZOSTER VACCINE LIVE	06895 CLEAR EYES	07093 DESONATE
06260 CHARCOAL	06900 CLEARASIL	07096 FLUTICASONE
06261 LESSINA	06905 CLEOCIN	PROPIONATE
06262 NEO-BENZ-ALL	06910 CLEOCIN PHOSPHATE	07098 CALAZIME
06263 OBAGI BLENDER	06913 CLEOCIN T	PROTECTANT PASTE
06267 TENCET	06920 CLINDAMYCIN	07099 CALCIUM CITRATE
06278 FAZACLO	06925 CLINDAMYCIN	W/VITAMIN D
06281 MD-GASTROVIEW	(PHOSPHATE)	07100 CARRASYN
06284 HYCET	06935 CLINORIL	07103 CITRUS CALCIUM WITH
06290 CODOXIME	06963 CLOXACILLIN	VITAMIN D
06291 TELMISARTAN	06968 CLODERM	07105 COBALPHAMEAD
06294 CHEMOTHERAPY	06975 CLOMID	07106 CINNAMON
06302 OLMESARTAN	06980 CLONAZEPAM	07110 COCAINE
06303 HYDROXYCUT	06985 CLONIDINE	07113 FETRIN
06304 NEPHPLEX RX	06988 CLONIDINE HCL	07117 OPANA
06308 FENUGREEK	W/CHLORTHALIDONE	07119 FOLTABS 800
06309 QUINARETIC	06990 CLONOPIN	07133 LUCENTIS

07137 EXFORGE
07141 ZOSTAVAX
07144 PROAIR HFA
07150 COD LIVER OIL
07152 EUFLEXA
07153 ARB
07159 FOSAMAX PLUS D
07162 SORAFENIB
07166 DERMOTIC OIL
07167 SEASONIQUE
07170 BENAZEPRIL-
          HYDROCHLORO-
          THIAZIDE
07173 SELSEB
07177 FLORA-Q
07180 CODEINE
07182 PATADAY
07183 JANUMET
07185 CODEINE PHOSPHATE
07187 LODRANE 12 HOUR
07188 ATUSS DS
07190 CODEINE SULFATE
07194 MIGQUIN
07197 FENTORA
07198 GINGERMAX
07199 SILICONE GEL
07203 GUMMIVITES
07205 CODIMAL DM SYRUP
07206 PEPCID COMPLETE
07207 FEMCON FE
07209 VIVITROL
07212 TINDAMAX
07213 TYKERB
07218 GLUMETZA
07223 OPANA ER
07229 BUDEPRION XL
07232 LUTERA
07233 MIMYX
07235 SYMAX DUOTAB
07237 DEPLIN
07239 ICAPS AREDS
07243 ED-CHLOR-TAN
07250 COGENTIN
07251 PERCOCET 10
07252 PERCOCET 7.5
07256 PINXAV
07257 VERAMYST
07263 QUALAQUIN
07265 COLACE
07266 RENA-VITE
07267 ROYAL JELLY
07268 COLAX LAXATIVE
07272 SENSI-CARE
07274 SOLIA
07275 COLCHICINE
07283 TANDEM PLUS
07289 ZIANA
07293 COLD RELIEF
07299 VISION FORMULA
07307 COMPRO

07309 CRANBERRY EXTRACT
          WITH VITAMIN C
07315 COLESTID
07318 HYDROPHOR
07320 COLLAGENASE ABC
07324 METAFIBER
07325 COLLODION
07326 PEARL BIOTIC
07328 OYSCO 500 WITH D
07332 POLYVINYL ALCOHOL
07333 PROCEL
07334 PROSTATE HEALTH
07337 RACEPINEPHRINE
07343 SENTRY
07348 SUPER B-50 COMPLEX
07349 TEKTURNA
07351 TOTAL PARENTERAL
          NUTRITION
07352 TRAVATAN Z
07358 NIFEDIAC CC
07362 CADEXOMER IODINE
07366 VITAMIN D3
07367 ZEAXANTHIN W/LUTEIN
07369 BREATH EZ
07370 COLREX DECONGESTANT
07371 CARBOXYMETHYL-
          CELLULOSE
07376 AMERIGEL
07378 AB-PLO
07381 CHROMAX
07383 C-PHEN
07386 BARACLUDE
07387 CINACALCET
07388 ENDOMENTRIN
07389 ENTECAVIR
07390 COLSALIDE
07391 URSO FORTE
07392 VALGANCICLOVIR
07393 CLINDAMYCIN TOPICAL
07394 PRISM TOPICAL GEL
07396 PRISMA
07398 ALTABAX
07401 HUMAN PAPILLOMAVIRUS
          VACCINE
07406 VYVANSE
07407 AZASAN
07409 COBAL-1000
07410 COLY-MYCIN S
07411 DACOGEN
07412 ASA
07417 MYO CALM
07419 PROGESTERONE-
          BIESTROGEN
07420 PROPO-N
07426 ACTIVE C EYES
07428 ETHEDENT
07431 AMRIX
07436
HYDROCHLOROTHIAZIDE-ATENO
LOL

07437 TECHNICARE ANTISEPTIC
07450 PREZISTA
07451 INTAMAX
07454 AZOR
07455 BOYETTE'S SOLUTION
07457 ORAL REHYDRATION
          SALTS
07465 COMHIST
07468 FERROCITE PLUS
07470 COMPAZINE
07472 GARLIC AND CAYENNE
          COMPLEX
07473 BENADRYL CREAM
07474 INFANRIX
07476 SIMPLY THICK
07477 NEEVO
07478 COMPOUND W
07479 TRIANT-HC
07480 COMTREX
07481 XYZAL
07483 GREER'S GOO
          COMPOUND
07485 INFUVITE ADULT
07486 J-MAX
07491 LEVACET
07492 LIDOCAINE/MAALOX/
          BENADRYL COMPOUND
07494 LOVAZA
07497 TAC/SA/LCD CREAM
07499 CATAPRES-TTS-3
07504 PROFERRIN-FORTE
07507 ARGATROBAN
07517 VITA-LEA
07523 ZIOX
07527 SILVER DRESSING
07533 CLIMARA PRO
07534 ETONOGESTREL
07539 OPTIVE
07543 CONJUGATED
          ESTROGENS
07545 CONRAY
07546 MENOSTAR
07547 MUSHROOM EXTRACT
07549 CURCUMIN
07551 ERLOTINIB
07552 ISOMETHEPTENE
07562 CHENODIOL
07567 HYDROCERIN
07571 FLULAVAL
07572 HYALURONIC ACID
07573 MMR VACCINE
07576 ALIGN
07591 NUOX
07601 POLYMYCIN
07607 SARAPIN
07608 ALLI
07609 ADVATE
07610 CONVERSPAZ IMPROVED
07614 PHANATUSS DM
07616 DERMABOND

07620 COPAVIN	08008 OB COMPLETE DHA	08129 ALPHA E
07622 FLUARIX	08009 INSULIN N	08131 CERON-DM
07623 COPPER	08015 CROMOLYN	08132 LEVA-PAK
07625 COPPERTONE	08020 CRUEX	08133 CYCLOCEN
07627 CPM PSE	08023 JUVEDERM	08134 ADHD MEDS
07633 QUASENSE	08026 FURADIL	08135 CYCLOCORT
07634 TYROSINE	08027 DMG	08137 BALSALAZIDE
07635 PRENATAL PLUS	08031 BALZIVA	08138 TWINJECT
07636 INDERMIL	08032 BYSTOLIC	08140 CYCLOGYL
07639 IMPLANON	08033 LYBREL	08141 DELTA D3
07642 SULFAC	08035 CRYSTIMIN	08145 CYCLOMYDRIL
07643 TROMETHAMINE	08037 COLLOIDAL OATMEAL	08147 MICRO-K
07645 MAG PLUS	08038 SYSTEM SHAMPOO	08148 CYCLONIL
07646 QUADRAMET	08039 RADIESSE	08149 ADVAIR
07649 TICILIMUMAB	08043 SERUM	08151 FLECTOR
07652 ETHINYL ESTRADIOL- NORETHINDRONE	08044 SUNITINIB	08153 CYCLOPHOSPHAMIDE
07659 QUARTUSS	08045 MVI	08156 DIVIGEL
07660 CORDRAN	08046 LOHIST	08157 COMBIGAN
07661 SILVERGEL	08047 LIALDA	08158 TERIPARATIDE
07662 ALLERTAN	08054 PROMOGRAN	08159 VARDENAFIL
07663 DYTAN	08056 IODOFLEX	08161 ROSUVASTATIN
07664 J-TAN	08057 CURASALT	08163 CYCRIN
07667 SAIZEN	08058 PRENATAL	08165 ACULAR
07668 DIATEX	08061 TENOFOVIR	08166 ZYDIS
07670 CORGARD	08066 IOHEXOL	08167 SULFACET-R
07676 HYFIBER	08067 BICARB	08169 CORTISPORIN TC OTIC
07680 CORICIDIN	08069 LOVERSOL	08174 ERYTHROMYCIN BENZOYL PEROXIDE
07686 AIRET	08074 PIPERACILLIN TAZOBACTAM	08177 ONE A DAY WOMENS FORMULA
07687 ALLANDERM-T	08076 NORGESTIMATE EE	08179 SANCTURA XR
07688 INSULIN ASPART	08077 ESOMEPRAZOLE	08180 CYPROHEPTADINE
07693 CALCIUM, MAGNESIUM AND VITAMIN D	08078 MESALT	08181 DILTIAZEM CD
07697 IMMUNOTIX 3-6	08079 EMBEDA	08185 DICLOFENAC XR
07702 PERFOROMIST	08080 CYANO	08186 PRENATAL VITIMINS W/OMEGA 3
07704 FENAGEL	08082 BOSWELLIN	08187 CHILDREN CLARITIN
07755 CORTAID	08084 LIDOGEL	08189 NONOXYNOL
07760 CORTEF	08086 BLEACH BATH	08190 CYSTEX
07775 CORTICAINE	08089 METOPROLOL/ HYDRO- CHLOROTHIAZIDE	08191 GLIPIZIDE/METFORMIN
07778 CORTICOTROPIN		08192 NEOSTRATA LIGHTENING GEL
07793 CORTISOL	08090 CYANOCOBALAMIN	
07795 CORTISONE	08096 BABY VITAMIN W IRON	08194 ALLERTEC
07805 CORTONE	08097 EMTRICITABINE/ TENOFOVIR	08196 ECZEMA CREAM
07820 CORTROSYN		08197 TREXIMET
07840 CORYZA BRENGLE	08099 PALIVIZUMAB	08200 CYSTOGRAFIN
07845 CORYZAID	08102 IODOQUINOL	08201 RAZADYNE ER
07888 COTRIM	08103 PANITUMUMAB	08202 ALBUTEROL/ IPRATROPIUM
07913 COUGH FORMULA	08104 TORISEL	
07915 COUGH SILENCERS	08108 AROMATASE INHIBITOR	08203 OMNARIS
07920 COUGH SYRUP	08111 SINUS COCKTAIL	08204 TADALAFIL
07930 COUMADIN	08116 SIMCOR	08208 SALINE GARGLES
07983 CPI	08118 NEOCIN LOTION	08209 MUCINEX D
07995 CREO-TERPIN COMPOUND	08121 AVOSIL	08212 SEROQUEL XR
07997 CREON	08122 ALA-HIST D	08214 TYLENOL CHILDRENS COUGH
	08123 TYLENOL SINUS MAXIMUM STRENGTH	
08002 NORA-BE		08216 EXTINA
08006 TAMSULOSIN	08124 FIBER CAPSULES	08217 POMEGRANATE JUICE
08007 BCP	08128 IBUTILIDE	

08218 CYTARABINE
08219 SUDOGEST
08220 DILAUDID W/PHENERGAN
08222 SALINE LOCK
08223 SIMILAC ALIMENTUM
08224 CITRANATAL
08226 PYRIDINE
08227 SALINE EYE DROPS
08230 CYTOMEL
08231 TROPONIN
08232 GERBER APPLE JUICE
08234 PRISTIQ
08235 CITRICAL PRENATAL
08237 HEART HEALTH
        SUPPLEMENT
08241 VITAMINS E, C, D, B, B12
08244 PRBCS
08245 CYTOXAN
08246 OXYCODONE ER
08247 IODOFORM
08248 NARVOX
08249 PATANASE
08251 MASTISOL
08254 SUDAFED PE
08255 NIACIN SR
08258 NIASPAN ER
08260 EVAMIST
08261 ALVESCO
08264 FLURA DROPS
08267 HELICOBACTER PYLORI
        VACCINE
08268 FLOXAPEN
08273 KYOLIC
08276 EMPIRIC ANTIBIOTICS
08277 TERSI FOAM
08278 ROMYCIN OINTMENT
08279 PROSTATE MEDICATION
08281 DEHYDRATED ETHANOL
08283 ATRALIN GEL
08289 MAITAKE
08293 SITAGLIPTIN
08297 HYALGAN
08298 INFERTILITY MEDS
08300 D-S-S PLUS
08303 BACITRACIN ZINC
08306 PHENYTOIN SODIUM
        EXTENDED
08307 ATROPINE/
        HYOSCYAMINE/
        PB/SCOPOL
08308 SENNA PLUS
08311 IOPROMIDE
08313 APLIGRAF
08314 BLACK FOAM
08315 D-10
08319 GROUP B STREP
        VACCINE
08324 CHOLESTACARE
08326 EXCEDRIN EXTRA
        STRENGTH

08329 ULTRAM ER
08331 PENTAMIDINE
08334 SSZ
08335 D-5
08337 RESVERATROL
08340 D-50
08341 CALCIUM CARBONATE
        W/VIT D
08342 DACARBAZINE
08343 OCEAN NASAL SPRAY
08345 DACRIOSE
08346 DIET PILLS
08347 ADVIL PM
08348 TENUATE DOSPAN
08350 DAILY MULTIPLE VITAMIN
08351 IRON SULFATE
08354 VICODIN HP
08358 NATELLE-EZ
08360 DAILY VITAMIN FLAVORED
        SYRUP
08371 VZV VACCINE
08372 NICOBAN
08375 ZEMERON
08377 H2O2 DOUCHE
08378 VARENICLINE
08380 ULTRADEX WOUND
        SCRUB
08381 WOUND GEL
08383 TENOCHECK
08384 BLOOD PRESSURE
        MEDICATION
08385 DALLERGY
08386 PINE BARK
08387 THERALOGIX PROSTATE
        2.2
08388 CLOBEX SPRAY
08390 DALMANE
08391 IDE-CET
08392 NIZORAL & SELSUN
        SHAMPOO
08394 LOPRESSOR HCT
08395 DALOLONE
08396 5 FU CREAM
08397 DAMASON-P
08399 OLUX E FOAM
08400 DANAZOL
08401 OSTEOMATRIX
08410 DANOCRINE
08412 HEP A+B COMBO
08413 LACTAID
08414 ANTI REFLUX
08417 TRIAC
08418 POLYMYXIN B SULFATE
        DROPS
08419 IQUIX
08420 DANTRIUM
08423 PENTACEL
08425 DANTROLENE
08426 DOXYLAMINE
08428 ADJUVANT BRCA AC

08429 RHOPHYLAC
08432 NOVOLOG FLEXPEN
08433 FEXMID
08435 IXEMPRA
08437 OMNIPRED
08439 FLORICET
08440 DAPSONE
08447 LAT GEL
08448 PEDIATRIC
        MULTIVITAMINS
08450 DARAPRIM
08451 MOISTURIZING CREAM
        OTC
08452 TUSSIONEX PENNKINETIC
08453 MYOZYME
08462 AQUADEKS
08464 ENSURE PLUS
08467 BLOOD PATCH
08468 ROCEPHIN W/LIDOCAINE
08469 BACTRAMYCIN
08470 DARVOCET-N
08472 VAZOTAB
08473 CLINDA-DERM
08474 OMEGA 6
08475 DARVON
08476 DHA
08478 COREG CR
08479 PHENCHLOR TANNATE
08481 ADIPEX-P
08482 LMX CREAM
08489 BRAT DIET
08490 DARVON-N
08492 NETIPOT
08494 PERIDIEM
08495 DARVON-N W/A.S.A.
08509 LOTRIMIN
        W/HYDROCORTISONE
08513 OPHTHALMIC SOLUTION
08517 BLINK TEARS
08518 BACTERIAL VACCINE
08519 LIVE ORAL PRV
08521 RECLIPSEN
08522 RECLAST
08527 DARUNAVIR
08528 NEO DM
08531 SYNERA
08534 YEAST CREAM
08535 DDAVP
08536 THALLIUM
08537 H20
08538 PCM
08544 MANGOSTEEN
08546 ESTER-C
08547 PCV
08551 A/B OTIC
08552 PEG 3350
08553 HIB-PRP-T
08558 CENTURY-VITE
08559 AHAVA
08561 CENTURY

08562 TOPICAL C
08565 DEBROX
08572 HYDROFIBER
08574 FLUOROQUINOLONES
08575 DECADERM
08580 DECADROL
08585 DECADRON
08586 DENZAPINE
08587 MYCAMINE
08588 FLEXPEN
08591 ISENTRESS
08592 NEBIVOLOL
08593 VITAMIN D/B6
08595 DECADRON PHOSPHATE
08597 SUPPRELIN
08598 NEPAFENAC
08599 CHELATION
08602 SKIN LOTION
08603 SKIN CREAM
08605 DECADRON-LA
08607 BISPHOSPHONATES
08609 NAC
08614 LEVOTIN
08616 GCSF
08617 PEGASPARGASE
08619 RALTEGRAVIR
08620 THYROGEN
08621 NATURE-THROID
08622 VITAFOL PN
08624 CETRAXAL
08627 PRENAFIRST
08628 KELO-COTE
08633 ANGELIQ
08637 IODIXANOL
08639 FULVESTRANT
08640 DECLOMYCIN
08653 THYROTROPIN
08656 ARGLASE
08661 OMALIZUMAB
08663 TAZAROTENE
08665 DECONEX
08666 CHILDRENS VITAMINS
08667 IBANDRONATE
08670 DECONGESTANT
08678 BRINZOLAMIDE
08679 GLATIRAMER
08681 ETRAVIRINE
08691 MYOVIEW
08692 MEDIHONEY
08696 XEROFLO
08697 ELTA
08701 ARGLAES
08702 MITRAZOL
08703 DERMAGRAFT
08707 SEBA-GEL
08730 DELATESTRYL
08745 DELESTROGEN
08753 DELSYM

08770 DELTASONE
08775 DEMAZIN
08805 DEMULEN
08835 DEPAKENE
08836 DEPAKOTE
08860 DEPO-ESTRADIOL
08865 DEPO-MEDROL
08870 DEPO-PROVERA
08880 DEPO-TESTOSTERONE
08885 DEPOGEN
08895 DEPOTEST
08977 DERMOCAINE
08985 DERMOLATE
08995 DERMOLIN
09001 HYDROLATUM
09002 CONTRAST
09006 HYDROXYDIONE
09010 DESENEX
09013 PAPAVERINE/
          PHENTOLAMINE
09014 MARCAINE/DEPO-
          MEDROL
09015 DESFERAL
09016 SUCCINYLCHOLINE/
          ROCURONIUM
09017 NEOSTIGMINE/
          GLYCOPYRROLATE
09018 DECADRON/ZOFRAN
09019 PROPOFAN
09020 DESIPRAMINE
09022 COAPTITE
09025 DESITIN
09029 BAKING SODA BATHS
09033 DESOWEN
09034 MAALOX/DONNATAL
09038 TOPICAL SKIN CREAM
09039 HYDROFERA BLUE
09042 OLIVE LEAF EXTRACT
09046 LIDOCAINE/
          MAALOX/DONNATAL
09050 DESQUAM-X WASH
09051 REISHI
09052 DILTIAZEM/LIDOCAINE
          OINT
09053 DPCP
09054 PREVISCAN
09056 PUVA
09059 ACAI
09065 DEX-SALT
09067 CUTICERIN
09070 DEXACEN
09074 FLYNNS COCKTAIL
09075 DEXAMETHASONE
09077 GADOLINIUM
09079 CHONDROCARE
09080 DEXAMETHASONE
          ACETATE
09084 RESEARCH DRUG

09088 DEXAMETHASONE OPHTH
09089 COLOXIN
09090 DEXAMETHASONE
          SODIUM
09092 D50W INSULIN
09093 WOUND CLEANSER
09095 DEXAMETHASONE
          SODIUM PHOSPHATE
09098 OCP
09099 MICROCYN
09105 DMSO COCKTAIL
09108 DTAP-POLIO
09109 PREVIDENT
09115 DEXASONE
09119 ALAHIST DM
09120 DEXEDRINE
09122 ULORIC
09124 HYDROSAL
09126 SKINCEUTICALS
          PHLORETIN
09128 BIAFINE
09129 LOCOID LIPOCREAM
09131 COSMETIC FILLER
09132 PACNEX
09133 PROMISEB
09134 APPEAREX
09137 PIMECROLIMUS
09138 PROCENTRA
09139 ARANELLE
09140 APPLE CIDER VINEGAR
09141 GELNIQUE
09142 PRE NATAL VITAMINS
          W/DHA
09146 MULTIVITAMIN FOR HER
09149 INSULIN R
09151 STEROID
09152 VERIPRED
09156 COVARYX
09157 CELLULOSE OXIDIDE
09159 ISOSULFAN BLUE
09160 NEOSTIGMIN/ROBINUL
09162 EPI-SHUGARCAINE
09167 COMPOUND MEDICATION
09168 TRIESENCE
09170 DEXTROAMPHETAMINE
09171 ATREZA
09174 PRECEDEX
09175 DEXTROSE
09176 VITRASE
09177 BIVALIRUDIN
09180 DEXTROSE
          W/ELECTROLYTE
09181 TOPICAL ANESTHETIC
09182 ENOXACIN
09183 6-MP
09185 DSF
09186 TISSEEL GLUE

09188 SODIUM CHONDROITIN SULFATE/SODIUM HYALU
09190 DEZONE
09197 CORNEA COAT
09198 VANCOMYCIN/ GENTAMICIN
09199 LACOSAMIDE
09201 AXONA
09202 ACUVAIL
09207 SELZENTRY
09209 DURAPREP
09211 H1N1 INFLUENZA VACCINE
09213 ESZOPICLONE
09215 CHOLESTEROL MED
09216 BESIVANCE
09219 DILATRATE SR
09221 CALCIMATE
09223 EFFIENT
09224 HEMATOMA BLOCK
09226 POTASSIUM CHLORIDE W/MAGNESIUM SULFATE
09229 SULFONAMIDE
09234 INFERGEN
09235 SYMPATHETIC NERVE BLOCK
09237 DEXLANSOPRAZOLE
09239 ED CHLORPED
09241 POLY HIST PD
09242 NUCORT
09248 CHILDREN ZYRTEC
09249 BANZEL
09251 MITOTANE
09252 APLENZIN
09253 EPIPEN JR
09254 MYDRAL
09257 NILOTINIB
09263 POLYMIX/TRIAM
09265 MILLIPRED
09266 POLY-VENT DM
09268 DEXAMETHASONE/ LIDOCAINE
09269 ATRAC-TAIN CREAM
09270 SILVER ALGINATE
09279 DUREZOL
09280 REVITAL EYES
09281 SALMON OIL
09282 SALT TABLETS
09284 ACID REDUCER
09286 NUCYNTA
09287 HUMALOG MIX 50/50
09290 DIALOSE
09291 DALLERGY PE
09292 MAXIFED-G
09293 DIVALPROEX ER
09294 VITAMIN D/B12
09296 KEPPRA XR

09297 VALSARTAN/ HYDROCHLORO- THIAZIDE
09299 CALCIUM- CHOLECALCIFEROL
09301 ANXIOLYTIC
09302 DEFLUX
09305 DIAMOX
09307 IODINATED CONTRAST
09308 MUROCOLL 2
09309 BSS + EPINEPHRINE
09311 INTEGRA F
09312 AMVISC PLUS
09313 DISCOVISC
09314 AMVISC
09315 AMPHADASE
09316 SPERMICIDE
09318 MYCOLOG II
09319 DOCOSAHEXAENOIC
09326 METFORMIN ER
09327 LEXISCAN
09329 URO-JET
09332 BROMFENAC OPTHALMIC
09333 SEPTA
09337 CICLESONIDE
09339 ANESTHETIC THROAT LOZENGES
09341 IOCM
09344 PACKED RED BLOOD CELLS
09347 SODIUM SULAMYD
09353 MULTAQ
09354 MAGNEVIST
09356 NEUTROGENA NORWEGIAN FORMULA
09358 ADRENAL TINCTURE
09359 RACEMIC NEB
09360 ACETAMINOPHEN/ ISOMETHEPTENE
09361 PRENATAL AD
09362 CENTRUM CARDIO
09364 DROSPIRENONE/ ETHINYL ESTRADIOL
09365 DIATRIZOATE
09366 ANTIBACTERIAL SOAP
09367 SIMILAC ADVANCE
09368 KRILL OIL
09370 DIAZEPAM
09371 PEDIA-LAX
09376 MULTIVITAMIN W/THIAMINE/FOLATE
09377 Z-PACK
09378 MAALOX MAX
09379 BETHAPRIM DS
09381 C-PHEN DM
09382 MULTIVITAMIN W/ VITAMIN K
09384 DEXMETHYLPHENIDATE
09386 PROMETHEGAN
09389 THIAMINE/FOLATE

09390 DIBUCAINE
09391 SAPHRIS
09392 LET GEL
09393 OPTHALMIC ABX
09394 SSRI
09396 INTUNIV
09397 SILICA
09398 PRENATAL DHA TABS
09407 TASIGNA
09408 FOSINOPRIL/HCTZ
09409 VITAMIN B & D
09411 SILVER NITRATE/ POTASSIUM NITRATE
09412 OCU-CAINE
09424 DICLOX
09426 MULTIVITAMIN SENIOR
09430 DICEN
09431 EEMT HS
09432 EFLORNITHINE
09433 DICLOXACILLIN
09437 EEMT
09438 OMEGA 3/6/9
09439 VASOLEX
09441 TUMS ULTRA
09444 ONGLYZA
09446 EES
09447 OSMOPREP
09449 VECTICAL
09450 NEILMED SINUS RINSE
09451 MUCINEX MAX STRENGTH
09452 NOVOLIN NPH
09453 FELODIPINE ER
09455 DICYCLOMINE
09457 OCULAR PROTECT
09458 VITAMIN B-6/C
09461 FLINTSTONES PLUS IRON CHEW
09465 DIDREX
09466 GLUCOSCAN
09467 EES OPHTHALMIC
09470 DIDRONEL
09472 MAALOX EXTRA STRENGTH
09473 MYLANTA/VISCOUS XYLOCAINE
09477 VAZOL
09480 HEPARIN/D5W
09481 MENTHOL/METHYL SALICYLATE
09482 D10 NACL
09483 CYCLOGYL/NEO- SYNEPHRINE
09484 VIGAMOX/CYCLOGYL/ NEO-SYNEPHRINE
09491 NEO-SYNEPHRINE/ MYDRIACYL
09494 LIDOCAINE/WYDASE
09495 DIETHYLPROPION
09497 D5 1/3 NS
09498 BSS PLUS

09499 MEPIVACAINE
09500 DIETHYLSTILBESTROL
09502 FUSILEV
09503 UTIRA-C
09504 THROMBIN
09505 TRI-SPRINTEC
09508 NEO-FENTANYL
09509 CLOPRAMIDE
09516 BUPIVACAINE/
HYDROMORPHONE
09518 SEPTOCAINE
09521 LACTATED RINGERS W/
EPINEPHRINE
09522 TOPEX
09524 VISION BLUE
09527 FIBRIN SEALANT
09533 VISCOELASTIC GEL
09536 NATAZIA
09537 TUMESCENT SOLUTION
09541 ENTEREG
09542 XYLOCAINE W/VITRASE
09544 MIOCHOL
09545 DIGOXIN
09547 SUXMETHONIUM
09553 BACTERIOSTATIC
09554 TETRAVISC
09556 PRILOCAINE
09557 MICAFUNGIN
09561 HONEY
09562 DEXTROMETHORPHAN/
GUAIFENSIN
09563 NASAL BULLETS
09565 DOXERCALCIFEROL
09569 SMZ TMP DS
09571 NIACIN CR
09574 DIHYDROCODEINE
09576 POTASSIUM CITRATE
09577 NYQUIL
09578 PEDIATRIC IBUPROFEN
SUSP
09579 DESOGESTREL ETHINYL-
ESTRADIOL
09580 DIIODOHYDROXYQUIN
09582 OXYCODONE CR
09583 LANTUS SOLOSTAR
09585 DILANTIN
09587 BUPROPION XL
09588 CONJUGATED
ESTROGENS/
METHYL-
TESTOSTERONE
09589 PROPRANOLOL ER
09591 TANDEM DHA
09592 TANDEM F
09595 DILAUDID COUGH SYRUP
09597 KINRIX
09598 EYE LUBRICANT
09599 RANIBIZUMAB

09600 DILAUDID
09601 RENVELA
09602 VITAMIN C AND VITAMIN
D3
09604 FIBRACOL
09605 DILAX
09606 KAPIDEX
09608 ALLERCLEAR
09613 CAPMIST DM
09614 ZOLPIDEM
09615 DILOCAINE
09616 VOSOL
09618 ASTEPRO
09620 DILOCOL
09621 NIFEDIPINE XL
09622 CORDAN
09623 TRYPAN BLUE
09624 CLOBETASOL
PROPIONATE
09626 JUNEL
09627 AZURETTE
09628 JOLIVETTE
09634 STAVZOR
09636 ALDEX DM
09637 NECON 777
09639 LATISSE
09640 DIMENHYDRINATE
09643 EPICERAM CREAM
09644 PREVIFEM
09645 EPIDUO
09647 OCELLA
09648 RELISTOR
09650 DIMENTABS
09651 ACETAMINOPHEN-
TRAMADOL
09652 TRILIPIX
09654 FENOGLIDE
09655 IV FLUIDS
09656 PRIVIGEN
09657 LIDOCAINE/TETRACAINE
09661 HEPARINIZED SALINE
09663 IOTHALAMATE
09664 CRYSTALLOID
09666 SODIUM PENTATHOL
09667 DEXMEDETOMIDINE
09668 FLOSEAL
09669 XYLOCAINE-MPF
09672 INTERFERON ALPHA 2B
09674 ZEM
09675 DIMETANE
EXPECTORANT-DC
09676 VECURON
09679 COLLAGENASE
OINTMENT
09687 TESTOSTERONE
CYPIONATE
09689 HUMALOG INSULIN PUMP
09690 DIMETAPP

09691 CIMZIA
09694 APROVEL
09701 DIGESTIVE ENZYMES
09702 AZO
09703 THYROID DESICCATED
09705 DIOCTALOSE
09706 TRIVITA
09716 KETOCONAZOLE
SHAMPOO
09717 GAS RELIEF DROPS
09718 EXENATIDE
09721 UBIDECARENONE
09722 CHOLECALCIFEROL
09723 INTELENCE
09724 GI LAVAGE SOLUTION
09728 MOTRIN PM
09732 INSULIN PUMP
09733 CORVITE
09734 ASPIRIN/
ACETAMINOPHEN/
CAFFEINE
09737 IBUDONE
09738 MILRINONE
09739 BORTEZOMIB
09741 FEROSUL
09742 STROVITE ADVANCE
09744 RELAGARD
09751 HYDROCODONE/
IBUPROFEN
09752 SULFAMETHAZOLE
TRIMETHOPRIM
09753 THYROID STIMULATING
HORMONE
09756 WAL-ZYR
09757 ACZONE
09758 EFA OIL
09760 KETOTIFEN FUMARATE
09761 ALKA-SELTZER COUGH
AND COLD
09772 TOVIAZ
09773 PROSED EC
09774 CIPRO/HYDRO-
CORTISONE
09781 ACANYA GEL
09783 INSULIN 70/30
09784 NASOGEL
09788 GRAMICIDIN/NEOMYCIN/-
POLYMYXIN B
09789 PERFLUTREN
09791 VENTOLIN\ATROVENT
09795 EXFORGE HCT
09796 TRELSTAR LA
09797 RAPAFLO
09798 OS-CAL ULTRA
09799 NITRO-DERM
09801 AZASITE
09803 TRIACTIN
09804 HYOMAX

09806 LETAIRIS
09808 VIRAVAN-PDM
09809 ASPIR-LOW
09811 ACETASOL HC
09813 MOVIPREP
09814 PURACOL AG
09815 DIPH TET TOXIODS
09816 PHYSIOLOGICAL SALINE
        SOLUTION
09820 DIPH TET TOXOIDS
        PERTUSSIS
09821 PHENERGAN VC
09823 DIPHENADRIL
09825 WILSONS SOLUTION
09826 OMNISCAN
09829 SANCUSO
09833 DOLGIC PLUS
09834 DITROPAN XL
09836 NOVARIN
09837 LIPOFEN
09839 DIPHENHIST
09840 DIPHENHYDRAMINE
        COMPOUND
        EXPECTORANT
09841 DMPA INJECTION
09843 FERROSOL
09846 CLAVULANATE
09847 SITZ BATH
09848 ACELLULAR PERTUSSIS
09849 ENALAPRILAT
09850 DIPHENHYDRAMINE
09852 IVERSOL
09853 GLIPIZIDE XL
09854 SAVELLA
09855 DIPHENHYDRAMINE HCL
        COUGH SYRUP
09856 ROTARIX
09857 NITROPATCH
09858 VITAL-D RX
09860 DIPHENHYDRAMINE HCL
        ELIXIR
09861 NUVIGIL
09862 GAS RELIEF
09863 MIACALCIN NASAL
09864 MEDAZINE
09867 POTASSIUM
        BICARBONATE
09869 AMLODIPINE/
        ATORVASTATIN
09870 DIPHENHYDRAMINE HCL
        SYRUP
09871 ESTRADIOL PATCH
09872 FACET INJECTION
09875 DIPHENHYDRAMINE HCL
        22 GA
09876 POWERADE
09880 DIPHENOXYLATE HCL &
        ATROPINE SULFATE
09882 DEXTROMETHORPHAN
09886 REFRESH PLUS

09887 LOTION
09888 INSULIN DETEMIR
09889 CALCIUM ALGINATE
09891 COLLAGENASE SANTYL
        OINTMENT
09892 MOXATAG
09893 SKIN REPAIR CREAM
09899 MEPILEX AG
09900 DIPHTHERIA TETANUS
        TOXOIDS
09905 DIPHTHERIA TOXOID
        ADULT
09906 AMEROL
09909 DECITABINE
09910 VIMPAT
09911 SINUS MEDICATION
09912 NEUROPATHY CREAM
09913 ZOVIA
09914 EAR WAX REMOVAL
09915 DIPROSONE
09917 SLEEP AID
09920 DIPYRIDAMOLE
09921 TRIMEDAL
09924 DRONEDARONE
09926 VITAMIN D WITH IRON
09927 MENINGOCOCCAL/TDAP
09929 TRIGOSAMINE
09932 PEPTAMEN JR
09936 DILTAIZEM ER
09937 SRONYX
09938 CENTRUM WOMENS
09939 METOZOLV ODT
09946 LOTEPREDNOL
        ETABONATE
09951 IV ANTIBIOTICS
09954 DIVALPROEX
09957 ALAWAY EYE DROPS
09964 DIASTAT ACUDIAL
09968 APRISO
09970 DISPATABS
09972 HBIG
09973 GUAIFENESIN/
        PROMETHAZINE/
        CODEINE
09974 BOTULINUM
09975 DISULFIRAM
09978 LUVOX CR
09979 SODIUM POLYSTYRENE
        SULFONATE
09980 DITAN
09982 BMX SOLUTION
09986 RHODIOLA
09990 DIPHTHERIA TETNUS
        TOXOIDS PERTUSSIS
09993 DIPHTHERIA TOXOID
09995 DITROPAN
10001 MULTIGRAM
10002 OSTEO-PORETICAL
10003 ELDERBERRY JUICE
10004 LUBRICANT DROPS

10006 DYSPORT
10007 BLUE EMU CREAM
10008 RENAL GEL
10009 HYDRA CAPSULES
10011 CERVARIX
10012 ACTONEL W/ CALCIUM
10013 TOPICORT WITH SALACID
        AND LCD
10014 TRI-LUMA
10016 TRI-PREVIFEM
10017 BENZEFOAM
10018 VEREGEN
10019 NEOSALUS
10020 DIURETIC
10021 MACUVITE TAB
10022 CLINIQUE REDNESS
        SOLUTION
10023 OCULAR NUTRITION
10024 BIOGAIA
10025 DIURIL
10026 GLUCOSAMINE AND
        CHONDROITIN W MSM
10027 CEREFOLIN NAC
10028 INVEGA SUSTENNA
10029 GENICIL
10031 MULTIVITAMIN WITH
        OMEGA-3
10032 FS SCALP OIL
10033 MULTIVITAMIN W/ LUTEIN
10034 SUPER ADRENAL STRESS
        FORMULA
10036 OTIRX
10037 HISTAEZE
10038 ESTROVERA
10039 IMMUNE-RX
10041 SLIM & DRAIN
        SUPPLEMENT
10042 PMS SOOTHE
10043 OSSOPAN
10044 L-THEANINE
10046 VIVELLE-DOT
10047 NEXCEDE
10049 DENTAL NERVE BLOCK
10051 SUGAR FREE COUGH
        DROPS
10052 HEMOGEN
10053 SE-NATAL
10054 BENADRYL-D
10056 RELIV POWDER
10057 MERCUROCLEAR
10058 ASPIRIN/
        SALICYLAMIDE/
        CAFFEINE
10059 SINECCH
10061 ZENPEP
10062 PENTOSAN
10063 AG PRO VITAMINS
10064 UBIQUINONE
10065 FCR
10066 TAXOTERE W/CYTOXAN

10067 KETOCONAZOLE AND
      CLOTRIMAZOLE
10068 ADRIAMYCIN W/CYTOXAN
10069 HEMATOGEN
10070 BUDEPRION
10071 EQUATE
10072 TICLID
10073 INSULIN SLIDING SCALE
10074 GM-CSF
10075 EVICEL
10076 ORDRINE
10077 DIMETHICONE
10078 DIGITAL NERVE BLOCK
10079 QUTENZA
10081 LUTROPIN ALFA
10082 INFANTS NON ASPIRIN
      SUSP DROP
10083 MYLANTA DS
10084 SALT WATER NASAL
      SPRAY
10087 DOCUSATE
10088 HERBAL PATCH
10089 DOCUSATE CALCIUM
10091 HUA TUO PLASTER
10092 IPV
10093 BIO-STATIN
10094 CARBETAPENTANE/
      CHLORPHENIRAMINE
10096 FERAHEME
10097 DIGESTIVE AIDS
10098 BENDAMUSTINE
10099 SYMPT-X
10101 VINEGAR WASH
10102 ALGIDEX
10103 HIBERIX
10104 CHEMOTHERAPY PRE-
      TREATMENT
10106 RECTAL ROCKET
      SUPPOSITORY
10107 CORZALL PLUS
10108 SUMAVEL
10109 ZIPSOR
10111 BENPROX
10112 SILVERLON CA
10113 NERVE BLOCK
10114 ELTROXIN
10116 BEBULIN VH
10117 NOVA 7
10118 OPC-3
10119 SINGLE DONOR
      PLATELETS PACK
10121 DULERA
10123 VICTOZA
10124 CEROVITE SILVER
10125 EVEROLIMUS
10126 DOLOBID
10129 CABAZITAXEL
10130 DOLOPHINE

10131 OCTAGAM
10132 ADRIAMYCIN/
      CYTOXAN/TAXOL
10133 PCV 7
10134 PPV 23
10135 DEXILANT
10136 TUSSIDEX
10137 TEBS
10138 E-CREAM
10139 ABATACEPT
10140 DOME-PASTE BANDAGE
10141 LISIR
10142 NEOCIDIN
10143 BAYCADRON
10144 SALT SOLUTION
10145 DOMEBORO
10146 ZORCAINE
10147 CYCLIZINE
10148 DILATING COCKTAIL
10149 LIDOCAINE/EPINEPHRINE/
      MARCAINE
10151 HYALURONIDASE/
      MARCAINE/
      EPINEPHRINE
10152 AK-POLY-BAC
10153 IODOPHOR
10154 VISCOCEL
10156 D5 NS W/KCL
10157 MINERAL OIL ENEMA
10158 MVI-12
10159 CERON
10161 ETHANOL
10162 SURE CREAM
10163 PENTREXYL
10164 DOSEPAK
10165 DOMMANATE
10166 BUPRENORPHINE-
      NALOXONE
10167 MOTILIUM
10168 SUDAHIST
10169 MCV4
10171 CHLOR-MES D
10172 RED WINE-
      POMEGRANATE
10173 GETA ANESTHESIA
10174 TRIVARIS
10175 BURSA INJECTION
10176 AR FORMULA
10177 SOLOTRON
10178 RESOURCE OPTISOURCE
10179 CLINDAMYCIN/BENZOYL
      GEL
10180 DONATUSSIN
10181 LISDEXAMFETAMINE
10182 FORMOCRESOL
10183 DONATUSSIN DC
10184 PROTECTOL

10186 SENSORCAINE WITH
      WYDASE
10187 SENSORCAINE WITH
      SUFENTANIL
10189 RETROBULBAR BLOCK
10191 INFUSION THERAPY
10192 SALINE FLUSH
10193 BETADINE WITH
      EPINEPHRINE
10194 MYFERON 150
10195 DONNA-SED ELIXIR
10196 DYNA-HEX
10197 PHICON
10198 BSS PLUS WITH EPI
      VANCOMYCIN AND
      GENTAM
10199 TRIAMCINOLONE/
      CLOTRIMAZOLE
10201 ANTINEOPLASTIC
      HORMONES
10202 BEPREVE
10203 TRIPTORELIN PAMOATE
10204 BUTALBITAL-
      ACETAMINOPHEN
10206 GAVILYTE-N
10207 TRI-LO-SPRINTEC
10208 MULTIGEN PLUS
10209 MAXARON FORTE
10210 DONNATAL
10211 HELIUM OXGEN MIX
10212 ORALGAM
10214 ESTRADIOL/
      MEDROXY-
      PROGESTERONE
10216 HPV VACCINE
10217 NPLATE
10218 RELCOF
10219 VITEX
10221 CHERRY JUICE
10222 ILOPROST
10223 REPREXAIN
10224 RUFINAMIDE
10225 DOPAMINE
10226 MOOD STABILIZER
10227 DOCOSANOL
10228 CEVIMELINE
10229 VORINOSTAT
10231 NEOMYCIN/
      POLYMYXIN
      B/HYDROCORTISONE
10232 ZYCLARA
10234 USTEKINUMAB
10235 DOPRAM
10236 ABACAVIR-LAMIVUDINE
10237 WHITE WILLOW
10238 BUTALBITAL-ASA-
      CAFFEINE-CODEINE
10239 BPM-PSEUDO

10241 GADOTERIDOL
10242 D-VI-SOL
10243 TRIMECAINE
10244 TRIBENZOR
10246 INSULIN LISPRO MIX
10247 PENTOSAN
       POLYSULFATE
10248 FEXOFENADINE-
       PSEUDOEPHEDRINE
10249 ALBICORT
10251 TROSPIUM
10256 NICOTINE POLACRILEX
10258 NAFTIFINE
10259 CASOPLITANT
10260 CARBOPLATIN/
       PACLITAXEL
10261 LYSTEDA
10262 HYDROCORTISONE-
       PRAMOXINE
10263 INVAREST
10264 SETRON
10266 GLUTATHIONE
10267 ADDAPRIN
10268 HYLATOPIC FOAM
10269 CLARIFOAM
10270 VENACURA
10271 VALORIN
10272 STELARA
10274 NEEVO DHA
10277 TANDEM
10279 PRENEXA
10281 TREANDA
10282 TIROSINT
10284 COP PLUS RITUXAN
10286 ATELVIA
10287 TEMOVATE E
10290 ECASA
10299 IMMUNOGLOBULIN
10301 VITAMIN D2
10303 DERMICIDE
10304 JALYN
10306 GIANVI
10307 NASAL IRRIGATION
10308 ALTERIL
10309 AMPYRA
10310 DOVOSAL
10311 ZIRGAN
10312 CELADRIN
10313 NATURAL CARE LUNG
       SAVER
10314 STEM ENHANCE
10316 PCV 13
10317 RESPA C&C
10318 CAL-NATE
10319 PRASCION
10320 IRON SUCCINYL-PROTEIN
       COMPLEX
10321 CELL PRESS

10322 HYDROCHLORO-
       THIAZIDE/
       TRIAMTERENE
10323 VICRIVIROC
10324 NUCLEAR RX
10325 DOXEPIN
10326 IVP DYE
10327 LIDOCAINE/BUPIVACAINE
10328 BRIMONIDINE-TIMOLOL
10329 AERODINE
10330 DOXIDAN
10331 POLYCITRA-K
10332 NORDITROPIN
       NORDIFLEX
10333 MOISTURE DROPS
10334 HEART PILL
10337 ADALIMUMAB
10338 OLEPTRO
10339 BIRTH CONTROL SHOTS
10341 ACNEVIR
10342 STERILID
10343 DOXY-CAPS
10344 BROMDAY
10345 DOXY 6
10346 BUTTERBUR
10347 VITAMIN B3
10348 ARTICAINE W/ EPI
10349 CARBOCAINE W/ NEO-
       COBEFRIN
10350 DOXYCHEL
10351 CENTRUM ULTRA MENS
10352 NYSTATIN
       MOUTH/THROAT
       SUSPENSION
10353 BENCORT
10354 TEKTURNA HCT
10355 DOXYCYCLINE
10356 PRADAXA
10357 CALTRATE W/IRON
10359 ACTEMRA
10361 LIPOPLEX
10362 CORDYCEPS
10365 40 WINKS
10366 ARTHRICREAM
10367 NEXT CHOICE
10368 LEVOCETIRIZINE
       DIHYDROCHLORIDE
10369 FLEX-A-MIN
10370 SILODOSIN
10371 DMP
10372 OCULAR ESSENTIALS
10373 THERAPIN
10374 TOCILIZUMAB
10375 TRI VITAMIN WITH
       FLOURIDE
10376 NITAZOXANIDE
10380 DRAMAMINE
10381 G-CSF
10384 IOXILAN

10385 DRAMAMINE
       SUPPOSICONE
10386 BUTRANS
10387 TOPICAL PHARYNGEAL
       SPRAY
10388 BCAA ORAL
10389 DEXTRO-
       AMPHETAMINE/
       AMPHETAMINE
10391 GENAMIN
10392 OMEDIA
10393 LORATADINE-
       PSEUDOEPHEDRINE
10394 PENBUTOLOL
10395 DRAMOCEN
10396 DIAPER OINTMENT
10397 POTASSIUM
       BICARBONATE/
       POTASSIUM CITRATE
10398 SUDAFED LA
10399 CIPROFLOXACIN-
       DEXAMETHASONE
10401 SINCALIDE
10402 UNISERTS
10403 BUPIVACAINE
       W/MORPHINE
10404 HETASTARCH
10406 FLIXOTIDE
10408 LIRAGLUTIDE
10409 PSEUDOX M
10410 DREST GEL
10411 LOPINAVIR/RITONAVIR
10412 AMYLASE/LIPASE/
       PROTEASE
10413 AFINITOR
10414 KIONEX
10415 MILNACIPRAN
10416 FRISIUM
10417 FORMALAZ
10418 TREPROSTINIL
10419 STIRIPENTOL
10420 ALTARUSSIN
10421 ALER-TAB
10422 OMEGA FATTY ACIDS
10423 SALINE CLEANSER
10424 VAGINAL MOISTURIZER
10425 DISC-GARD
10426 APOMORPHINE
10427 CALOMIST
10428 CATECHOLAMINES
10429 PYLERA
10431 MENOPAUSE ONE
10432 NEOTRIN
10434 BACI-IM
10435 ORBIVAN
10436 HYLAN
10437 PRASUGREL
10438 TINCTURE OF BENZOIN
10439 DARCALMA
10440 DRISDOL

10441 AKTEN	10504 TINZAPARIN	11152 ELOCON
10442 ONSOLIS	10505 DROTIC	11155 ELSPAR
10443 ELON DUAL	10506 FEBUXOSTAT	11190 EMETROL
10444 DORIPENEM	10507 CLOBEVATE	11252 ALUM MAG SIMETHICONE
10446 BUTAMBEN-TETRACAINE-BENZOCAINE	10508 ZENCHENT	11267 MEDICAL MARIJUANA
10447 PRODIUM	10509 COLCRYS	11295 EN-CEBRIN
10448 AZO-GESIC	10510 CALCITRENE	11340 ENDURON
10449 ULTRAVIST	10511 ALPHANATE	11355 ENFAMIL
10451 ONABOTULINUMTOXINA	10512 GLUCOMANNAN	11383 ENOVIL
10452 ANTIHYPERGLYCEMICS	10513 GLUCOSE ESSENTIALS	11390 ENSURE
10453 ARZOL	10514 SALACYN LOTION	11395 ENTEX
10456 COMPOUNDED OPHTHALMIC MEDICATION	10515 THEROBEC PLUS	11433 ENZYME
	10516 VIVAGLOBIN	11450 EPHEDRINE
	10518 DRYSOL	11480 EPHEDRINE SULFATE
10457 EZ III	10519 NATTOZIMES	11505 EPHENYLLIN
10458 FOSPROPOFOL	10520 FERUMOXYTOL	11540 EPINEPHRINE
10459 LUSEDRA	10521 PHILLIPS COLON HEALTH	11545 EPINEPHRINE MUROCOLL
10461 GENEXA LA	10522 LURIDE CHEWABLE	11548 EPIPEN
10462 TRITAL DM	10523 LIQUACEL PROTEIN SUPPLEMENT	11549 EPITOL
10463 ALGINATE AG		11575 EPSOM SALT
10464 EMU OIL	10524 ONE A DAY ENERGY FORMULA	11580 EQUAGESIC
10466 AZELAIC ACID		11615 ERGOCALCIFEROL
10467 DEX 4	10525 DSS	11640 ERGOTAMINE
10468 ZICONOTIDE	10526 INSULIN ISOPHANE AND REGULAR	11645 ERGOTRATE
10469 FLEBOGAMMA		11651 ERYC
10471 ZYMAXID	10527 NATURAL SUPPLEMENT	11657 ERYPED
10472 NASEPTIN NASAL CREAM	10528 PRORENAL	11658 ERY-TAB
10473 FUCIDIN	10529 ARTHROZYME	11660 ERYTHROCIN
10474 ORAQIX	10531 VPRIV	11665 ERYTHROMYCIN
10476 INTEGRA PLUS	10532 DUTASTERIDE/ TAMSULOSIN	11668 ERYTHROMYCIN OPHTHALMIC
10477 ECULIZUMAB		
10478 VIMOVO	10575 DULCOLAX	11669 ERYTHROMYCIN W/SULFISOXAZOLE
10479 SAXAGLIPTIN	10620 DUO-MEDIHALER	
10481 EXALL	10630 DUOFILM	11680 ESERINE
10482 FOLOTYN	10650 DUOLUBE	11688 ESGIC
10483 GLAXAL	10743 DURAMORPH	11690 ESIDRIX
10484 THORNE MERIVA	10758 DURASIL	11695 ESIMIL
10486 BIO-GEST	10800 DURICEF	11700 ESKALITH
10487 EUPATORIUM	10810 DV	11740 ESTRACE
10488 LEUKOTRIENE	10815 DYAZIDE	11745 ESTRADIOL
10489 PHENYLEPHRINE/ CYCLOPENTOLATE	10820 DYCILL	11765 ESTRATEST
	10830 DYLLINE	11770 ESTRAVAL
10491 BETADINE OPHTHALMIC	10840 DYMENATE	11800 ESTROGEN
10492 MICHOL	10845 DYNAPEN	11850 ETHAMBUTOL
10493 RADIONUCLIDE	10855 DYPAP ELIXIR	11880 ETHINYL ESTRADIOL
10494 ASTRAMORPH PF	10860 DYPHYLLINE	11898 ETHOSUXAMIDE
10496 PROHANCE	10865 DYRENIUM	11900 ETHRANE
10497 STAMMBERGER SIMU-FOAM GEL	10905 E-MYCIN	11915 ETHYL CHLORIDE
	10925 EAR DROPS	11945 EUCERIN
10498 MARCAINE/KENALOG/ EPINEPHRINE	10930 EAR DROPS FORMULA #2	11965 EUTHROID
	10970 ECONOPRED	12025 EX-LAX
10499 MARCAINE/CELESTONE SOLUSPAN	10975 ECOTRIN	12035 EXCEDRIN
	10985 EDECRIN	12078 EYE PREPARATION
10500 DROPERIDOL	10995 EFEDRON	12140 FASTIN
10501 PROPOVEN	11025 EFUDEX	12143 FAT EMULSION
10502 ZYPRAM	11045 ELASE	12150 FEBRINOL
10503 ALL DAY ENERGY TAB	11065 ELAVIL	12193 FELDENE
	11130 ELECTROLYTE	12225 FEMIRON

12245 FENOPROFEN
12255 FEOSOL
12265 FEOSOL PLUS
12285 FER-IN-SOL
12300 FERGON
12345 FERO-GRAD-500
12365 FERRALET
12380 FERRIC AMMONIUM
12385 FERRIC AMMONIUM
          SULFATE
12400 FERRITRINSIC
12465 FERROUS FUMARATE
12480 FERROUS GLUCONATE
12485 FERROUS PLUS
12490 FERROUS SULFATE
12495 FERROUS SULFATE
          W/BREWER'S YEAST
12510 FESTAL
12521 FIBERCON
12550 FIORINAL
12565 FIORINAL NO. 3
12570 FIORINAL W/CODEINE
12585 FLAGYL
12620 FLEET ENEMA
12622 FLEET GLYCERIN
          SUPPOSITORY
12623 FLEET RELIEF
12635 FLEXERIL
12650 FLEXON
12665 FLORINEF ACETATE
12670 FLORONE
12678 FLOXURIDINE
12690 FLUOCINOLONE
12710 FLUOR-I-STRIP
12715 FLUORESCEIN
12735 FLUORIDE
12755 FLUORITAB
12760 FLUORODEX
12765 FLUOROPLEX
12770 FLUOROURACIL
12780 FLUPHENAZINE
12790 FLURA-LOZ
12800 FLURA-TABLETS
12805 FLURA-VITE
12810 FLURAZEPAM
12825 FLUROSYN
12830 FLUZONE
12835 FLUZONE-TRIVALENT
          TYPE A,B
12855 FOILLE
12865 FOLIC ACID
12875 FOLLUTEIN
12878 FOLTRIN
12880 FOLVITE
12893 FORANE ANESTHETIC
12920 FORMALIN
12940 FORMULA 2
12963 FORTA
12967 FORTAZ
13035 FUL-GLO

13055 FUMASORB
13118 FUROSEMIDE
13142 G-TUSSIN
13158 GAMIMUNE
13205 GARAMYCIN
13209 GASTRIC AGENT
13215 GASTROGRAFIN
13220 GAVISCON
13275 GELFOAM
13310 GENOPTIC
13320 GENTAMICIN
13325 GENTIAN VIOLET
13395 GERIATRIC FORMULA
13400 GERIATRIC VITAMINS
13455 GERITOL
13515 GINSENG
13535 GLUCAGON
13540 GLUCOLA
13550 GLUCOSE
13553 GLUCOTROL
13615 GLYCEROL
13640 GLYCINE
13655 GLYCOPYRROLATE
13675 GLYCOTUSS
13765 GONIOSOL
13785 GRIFULVIN
13790 GRIS-PEG
13800 GRISEOFULVIN
13810 GUAIACOL
13830 GUAIFENESIN &
          DEXTROMETHORPHAN
          HBR
13835 GUAIFENESIN
13838 GUAIFENESIN W/CODEINE
13845 GUANETHIDINE
13875 GUIATUSS
13880 GUIATUSS A.C. SYRUP
13885 GUIATUSSIN
13920 GYLANPHEN
13930 GYNE-LOTRIMIN
13999 HALCION
14000 HALDOL
14035 HALOG
14040 HALOPERIDOL
14050 HALOTEX
14055 HALOTHANE
14080 HC
14091 HEALON
14135 HEMATINIC
14165 HEMOCAINE
14180 HEMORRHOIDAL
          OINTMENT
14195 HEMORRHOIDAL
          SUPPOSITORY
14203 HEMOSTATIC AGENT
14217 HEP-FLUSH
14225 HEP-LOCK
14240 HEPARIN
14245 HEPARIN LOCK FLUSH
          SOLUTION

14293 HESPAN
14320 HEXACHLOROPHENE
14340 HEXADROL
14370 HEXAVITAMIN
14390 HI BEECO
14412 HI-610 HUMULIN U
          ULTRALENTE
14415 HIBICLENS
14440 HIPREX
14635 HOMALYN
14645 HOMATROPINE
14648 HOMATROPINE
          HYDROBROMIDE
14683 HORMONE
14713 HUMAN CHORIONIC
          GONADOTROPIN
14714 HUMATE-P
14715 HUMATIN
14717 HUMATROPE
14727 HUMULIN
14730 HURRICAINE
14750 HYALURONIDASE
14770 HYCODAN
14795 HYCOMINE
14805 HYCOTUSS
14840 HYDRALAZINE
14875 HYDREA
14895 HYDRO-CHLOR
14903 HYDROCORT
14920 HYDROCHLORIC ACID
14930 HYDROCHLOROTHIAZIDE
14940 HYDROCHLORULAN
14950 HYDROCIL FORTIFIED
14955 HYDROCODONE
14965 HYDROCORTISONE
14970 HYDROCORTISONE
          IODOCHLOR-
          HYDROXYQUIN
14980 HYDROCORTONE
14985 HYDRODIURIL
14990 HYDROGEN PEROXIDE
15000 HYDROMAL
15002 HYDROMINE
15005 HYDROMORPHONE
15010 HYDROMOX
15025 HYDROPHILIC OINTMENT
15040 HYDROQUINONE
15045 HYDROSERPINE
15055 HYDROTENSIN
15065 HYDROXY-
          PROGESTERONE
15070 HYDROXYCHLOROQUINE
15090 HYDROXYUREA
15095 HYDROXYZINE
          COMPOUND SYRUP
15100 HYDROXYZINE
15105 HYDROXYZINE PAMOATE
15115 HYGROTON
15165 HYPAQUE
15195 HYPERAB

15215 HYPERSAL
15240 HYPOTEARS
15305 HYTONE
15307 HYTRIN
15320 HYZINE
15370 IBERET
15380 IBERET-500
15390 IBEROL-F
15395 IBUPROFEN
15400 ICHTHAMMOL
15455 ICY HOT ANALGESIC
            BALM
15495 ILOTYCIN
15508 IMOGAM RABIES
15520 IMIPRAMINE
15535 IMMUGLOBIN
15540 IMMUNE SERUM
            GLOBULIN
15545 IMODIUM
15548 IMOVAX RABIES
15555 IMURAN
15560 INAPSINE
15575 INDERAL
15580 INDERIDE
15585 INDIGO CARMINE
15590 INDOCIN
15600 INDOMETHACIN
15630 INH
15653 INOCOR
15655 INOSITOL
15670 INSTA GLUCOSE
15680 INSULIN
15685 INTAL
15695 INTRALIPID
15730 IODINE
15733 IODINE SOLUTION
            STRONG
15774 IODOPEN
15790 IONIL
15805 IOPIDINE
15835 IRCON
15840 IRCON-FA
15860 IROMIN-G
15870 IRON PREPARATION
15875 IRON DEXTRAN
15885 IRON W/VITAMIN C
15890 IRONATE-B PLUS
15895 IRONCO B
15910 IRRIGATING SOLUTION
15925 ISMOTIC
15930 ISO-BID
15985 ISOLYTE
15990 ISONIAZID
16003 ISOPHANE INSULIN
            SUSPENSION
16025 ISOPROTERENOL
16030 ISOPTO ALKALINE
16075 ISOPTO HYOSCINE

16095 ISORDIL
16105 ISOSORBIDE
16115 ISOXSUPRINE
16130 ISUPREL
16210 K-LOR
16245 K-PHOS
16255 K-PHOS NEUTRAL
16268 K-TAB
16270 K-Y STERILE
            LUBRICATING JELLY
16290 KALCINATE
16305 KANAMYCIN
16365 KAOPECTATE
16420 KARIGEL
16440 KAY CIEL
16455 KAYEXALATE
16465 KAYTRATE-30 KAYKAP
16475 KEFLEX
16480 KEFLIN
16485 KEFZOL
16495 KEMADRIN
16505 KENALOG
16523 KERASOL
16535 KERODEX
16570 KESTRIN
16575 KESTRONE
16585 KETALAR
16590 KETAMINE
16605 KETOSTIX
16650 KLARON
16655 KLEBCIL
16665 KLEER COMPOUND
16710 KLOR-CON
16720 KLORVESS
16728 KLOTRIX
16785 KONDREMUL
16795 KONDREMUL
            W/PHENOLPHTHALEIN
16800 KONSYL
16855 KUDROX
16887 L-EPINEPHRINE
16895 L-THYROXINE
16915 LACRI-LUBE
16940 LACTIC ACID
16950 LACTINEX
16955 LACTOBACILLUS
            ACIDOPHILUS
16965 LACTOCAL-F
16970 LACTOSE
16975 LACTULOSE
17070 LANOLIN
17075 LANOLINE
17085 LANOPHYLLIN
17115 LANOXIN
17155 LARYLGAN (D/C)
17165 LASIX
17205 LAVATAR
17240 LAXINATE 100

17243 LAXATIVE
17265 LECITHIN
17270 LEDERCILLIN VK
17295 LENSINE
17304 LENTE INSULIN
            SUSPENSION
17320 LEUCOVORIN
17322 LEUKOVORIN CALCIUM
17325 LEUKERAN
17333 LEVATOL
17345 LEVODOPA
17355 LEVOPHED
17360 LEVOPROME
17365 LEVOTHROID
17370 LEVOTHYROXINE
17375 LEVSIN
17390 LEVSINEX
17395 LEVSINEX/
            PHENOBARBITAL
17440 LIBRAX
17450 LIBRIUM
17455 LICOPLEX DS
17460 LICORICE COMPOUND
17465 LIDA-MANTLE
17475 LIDEX
17480 LIDINIUM
17485 LIDOCAINE
17490 LIDOCAINE HCL
17495 LIDOCAINE HCL
            W/EPINEPHRINE
17530 LIMBITROL
17540 LINCOCIN
17548 LINDANE
17560 LIORESAL
17563 LIOTHYRONINE SODIUM
17595 LIPODERM
17600 LIPOFLAVONOID
17625 LIPOSYN
17650 LIQUAMAR
17705 LISTERINE
17715 LITHIUM
17720 LITHIUM CITRATE SYRUP
17725 LITHOBID
17825 LO/OVRAL
17833 LOCAL ANESTHETIC
17834 LOCOID
17838 LODRANE
17840 LOESTRIN
17845 LOFENALAC
17865 LOMOTIL
17868 LOMUSTINE
17875 LONITEN
17878 LONOX
17880 LOPERAMIDE
17883 LOPID
17885 LOPRESSOR
17888 LORAZEPAM
17925 LOTRIMIN

17930 LOTUSATE	18750 MENTHOLATUM	19445 MINERAL OIL
17945 LOXITANE	18755 MEPERGAN	19455 MINIPRESS
17970 LUBRICATING JELLY	18760 MEPERIDINE	19460 MINOCIN
17975 LUBRIDERM	18775 MEPHYTON	19465 MINOCYCLINE
18000 LUFYLLIN-GG	18781 ME-PREDNISOLONE	19478 MINOXIDIL
18010 LUGOL'S SOLUTION	18795 MEPROBAMATE	19480 MINRO-PLEX
18018 LUMINUM HYDROXIDE	18818 MERCAPTOMERIN	19505 MIOSTAT
18020 LURIDE DROPS	18820 MERCAPTOPURINE	19515 MISSION PRENATAL
18050 LYSINE	18865 MERCURY OXIDE	19520 MISSION PRENATAL F.A.
18125 MAALOX	18920 MESTINON	19550 MITHRAMYCIN
18130 MACRODANTIN	18930 METAMUCIL	19575 MOBAN
18160 MAGNAGEL	18935 METANDREN	19590 MOBISYL
18165 MAGNALOX	18940 METAPREL	19600 MODERIL
18185 MAGNESIA & ALUMINA	18945 METAPROTERENOL	19605 MODICON
18189 MAGNESIUM CARBONATE	18980 METHACHOLINE	19615 MODIFIED PROTEIN
18190 MAGNESIUM CHLORIDE	18985 METHADONE	HYDROLYSATE
18195 MAGNESIUM CITRATE	18995 METHALATE	19618 MODURETIC
18200 MAGNESIUM GLUCONATE	19000 METHAMPEX	19630 MOL-IRON W/VITAMIN C
18205 MAGNESIUM OXIDE	19005 METHAMPHETAMINE	19635 MICONAZOLE NITRATE
18210 MAGNESIUM PHOSPHATE	19008 METHANDRIOL	19640 MONISTAT 7
TRIBASIC	19025 METHAZOLAMIDE	19650 MORPHINE
18215 MAGNESIUM SULFATE	19035 METHENAMINE	19670 MOTIC SOLUTION
18221 MAGNESIUM/ALUMINUM	19040 METHENAMINE	19675 MOTRIN
HYDROXIDE	MANDELATE	19680 MOUTHWASH
18345 MANNITOL	19045 METHERGINE	19685 MOUTHWASH & GARGLE
18373 MAPROTILINE	19055 METHIONINE	19698 MOXAM
18385 MARBAXIN	19070 METHOCARBAMOL	19699 MS CONTIN
18390 MARBLEN	19075 METHOCARBAMOL W/ASA	19705 MUCI LAX
18395 MARCAINE	19090 METHOTREXATE	19715 MUCOMYST
18400 MARCAINE HCL	19105 METHOXSALEN	19720 MUCOMYST
W/EPINEPHRN	19110 METHSCOPOLAMINE	W/ISOPROTERENOL
18445 MARPLAN	19130 METHYL SALICYLATE	19725 MUCOMYST-10
18495 MAXAFIL	19140 METHYLCELLULOSE	19760 MULTI-CHEWZ
18498 MAXAIR	19150 METHYLCELLULOSE 4000	19765 MULTI-HEMA
18515 MAXIDEX	CPS	19785 MULTI-VITAMIN
18520 MAXITROL	19155 METHYLDOPA	19800 MULTIFUGE SYRUP
18523 MAXZIDE	19160 METHYLENE BLUE	19815 MULTIPLE VITAMIN
18540 MEASLES VIRUS VACCINE	19175 METHYLPHENIDATE	19825 MULTIPLE VITAMINS
18552 MEBENDAZOLE	19178 METHYLPRED-40	19830 MULTIPLE VITAMINS
18555 MECLIZINE	19180 METHYLPREDNISOLONE	W/IRON
18556 MECLOFENAMATE	19185 METHYLTESTOSTERONE	19835 MULTIPLE VITAMINS
SODIUM	19200 METICORTEN	W/MINERALS
18585 MEDI-QUIK SPRAY	19205 METIMYD	19840 MULTIVITAMIN
18590 MEDI-TRATING	19208 METOCLOPRAMIDE	19853 MULTIVITAMIN/FLUORIDE
18605 MEDICATED FOOT	19210 METOLAZONE	19865 MULTIVITAMIN/
POWDER	19218 METOPROLOL	MULTIMINERAL
18620 MEDIHALER-EPI	19231 METRO	19870 MULTIVITAMINS &
18640 MEDROL	19233 METRONIDAZOLE	MINERALS
18643 MEDROXY-	19242 MEVACOR	19885 MULVIDREN
PROGESTERONE	19290 MICONAZOLE	19905 MUMPS VIRUS VACCINE
18644 MEFENAMIC ACID	19300 MICRHOGAM	LIVE
18645 MEFOXIN	19320 MICRONOR	19940 MUROCEL
18650 MEGA-B	19343 MIDAMOR	19948 MUSCLE RELAXANT
18655 MEGACE	19350 MIDOL	19960 MUTAMYCIN
18663 MEGESTROL	19360 MIDRIN	19995 MYADEC
18664 MELANEX	19375 MILK OF MAGNESIA	20010 MYCELEX
18670 MELLARIL	19380 MILK OF MAGNESIA-	20055 MYCOLOG
18685 MELPHALAN	CASCARA SAGRADA	20060 MYCOSTATIN
18695 MENEST	19395 MILKINOL	20065 MYDFRIN
18745 MENTHOL	19430 MIN-HEMA	20075 MYDRIACYL

20078 MYDRIATIC AGENT	21110 NITREX	21845 OPHTHETIC
20080 MYLANTA	21125 NITRO T.D.	21860 OPIUM
20085 MYLAXEN	21130 NITRO-BID	21865 OPIUM AND BELLADONNA
20090 MYLERAN	21143 NITRO-DUR	21900 OPTIMINE
20095 MYLICON	21145 NITROFURANTOIN	21958 ORAP
20110 MYOFLEX	21150 NITROFURAZONE	21965 ORAPHEN-PD
20135 MYSOLINE	21155 NITROGEN	21970 ORASONE
20145 MYTELASE	21160 NITROGLYCERIN	21995 ORETIC
20153 MYTREX	21170 NITROL	22025 ORIMUNE POLIOVIRUS
20175 NAFCILLIN	21176 NITROLINGUAL	VAC LIVE ORAL
20185 NAFTIN	21185 NITROSTAT	22030 ORINASE
20210 NALFON	21195 NITROUS OXIDE	22050 ORNACOL
20225 NAMIDE-C	21200 NIVEA	22060 ORNEX
20255 NAPHAZOLINE	21203 NIZORAL	22065 ORPHENADRINE
20260 NAPHCON	21225 NOLVADEX	22090 ORTHO-NOVUM
20270 NAPHCON-A	21228 NORDETTE	22110 OS-CAL
20285 NAPROSYN	21230 NOR LIEF	22120 OS-CAL 500
20290 NAPROXEN	21245 NOR-Q.D.	22160 OTIC DROPS
20295 NAPTRATE	21278 NORETHIN	22210 OVCON
20305 NAQUIVAL	21280 NORFLEX	22215 OVRAL
20310 NARCAN	21300 NORINYL	22230 OX BILE EXTRACT
20313 NARCOTIC ANTAGONIST	21330 NORLESTRIN	22233 OXACILLIN
20315 NARDIL	21373 NORMODYNE	22242 OXAZEPAM
20320 NASAHIST	21380 NORMOSOL	22287 OXYBUTYNIN CHLORIDE
20325 NASAL DECONGESTANT	21385 NOROXIN	22300 OXYCHINOL
20338 NASALIDE	21390 NORPACE	22303 OXYCODONE HCL
20405 NATURAL VEGETABLE	21400 NORPRAMIN	22305 OXYCODONE HCL &
LAXATIVE	21403 NORTRIPTYLINE	ACETAMINOPHEN
20435 NAVANE	21413 NOSTRILLA	22306 OXYCODONE W/APAP
20575 NEO-OXYLONE	21493 NOVENE DH	22307 OXYCODONE W/ASA
20580 NEO-POLYCIN	21494 NOVANTRONE	22315 OXYGEN
20585 NEO-SYNALAR	21500 NOVOCAIN	22322 OXYMETA-12
20590 NEO-SYNEPHRINE	21513 NTG	22323 OXYMETAZOLINE HCL
COMPOUND COLD	21530 NU-IRON	22325 OXYMETHOLONE
20595 NEO-SYNEPHRINE	21550 NUBAIN	22340 OXYTETRACYCLINE
20690 NEOMYCIN	21570 NUM ZIT	22345 OXYTOCIN
20693 NEOMYCIN-POLYMYXIN B	21585 NUPERCAINAL	22348 OYSCO 500
20730 NEOSPORIN	21605 NUTRACORT	22350 OYSTER SHELL & VITAMIN
20735 NEOSTIGMINE	21620 NUTRAMIGEN	D
20740 NEOSTIGMINE	21645 NYDRAZID	22520 PAMELOR
METHYLSULFATE	21650 NYLIDRIN	22525 PAMINE
20755 NEOTEP	21680 NYSOLONE	22578 PANADOL
20760 NEOTHYLLINE	21685 NYST-OLONE	22585 PANAFIL
20798 NEPHROCAPS	21695 NYSTATIN	22630 PANCREASE
20805 NEPTAZANE	21701 NYSTATIN	22643 PANCRELIPASE
20815 NESACAINE	W/TRIAMCINOLONE	22644 PANCURONIUM BROMIDE
20825 NEUROVAL ELIXIR	21730 OBEPHEN	22675 PANOXYL
20830 NEUT	21750 OCEAN MIST	22755 PAPASE
20835 NEUTRA-PHOS	21752 OCTAMIDE	22770 PAPAVERINE
20880 NIACAL	21753 OCUCLEAR	22810 PARAFON FORTE
20885 NIACIN	21754 OCUFEN	22840 PAREDRINE W/BORIC
20890 NIACINAMIDE	21765 OGEN	ACID
20970 NICOTINAMIDE	21785 OLIVE OIL	22845 PAREGORIC
21010 NIFEREX	21795 OMNIPEN	22860 PAREPECTOLIN
21015 NIFEREX W/VITAMIN C	21800 ONCOVIN	22875 PARLODEL
21025 NIFEREX-150	21802 ONE-A-DAY-ESSENTIAL	22885 PARNATE
21035 NIGROIDS	21803 ONE-A-DAY PLUS IRON	22975 PAVARINE
21090 NIPRIDE	21840 OPHTHALGAN	23005 PAVULON

23120 PEDIALYTE
23150 PEDIAZOLE
23159 PEDIOTIC
23165 PEECE
23185 PEN-VEE K
23215 PENICILLIN
23220 PENICILLIN G
23221 PENICILLIN G POTASSIUM
23225 PENICILLIN V
23228 PENICILLIN V POTASSIUM
23230 PENICILLIN VK
23245 PENTAERYTHRITOL
          TETRANIT-PHENOBARB
23285 PENTAZOCINE
23305 PENTIDS
23310 PENTOBARBITAL
23315 PENTOTHAL
23325 PENTRAX
23340 PEPPERMINT OIL
23345 PEPPERMINT SPIRIT
23355 PEPSIN
23358 PEPSIN & PANCREATIN
23370 PEPTO-BISMOL
23385 PERCOCET-5
23390 PERCODAN
23400 PERCOGESIC
23410 PERCORTEN PIVALATE
23415 PERDIEM GRANULE
23425 PERGONAL
23430 PERI-COLACE
23440 PERIACTIN
23523 PERPHENAZINE
23524 PERPHENAZINE
          W/AMITRIPTYLINE
23535 PERSANTINE
23555 PERTROPIN
23585 PETROLATUM
23610 PHAZYME
23658 PHENAGESIC
23710 PHENAZODINE
23715 PHENAZOPYRIDINE
23720 PHENAZOPYRIDINE-
          SULFISOXAZOLE
23745 PHENDIMETRAZINE
23753 PHENELZINE
23755 PHENERGAN
23770 PHENERGAN
          EXPECTORANT
          W/CODEINE
23785 PHENERGAN VC
EXPECTORANT PLAIN
23790 PHENERGAN VC
EXPECTORANT W/CODEINE
23792 PHENERGEN
W/DEXTROMETHORPHAN
23798 PHENERGAN W/CODEINE
23845 PHENOBARBITAL
23850 PHENOBARBITAL &
          ATROPINE

23855 PHENOBARBITAL &
          BELLADONNA
23905 PHENOBARBITAL SODIUM
23920 PHENOBELLA
23935 PHENOL
23970 PHENTERMINE
23995 PHENYLALANINE
24015 PHENYLEPHRINE
24025 PHENYLPROPANOLAMINE
24045 PHENYTOIN

24058 PHILLIPS MILK OF
          MAGNESIA
24065 PHISOAC
24075 PHISODERM
24080 PHISOHEX
24090 PHOS-CAL W/VITAMIN D
24095 PHOS-CAL W/VITAMIN D &
          IRON
24105 PHOS-PHAID
24120 PHOSPHATE ENEMA
24140 PHRENILIN
24175 PHYTONADIONE
24185 PILO
24188 PILO-40
24190 PILOCAR
24195 PILOCARPINE
24255 PITOCIN
24260 PITRESSIN
24300 PLAQUENIL
24310 PLASMA-LYTE
24330 PLATINOL
24355 PNEUMOVAX
24365 PODOPHYLLIN
24405 POLIOMYELITIS VACCINE
24411 POLOCAINE
24415 POLY-VI-FLOR
24420 POLY-VI-SOL
24422 POLY-VITAMIN FLUORIDE
24445 POLYCITRA
24465 POLYMOX
24470 POLYMYXIN
24478 POLY-PRED
24510 POLYSPORIN
24520 POLYTRACIN
24525 POLYVITAMIN
24530 POLYVITAMIN DROPS
24535 POLYVITAMIN FLUORIDE
24543 POLYVITAMIN W/IRON
24545 PONDIMIN
24550 PONSTEL
24555 PONTOCAINE
24585 POSTERISAN
24590 POT CHLOR
24595 POTABA
24640 POTASSIUM BROMIDE
24650 POTASSIUM
24653 POTASSIUM CHLORIDE
24655 POTASSIUM CHLORIDE &
          SOD CHLOR

24660 POTASSIUM CHLORIDE
          MEQ D5-W
24665 POTASSIUM CHLORIDE
          W/DEXTROSE
24685 UROCIT-K
24695 POTASSIUM GLUCONATE
24705 POTASSIUM HYDROXIDE
24715 POTASSIUM NITRATE
24725 POTASSIUM
          PERMANGANATE
24730 POTASSIUM PHOSPHATE
24760 POVIDINE
24765 POVIDONE
24795 PRAMOSONE
24798 PRAMOXINE HC
24804 PRAZEPAM
24805 PRAZOSIN
24830 PRE-NATAL VITAMINS
24835 PRE-PEN
24850 PRED FORTE
24855 PRED MILD
24885 PREDNISOLONE
24890 PREDNISONE
24895 PREDOXINE
24905 PREFLEX
24930 PRELAN
24950 PREMARIN
24960 PREMARIN VAGINAL
24965 PREMARIN W/METHYL-
          TESTOSTERONE
24975 PRENATAL FORMULA
          (VITAMINS)
24980 PRENATAL STUART
24985 PRENATAL W/FOLIC ACID
24988 PRENATAL W/FOLIC ACID
          & IRON
24990 PRENATAMIN
24995 PREPARATION H CREAM
25005 PREPRO
25040 PRIMATENE MIST
25055 PRIMIDONE
25060 PRIMOLINE
25078 PRINIVIL
25150 PROBENECID
25180 PROCAINAMIDE
25185 PROCAINE
25190 PROCAINE HCL
          W/EPINEPHRINE
25195 PROCAMIDE
25210 PROCARBAZINE
25213 PROCARDIA
25220 PROCHLORPERAZINE
25240 PROCTOCORT
25243 PROCTOCREAM-HC
25250 PROCTOFOAM
25255 PROCTOFOAM-HC
25291 PROGEST-50
25305 PROGESTERONE
25328 PROLASTIN
25330 PROLIXIN

25358 PROMETH	26095 RACEPHEDRINE	27300 SALAGEN
25359 PROMETH W/COD	26105 RAGWEED & RELATED	27340 SALICYLATE
25365 PROMETHAZINE	POLLENS ALLERGENIC	27345 SALICYLIC ACID
25375 PROMETHAZINE	26113 RAMSES	27355 SALICYLIC ACID SOAP
COMPOUND	CONTRACEPTIVE	27365 SALIMEPH FORTE
W/CODEINE	VAGINAL	27368 SALINE
25395 PROMETHAZINE HCL	26199 RECOMBIVAX-HB	27405 SALSALATE
EXPECTORANT	26220 RECTAL OINTMENT	27407 SALSITAB
25400 PROMETHAZINE HCL	26245 REDUCETS	27415 SALURON
EXPECTORANT	26250 REGITINE	27435 SANOREX
W/CODEINE	26255 REGLAN	27440 SANSERT
25405 PROMETHAZINE HCL	26260 REGONOL	27445 SANTYL
SYRUP	26265 REGROTON	27455 SARATOGA
25430 PROMETHAZINE VC	26305 RELAXADON	27459 SARNA
W/CODEINE	26320 RENACIDIN	27480 SAROLAX
25432 PROMETHAZINE	26350 RENOGRAFIN	27512 SCABENE
W/CODEINE	26365 RENOVUE	27530 SCLAVOTEST PPD
25433 PROMETHAZINE W/DM	26425 RESERPINE	27545 SCOPOLAMINE
25475 PROPANTHELINE	26433 RESOLVE GEL	27550 SCOPOLAMINE
25485 PROPARACAINE	26435 RESORCINOL	HYDROBROMIDE
25493 PROPINE	26445 RESPIROL	27615 SEBEX SHAMPOO
25495 PROPION GEL	26453 RESTORIL	27635 SEBULEX
25510 PROPOXYPHENE	26475 RETIN-A	27708 SEDATIVE
25530 PROPOXYPHENE HCL	26477 RETROVIR	27725 SELENIUM
W/ACETAMINOPHEN	26495 RHEABAN	27730 SELSUN
25545 PROPOXYPHENE W/APAP	26510 RHEUMATREX	27735 SELSUN BLUE
25560 PROPYLTHIOURACIL	26685 RIBOFLAVIN	27749 SENEXON
25570 PROSOBEE	26695 RID	27770 SENNA
25580 PROSTIGMIN	26705 RIFADIN	27785 SENOKOT
25595 PROTAMINE SULFATE	26715 RIFAMPIN	27795 SENOKOT S
25638 PROVENTIL	26730 RIMSO-50	27816 SENSORCAINE
25640 PROVERA	26735 RINGER'S	27817 SENSORCAINE S-D
25645 PROVIGAN	26755 RIOPAN SWALLOW	W/EPINEPHRINE
25660 PROXENE	26760 RITALIN	27835 SEPTRA
25673 PROXINE HEMORRHOIDAL	26785 ROBAXIN	27840 SEPTRA DS
25674 PROZAC	26795 ROBICILLIN VK	27855 SERAX
25675 PROZEX	26800 ROBIMYCIN	27885 SERPANRAY
25680 PROZINE 50	26805 ROBINUL	27890 SERPASIL
25695 PSEUDOEPHEDRINE	26810 ROBINUL FORTE	27895 SERPASIL ELIXIR
25696 PSEUDOEPHEDRINE	26830 ROBITUSSIN	27960 SIGTAB
W/TRIPROLIDINE	26835 ROBITUSSIN A-C SYRUP	27985 SILVADENE
25750 PURINETHOL	26840 ROBITUSSIN-CF	27995 SILVER NITRATE
25800 PYRAZINAMIDE	26850 ROBITUSSIN-DAC SYRUP	28015 SILVER SULFADIAZINE
25805 PYRIDIATE	26860 ROBITUSSIN-DM SYRUP	28030 SIMETHICONE
25810 PYRIDIUM	26870 ROCALTROL	28035 SIMILAC
25820 PYRIDOSTIGMINE	26883 ROGAINE	28040 SIMPLE SYRUP
25825 PYRIDOXINE HCL	26890 ROLAIDS	28080 SINEMET
25845 PYRINYL	26930 RONDEC SYRUP	28085 SINEQUAN
25865 PYROXINE	26935 RONDEC-DM SYRUP	28100 SINGLET
25950 QUELICIN	26958 ROXICET	28115 SINOGRAFIN
25965 QUESTRAN	27045 RU-TUSS	28156 SINUS EXCEDRIN
26030 QUINIDEX EXTENTAB	27070 RUBBING ALCOHOL	28250 SK-DIPHENHYDRAMINE
26035 QUINIDINE	27075 RUBELLA VIRUS VACCINE	28263 SK-FUROSEMIDE
26040 QUINIDINE SULFATE	LIVE	28272 SK-OXYCODONE
26045 QUININE SULFATE	27120 RULOX	W/ACETAMINOPHEN
26055 QUINOLOR COMPOUND	27130 RUTIN	28273 SK-METRONIDAZOLE
26073 QUIPHILE	27170 RYNA	28285 SK-PENICILLIN VK
26090 RABIES VACCINE	27190 RYNATAN	28350 SKELAXIN

28363 SLEEP EZE
28366 SLO-NIACIN
28390 SLOW-K
28391 SLOW-MAG
28430 SODESTRIN
28445 SODIUM ASCORBATE
28450 SODIUM BENZOATE
28455 SODIUM BICARBONATE
28460 SODIUM BIPHOSPHATE
28470 SODIUM BISULFITE
        REAGENT
28475 SODIUM BORATE
28490 SODIUM CARBONATE
28495 SODIUM CHLORIDE
28505 SODIUM CHLORIDE
        (PARABEN
        PRESERVED)
28515 SODIUM CHLORIDE &
        DEXTROSE
28520 SODIUM CHLORIDE
        BACTERIOSTATIC
28525 SODIUM CHLORIDE
        CONCENTRATE
28545 SODIUM CHLORIDE FOR
        IRRIGATION
28555 SODIUM CHLORIDE
        INFLEX UNIT
28560 SODIUM CHLORIDE
        IRRIGATION
28575 SODIUM CITRATE
28585 SODIUM
        DEHYDROCHOLATE
28595 SODIUM FLUORIDE
28610 SODIUM HYPOCHLORITE
28615 SODIUM
        INDIGOTIN-
        DISULFONATE
28630 SODIUM LAURYL
        SULFATE
28640 SODIUM MORRHUATE
28665 SODIUM PHOSPHATE
28670 SODIUM PHOSPHATE &
        BIPHOSPHATE
28680 SODIUM SUCCINATE
28683 SODIUM SULFACETAMIDE
        OPHTH
28715 SOFNER
28740 SOLARCAINE
28750 SOLBAR
28790 SOLU-CORTEF
28800 SOLU-MEDROL
28803 SOLU-SONE
28825 SOMA
28860 SONIPHEN
28865 SOOTHE EYE
28885 SOPRODOL
28910 SORBITOL
28920 SORBITRATE
28940 SOTRADECOL
29015 SPARINE

29250 SPIRONOLACTONE
29255 SPIRONOLACTONE
        W/HYDROCHLORO-
        THIAZIDE
29277 ST JOSEPH ASPIRIN
        CHILDREN
29285 STADOL
29290 STANBACK ANALGESIC
29300 STANDARD DROPS
29365 STELAZINE
29435 STERAPRED
29498 STEROID(S)
29513 STIMATE
29518 STIMULANT
29533 STOOL SOFTENER
29575 STRESS-VITES
29581 STRESS TABLETS
29600 STRYCHNINE POWDER
29645 SUBLIMAZE
29660 SUCCINYLCHOLINE
29705 SUDAFED
29760 SUFEDRIN
29770 SUL TRIO-MM NO. 2
29785 SULAMYD SODIUM
29795 SULF-10
29810 SULFACET-R LOTION
29815 SULFACETAMID
29825 SULFADIAZINE
29840 SULFAMETHOXAZOLE
29843 SULFAMETHOX
        W/TRIMETHOPRIM
29845 SULFAMYLON
29865 SULFASALAZINE
29880 SULFATHALIDINE
29888 SULFATRIM
29955 SULFUR
29960 SULFUR & RESORCIN
        COMPOUND
29998 SULINDAC
30010 SULPHUR
30018 SUMACAL
30030 SUNSCREEN
30065 SUNSTICK LIP
        PROTECTANT
30100 SUPER B COMPLEX W/C
        LIVER IRON & B-12
30195 SURFAK
30215 SURGICEL
30220 SURGILUBE
30255 SUSTAIRE
30265 SUX-CERT
30302 SYMADINE
30330 SYNALAR
30395 SYNTHROID
30410 SYRACOL
30468 T-STAT
30472 T/SAL
30495 TAGAMET
30513 TALACEN
30520 TALOIN

30535 TALWIN
30545 TAMINE
30553 TAMOXIFEN
30575 TAO
30585 TAPAZOLE
30630 TAVIST
30635 TAXOL
30655 TEARS NATURALE
30660 TEARS PLUS
30705 TEEBACONIN
30730 TEGRETOL
30735 TEGRIN
30756 TEMAZEPAM
30760 TEMPRA
30775 TENAX
30777 TENEX
30780 TENOL
30781 TENORETIC
30782 TENORMIN
30790 TENUATE
30800 TERAZOL
30805 TERBUTALINE
30855 TERRAMYCIN
        W/POLYMYXIN B
        SULFATE
30880 TESSALON PERLE
30915 TESTOSTERONE
30925 TESTOSTERONE DEPOT
30930 TESTOSTERONE
        ENANTHATE
30950 TESTOSTERONE
        PROPIONATE
30980 TESTRED
31000 TETANUS ANTITOXIN
31005 TETANUS DIPHTHERIA
        TOXOID
31010 TETANUS IMMUNE
        GLOBULIN
31015 TETANUS TOXOID
31020 TETRA
31025 TETRACAINE
31030 TETRACAINE HCL
31045 TETRACYCLINE
31050 TETRACYCLINE HCL
31055 TETRACYN
31058 TETRAHYDROZOLINE HCL
31068 TETRASINE
31095 THAM
31110 THEELIN AQUEOUS
        SUSPENSION
31120 THEO-DUR
31140 THEO-ORGANIDIN
31180 THEOFED
31205 THEOLATE
31218 THEOPHEDRIZINE
31219 THEOPHENYLLINE
31235 THEOPHYLLINE
31250 THEOPHYLLINE KI ELIXIR
31295 THERA-COMBEX
31325 THERAGRAN

31335 THERAGRAN-M	32273 TRIAMTERENE	33448 VACCINATION
31345 THERALAX	32285 TRIATROPHENE	33530 VALERIAN
31375 THERAPEUTIC B COMPLEX W/VITAMIN C	32290 TRIAVIL	33550 VALISONE
	32295 TRIBARB	33555 VALIUM
31390 THERAPEUTIC MULTIVITAMIN	32310 TRICHLOROACETIC ACID	33568 VALOPHEN
	32340 TRICONOL	33573 VALPROIC ACID
31418 THERI-CARE	32345 TRIDESILON	33580 VANCOCIN
31445 THIAHEP	32353 TRIDIL	33585 VANCOCIN HCL
31455 THIAMINE	32355 TRIDIONE	33588 VANCOMYCIN
31490 THIOGUANINE	32363 TRIFLUOPERAZINE	33590 VANCOR
31505 THIOPENTAL	32390 TRIHEXYPHENIDYL	33620 VAPO-ISO
31542 THIOTHIXENE	32395 TRILAFON	33625 VAPONEFRIN
31543 THIORIDAZINE	32400 TRILION	33665 VASCORAY
31550 THORAZINE	32405 TRILISATE	33670 VASELINE
31560 THREAMINE	32423 TRIMETHOPRIM W/SULFASOXAZOLE	33675 VASELINE GAUZE
31565 THREE BROMIDES ELIXIR		33677 VASERETIC
31590 THROMBIN TOPICAL	32430 TRIMOX	33685 VASOCIDIN
31598 THROMBOLYTIC AGENT	32433 TRIMPEX	33700 VASOCON
31625 THYROGLOBULIN	32438 TRIMETHOPRIM	33705 VASOCON-A
31630 THYROID	32515 TRIPLE ANTIBIOTIC	33735 VASOPRESSIN
31655 TIGAN	32543 TRIPLEX	33740 VASOPRINE
31658 TIMOLOL	32615 TROBICIN	33780 VEETIDS
31660 TIMOPTIC	32625 TROCAL	33800 VELBAN
31670 TINACTIN	32655 TROPHITE	33805 VELOSEF
31720 TITRALAC	32658 TROPICAMIDE	33810 VELTANE
31723 TOBRADEX	32695 TUBERSOL	33825 VELVACHOL
31725 TOBRAMYCIN	32710 TUCKS	33843 VENTOLIN
31728 TOBREX OPHTHALMIC	32735 TUMS	33858 VERAPAMIL
31735 TOCOPHERYL	32765 TUSAL	33895 VERMOX
31740 TOFRANIL	32830 TUSSEND EXPECTORANT	33905 VERSAL
31760 TOLECTIN	32845 TUSSI-ORGANIDIN	33940 VESPRIN
31780 TOLMETIN	32855 TUSSIONEX	34085 VIBRA
31830 TOPICORT EMOLLIENT	32905 TYLENOL	34090 VIBRAMYCIN
31895 TPN ELECTROLYTES	32915 TYLENOL NO. 2	34100 VICAM
31927 TRANDATE	32920 TYLENOL NO. 3	34103 VICKS VAPORUB
31933 TRANQUILIZER	32925 TYLENOL NO. 4	34110 VICODIN
31938 TRANSDERM-NITRO	32930 TYLENOL W/CODEINE	34115 VICON
31939 TRANSDERM-SCOP	32935 TYLENOL W/CODEINE ELIXIR	34120 VICON FORTE
31945 TRANXENE		34125 VICON-C
31975 TRAVASOL	32940 TYLOSTERONE	34140 VIFEX
31997 TRAZODONE	32945 TYLOX	34155 VIMAH
32000 TRECATOR-SC	32950 TYMATRO	34158 VINBLASTINE
32005 TREMIN	32955 TYMPAGESIC	34160 VINCRISTINE
32013 TRENTAL	32960 TYPHOID VACCINE	34220 VIOKASE
32020 TREXIN	32970 TYROBENZ	34248 VIROPTIC
32052 TRI-CLEAR	33092 UNASYN	34250 VISALENS WETTING
32090 TRI-MINE	33170 UNISOM	34260 VISINE
32095 TRI-MINE EXPECTORANT	33180 UNNA'S GELATIN PASTE	34263 VISKEN
32135 TRI-VERT	33195 URACIL MUSTARD	34270 VISTARIL
32140 TRI-VI-FLOR	33215 UREA	34275 VISTAZINE
32145 TRI-VI-SOL	33225 URECHOLINE	34360 VITAMIN A
32190 TRIAM	33240 UREX	34370 VITAMIN A & D
32195 TRIAMCINOLONE	33265 URIHAB	34410 VITAMIN A SOLUBLE NEO-VADRIN
32200 TRIAMCINOLONE ACETONIDE	33280 URISED	
	33290 URISEP	34425 VITAMIN B COMPLEX
32210 TRIAMCINOLONE NYSTATIN	33300 URISPAS	34440 VITAMIN B COMPLEX HI POTENCY
	33355 UROBIOTIC-250	
32245 TRIAMINIC	33370 UROLENE BLUE	

34450 VITAMIN B COMPLEX
        W/VITAMIN C
34455 VITAMIN B-1
34460 VITAMIN B-1 & B-12
34475 VITAMIN B-1 ELIXIR
34485 VITAMIN B-1 W/B-6
34495 VITAMIN B-12
34505 VITAMIN B-2
34510 VITAMIN B-6
34520 VITAMIN C
34525 VITAMIN C & E
34545 VITAMIN C PLUS E
34560 VITAMIN CHEWABLE
        CHILDREN'S
34565 VITAMIN D
34570 VITAMIN D-2 IN OIL
34575 VITAMIN E
34580 VITAMIN E & C
34585 VITAMIN E NATURAL
34623 VITAMIN K
34625 VITAMIN(S)
34628 VITAMINS AND MINERALS
34675 VITRON-C
34685 VIVACTIL
34725 VOLTAREN
34730 VONTROL
34745 VOSOL HC
34755 VYTONE
34775 WARFARIN
34820 WEHGEN
34830 WEHVERT
34855 WESTCORT
34856 WESTHROID
34885 WHITFIELD S
34890 WIGRAINE
34910 WINSTROL
34920 WITCH HAZEL
34980 WYDASE
34985 WYGESIC
35020 X-PREP BOWEL
        EVACUANT KIT
35023 XANAX
35030 XERAC BP10
35050 XEROFOAM DRESSING
35055 XYLO-PFAN
35060 XYLOCAINE
35065 XYLOCAINE FLAVORED
35070 XYLOCAINE HCL
35080 XYLOCAINE HCL
        W/EPINEPHRINE
35085 XYLOCAINE VISCOUS
35110 YELLOW FEVER VACCINE
35150 ZARONTIN
35155 ZAROXOLYN
35205 ZENTRON
35210 ZEPHIRAN CHLORIDE
35224 ZESTRIL
35240 ZINC
35245 ZINC GLUCONATE
35250 ZINC OXIDE

35260 ZINC SULFATE
35283 ZINC 15
35310 ZINCON
35341 ZOVIRAX
35344 ZWOLFE
35350 ZYLOPRIM
35357 ZYMASE
35415 ANTIDEPRESSANT AGENT
35425 ANTIDIARRHEAL AGENT
35430 ANTIEMETIC AGENT
35445 ANTIFUNGAL AGENT
35450 ANTIHISTAMINE
35455 ANTIINFECTIVE AGENT
35460 ANTIINFLAMMATORY
        AGENT
35465 ANTILIPEMIC AGENT
35470 ANTIMALARIAL AGENT
35475 ANTINAUSEANT AGENT
35495 ANTIPYRETIC AGENT
35505 ANTITUBERCULAR AGENT
35510 ANTIVIRAL AGENT
35530 BACTINE
35555 MAXIMUM STRENGTH
        ASPIRIN
35575 PURIFIED BEEF INSULIN
35576 PURIFIED PORK INSULIN
35595 TRIMETHOPRIM/
        SULFAMETHOXAZOLE
40035 ACACIA
40045 ADC W/FLUORIDE
40150 ASPIR-10
40185 BAYER ASPIRIN
40230 BLANEX
40235 BLOOD CULTURE PREP
        KIT
40250 BUTALBITAL/
        ASPIRIN/CAFFEINE
40280 CALCIUM PHOSPHATE
40285 CALTRATE
40445 CORZIDE
40455 CYCLOPENTOLATE
40460 CYTOTEC
40465 DAILY MULTIVITAMIN
40520 DESYREL
40540 DEXTROSE SODIUM
        CHLORIDE
40545 DEXTROSE IN ASCOR-B-
        SOL
40580 DIABETA
40585 DIHYDROERGOTOXINE
        MESYLATE
40590 DILATAIR
40595 DILONE
40605 DIPHENOXY/ATROP
40610 DIPHENOXYLATE
40615 DIPROLENE
40635 DOCUSATE SOD &
        CASANTHRANOL
40775 GENTACIDIN
40830 HYDRALAZINE W/HCTZ

40890 IOPHYLLINE
40905 ISOPTIN
40950 LOPROX
40955 LOZOL
40960 MANGANESE
40970 MD
40990 MG-AL HYDROX
        W/SIMETH
41115 MULTI VIT
41150 NASALCROM
41185 NORCURON
41215 OCUTRICIN
41240 PALLACE
41310 POLY-VI-SOL W/IRON
41315 POLYETHYLENE GLYCOL
41405 RESPAIRE
41420 ROXANOL
41470 SLOW FE
41490 SODIUM NITROPRUSSIDE
41495 SODIUM POLYSTYRENE
        SULFON
41500 SPECT-T COUGH
        SUPPRESSANT
41505 SPECTAZOLE
41610 THEO-24
41645 TRACRIUM
41715 TRONOLANE
41745 UNIPHYL
41750 URITABS
41775 XYLOCAINE W/GLUCOSE
41780 ZANTAC
41785 ZINACEF
41790 ZINC CHLORIDE
41800 HCTZ
41810 OSMOLYTE
41820 GLYCERIN
        SUPPOSITORIES
41830 PSYLLIUM
41840 HYOSCINE
41845 PTU
41850 KCL
41855 NPH INSULIN
41860 FOLATE
41865 MOM
41875 CAPTOPRIL
41880 ZORPRIN
41890 L/DOPA
41895 HUMULIN INSULIN
41905 THYROXINE
41910 ALUMID
41915 K-LYTE
41920 MULTIVITAMIN W/B12
41928 PSEUDOEPHED/DM
42040 BAXIMIN TRIPLE
        ANTIBIOTIC
42178 TRIPLE ANTIBIOTIC
        OPHTH
42265 DILUENT ORAL
42273 CHLOROPROCAINE
42425 GOLYTELY

42715 MONISTAT VAGINAL	60595 FIORICET	61340 SELDANE
42780 NEOSPORIN OPHTHALMIC	60605 FLUOR-OP	61385 SULFACETAMIDE SODIUM
42800 NORMAL SALINE	60615 GAMMAGARD	61395 SUPROL
42815 NS W/KCL	60625 GASTROVIST	61405 TAMBOCOR
42880 PALADINE	60630 GELFILM,OPHTHALMIC	61410 TAZICEF
42985 PROPRANOLOL	60640 GENTAMICIN	61415 TAZIDIME
42990 PROPRANOLOL W/HCTZ	OPHTHALMIC	61440 TEMOVATE
50000 BRETHAIRE	60665 GLYCERIN	61445 TEN-K
50035 MICRONASE	60680 HALTRAN	61470 TIMENTIN
50040 SUFENTA	60695 HIB-IMUNE	61475 TOLAZAMIDE
60025 ACETIC ACID OTIC	60700 HIB-VAX	61480 TOLNAFTATE
60035 ACLOVATE	60705 HIGH POTENCY	61495 TOPICORT
60040 ADALAT	VITAMINS/MINERALS	61505 TORNALATE
60080 AMINOCAPROIC ACID	60720 I-TRYPTOPHANE	61515 TRI-LEVLEN
60095 ANTIVENIN CROTALIDAE	60725 ILETIN & PROTAMINE ZINC	61565 VASOTEC
POLYVALENT	60730 ILETIN II	61570 VERSED
60115 AUGMENTIN	60735 INFLUENZA VIRUS VACC	61575 VIBRAMYCIN CALCIUM
60120 AUGMENTIN 250	60755 IOPHEN DM	SYRUP
60145 B.P.P.	60760 IRIGATE ISOTONIC	61580 VINCASAR
60150 BACITRACIN OPHTHALMIC	BUFFERED	61595 VITEC
60175 BENZAMYCIN	60765 ISOVUE	61605 WELLBUTRIN
60180 BENZTROPINE MESYLATE	60775 K-DUR	61610 ZYDONE
60185 BETAGAN LIQUIFILM	60780 KEFUROX	61625 TRIAMTERENE W/HCTZ
60195 BETAMETHASONE SOD	60790 KLONOPIN	70078 CANNABIS
PHOSPHATE	60795 LACHYDRIN	89004 AMILORIDE HCL W/HCTZ
60200 BETAMETHASONE	60800 LACTATED RINGER'S	89005 AMINOSYN II
VALERATE	60815 LEVLEN	89009 ANUCORT-HC
60205 BETOPTIC	60835 LOTRISONE	89010 BETAMETHASONE
60235 BRETHANCER	60870 MARINOL	DIPROPIONATE
60240 BRETYLIUM TOSYLATE	60920 MEXITIL	89011 BLEM-DERM
60250 BSS OPHTHALMIC	60940 MSIR	89012 BROMFED-DM
60265 BUPRENEX	60955 MURO TEARS	89014 BUPIVACAINE
60270 BUSPAR	60990 NALBUPHINE HCL	W/EPINEPHRINE
60295 CEFOTAN	60995 NALOXONE HCL	89016 CHARCOAL, ACTIVATED
60310 CHLORPHENIRAMINE	61015 NEODEXAIR	W/ SORBITOL
W/PHENYL-	61025 NICORETTE	89017 CHILDREN'S ADVIL
PROPANOLAMINE	61035 NIX	89018 CLINDAMYCIN HCL
60325 CITRUCEL	61045 NOVOLIN	89019 CLONIDINE HCL
60340 CO-GESIC	61060 NUPRIN	89020 CYCLOBENZAPRINE HCL
60355 COLYTE	61080 OMNIPAQUE	89025 DOXEPIN HCL
60370 CORDARONE	61085 OMNIPEN-N	89028 ERYTHROMYCIN
60375 CORTAID W/ALOE	61095 OPHTHAINE	ETHYLSUCCINATE
60385 CORTISPORIN	61100 ORUDIS	89033 FENOPROFEN CALCIUM
OPHTHALMIC	61115 P.H. PLUS	89035 FLUOCINONIDE
60395 CVC HEPARIN FLUSH KIT	61130 PAIN RELIEVER	89037 HUMULIN 70/30
60405 DEXACIDIN	61135 PEDIACARE	89038 HYDROCODONE
60410 DEXACIDIN OPHTHALMIC	61140 PEDIAPRED	BITARTRATE W/APAP
60415 DEXAMETHASONE/	61160 PEPCID	89039 HYDROCODONE
NEOMYCIN/POLYMIX	61185 PIPERACILLIN	W/ACETAMINOPHEN
60435 DHS ZINC	61205 POVIDONE-IODINE	89040 HYDROCORTISONE
60470 DISOPYRAMIDE	61215 PRIMAXIN	ACETATE
PHOSPHATE	61245 PROPRANOLOL HCL	89041 HYDROCORTISONE SOD
60485 DORYX	61250 PROTHAR	SUCCINATE
60520 ED-B12	61260 PSORCON	89043 INFLAMASE FORTE
60545 ESTRADERM	61270 PYLORA	89044 INSPIREASE
60550 EYE DROPS	61285 RESPINOL LA	89045 LIDOCAINE HCL VISCOUS
60555 EYE WASH	61295 ROCEPHIN	89048 MEPIVICAINE HCL
60565 FENTANYL CITRATE	61330 SECTRAL	

89049 METHYLPREDNISOLONE ACETATE	91064 AZTREONAM	92043 HYOSCYAMINE SULFATE
89050 MOTRIN IB	91065 BENZPHETAMINE	92049 JENEST
89051 NEBUPENT	91066 BUSPIRONE HCL	92051 LODINE
89053 NITROFURANTOIN MACROCRYSTALS	91067 CEFMETAZOLE	92052 LOTENSIN
	91068 CEFTAZIDIME	92055 MIACALCIN
89056 OS-CAL 500+D	91069 CEFTRIAXONE	92057 MONOPRIL
89058 PERMAX	91070 CEFUROXIME SODIUM	92059 MURO 128
89061 POLYTRIM	91071 DEZOCINE	92061 NASACORT
89062 PRAZOSIN HCL	91072 DILTIAZEM HCL	92062 NATURAL FIBER
89063 PRED-G	91073 DIMETHYL SULFOXIDE	92063 NEOMYCIN/ POLYMYXIN/DEXAMETH
89066 PRELONE	91074 ENALAPRIL	
89067 PROCARDIA XL	91078 FLECAINIDE ACETATE	92064 NITROGLYCERIN IN D5W
89068 PROCHLORPERAZINE EDISYLATE	91079 FLUOXETINE	92071 PEDIA-PROFEN
	91080 FLUTAMIDE	92073 PLENDIL
89069 PROCHLORPERAZINE MALEATE	91081 GLIPIZIDE	92074 PODOCON-25
	91084 IPRATROPIUM BROMIDE	92076 PRAVACHOL
89070 PROFENAL	91085 KETOCONAZOLE	92078 PROCRIT
89071 PROPOXYPHENE HCL W/APAP	91086 LEUPROLIDE ACETATE	92079 PROSED/DS
	91088 LOVASTATIN	92080 PROSOM
89072 PROPOXYPHENE NAPSYLATE W/APAP	91089 METHIMAZOLE	92081 PSEUD/APAP/CPM
	91090 MEXILETINE	92085 ROBITUSSIN PEDIATRIC
89074 ROWASA	91091 MISOPROSTOL	92087 STERILE WATER
89076 SUPRAX	91092 MITOMYCIN-C	92088 SULFACETAMIDE W/PREDNISOLONE
89080 TIMOLOL MALEATE	91093 MORICIZINE HCL	
89081 TOBRAMYCIN SULFATE	91095 OLSALAZINE	92091 THEOCHRON
91000 ALBUTEROL SULFATE	91096 OMEPRAZOLE	92092 THEOX
91001 ALFERON N	91098 PROCYCLIDINE	92095 TROPHAMINE
91002 AMILORIDE HCL	91099 RANITIDINE	92100 ULTRAVATE
91003 ANTIPYRINE W/BENZOCAINE	91101 TRANYLCYPROMINE	92101 VELOSULIN HUMAN R
	91102 TRETINOIN	92102 VELOSULIN R
91008 BROMATANE DX	92000 ACCUPRIL	92103 VIDEX
91009 BUTALBITAL/APAP/ CAFFAINE	92001 ACETIC ACID W/HC	92104 ZEASORB-AF
	92002 ACTIDOSE-AQUA	92105 ZOFRAN
91014 DOXORUBICIN HCL	92003 ALTACE	92106 AZT
91015 DOXYCYCLINE HYCLATE	92004 AMPICILLIN SODIUM	92107 BENAZEPRIL
91016 ERGAMISOL	92005 BENYLIN	92108 BERACTANT
91020 EXOSURF	92006 BIAXIN	92109 CEFACLOR
91022 FOLEX PFS	92007 BREVOXYL	92110 CEFIXIME
91025 GENAPAP	92011 CALCIUM ANTACID	92111 CIPROFLOXACIN
91027 GUAIFENESIN AC	92012 CARDURA	92112 CLARITHROMYCIN
91028 HALOPERIDOL LACTATE	92015 CILOXAN	92114 CLOMIPHENE
91029 HYDROXYZINE HCL	92016 CLOZARIL	92115 CLOZAPINE
91034 LOTRIMIN AF	92017 CUTIVATE	92116 DICLOFENAC
91035 LUPRON DEPOT	92018 DESOXIMETASONE	92117 DIDANOSINE
91036 LUTREPULSE	92019 DEXTRAN	92120 DOXAZOSIN MESYLATE
91039 NIFEDIPINE	92020 DEXTROSE 5%-LACTATED RINGERS	92122 EPOETIN ALFA
91040 ONE TOUCH TEST STRIPS		92123 ESTAZOLAM
91041 OTITRICIN OTIC	92022 DORAL	92124 ETODOLAC
91042 PHENYLFENESIN LA	92024 DURAGESIC	92125 FELODIPINE
91043 PRILOSEC	92025 DYNACIRC	92126 FLUTICASONE
91045 RETIN-A REGIMEN	92026 EDTA	92127 FOSCARNET
91046 ROXANOL RESCUDOSE	92027 EMGEL	92128 FOSINOPRIL
91049 RU-TUSS DE	92030 FLAREX	92130 HALOBETASOL
91052 SSD	92031 FLOXIN	92131 HEPATITIS B VACCINE
91057 VENOGLOBULIN	92033 FLUPHENAZINE DECANOATE	92132 ISRADIPINE
91058 VERELAN		92134 LEVONORGESTREL
91061 ACYCLOVIR	92038 GENTAMICIN SULFATE	92135 MESALAMINE
91062 ALPRAZOLAM	92041 HYDROCODONE COMPOUND	92136 METIPRANOLOL
91063 ATENOLOL		92137 METROGEL
	92042 HYDROMET	92138 NADOLOL

92140 OFLOXACIN	93043 COPHENE-B	93133 REPLENS
92141 ONDANSETRON	93045 DEPO PREDATE	93134 RESCON-ED
92142 PENTAMIDINE ISETHIONATE	93046 DERMA-SMOOTHE	93135 RETINOIC ACID
92143 PENTOXIFYLLINE	93048 DILACOR-XR	93136 RHOGAM
92144 PIMOZIDE	93050 DML	93138 SALACID
92145 PIROXICAM	93054 ELDEPRYL	93141 SEROPHENE
92146 PRAVASTAN	93056 ENLON	93143 SHUR-CLENS
92148 QUAZEPAM	93057 ENULOSE	93144 SLEEPING PILL
92149 QUINAPRIL	93059 EPOGEN	93147 STAHIST
92150 RAMIPRIL	93060 EQUALACTIN	93151 SUPPOSITORY
92151 SUPROFEN	93062 FISH OIL	93152 TAC
92152 TERCONAZOLE	93063 FLATULEX	93153 THERAPLEX T
92153 TRANEXAMIC ACID	93064 FLEXALL	93154 THEREMS
92154 ANAFRANIL	93065 GAS-X	93156 TOPROL XL
92155 ANSAID	93066 GENASOFT	93158 TRANS-VER-SAL
92156 DIFLUCAN	93067 GENTAK	93160 TROPICACYL
92157 ELIMITE	93068 GLYCOLIC ACID	93164 VAGISIL
92159 MINITRAN	93069 GLYNASE	93166 VANTIN
92160 PRINZIDE	93070 GROWTH HORMONE	93167 VARICELLA-ZOSTER IMMUNE GLOBULIN
92161 TORADOL	93071 HABITROL	
92162 TRIPHASIL	93073 HEMORRHOID PREPARATION	93169 VERRUSOL
92163 ZESTORETIC		93170 VIRANOL
92164 LISINOPRIL	93074 HEMOCYTE	93171 VISCOAT
92165 CODICLEAR-DH	93078 INFED	93173 WART TREATMENT
92167 DECONSAL SPRINKLE	93082 ISOMIL	93175 YOHIMEX
92174 ENDAL-HD	93083 KWELCOF	93177 ZEROXIN
92176 EXELDERM	93089 LORCET	93178 ZILACTIN
92178 HUMIBID	93090 MACROBID	93179 ZITHROMAX
92179 HUMIBID DM	93091 MAGSAL	93181 ZOCOR
92180 LORTAB	93092 MAX-EPA	93182 ZOLADEX
92181 LORTAB-ASA	93093 MAXAQUIN	93183 ZOLOFT
92182 OCCLUSAL	93094 ROMAZICON (MAZICON)	93185 ZOSTRIX
92183 POLYHISTINE	93098 MONODOX	93186 ANTIHYPERTENSIVE AGENT
92187 PRENATE	93099 MYCOGEN	
93004 AK-PRED	93101 NASAL SPRAY	93187 NORVASC
93009 ALBUMIN	93103 NESTREX	93188 NALTREXONE
93010 ALIMENTUM	93104 NEUPOGEN	93189 ACTINEX
93014 ALLERGY MEDICATION	93105 NICODERM	93190 FLUOROCAINE
93016 ANALPRAM HC	93106 NICOTINE TRANSDERMAL SYSTEM	93193 SERTRALINE
93017 ANDROGYN		93197 RYTHMOL
93018 ANTIMETABOLITE	93107 NICOTROL	93199 ASTHMA MEDICATION
93022 ARTIFICIAL TEAR SOLUTION	93108 NOVA-DEC	93200 ACTIGALL
	93109 NUTRITIONAL SUPPLEMENT	93202 CYCLOSPORINE
93023 ASACOL		93203 LABETALOL
93024 ASPERCREME	93113 OCUVITE	93204 SELEGILINE
93026 AXSAIN	93115 OPTIVITE	93205 TURBINAIRE DECADRON PHOSPHATE
93029 BETA CAROTENE	93116 ORAGEL	
93030 BLEPH-10	93117 ORTH-CYCLEN	93208 JEVITY
93032 BRONCHO SALINE	93118 OXY CLEAN FACIAL	93209 ANTIPSYCHOTIC MEDICATION
93035 CARBIDOPA	93120 PEDIASURE	
93036 CARDENE	93121 PERIDEX	93210 FIBER SUPPLEMENT
93037 CARNITINE	93123 PHOS-EX	93211 AMIODARONE
93038 CEFZIL	93124 PINDOLOL	93212 PAXIL
93039 CELLUFRESH	93126 PREDICORT	93213 GEMFIBROZIL
93040 CELLUVISC	93127 PROSCAR	93214 AZITHROMYCIN
93041 CITRACAL	93129 Q-VEL	93215 FLUCONAZOLE
93042 CONDYLOX	93131 REFRESH	93218 ORTHO-CEPT
	93132 RELAFEN	93220 KETOROLAC

93221 FELBAMATE
93222 SPORANOX
93223 CISPLATIN
93224 CLARITIN
93225 ETOPOSIDE
93226 ERYTHROPOIETIN
93227 GUAIMAX-D
93229 XANTHINES
93231 IMITREX
93232 BOTULISM TOXIN
93233 ACULAR II
93234 KERLONE
93236 DRY EYE THERAPY
93237 SIMVASTATIN
93238 BETAPACE
93239 FLURBIPROFEN
93243 LAMISIL
93244 PEN-KERA
93248 SUMATRIPTAN
93249 VALPROATE
93250 ROXIPRIN
93251 VANEX-FORTE
93252 PHENTOLAMINE
93253 TETRAMUNE
93254 TILADE
93256 PNEUMOCOCCAL
          VACCINE
93257 LORATADINE
93258 CARBOPLATIN
93259 PARAPLATIN
93260 CARMUSTINE
93261 CISAPRIDE
93262 MIDAZOLAM HCL
93303 CEFOTAXIME
93304 NEPHRO-VITE
93305 GLYBURIDE
93306 ADENOCARD
93307 ENGERIX-B
93308 DAKIN'S SOLUTION
93309 BENZODIAZEPINES
93311 PEDVAX HIB
93312 KETOPROFEN
93313 DOBUTAMINE
93315 PROPAFENONE
93316 MEFLOQUINE
93317 PILOPINE
93320 PROTROPIN
93322 RICELYTE
93324 DIDEOXYCYTIDINE
93325 EMLA
93326 INJECTION
93327 ITRACONAZOLE
93330 ASPARAGINASE
93331 VP
93334 CLEMASTINE
93335 APRACLONIDINE
93337 PROPOFOL
93338 DEMECLOCYCLINE
93339 DOAN'S PM EXTRA
          STRENGTH

93340 B 50
93341 FELBATOL
93344 SOAP
93345 DIPRIVAN
93347 AMBIEN
93348 PHOSLO
93351 DHC PLUS
93352 FAMOTIDINE
93353 PROGESTIN
93355 BUPROPION
93356 ANTIGEN
93357 COGNEX
93358 SCLEROSING AGENT
93360 PENETREX
93362 TICLOPIDINE
93363 DESOGEN
93365 MITOXANTRONE
93368 DUODERM
93371 MIDODRINE
93372 BETASERON
93373 UROCIT K
93383 IMMUNIZATION
93385 LOGEN
93386 GI COCKTAIL
93387 CEFOXITIN
93389 IFOSFAMIDE
93392 TAXOTERE
93394 AEROSOL THERAPY
93395 INHALER
93396 AMLODIPINE
93397 BALMEX
93399 OXAPROZIN
93400 NEBULIZER
93403 ITCH-X
93404 SUCRALFATE
93405 SANDOSTATIN
93408 THALIDOMIDE
93411 PROPOXYPHENE/
          ACETAMINOPHEN
93412 BACMIN
93416 CALVULANIC
          ACID/AMOXICILLIN
93417 CEFPROZIL
93418 FILGRASTIM
93419 TRIAZOLAM
93420 NEVIRAPINE
93421 SELENIUM SULFIDE
          SHAMPOO
93422 FLUNISOLIDE
93424 FLUDROCORTISONE
ACETATE
93429 INJECTION (EPIDURAL)
93430 INJECTION
(GANGLION/NERVE BLOCK)
93432 ORUVAIL
93433 ALPROSTADIL
93437 THIAZIDE
93440 CONDOMS
93441 PEG

93442 HAEMOPHILUS B
          CONJUGATE VACCINE
93443 NIMODIPINE
93446 BETAXOLOL
93447 EMOLLIENT / LOTION /
          CREAM /MOISTURIZER
93448 VECURONIUM
93449 RABIES IMMUNE
          GLOBULIN
93451 CLOMIPRAMINE
93453 RH IMMUNE GLOBUIN
93455 PERTUSSIS IMMUNE
          GLOBULIN
93980 MEDICATION(S) –
          CONTINUE/MONITOR/
          REVIEW
93981 MEDICATION(S) –
          PRESCRIBED/
          PROVIDED/OTC
93982 MEDICATION(S) - IV
94001 SOTALOL
94002 BENZONATE
94004 PAROXETINE
94005 TUBERCULIN
          MEDICATION
94007 ENEMA
94010 PENTASA
94011 CATAFLAM
94012 ORTHO-EST
94014 VENLAFAXINE
94016 ZIAC
94018 BABY OIL
94019 BROMODIPHEN-
          HYDRAMINE W/
          CODEINE
94020 ALOMIDE
94021 AQUASITE
94022 BREWERS YEAST
94025 DERMATOP
94027 SHAMPOO
94028 MONOCHLORACETIC
          ACID
94029 NULYTELY
94031 IMDUR
94032 NEUTRODERM CLEANSER
94034 ORTHO-TRICYCLEN
94035 ZOLPIDEM TARTRATE
94038 FACTOR VIII
94041 PINK COCKTAIL
94042 TEBAMIDE
94043 TYLENOL ALLERGY SINUS
94045 BEANO
94047 MESNA
94048 METROGEL VAGINAL
94049 OYSTER SHELL CALCIUM
94051 SOLAQUIN FORTE
94052 TRIAMETERNE
94053 BETA BLOCKER
94054 ACE INHIBITOR
94055 ACEI-IMUNE

94056 AK DILATE
94058 COLLAGEN
94059 DOVONEX
94061 ISOVEX
94062 MONOKET
94064 NOVACET
94065 PROSTAGLANDIN(S)
94070 EFFEXOR
94071 INDAPAMIDE
94072 NSAID
94073 OCUFLOX
94074 PULMOZYME
94075 SEREVENT
94076 ALPHA HYDROXY
94079 CORTICOSTEROID(S)
94080 DESMOPRESSIN
94081 DIVALPROEX SODIUM
94082 GLAUCOMA MEDICATION
94086 ATUSS HD
94089 ICAPS
94091 VAGINAL LUBRICANT
94092 ADEKS
94093 DORNASE ALFA
94097 MEPRON
94099 NEURONTIN
94100 NIZATIDINE
94101 OXISTAT
94102 PYRIMETHAMINE
94103 QUININE
94104 RISPERIDONE
94105 VANCENASE AQ
94108 TECHNETIUM
94110 LOZENGES
94113 DIFLUNISAL
94114 GABAPENTIN
94116 HUMULIN R
94117 LOVENOX
94118 NAPHAZOLINE/
       PHENIRAMINE
94119 NORETHINDRONE
       ACETATE
94120 OTOMYCIN
94121 RINGWORM MEDICINE
94123 BECONASE AQ
94124 CHOLESTYRAMINE
94125 ALEVE
94126 DEMADEX
94127 DAYPRO
94128 DAYQUIL
94129 DOXY
94131 GARLIC PILL
94133 TERAZOSIN
94134 DESONIDE
94136 LAMIVUDINE
94137 SULFA
94139 CEFPODOXIME
94140 SYNAREL
94141 BACTIGEN

94142 EXIDINE
94143 DEPO INJECTION
94145 OINTMENT
94146 PENICILLIN G
       BENZATHINE
94149 ESGIC PLUS
94150 FLUDARA
94151 FLUDARABINE
94153 ZONALON
94154 LESCOL
94155 MEDIPLAST
94156 LURLINE PMS
94158 RISPERDAL
94160 KYTRIL
94161 DACTINOMYCIN
94162 AZACITIDINE
94163 ALOE VERA
94167 ED A-HIST
94171 METHYLDOPA/
       CHLOROTHIAZIDE
94172 IMMUNOSUPPRESIVE
       DRUG
94173 ACEBUTOLOL
94174 RHINOCORT
94175 ANTIBACTERIAL AGENT
94177 AREDIA
94179 NABUMETONE
94181 SORBSAN
94183 FUNGI NAIL
94185 SEIZURE MEDICATION
94187 ERCAF
94188 FENTANYL
94189 FLUMAZENIL
94190 MG
94191 MONISTAT
94192 HIV MEDICATION
94195 RECEPTIN
94196 OCTREOTIDE
95001 INTERFERON-BETA
95002 BETAGEN
95003 ECONAZOLE
95005 FLONASE
95007 LUBRIN
95009 DECONAMINE SR
95011 DEXACORT
95012 GONIOSCOPIC
95015 TESTODERM
95016 ADDERALL
95017 FAMVIR
95018 NASAL WASH
95020 NICARDIPINE
95021 ARTHRITIS MEDICATION
95022 FEVERALL
95023 CHILDRENS MOTRIN
95024 FLUVOXAMINE
95025 LUVOX
95027 ALTRACIN
95028 CEFTIZOXIME

95029 DOK
95032 NITRATES
95033 MAC
95035 ATRACURIUM
95036 BUPRENORPHINE
95038 FACTOR IX COMPLEX
95041 NITROPRUSSIDE
95042 NOREPINEPHRINE
95044 ROBITUSSIN W/ CODEINE
95045 TYLENOL PM
95046 AMYLASE
95047 ATOVAQUONE
95050 ULTRAM
95051 VASCOR
95052 OPTIRAY
95053 REGULAR
95054 ACTHIB
95055 DESFLURANE
95057 DTAP
95058 ISOFLURANE
95060 LIPISORB
95061 PAPAYA ENZYME
95062 STROVITE
95063 SUPRANE
95064 ZIDOVUDINE
95065 ZEMURON
95066 GASTROINTESTINAL
       AGENT
95067 INTERFERON
95072 BENZTROPINE
95077 EXSEL SHAMPOO
95078 PANCREASE MT
95080 SERZONE
95081 VICKS FORMULA 44
95082 PAMIDRONATE
95083 RECOMBINATE
95084 STAVUDINE
95085 DEMEROL W/ VISTARIL
95086 LIQUID NITROGEN
95087 PROPHYLAXIS
95088 ESTROPIPATE
95089 METAXALONE
95090 TAR PREPARATION
       SHAMPOO
95091 TRIPEDIA
95092 PRAVASTATIN
95095 LARIAM
95097 CARDIOLITE
95100 PROTEIN SUPPLEMENT
95101 T-GEL SHAMPOO
95103 OCUSERT
95105 ANTIOX
95106 DANDRUFF SHAMPOO
95108 CETAPHIL MOISTURIZER
95109 CROLOM
95111 GLUCOPHAGE
95112 HYPERTONIC SALINE
95113 LACTICARE HC

95114 TRUSOPT	96015 EFLONE	96115 SALMETEROL
95115 NUTROPIN	96016 PROXACOL	96117 SPINAL
95116 CAPSAICIN	96020 LEVOXYL	96121 DIMETAPP
95118 HEPATITIS A VACCINE	96021 TSH	COLD/ALLERGY
95119 MULTIVITAMIN W/ IRON	96022 ZYRTEC	96122 REMERON
95122 PREVACID	96024 CLOBETASOL	96123 ZEBETA
95126 METHYLENE	96027 DOCUSATE SODIUM	96124 HAVRIX
DIPHOSPHONATE	96028 ACETAMINOPHEN-	96125 MELATONIN
95130 ULTRASE	HYDROCODONE	96128 AVONEX
95133 METFORMIN	96031 DRONABINOL	96130 LANSOPRAZOLE
95135 PRECARE	96032 INVIRASE	96133 ADAPALENE
95137 ALFALFA	96033 LEVOBUNOLOL	96135 PHENERGAN DM
95138 AK-FLUOR	96035 SAQUINAVIR	96136 CORMAX
95140 FLUVASTATIN	96038 MUPIROCIN	96137 DHEA
95141 NEFAZODONE	96040 SENSODYNE	96138 AMARYL
95142 PREMPRO	TOOTHPASTE	96139 OTOCAIN
95144 LOTREL	96041 TRAMADOL	96141 VIVELLE
95145 MENINGOCOCCAL	96042 NEORAL	96144 ACCOLATE
VACCINE	96043 VALTREX	96145 ALFENTANIL
95147 VAGINAL CREAM	96044 NASAREL	96147 CELLCEPT
95148 HEPATITIS C VACCINE	96045 DEMEROL	96149 IMIPENEM-CILASTATIN
95149 ZOSYN	96049 HEPATITIS VACCINE	SODIUM
95150 ADVERA	96050 HOMEOPATHICS	96151 PEPTAMEN
95151 RADIOACTIVE IODINE	96054 NAVELBINE	96152 RILUTEK
95152 COZAAR	96055 LEVOTHYROID	96154 SOMATROPIN
95154 QUERCETIN	96058 PRECOSE	96155 TRIAMINIC ALLERGY
95155 FLAX SEED OIL	96059 PRENAVITE	96156 VITAFOL
95156 MYCOCIDE	96060 SEVOFLURANE	96157 AEROCHAMBER
95157 COLESTIPOL	96061 SOMATOSTATIN	96161 DIFLORASONE
95158 AQUA-BAN	96062 ULTANE	DIACETATE
95160 CLIMARA	96063 PROBUCOL	96162 PROVISC
95164 DORZOLAMIDE	96065 GEMCITABINE	96163 VITRAX
95170 OCUSULF-10	96066 NORVIR	96164 BETIMOL
95171 HYZAAR	96067 ANTIOXIDANTS	96165 ELMIRON
95173 LEVBID	96068 TRIAZ	96166 RENOVA
95174 PROGRAF	96072 TIAZAC	96167 XALATAN
95177 FINASTERIDE	96074 BARIUM ENEMA	96168 MAVIK
95178 FIORICET/ CODEINE	96075 HYDROGEL	96169 ACIDOPHILUS
95180 GLUCERNA	96080 CRIXIVAN	96170 CIDOFOVIR
95181 LAMICTAL	96081 DECOFED	96171 MENTAX
95182 VARIVAX	96083 NAPRELAN	96172 OXANDROLONE
95183 FOSAMAX	96084 OPCON-A	96173 ZYPREXA
95184 CLIDINIUM BROMIDE	96085 REDUX	96174 ALLEGRA
95186 ESMOLOL	96086 SULAR	96175 TRITEC
95187 DYNABAC	96087 VIBRA-TABS	96176 DIFFERIN
95188 PREMPHASE	96091 FLOVENT	96177 IMMUNO THERAPY
95189 UNIVASC	96093 RITONAVIR	97001 CEFTIBUTEN
95190 OCUCOAT	96094 ACARBOSE	97002 OLANZAPINE
95191 EPIVIR	96095 ETOMIDATE	97004 CEFOTETAN
95192 CASODEX	96096 SECOBARBITAL	97005 CEREBYX
96002 DEFEN-LA	96097 COSYNTROPIN	97006 FEIBA VH IMMUNO
96003 PERMETHRIN	96099 MOLINDONE	97009 AUROLATE
96005 ALENDRONATE SODIUM	96102 EC-NAPROSYN	97010 GAMMA GLOBULIN
96006 AZELEX	96103 MAXITUSSIN	97011 MIGRAINE AGENT
96007 CETIRIZINE	96105 TEGADERM	97012 PACLITAXEL
96008 HUMULIN N	96106 ADRENALINE CHLORIDE	97013 PREVALITE
96009 BENZOCAINE	96107 BUMETANIDE	97015 TOPOTECAN
96010 VAPORIZER	96109 OXYCONTIN	97016 ARICEPT
96012 MEPERGAN FORTIS	96110 CARNITOR	97017 HUMALOG
96013 PALGIC	96111 AYR NASAL GEL	97019 SAW PALMETTO

97020 LIPITOR	97108 HELIDAC	98022 ZOMIG
97021 MUSE	97109 REVIA	98023 MERIDIA
97024 ZYFLO	97111 TARKA	98025 MONUROL
97026 BENADRYL W LIDOCAINE	97112 SUDAL	98026 ACNE MEDICATION
97027 FLINTSTONES VITAMINS	97113 ZANAFLEX	98028 PANCOF
97028 ALPHAGAN	97114 TAURINE	98030 ECHINACEA
97029 ATUSS DM	97118 FLEET PHOSPHO-SODA	98032 LEVOCABASTINE
97030 NEOCATE	97120 NISOLDIPINE	98033 ALDARA
97034 ZYBAN	97121 POSICOR	98036 NORCO
97035 ASTELIN	97126 FLOMAX	98037 RHO VACCINE
97036 DIOVAN	97127 PANDEL	98038 SINGULAIR
97037 PATANOL	97129 ST JOHNS WORT	98039 SINUVENT
97038 GEMZAR	97130 TACROLIMUS	98041 VIAGRA
97040 TRIM-SULFA	97132 MAXIPIME	98043 VICOPROFEN
97041 ANTITUSSIVE	97133 NIMBEX	98045 PROTUSS DM
97045 LEVAQUIN	97134 PLASMA	98046 MICROZIDE
97046 OMNIHIST	97135 VALACYCLOVIR	98047 NORITATE
97047 MAGNESIUM	97136 LAMOTRIGINE	98049 DONEPEZIL HCL
97049 TOPAMAX	97138 TUSSIN DM	98050 LODOSYN
97050 VISIPAQUE	97141 COMBIVIR	98051 OS-CAL +D
97051 VIRACEPT	97142 COREG	98053 PREVPAC
97052 VIRAMUNE	97145 AVAPRO	98054 TAZORAC
97054 DELAVIRDINE	97146 ESTRING	98055 FOLLISTIM
97055 ESTROSTEP	97148 MITOMYCIN	98056 GONAL-F
97056 MIRTAZAPINE	97149 NILUTAMIDE	98058 OXANDRIN
97057 NELFINAVIR	97150 REQUIP	98062 REPRONEX
97059 TROGLITAZONE	97151 CHONDROITIN SULFATE	98063 RESCON DM
97060 FAMCICLOVIR	97152 MIRAPEX	98065 DETROL
97061 NAROPIN	97154 VINEGAR	98067 ANALGESIC-NARCOTIC
97062 ULTIVA	97155 TIMOPTIC XE	98071 THERAFLU
97063 CLAVULANIC ACID	97157 ATORVASTATIN	98073 DOMPERIDONE
97065 MULTIPLE VITAMIN WITH	97159 CALCITRIOL	98074 ANDROID
CALCIUM	97160 CRINONE	98075 CALCIUM CITRATE
97068 DEXTROSTAT	97161 PROMOD	98076 TUBERCULOSIS VACCINE
97072 HYDROXPROPYL	97162 FOSPHENYTOIN	98077 TRI-TANNATE
METHYCELLULOSE	97163 LEVOFLOXACIN	98078 ADVIL COLD AND SINUS
97073 LOSARTAN	97164 WATER PILL	98080 RESINOL
97075 GENTEAL	97165 HEMABATE	98082 TROVAFLOXACIN
97078 ANDRODERM PATCHES	97167 BEROCCA PLUS	98083 AZOPT
97079 CAMPTOSAR	97168 SEROQUEL	98085 NIASPAN
97081 FRAGMIN	97170 CENTRUM SILVER	98086 PLAVIX
97083 TOMOCAT	97172 PREPIDIL	98087 SULFOIL
97084 ROCURONIUM	97174 BABY ASPIRIN	98088 TASMAR
97085 TORSEMIDE	97178 PULMICORT	98089 TERBINAFINE
97086 ALESSE	TURBUHALER	98090 ARIMIDEX
97087 CORTANE B OTIC DROPS	97179 DENAVIR	98091 CHEMET
97089 GUANFACINE	97181 OXY IR	98092 DOXIL
97092 TRANDOLAPRIL	98001 MAG-OX	98093 MONTELUKAST
97094 ZOTO	98005 ANAPLEX HD	98094 REGRANEX
97096 FERTINEX	98006 ARTHROTEC	98095 SUSTIVA
97097 LIQUIBID-D	98008 CARVEDILOL	98096 TOBI
97098 PRAMIPEXOLE	98009 MUCO-FEN	98097 AMERGE
97099 GENERAL ANESTHESIC	98010 NASONEX	98098 COSOPT
97101 NIFEREX FORTE	98011 CONSTULOSE	98099 GINKGO
97103 ALA-CORT	98013 BEE POLLEN	98100 MIGRANAL
97105 COMBIVENT	98016 NEUTROGENA T/GEL	98101 PRANDIN
97106 DAPIPRAZOLE	98017 PROPECIA	98103 XELODA
97107 DURACT	98018 VANICREAM	98104 VICODIN TUSS

98106 ANZEMET	99024 C/T/S	99112 D-5-W
98107 IRINOTECAN	99025 ACITRETIN	99114 ENDOCET
98108 HI-COR	99026 GLUCOSAMINE	99117 LIDOCAINE BICARBONATE
98109 CHLORHEXIDINE GLUCONATE	99027 LID SCRUB	99118 NECON
98110 PROTRIPTYLINE	99028 TYLENOL ARTHRITIS	99119 NITROPASTE
98111 SORIATANE	99029 PREDNISOLONE ACETATE OPHTHALMIC	99123 MORPHINE SULFATE
98112 AVITA	99030 AVANDIA	99124 NASAL DROPS
98114 CARBATROL	99031 ATACAND	99125 NITRODRIP
98115 CELEXA	99033 CLOPIDOGREL	99126 KARO
98116 GABITRIL	99036 GLUCOSAMINE CHONDROITIN	99127 LIDOCAINE/ EPINEPHRINE/ TETRACAINE
98117 FENOFIBRATE	99037 HUMULIN 50/50	99128 LIPASE
98122 ACTIDOSE WITH SORBITOL	99038 VANEX-HD	99129 Q-PAP
98123 ANTIRETROVIRAL AGENT	99039 LOTENSIN HCT	99130 SINEX
98125 MYCOPHENLATE	99041 MAXIFED	99131 TRIBIOTIC
98126 FLUVIRIN	99042 PACERONE	99132 EVISTA
98130 BOOST	99043 PROAMATINE	99133 ALBUTEROL
98131 TOPIRAMATE	99046 RITUXAN	99136 HELIOX
98132 OXALIPLATIN	99048 SODIUM SULFACETAMIDE AND SULFUR	99137 HERBS
98135 NEUMEGA	99049 XENICAL	99138 KELP
98136 PROMETRIUM	99051 AVALIDE	99139 MAGIC MOUTHWASH
98139 TIZANIDINE	99052 ACTIVATED CHARCOAL	99141 PIN-X
98141 VALSARTAN	99054 FERATAB	99142 PRENATAL VITAMINS W/ IRON
98142 ALREX	99055 FLUROX	99144 RACEMIC EPINEPHRINE
98143 COPAXONE	99056 GLIMEPIRIDE	99146 VITAPLEX
98144 KADIAN	99057 HEMOCYTE PLUS	99147 ACCUZYME
98145 FACTOR VII-A	99059 MICARDIS	99148 ARMIDEX
98146 EFAVIRENZ	99060 MICRO-K 10	99149 A & E CREAM
98150 DEHYDROEPI- ANDROSTERONE	99061 PRENATE ULTRA	99150 B-50
98151 GENOTROPIN	99062 PRIMACOR	99151 ADENOSINE TRIPHOSPHATE
98156 MAXALT	99066 SINEMET CR	99152 EVENING PRIMROSE OIL
98158 TRICOR	99067 VIOXX	99153 FLEXTRA-DS
98160 ARAVA	99072 PROMETH W/ CODEINE	99154 ISOCAINE HCL
98161 CAPECITABINE	99073 CIPRO HC	99155 L-CARNITINE
98164 LOTEMAX	99074 CITALOPRAM	99156 LIPID LOWERING AGENT
98165 MARCOF EXPECTORANT	99075 ENBREL	99157 LOPIDINE
98166 RONDEC TR	99076 GLUCOSAMINE SULFATE	99159 PROCUREN
98167 GRAPESEED EXTRACT	99080 MIRALAX	99161 ROPINIROLE HCL
99001 CEFEPIME	99081 MULTIVITAMINS W/ FOLIC ACID	99163 ANAPLEX DM
99002 CELEBREX	99085 RELENZA	99165 CHILDRENS NYQUIL
99003 LUSTRA CREAM	99086 T/SCALP	99167 COQ-10
99005 REMICADE	99087 TRICODENE	99168 CREATINE
99006 RENAGEL	99088 ZIAGEN	99169 DEPO-MEDROXY- PROGESTERONE
99007 ROPIVACAINE HCL	99089 ACIPHEX	99172 NOVOLIN 70/30
99008 ALLEGRA D	99090 ACTOS	99174 PHOSPHORUS
99009 BIOHIST-LA	99095 HERCEPTIN	99179 PREVEN
99010 MIRCETTE	99096 HYDRATED PETROLEUM	99180 PROBALANCE
99013 NASACORT AQ	99098 NITROQUICK	99183 THERAVITE
99014 OMNICEF	99099 PLETAL	99184 TRIVORA
99015 ORTHO-NOVUM 7/7/7	99100 PREDNICARBATE	99185 UNIRECTIC
99016 PRIMROSE OIL	99101 QUETIAPINE FUMARATE	99187 ACTICIN
99017 RIBAVIRIN	99102 THERATEARS	99188 BOOST PLUS
99018 ROTAVIRUS VACCINE	99103 TUBEX	99189 CALCIUM W/ VITAMIN D
99019 SYNVISC	99104 TUSSI-12	99191 MULTIDEX
99020 SEROTONIN	99106 XOPENEX	99192 NORGESIC FORTE
99021 TYCOLENE P.M.	99107 ZADITOR	99193 SAM-E
99022 CECLOR CD	99109 BUFFERED LIDOCAINE	
99023 CORTISPORIN OTIC		

99194 ABACAVIR SULFATE
99196 CISATRACURIUM
           BESYLATE
99197 DOLASETRON MESYLATE
99199 FENRETINIDE
99200 METHOHEXITAL
99201 ORTHO-CYCLEN
99202 PRENATAL VITAMINS W/
           CALCIUM
99203 RITUXIMAB
99204 REOPRO
99205 TETRABENAZINE
99207 BRIMONIDINE
99209 CALENDULA CREAM
99210 CARTIA
99211 CITRACAL + D
99213 DIASTAT
99214 DIOVAN HCT
99215 ENTEX LA
99216 FEXOFENADINE
99219 GINKGO BILOBA
99222 IV SEDATION
99223 LEVORA
99224 OMEGA-3
99225 RALOXIFENE
99227 UNIRETIC
99980 OTHER
99999 ILLEGIBLE

THIS PAGE HAS BEEN LEFT BLANK INTENTIONALLY

Appendix III
Multum Lexicon End-User License Agreement

1. Introduction

A. This License Agreement (the "License") applies to the Multum Lexicon database (the "Database"). This License does not apply to any other products or services of Cerner Multum, Inc. ("Multum"). A "work based on the Database" means either the Database or any derivative work under copyright law; i.e., a work containing the Database or a substantial portion of it, either verbatim or with modifications. A translation of the Database is included without limitation in the term "modification". Each end-user/licensee is addressed herein as "you".

B. Your use of the Database acknowledges acceptance of these restrictions, disclaimers, and limitations. You expressly acknowledge and agree that Multum is not responsible for the results of your decisions resulting from the use of the Database, including, but not limited to, your choosing to seek or not to seek professional medical care, or from choosing or not choosing specific treatment based on the Database.

C. Every effort has been made to ensure that the information provided in the Database is accurate, up-to-date, and complete, but no guarantee is made to that effect. In addition, the drug information contained herein may be time sensitive.

D. Multum does not assume any responsibility for any aspect of healthcare administered or not administered with the aid of information the Database provides.

2. Terms and Conditions for Copying, Distribution and Modification

A. You may copy and distribute verbatim copies of the Database as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Database a copy of this License (the readme.txt file) along with the Database and anything else that is part of the package, which should be identified.

B. You may modify your copy or copies of the Database or any portion of it to form a derivative work, and copy and distribute such modifications or work under the terms of Section 2.A. above, provided that you also meet all of these conditions:

i) You must cause the modified files to carry prominent notices stating that they are derived from the Multum Lexicon database from Cerner Multum, Inc. and that you changed the files and the date of any change(s).

ii) If you incorporate modified files into a computer program, you must cause it, when started running for interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice, a notice that you have modified the Multum Lexicon database from Cerner Multum, Inc., and a notice that there is no warranty (or that you provide the warranty) and telling the user how to view a copy of this License.

C. It is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Database.

D. You may copy and distribute the Database (or a work based on it, under Section 2.B.) in an encoded form under the terms of Sections 2.A. and 2.B. above provided that you also do one of the following:

i) Accompany it with the complete corresponding machine-readable plain text, which must be distributed

under the terms of Sections 2.A and 2.B. above on a medium customarily used for software interchange; or, ii) Accompany it with a written offer to give any third party, for no charge, a complete machine-readable copy of the Database (and the entirety of your derivative work based on it, under Section 2.B.), to be distributed under the terms of Sections 2.A. and 2.B. above on a medium customarily used for software interchange.

E. You may not copy, modify, sublicense, or distribute the Database except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Database will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

F. You are not required to accept this License. However, nothing else grants you permission to copy, modify or distribute the Database or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by copying, modifying or distributing the Database (or any work based on the Database), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Database or works based on it.

G. Each time you redistribute the Database (or any work based on the Database), the recipient automatically receives a license from Multum to copy, distribute or modify the Database subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

3. Disclaimer of Warranties; Limitation of Damages

A. BECAUSE THE DATABASE IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM OR DATA, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING. MULTUM AND/OR OTHER PARTIES PROVIDE THE DATABASE "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED, STATUTORY OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE DATABASE IS WITH YOU. SHOULD THE DATABASE PROVE DEFECTIVE, INCOMPLETE, OR INACCURATE, YOU ASSUME THE RESPONSIBILITY AND COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

B. IN NO EVENT (UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING) WILL MULTUM, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE DATABASE AS PERMITTED ABOVE, BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR INDIRECT DAMAGES, INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, OR DOWN TIME, EVEN IF MULTUM OR ANY OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

C. IN ADDITION, WITHOUT LIMITING THE FOREGOING, THE DATABASE HAS BEEN DESIGNED FOR USE IN THE UNITED STATES ONLY AND COVERS THE DRUG PRODUCTS USED IN PRACTICE IN THE UNITED STATES. MULTUM PROVIDES NO CLINICAL INFORMATION OR CHECKS FOR DRUGS NOT AVAILABLE FOR SALE IN THE UNITED STATES AND CLINICAL PRACTICE PATTERNS OUTSIDE THE UNITED STATES MAY DIFFER SUBSTANTIALLY FROM INFORMATION SUPPLIED BY THE DATABASE. MULTUM DOES NOT WARRANT THAT USES OUTSIDE THE UNITED STATES ARE APPROPRIATE.

D. You acknowledge that updates to the Database are at the sole discretion of Multum. Multum makes no representations or warranties whatsoever, express or implied, with respect to the compatibility of the Database, or future releases thereof, with any computer hardware or software, nor does Multum represent or warrant the continuity of the features or the facilities provided by or through the Database as between various releases thereof.

E. Any warranties expressly provided herein do not apply if: (i) the end-user alters, mishandles or improperly uses, stores or installs all, or any part, of the Database, (ii) the end-user uses, stores or installs the Database on a computer system which fails to meet the specifications provided by Multum, or (iii) the breach of warranty arises out of or in connection with acts or omissions of persons other than Multum.

4. Assumption of Risk, Disclaimer of Liability, Indemnity

A. THE END-USER ASSUMES ALL RISK FOR SELECTION AND USE OF THE DATABASE AND CONTENT PROVIDED THEREON. MULTUM SHALL NOT BE RESPONSIBLE FOR ANY ERRORS, MISSTATEMENTS, INACCURACIES OR OMISSIONS REGARDING CONTENT DELIVERED THROUGH THE DATABASE OR ANY DELAYS IN OR INTERRUPTIONS OF SUCH DELIVERY.

B. THE END-USER ACKNOWLEDGES THAT MULTUM: (A) HAS NO CONTROL OF OR RESPONSIBILITY FOR THE END-USER'S USE OF THE DATABASE OR CONTENT PROVIDED THEREON, (B) HAS NO KNOWLEDGE OF THE SPECIFIC OR UNIQUE CIRCUMSTANCES UNDER WHICH THE DATABASE OR CONTENT PROVIDED THEREON MAY BE USED BY THE END-USER, (C) UNDERTAKES NO OBLIGATION TO SUPPLEMENT OR UPDATE CONTENT OF THE DATABASE, AND (D) HAS NO LIABILITY TO ANY PERSON FOR ANY DATA OR INFORMATION INPUT ON THE DATABASE BY PERSONS OTHER THAN MULTUM.

C. MULTUM SHALL NOT BE LIABLE TO ANY PERSON (INCLUDING BUT NOT LIMITED TO THE END-USER AND PERSONS TREATED BY OR ON BEHALF OF THE END-USER) FOR, AND THE END-USER AGREES TO INDEMNIFY AND HOLD MULTUM HARMLESS FROM ANY CLAIMS, LAWSUITS, PROCEEDINGS, COSTS, ATTORNEYS' FEES, DAMAGES OR OTHER LOSSES (COLLECTIVELY, "LOSSES") ARISING OUT OF OR RELATING TO (A) THE END-USER'S USE OF THE DATABASE OR CONTENT PROVIDED THEREON OR ANY EQUIPMENT FURNISHED IN CONNECTION THEREWITH AND (B) ANY DATA OR INFORMATION INPUT ON THE DATABASE BY END-USER, IN ALL CASES INCLUDING BUT NOT LIMITED TO LOSSES FOR TORT, PERSONAL INJURY, MEDICAL MALPRACTICE OR PRODUCT LIABILITY.

5. Miscellaneous

A. You warrant that you have authority within the organization you identified during registration for the Database to enter into license agreements with other organizations including Multum.

B. You agree that Multum may identify you and/or your organization by name as a "licensee", "licensed user", or "licensing organization" of the Database or a "client" of Multum in Multum's external market communications. You also agree that Multum may issue, if it desires, a press release stating that you and/or your organization have licensed the Database.

C. If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other obligations, then as a consequence you may not distribute the Database at all.

D. If any portion of this License is held invalid or unenforceable under any particular circumstance, the balance of this License is intended to apply and the License as a whole is intended to apply in other circumstances.
E. If the distribution and/or use of the Database is or becomes restricted in certain countries either by patents or by copyrighted interfaces, Multum may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

Multum Lexicon
Copyright (c) 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2008
Cerner Multum, Inc.
2000 South Colorado Blvd, Suite 11000
Denver, Colorado 80222

APPENDIX III. MULTUM CLASSIFICATION OF THERAPEUTIC CLASSES (DRUG CATEGORIES)

	Level 1		Level 2		Level 3
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
001	anti-infectives	002	amebicides		
001	anti-infectives	003	anthelmintics		
001	anti-infectives	004	antifungals	235	polyenes
001	anti-infectives	004	antifungals	236	azole antifungals
001	anti-infectives	004	antifungals	237	miscellaneous antifungals
001	anti-infectives	004	antifungals	310	echinocandins
001	anti-infectives	005	antimalarial agents	238	antimalarial quinolines
001	anti-infectives	005	antimalarial agents	239	miscellaneous antimalarials
001	anti-infectives	005	antimalarial agents	328	antimalarial combinations
001	anti-infectives	006	antituberculosis agents	230	aminosalicylates
001	anti-infectives	006	antituberculosis agents	231	nicotinic acid derivatives
001	anti-infectives	006	antituberculosis agents	232	rifamycin derivatives
001	anti-infectives	006	antituberculosis agents	233	streptomyces derivatives
001	anti-infectives	006	antituberculosis agents	234	miscellaneous antituberculosis agents
001	anti-infectives	006	antituberculosis agents	329	antituberculosis combinations
001	anti-infectives	007	antiviral agents	175	protease inhibitors
001	anti-infectives	007	antiviral agents	176	NRTIs
001	anti-infectives	007	antiviral agents	177	miscellaneous antivirals
001	anti-infectives	007	antiviral agents	227	NNRTIs
001	anti-infectives	007	antiviral agents	228	adamantane antivirals
001	anti-infectives	007	antiviral agents	229	purine nucleosides
001	anti-infectives	007	antiviral agents	281	neuraminidase inhibitors
001	anti-infectives	007	antiviral agents	327	antiviral combinations
001	anti-infectives	007	antiviral agents	330	antiviral interferons
001	anti-infectives	007	antiviral agents	364	antiviral chemokine receptor antagonist

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
001	anti-infectives	007	antiviral agents	366	integrase strand transfer inhibitor
001	anti-infectives	008	carbapenems		
001	anti-infectives	009	cephalosporins	159	first generation cephalosporins
001	anti-infectives	009	cephalosporins	160	second generation cephalosporins
001	anti-infectives	009	cephalosporins	161	third generation cephalosporins
001	anti-infectives	009	cephalosporins	162	fourth generation cephalosporins
001	anti-infectives	009	cephalosporins	379	next generation cephalosporins
001	anti-infectives	010	leprostatics		
001	anti-infectives	011	macrolide derivatives	304	macrolides
001	anti-infectives	011	macrolide derivatives	305	ketolides
001	anti-infectives	012	miscellaneous antibiotics		
001	anti-infectives	013	penicillins	222	penicillinase resistant penicillins
001	anti-infectives	013	penicillins	223	antipseudomonal penicillins
001	anti-infectives	013	penicillins	224	aminopenicillins
001	anti-infectives	013	penicillins	225	beta-lactamase inhibitors
001	anti-infectives	013	penicillins	226	natural penicillins
001	anti-infectives	014	quinolones		
001	anti-infectives	015	sulfonamides		
001	anti-infectives	016	tetracyclines		
001	anti-infectives	017	urinary anti-infectives		
001	anti-infectives	018	aminoglycosides		
001	anti-infectives	240	lincomycin derivatives		
001	anti-infectives	315	glycylcyclines		
001	anti-infectives	406	glycopeptide antibiotics		
020	antineoplastics	021	alkylating agents		
020	antineoplastics	022	antibiotics/antineoplastics		
020	antineoplastics	023	antimetabolites		
020	antineoplastics	024	hormones/antineoplastics		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
020	antineoplastics	025	miscellaneous antineoplastics		
020	antineoplastics	026	mitotic inhibitors		
020	antineoplastics	323	antineoplastic monoclonal antibodies		
020	antineoplastics	324	antineoplastic interferons		
020	antineoplastics	343	tyrosine kinase inhibitors		
020	antineoplastics	383	antineoplastic detoxifying agents		
020	antineoplastics	391	MTOR kinase inhibitors		
020	antineoplastics	397	multikinase inhibitors		
020	antineoplastics	398	BCR-ABL tyrosine kinase inhibitors		
020	antineoplastics	399	CD52 monoclonal antibodies		
020	antineoplastics	400	CD33 monoclonal antibodies		
020	antineoplastics	401	CD20 monoclonal antibodies		
020	antineoplastics	402	VEFG/VEGFR inhibitors		
020	antineoplastics	403	MTOR inhibitors		
020	antineoplastics	404	EGFR inhibitors		
020	antineoplastics	405	HER2 inhibitors		
020	antineoplastics	408	histone deacetylase inhibitors		
020	antineoplastics	429	trifunctional monoclonal antibodies		
020	aantineoplastics	431	anti-CTLA-4 monoclonal antibodies		
028	biological	030	antitoxins and antivenins		
028	biological	034	in vivo diagnostic biologicals		
028	biological	036	recombinant human erythropoietins		
028	biological	390	hematopoietic stem cell mobilizer		
040	cardiovascular agents	041	agents for hypertensive emergencies		
040	cardiovascular agents	042	angiotensin converting enzyme inhibitors		
040	cardiovascular agents	043	antiadrenergic agents, peripherally acting		
040	cardiovascular agents	044	antiadrenergic agents, centrally acting		
040	cardiovascular agents	045	antianginal agents		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
040	cardiovascular agents	046	antiarrhythmic agents	385	group I antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	386	group II antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	387	group III antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	388	group IV antiarrhythmics
040	cardiovascular agents	046	antiarrhythmic agents	389	group V antiarrhythmics
040	cardiovascular agents	047	beta-adrenergic blocking agents	274	cardioselective beta blockers
040	cardiovascular agents	047	beta-adrenergic blocking agents	275	non-cardioselective beta blockers
040	cardiovascular agents	048	calcium channel blocking agents		
040	cardiovascular agents	049	diuretics	154	loop diuretics
040	cardiovascular agents	049	diuretics	155	potassium-sparing diuretics
040	cardiovascular agents	049	diuretics	156	thiazide diuretics
040	cardiovascular agents	049	diuretics	157	carbonic anhydrase inhibitors
040	cardiovascular agents	049	diuretics	158	miscellaneous diuretics
040	cardiovascular agents	050	inotropic agents		
040	cardiovascular agents	051	miscellaneous cardiovascular agents		
040	cardiovascular agents	052	peripheral vasodilators		
040	cardiovascular agents	053	vasodilators		
040	cardiovascular agents	054	vasopressors		
040	cardiovascular agents	055	antihypertensive combinations		
040	cardiovascular agents	056	angiotensin II inhibitors		
040	cardiovascular agents	303	agents for pulmonary hypertension		
040	cardiovascular agents	319	vasopressin antagonists		
040	cardiovascular agents	325	sclerosing agents		
040	cardiovascular agents	340	aldosterone receptor agonists		
040	cardiovascular agents	342	renin inhibitors		
040	cardiovascular agents	396	Prostaglandin D2 antagonists		
040	cardiovascular agents	430	anticholinergic chronotropic agents		
040	cardiovascular agents	433	catecholamines		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
057	central nervous system agents	058	analgesics	059	miscellaneous analgesics
057	central nervous system agents	058	analgesics	060	narcotic analgesics
057	central nervous system agents	058	analgesics	061	nonsteroidal anti-inflammatory agents
057	central nervous system agents	058	analgesics	062	salicylates
057	central nervous system agents	058	analgesics	063	analgesic combinations
057	central nervous system agents	058	analgesics	191	narcotic analgesic combinations
057	central nervous system agents	058	analgesics	193	antimigraine agents
057	central nervous system agents	058	analgesics	278	cox-2 inhibitors
057	central nervous system agents	064	anticonvulsants	199	hydantoin anticonvulsants
057	central nervous system agents	064	anticonvulsants	200	succinimide anticonvulsants
057	central nervous system agents	064	anticonvulsants	201	barbiturate anticonvulsants
057	central nervous system agents	064	anticonvulsants	202	oxazolidinedione anticonvulsants
057	central nervous system agents	064	anticonvulsants	203	benzodiazepine anticonvulsants
057	central nervous system agents	064	anticonvulsants	204	miscellaneous anticonvulsants
057	central nervous system agents	064	anticonvulsants	311	dibenzazepine anticonvulsants
057	central nervous system agents	064	anticonvulsants	345	fatty acid derivative anticonvulsants
057	central nervous system agents	064	anticonvulsants	346	gamma-aminobutyric acid reuptake inhibitors
057	central nervous system agents	064	anticonvulsants	347	gamma-aminobutyric acid analogs
057	central nervous system agents	064	anticonvulsants	348	triazine anticonvulsants
057	central nervous system agents	064	anticonvulsants	349	carbamate anticonvulsants
057	central nervous system agents	064	anticonvulsants	350	pyrrolidine anticonvulsants
057	central nervous system agents	064	anticonvulsants	351	carbonic anhydrase inhibitor anticonvulsants
057	central nervous system agents	064	anticonvulsants	352	urea anticonvulsants
057	central nervous system agents	064	anticonvulsants	496	Neuronal potassium channel openers
057	central nervous system agents	065	antiemetic/antivertigo agents	195	5HT3 receptor antagonists
057	central nervous system agents	065	antiemetic/antivertigo agents	196	phenothiazine antiemetics
057	central nervous system agents	065	antiemetic/antivertigo agents	197	anticholinergic antiemetics
057	central nervous system agents	065	antiemetic/antivertigo agents	198	miscellaneous antiemetics

Level 1		Level 2		Level 3	
CAT ID	**CATEGORY NAME**	**CAT ID**	**CATEGORY NAME**	**CAT ID**	**CATEGORY NAME**
057	central nervous system agents	066	antiparkinson agents	205	anticholinergic antiparkinson agents
057	central nervous system agents	066	antiparkinson agents	206	miscellaneous antiparkinson agents
057	central nervous system agents	066	antiparkinson agents	276	dopaminergic antiparkinson agents
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	068	Barbiturates
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	069	Benzodiazepines
057	central nervous system agents	067	anxiolytics, sedatives, and hypnotics	070	miscellaneous anxiolytics, sedatives and hypnotics
057	central nervous system agents	071	CNS stimulants		
057	central nervous system agents	072	general anesthetics		
057	central nervous system agents	073	muscle relaxants	074	neuromuscular blocking agents
057	central nervous system agents	073	muscle relaxants	178	skeletal muscle relaxants
057	central nervous system agents	073	muscle relaxants	179	skeletal muscle relaxant combinations
057	central nervous system agents	080	miscellaneous central nervous system agts		
057	central nervous system agents	253	anorexiants		
057	central nervous system agents	312	cholinergic agonists		
057	central nervous system agents	313	cholinesterase inhibitors		
057	central nervous system agents	378	drugs used in alcohol dependence		
081	coagulation modifiers	082	anticoagulants	261	Heparins
081	coagulation modifiers	082	anticoagulants	262	coumarins and indandiones
081	coagulation modifiers	082	anticoagulants	283	thrombin inhibitors
081	coagulation modifiers	082	anticoagulants	285	factor Xa inhibitors
081	coagulation modifiers	083	antiplatelet agents	211	platelet aggregation inhibitors
081	coagulation modifiers	083	antiplatelet agents	212	glycoprotein platelet inhibitors
081	coagulation modifiers	084	heparin antagonists		
081	coagulation modifiers	085	miscellaneous coagulation modifiers		
081	coagulation modifiers	086	thrombolytics		
081	coagulation modifiers	384	platelet-stimulating agents		
087	gastrointestinal agents	088	antacids		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
087	gastrointestinal agents	090	antidiarrheals		
087	gastrointestinal agents	091	digestive enzymes		
087	gastrointestinal agents	092	gallstone solubilizing agents		
087	gastrointestinal agents	093	GI stimulants		
087	gastrointestinal agents	094	H2 antagonists		
087	gastrointestinal agents	095	laxatives		
087	gastrointestinal agents	096	miscellaneous GI agents		
087	gastrointestinal agents	272	proton pump inhibitors		
087	gastrointestinal agents	277	5-aminosalicylates		
087	gastrointestinal agents	354	H. pylori eradication agents		
087	gastrointestinal agents	355	functional bowel disorder agents	089	anticholinergics/antispasmodics
087	gastrointestinal agents	355	functional bowel disorder agents	356	serotoninergic neuroenteric modulators
087	gastrointestinal agents	355	functional bowel disorder agents	362	chloride channel activators
087	gastrointestinal agents	355	functional bowel disorder agents	375	peripheral opioid receptor antagonists
097	hormones	098	adrenal cortical steroids	300	Corticotrophin
097	hormones	098	adrenal cortical steroids	301	Glucocorticoids
097	hormones	098	adrenal cortical steroids	302	Mineralocorticoids
097	hormones	100	miscellaneous hormones		
097	hormones	101	sex hormones	102	Contraceptives
097	hormones	101	sex hormones	182	androgens and anabolic steroids
097	hormones	101	sex hormones	183	Estrogens
097	hormones	101	sex hormones	184	gonadotropins
097	hormones	101	sex hormones	185	progestins
097	hormones	101	sex hormones	186	sex hormone combinations
097	hormones	101	sex hormones	187	miscellaneous sex hormones
097	hormones	101	sex hormones	279	gonadotropin releasing hormones
097	hormones	103	thyroid drugs		
097	hormones	288	5-alpha-reductase inhibitors		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
097	hormones	295	growth hormones		
097	hormones	318	insulin-like growth factor		
097	hormones	357	growth hormone receptor blockers		
097	hormones	377	prolactin hormones		
097	hormones	410	adrenal corticosteroid inhibitors		
097	hormones	411	calcitonin		
097	Hormones	413	antigonadotropic agents		
097	Hormones	414	antidiuretic hormones		
097	Hormones	416	somatostatin and somatostatin analogs		
097	Hormones	417	selective estrogen receptor modulators		
097	Hormones	418	parathyroid hormone and analogs		
097	Hormones	419	gonadotropin-releasing hormone antagonists		
097	Hormones	420	antiandrogens		
097	Hormones	422	antithyroid agents		
097	Hormones	423	aromatase inhibitors		
097	Hormones	424	estrogen receptor antagonists		
097	Hormones	426	synthetic ovulation stimulants		
097	Hormones	428	progesterone receptor modulators		
105	miscellaneous agents	106	antidotes		
105	miscellaneous agents	107	chelating agents		
105	miscellaneous agents	108	cholinergic muscle stimulatns		
105	miscellaneous agents	109	local injectable anesthetics		
105	miscellaneous agents	110	miscellaneous uncategorized agents		
105	miscellaneous agents	111	psoralens		
105	miscellaneous agents	114	illicit (street) drugs		
105	miscellaneous agents	192	antirheumatics		
105	miscellaneous agents	270	antipsoriatics		
105	miscellaneous agents	284	viscosupplementation agents		

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
105	miscellaneous agents	320	smoking cessation agents		
113	Genitourinary tract agents	263	impotence agents		
113	Genitourinary tract agents	264	urinary antispasmodics		
113	Genitourinary tract agents	265	urinary pH modifiers		
113	Genitourinary tract agents	266	miscellaneous genitourinary tract agents		
113	Genitourinary tract agents	412	uterotonic agents		
113	Genitourinary tract agents	427	tocolytic agents		
115	nutritional products	116	iron products		
115	nutritional products	117	minerals and electrolytes		
115	nutritional products	118	oral nutritional supplements		
115	nutritional products	119	vitamins		
115	nutritional products	120	vitamin and mineral combinations		
115	nutritional products	121	intravenous nutritional products		
122	respiratory agents	123	antihistamines		
122	respiratory agents	124	antitussives		
122	respiratory agents	125	bronchodilators	126	methylxanthines
122	respiratory agents	125	bronchodilators	180	adrenergic bronchodilators
122	respiratory agents	125	bronchodilators	181	bronchodilator combinations
122	respiratory agents	125	bronchodilators	299	anticholinergic bronchodilators
122	respiratory agents	127	decongestants		
122	respiratory agents	128	expectorants		
122	respiratory agents	129	miscellaneous respiratory agents		
122	respiratory agents	130	respiratory inhalant products	296	inhaled corticosteroids
122	respiratory agents	130	respiratory inhalant products	297	mucolytics
122	respiratory agents	130	respiratory inhalant products	298	mast cell stabilizers
122	respiratory agents	130	respiratory inhalant products	407	inhaled anti-infectives
122	respiratory agents	131	antiasthmatic combinations		
122	respiratory agents	132	upper respiratory combinations		

2010 NHAMCS MICRO-DATA FILE DOCUMENTATION

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
122	respiratory agents	243	leukotriene modifiers		
122	respiratory agents	273	lung surfactants		
133	topical agents	134	anorectal preparations		
133	topical agents	135	antiseptic and germicides		
133	topical agents	136	dermatological agents	137	topical anti-infectives
133	topical agents	136	dermatological agents	138	topical steroids
133	topical agents	136	dermatological agents	139	topical anesthetics
133	topical agents	136	dermatological agents	140	miscellaneous topical agents
133	topical agents	136	dermatological agents	141	topical steroids with anti-infectives
133	topical agents	136	dermatological agents	143	topical acne agents
133	topical agents	136	dermatological agents	144	topical antipsoriatics
133	topical agents	136	dermatological agents	248	topical emollients
133	topical agents	136	dermatological agents	290	topical antibiotics
133	topical agents	136	dermatological agents	291	topical antivirals
133	topical agents	136	dermatological agents	292	topical antifungals
133	topical agents	136	dermatological agents	380	topic debriding agents
133	topical agents	136	dermatological agents	381	topical depigmenting agents
133	topical agents	136	dermatological agents	382	topical antihistamines
133	topical agents	136	dermatological agents	394	topical astringents
133	topical agents	136	dermatological agents	395	topical keratolytics
133	topical agents	146	mouth and throat products		
133	topical agents	147	ophthalmic preparations	163	ophthalmic anti-infectives
133	topical agents	147	ophthalmic preparations	164	ophthalmic glaucoma agents
133	topical agents	147	ophthalmic preparations	165	ophthalmic steroids
133	topical agents	147	ophthalmic preparations	166	ophthalmic steroids with anti-infectives
133	topical agents	147	ophthalmic preparations	167	ophthalmic anti-inflammatory agents
133	topical agents	147	ophthalmic preparations	168	ophthalmic lubricants and irrigations

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
133	topical agents	147	ophthalmic preparations	169	miscellaneous ophthalmic agents
133	topical agents	147	ophthalmic preparations	267	ophthalmic antihistamines and decongestants
133	topical agents	147	ophthalmic preparations	286	Mydriatics
133	topical agents	147	ophthalmic preparations	287	ophthalmic anesthetics
133	topical agents	147	ophthalmic preparations	321	ophthalmic diagnostic agents
133	topical agents	147	ophthalmic preparations	322	ophthalmic surgical agents
133	topical agents	147	ophthalmic preparations	353	anti-angiogenic ophthalmic agents
133	topical agents	148	otic preparations	170	otic anti-infectives
133	topical agents	148	otic preparations	171	otic steroids with anti-infectives
133	topical agents	148	otic preparations	172	miscellaneous otic agents
133	topical agents	148	otic preparations	370	otic steroids
133	topical agents	148	otic preparations	392	otic anesthetics
133	topical agents	148	otic preparations	393	cerumenolytics
133	topical agents	150	sterile irrigating solutions		
133	topical agents	151	vaginal preparations	149	spermicides
133	topical agents	151	vaginal preparations	268	vaginal anti-infectives
133	topical agents	151	vaginal preparations	269	miscellaneous vaginal agents
133	topical agents	247	nasal preparations	244	nasal lubricants and irrigations
133	topical agents	247	nasal preparations	245	nasal steroids
133	topical agents	247	nasal preparations	246	nasal antihistamines and decongestants
133	topical agents	247	nasal preparations	344	nasal anti-infectives
153	plasma expanders				
218	alternative medicines	219	nutraceutical products		
218	alternative medicines	220	herbal products		
218	alternative medicines	363	probiotics		
242	psychotherapeutic agents	249	antidepressants	076	miscellaneous antidepressants
242	psychotherapeutic agents	249	antidepressants	208	SSRI antidepressants

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
242	psychotherapeutic agents	249	antidepressants	209	tricyclic antidepressants
242	psychotherapeutic agents	249	antidepressants	250	monoamine oxidase inhibitors
242	psychotherapeutic agents	249	antidepressants	306	phenylpiperazine antidepressants
242	psychotherapeutic agents	249	antidepressants	307	tetracyclic antidepressants
242	psychotherapeutic agents	249	antidepressants	308	SSNRI antidepressants
242	psychotherapeutic agents	251	antipsychotics	077	miscellaneous antipsychotic agents
242	psychotherapeutic agents	251	antipsychotics	079	psychotherapeutic combinations
242	psychotherapeutic agents	251	antipsychotics	210	phenothiazine antipsychotics
242	psychotherapeutic agents	251	antipsychotics	280	Thioxanthenes
242	psychotherapeutic agents	251	antipsychotics	341	atypical antipsychotics
254	immunologic agents	033	immune globulins		
254	immunologic agents	037	toxoids		
254	immunologic agents	039	miscellaneous biologicals		
254	immunologic agents	104	immunosuppressive agents	441	Calcineurin inhibitors
254	immunologic agents	104	immunosuppressive agents	442	TNF alfa inhibitors
254	immunologic agents	104	immunosuppressive agents	443	Interleukin inhibitors
254	immunologic agents	104	immunosuppressive agents	444	Selective immunosuppressants
254	immunologic agents	104	immunosuppressive agents	445	Other immunosuppressants
254	immunologic agents	104	immunosuppressive agents		
254	immunologic agents	257	immunosuppressive monoclonal antibodies		
254	immunologic agents	436	BLyS-specific inhibitors		
254	immunologic agents	437	Immunostimulants	031	Bacterial vaccines
254	immunologic agents	437	Immunostimulants	032	Colony stimulating factors
254	immunologic agents	437	Immunostimulants	038	Viral vaccines
254	immunologic agents	437	Immunostimulants	256	Interferons
254	immunologic agents	437	Immunostimulants	432	Vaccine combinations
254	immunologic agents	437	Immunostimulants	438	Interleukins
254	immunologic agents	437	Immunostimulants	439	Other immunostimulants

Level 1		Level 2		Level 3	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
254	immunologic agents	437	Immunostimulants	440	Therapeutic vaccines
331	radiologic agents	027	radiopharmaceuticals	338	diagnostic radiopharmaceuticals
331	radiologic agents	027	radiopharmaceuticals	339	therapeutic radiopharmaceuticals
331	radiologic agents	112	radiocontrast agents	333	miscellaneous iodinated contrast media
331	radiologic agents	112	radiocontrast agents	334	lymphatic staining agents
331	radiologic agents	112	radiocontrast agents	335	magnetic resonance imaging contrast media
331	radiologic agents	112	radiocontrast agents	336	non-iodinated contrast media
331	radiologic agents	112	radiocontrast agents	337	ultrasound contrast media
331	radiologic agents	112	radiocontrast agents	368	non-ionic iodinated contrast media
331	radiologic agents	112	radiocontrast agents	369	ionic iodinated contrast media
331	radiologic agents	332	radiologic adjuncts	374	cardiac stressing agents
331	radiologic agents	332	radiologic adjuncts	376	radiologic conjugating agents
358	metabolic agents	019	antihyperlipidemic agents	173	HMG-CoA reductase inhibitors
358	metabolic agents	019	antihyperlipidemic agents	174	miscellaneous antihyperlipidemic agents
358	metabolic agents	019	antihyperlipidemic agents	241	fibric acid derivatives
358	metabolic agents	019	antihyperlipidemic agents	252	bile acid sequestrants
358	metabolic agents	019	antihyperlipidemic agents	316	cholesterol absorption inhibitors
358	metabolic agents	019	antihyperlipidemic agents	317	antihyperlipidemic combinations
358	metabolic agents	099	antidiabetic agents	213	sulfonylureas
358	metabolic agents	099	antidiabetic agents	214	biguanides
358	metabolic agents	099	antidiabetic agents	215	insulin
358	metabolic agents	099	antidiabetic agents	216	alpha-glucosidase inhibitors
358	metabolic agents	099	antidiabetic agents	271	thiazolidinediones
358	metabolic agents	099	antidiabetic agents	282	meglitinides
358	metabolic agents	099	antidiabetic agents	309	miscellaneous antidiabetic agents
358	metabolic agents	099	antidiabetic agents	314	antidiabetic combinations

Level 1		Level 2		Level 2	
CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME	CAT ID	CATEGORY NAME
358	metabolic agents	099	antidiabetic agents	371	dipeptidyl peptidase 4 inhibitors
358	metabolic agents	099	antidiabetic agents	372	amylin analogs
358	metabolic agents	099	antidiabetic agents	373	incretin mimetics
358	metabolics agents	194	antigout agents		
358	metabolic agents	289	antihyperuricemic agents		
358	metabolic agents	293	glucose elevating agents		
358	metabolic agents	359	peripherally acting antiobesity agents		
358	metabolic agents	360	lysosomal enzymes		
358	metabolic agents	361	miscellaneous metabolic agents		
358	metabolic agents	409	bone resorption inhibitors	217	bisphosphonates
358	metabolic agents	409	bone resorption inhibitors	415	miscellaneous bone resorption inhibitors
365	medical gas				