

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 IDN Variables Monday, April 18, 2011  
 Unweighted Frequencies

1

**Continuous variables in the frequency  
 report only show the range of valid numbers**

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
38 Quality of Life	6775	100.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Disability Questions Tests 2010	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	6775	100.00

IDN.000\_04.000: HH identifier

HHX	Frequency	Percent
Range of Values	6775	100.00

IDN.000\_25.000: Interview Quarter

INTV_QRT	Frequency	Percent
1 Quarter 1	1809	26.70
2 Quarter 2	1631	24.07
3 Quarter 3	1655	24.43
4 Quarter 4	1680	24.80

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
IDN Variables Monday, April 18, 2011  
Unweighted Frequencies

2

IDN.000\_30.000: Assignment Week

ASSIGNWK	Frequency	Percent
01 Week 1	467	6.89
02 Week 2	358	5.28
03 Week 3	489	7.22
04 Week 4	527	7.78
05 Week 5	713	10.52
06 Week 6	580	8.56
07 Week 7	561	8.28
08 Week 8	549	8.10
09 Week 9	618	9.12
10 Week 10	525	7.75
11 Week 11	551	8.13
12 Week 12	425	6.27
13 Week 13	412	6.08

IDN.000\_35.000: Family Serial Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	6775	100.00

IDN.000\_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	6775	100.00

IDN.000\_70.000: Weight - Final Quality of Life file

WTFA_QOL	Frequency	Percent
Range of Values	6775	100.00

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 UCF Variables Monday, April 18, 2011  
 Unweighted Frequencies

3

UCF.000\_00.000: Pseudo-stratum for public use file variance estimation

STRAT_P	Frequency	Percent
001-300	6775	100.00

UCF.000\_00.000: Pseudo-PSU for public use file variance estimation

PSU_P	Frequency	Percent
01-02	6775	100.00

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

4

QOL.100\_00.000: Amount of difficulty seeing

VIS_SS	Frequency	Percent
1 No difficulty	5292	78.11
2 Some difficulty	778	11.48
3 A lot of difficulty	114	1.68
4 Cannot do at all/Unable to do	9	0.13
7 Refused	31	0.46
8 Not ascertained	543	8.01
9 Don't know	8	0.12

QOL.110\_00.000: Wear glasses to see far away

VIS_1	Frequency	Percent
1 Yes	2664	42.81
2 No	3506	56.34
7 Refused	36	0.58
8 Not ascertained	4	0.06
9 Don't know	13	0.21

Frequency Missing = 552

QOL.120\_00.000: Amount of difficulty clearly seeing someone's face across a room

VIS_2	Frequency	Percent
1 No difficulty	5604	90.05
2 Some difficulty	488	7.84
3 A lot of difficulty	60	0.96
4 Cannot do at all/Unable to do	9	0.14
7 Refused	38	0.61
8 Not ascertained	8	0.13
9 Don't know	16	0.26

Frequency Missing = 552

QOL.130\_00.000: Wear glasses for reading/seeing up close

VIS_3	Frequency	Percent
1 Yes	3137	50.41
2 No	3021	48.55
7 Refused	41	0.66
8 Not ascertained	11	0.18
9 Don't know	13	0.21

Frequency Missing = 552

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables                      Monday, April 18, 2011  
Unweighted Frequencies

5

QOL.140\_00.000: Amount of difficulty seeing picture on coin

VIS_4	Frequency	Percent
1 No difficulty	5484	88.12
2 Some difficulty	564	9.06
3 A lot of difficulty	91	1.46
4 Cannot do at all/Unable to do	14	0.22
7 Refused	41	0.66
8 Not ascertained	11	0.18
9 Don't know	18	0.29

Frequency Missing = 552

QOL.150\_00.000: Amount of difficulty hearing

HEAR_SS	Frequency	Percent
1 No difficulty	5448	80.41
2 Some difficulty	638	9.42
3 A lot of difficulty	77	1.14
4 Cannot do at all/Unable to do	10	0.15
7 Refused	36	0.53
8 Not ascertained	556	8.21
9 Don't know	10	0.15

QOL.160\_00.000: Use a hearing aid

HEAR_1	Frequency	Percent
1 Yes	221	3.56
2 No	5952	95.86
7 Refused	29	0.47
8 Not ascertained	0	0.00
9 Don't know	7	0.11

Frequency Missing = 566

QOL.160\_00.001: How often use hearing aid

HEAR_2	Frequency	Percent
1 All of the time	107	48.42
2 Some of the time	49	22.17
3 Rarely	13	5.88
4 Never	52	23.53
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6554

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

6

QOL.170\_00.000: Amount of difficulty hearing  
conversation with one person in quiet room

HEAR_3	Frequency	Percent
1 No difficulty	5667	91.27
2 Some difficulty	448	7.22
3 A lot of difficulty	40	0.64
4 Cannot do at all/Unable to do	5	0.08
7 Refused	38	0.61
8 Not ascertained	1	0.02
9 Don't know	10	0.16

Frequency Missing = 566

QOL.170\_00.001: Amount of difficulty hearing  
conversation with one person in noisier room

HEAR_4	Frequency	Percent
1 No difficulty	4398	70.90
2 Some difficulty	1496	24.12
3 A lot of difficulty	242	3.90
4 Cannot do at all/Unable to do	14	0.23
7 Refused	38	0.61
8 Not ascertained	1	0.02
9 Don't know	14	0.23

Frequency Missing = 572

QOL.180\_00.000: Amount of difficulty walking or climbing steps

MOB_SS	Frequency	Percent
1 No difficulty	4985	73.58
2 Some difficulty	758	11.19
3 A lot of difficulty	325	4.80
4 Cannot do at all/Unable to do	114	1.68
7 Refused	27	0.40
8 Not ascertained	559	8.25
9 Don't know	7	0.10

QOL.190\_00.000: Amount of difficulty moving around inside home

MOB_1	Frequency	Percent
1 No difficulty	5647	83.35
2 Some difficulty	432	6.38
3 A lot of difficulty	79	1.17
4 Cannot do at all/Unable to do	26	0.38
7 Refused	26	0.38
8 Not ascertained	560	8.27
9 Don't know	5	0.07

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

7

QOL.200\_00.000: Use equipment or receive  
 help walking/climbing steps/moving around

MOB_2	Frequency	Percent
1 Yes	615	9.08
2 No	5569	82.20
7 Refused	25	0.37
8 Not ascertained	561	8.28
9 Don't know	5	0.07

QOL.200\_00.001: Use cane/walking stick

MOB_3A	Frequency	Percent
1 Yes	287	46.67
2 No	328	53.33
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160

QOL.200\_00.002: Use a walker

MOB_3B	Frequency	Percent
1 Yes	162	26.34
2 No	453	73.66
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160

QOL.200\_00.003: Use crutches

MOB_3C	Frequency	Percent
1 Yes	31	5.04
2 No	584	94.96
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160

QOL.200\_00.004: Use a wheelchair

MOB_3D	Frequency	Percent
1 Yes	87	14.15
2 No	528	85.85
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160

QOL.200\_00.005: Use prosthesis

MOB_3E	Frequency	Percent
1 Yes	21	3.41
2 No	594	96.59
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160

QOL.200\_00.006: Use someone's assistance

MOB_3F	Frequency	Percent
1 Yes	152	24.72
2 No	462	75.12
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.16

Frequency Missing = 6160

QOL.200\_00.007: Use other type of equipment or help

MOB_3G	Frequency	Percent
1 Yes	41	6.67
2 No	574	93.33
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 6160



2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

9

QOL.200\_00.008: Specify other type of equipment or help

MOBSPEC	Frequency	Percent
Verbatim response	41	100.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 6734

QOL.210\_00.000: Amount of difficulty walking 100 yards on level ground

MOB_4	Frequency	Percent
1 No difficulty	5219	85.18
2 Some difficulty	482	7.87
3 A lot of difficulty	198	3.23
4 Cannot do at all/Unable to do	184	3.00
7 Refused	29	0.47
8 Not ascertained	1	0.02
9 Don't know	14	0.23

Frequency Missing = 648

QOL.220\_00.000: Amount of difficulty walking a third of a mile on level ground

MOB_5	Frequency	Percent
1 No difficulty	4851	81.64
2 Some difficulty	609	10.25
3 A lot of difficulty	267	4.49
4 Cannot do at all/Unable to do	157	2.64
7 Refused	31	0.52
8 Not ascertained	2	0.03
9 Don't know	25	0.42

Frequency Missing = 833

QOL.230\_00.000: Amount of difficulty walking up or down 12 steps

MOB_6	Frequency	Percent
1 No difficulty	5092	83.11
2 Some difficulty	609	9.94
3 A lot of difficulty	224	3.66
4 Cannot do at all/Unable to do	152	2.48
7 Refused	31	0.51
8 Not ascertained	3	0.05
9 Don't know	16	0.26

Frequency Missing = 648

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

10

QOL.240\_00.000: Amount of difficulty walking 100 yards on level ground using aid

MOB_7	Frequency	Percent
1 No difficulty	274	51.89
2 Some difficulty	93	17.61
3 A lot of difficulty	71	13.45
4 Cannot do at all/Unable to do	87	16.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.57

Frequency Missing = 6247

QOL.250\_00.000: Amount of difficulty walking  
 a third of a mile on level ground using aid

MOB_8	Frequency	Percent
1 No difficulty	242	54.88
2 Some difficulty	82	18.59
3 A lot of difficulty	63	14.29
4 Cannot do at all/Unable to do	52	11.79
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.45

Frequency Missing = 6334

QOL.260\_00.000: Amount of difficulty walking up or down 12 steps using aid

MOB_9	Frequency	Percent
1 No difficulty	269	50.95
2 Some difficulty	110	20.83
3 A lot of difficulty	86	16.29
4 Cannot do at all/Unable to do	62	11.74
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.19

Frequency Missing = 6247

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

11

QOL.270\_00.000: Amount of difficulty communicating using usual language

COM_SS	Frequency	Percent
1 No difficulty	5837	86.15
2 Some difficulty	294	4.34
3 A lot of difficulty	31	0.46
4 Cannot do at all/Unable to do	11	0.16
7 Refused	31	0.46
8 Not ascertained	566	8.35
9 Don't know	5	0.07

QOL.280\_00.000: Amount of difficulty people have understanding when you speak

COM_1	Frequency	Percent
1 No difficulty	5811	85.77
2 Some difficulty	327	4.83
3 A lot of difficulty	23	0.34
4 Cannot do at all/Unable to do	10	0.15
7 Refused	30	0.44
8 Not ascertained	566	8.35
9 Don't know	8	0.12

QOL.285\_01.000: Talk too fast/feel shy/have trouble expressing yourself

P_COM_1A	Frequency	Percent
1 Yes	225	47.67
2 No	244	51.69
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.64

Frequency Missing = 6303

QOL.285\_02.000: Physical problem with mouth/tongue

P_COM_1B	Frequency	Percent
1 Yes	58	12.29
2 No	412	87.29
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.42

Frequency Missing = 6303

QOL.285\_03.000: Need to understand other languages/different ways of speaking

P_COM_1C	Frequency	Percent
1 Yes	117	24.79
2 No	354	75.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.21

Frequency Missing = 6303

QOL.285\_04.000: Have trouble hearing

P_COM_1D	Frequency	Percent
1 Yes	88	18.64
2 No	383	81.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.21

Frequency Missing = 6303

QOL.290\_00.000: Use sign language

COM_2	Frequency	Percent
1 Yes	147	2.17
2 No	6030	89.00
7 Refused	26	0.38
8 Not ascertained	566	8.35
9 Don't know	6	0.09

QOL.300\_00.000: Amount of difficulty remembering or concentrating

COG_SS	Frequency	Percent
1 No difficulty	5152	76.04
2 Some difficulty	915	13.51
3 A lot of difficulty	101	1.49
4 Cannot do at all/Unable to do	3	0.04
7 Refused	30	0.44
8 Not ascertained	567	8.37
9 Don't know	7	0.10

QOL.310\_00.000: Difficulty remembering, concentrating, or both

COG_1	Frequency	Percent
1 Difficulty remembering only	333	31.53
2 Difficulty concentrating only	117	11.08
3 Difficulty with both remembering and concentrating	564	53.41
7 Refused	32	3.03
8 Not ascertained	1	0.09
9 Don't know	9	0.85

Frequency Missing = 5719

QOL.320\_00.000: How often have difficulty remembering

COG_2	Frequency	Percent
1 Sometimes	665	70.90
2 Often	167	17.80
3 All of the time	66	7.04
7 Refused	32	3.41
8 Not ascertained	2	0.21
9 Don't know	6	0.64

Frequency Missing = 5837

QOL.330\_00.000: How much you have difficulty remembering

COG_3	Frequency	Percent
1 A few things	718	76.55
2 A lot of things	122	13.01
3 Almost everything	55	5.86
7 Refused	32	3.41
8 Not ascertained	3	0.32
9 Don't know	8	0.85

Frequency Missing = 5837

QOL.335\_01.000: Forget things because busy/too much to remember

P_COG_3A	Frequency	Percent
1 Yes	506	53.94
2 No	386	41.15
7 Refused	32	3.41
8 Not ascertained	3	0.32
9 Don't know	11	1.17

Frequency Missing = 5837

QOL.335\_02.000: Difficulty is getting worse

P_COG_3B	Frequency	Percent
1 Yes	293	31.24
2 No	597	63.65
7 Refused	32	3.41
8 Not ascertained	3	0.32
9 Don't know	13	1.39

Frequency Missing = 5837

QOL.335\_03.000: Difficulty has put me/my family in danger

P_COG_3C	Frequency	Percent
1 Yes	33	3.52
2 No	861	91.79
7 Refused	32	3.41
8 Not ascertained	3	0.32
9 Don't know	9	0.96

Frequency Missing = 5837

QOL.335\_04.000: Only forget little/inconsequential things

P_COG_3D	Frequency	Percent
1 Yes	622	66.31
2 No	268	28.57
7 Refused	32	3.41
8 Not ascertained	3	0.32
9 Don't know	13	1.39

Frequency Missing = 5837

QOL.335\_05.000: Must write down important things so I don't forget

P_COG_3E	Frequency	Percent
1 Yes	220	23.45
2 No	674	71.86
7 Refused	32	3.41
8 Not ascertained	4	0.43
9 Don't know	8	0.85

Frequency Missing = 5837

QOL.335\_06.000: Family members/friends are  
worried about my difficulty remembering

P_COG_3F	Frequency	Percent
1 Yes	153	16.31
2 No	733	78.14
7 Refused	32	3.41
8 Not ascertained	4	0.43
9 Don't know	16	1.71

Frequency Missing = 5837

QOL.335\_07.000: Difficulty is normal for my age

P_COG_3G	Frequency	Percent
1 Yes	593	63.22
2 No	254	27.08
7 Refused	32	3.41
8 Not ascertained	4	0.43
9 Don't know	55	5.86

Frequency Missing = 5837

QOL.340\_00.000: Amount of difficulty concentrating for 10 minutes

COG_4	Frequency	Percent
1 A little	431	59.70
2 A lot	83	11.50
3 Somewhere in between a little and a lot	159	22.02
7 Refused	32	4.43
8 Not ascertained	2	0.28
9 Don't know	15	2.08

Frequency Missing = 6053

QOL.350\_00.000: When difficulty concentrating is somewhere in between,  
is it closer to a little, closer to a lot, or exactly in the middle

COG_5	Frequency	Percent
1 Closer to a little	54	33.96
2 Closer to a lot	27	16.98
3 Exactly in the middle	72	45.28
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	3.77

Frequency Missing = 6616

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

16

QOL.360\_00.000: Amount of difficulty with self care

UB_SS	Frequency	Percent
1 No difficulty	5937	87.63
2 Some difficulty	175	2.58
3 A lot of difficulty	37	0.55
4 Cannot do at all/Unable to do	19	0.28
7 Refused	28	0.41
8 Not ascertained	573	8.46
9 Don't know	6	0.09

QOL.370\_00.000: Amount of difficulty raising 2 liter  
 bottle of water/soda from waist to eye level

UB_1	Frequency	Percent
1 No difficulty	5838	86.17
2 Some difficulty	244	3.60
3 A lot of difficulty	52	0.77
4 Cannot do at all/Unable to do	29	0.43
7 Refused	29	0.43
8 Not ascertained	573	8.46
9 Don't know	10	0.15

QOL.380\_00.000: Amount of difficulty using hands/fingers

UB_2	Frequency	Percent
1 No difficulty	5677	83.79
2 Some difficulty	412	6.08
3 A lot of difficulty	63	0.93
4 Cannot do at all/Unable to do	16	0.24
7 Refused	29	0.43
8 Not ascertained	573	8.46
9 Don't know	5	0.07

QOL.390\_00.000: Amount of difficulty learning rules for new game

LEARN_1	Frequency	Percent
1 No difficulty	5534	81.68
2 Some difficulty	469	6.92
3 A lot of difficulty	77	1.14
4 Cannot do at all/Unable to do	40	0.59
7 Refused	39	0.58
8 Not ascertained	573	8.46
9 Don't know	43	0.63



2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

17

QOL.400\_00.000: Amount of difficulty understanding/following instructions

LEARN_2	Frequency	Percent
1 No difficulty	5480	80.89
2 Some difficulty	546	8.06
3 A lot of difficulty	93	1.37
4 Cannot do at all/Unable to do	32	0.47
7 Refused	34	0.50
8 Not ascertained	574	8.47
9 Don't know	16	0.24

QOL.410\_00.000: How often feel worried/nervous/anxious

ANX_1	Frequency	Percent
1 Daily	527	7.78
2 Weekly	710	10.48
3 Monthly	611	9.02
4 A few times a year	1796	26.51
5 Never	2479	36.59
7 Refused	46	0.68
8 Not ascertained	579	8.55
9 Don't know	27	0.40

QOL.420\_00.000: Take medication for worried/nervous/anxious feelings

ANX_2	Frequency	Percent
1 Yes	561	8.28
2 No	5571	82.23
7 Refused	48	0.71
8 Not ascertained	583	8.61
9 Don't know	12	0.18

QOL.430\_00.000: Level of feelings last time felt worried/nervous/anxious

ANX_3	Frequency	Percent
1 A little	983	48.45
2 A lot	317	15.62
3 Somewhere in between a little and a lot	651	32.08
7 Refused	48	2.37
8 Not ascertained	2	0.10
9 Don't know	28	1.38

Frequency Missing = 4746

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

18

QOL.440\_00.000: Level of feelings somewhere in between, is it  
closer to a little, closer to a lot, or exactly in the middle

ANX_4	Frequency	Percent
1 Closer to a little	232	35.64
2 Closer to a lot	120	18.43
3 Exactly in the middle	290	44.55
7 Refused	1	0.15
8 Not ascertained	1	0.15
9 Don't know	7	1.08

Frequency Missing = 6124

QOL.445\_01.000: Feelings caused by type/amount of work I do

P_ANX_4A	Frequency	Percent
1 Yes	603	29.72
2 No	1352	66.63
7 Refused	48	2.37
8 Not ascertained	7	0.34
9 Don't know	19	0.94

Frequency Missing = 4746

QOL.445\_02.000: Feelings can be so intense  
that chest hurts/have trouble breathing

P_ANX_4B	Frequency	Percent
1 Yes	280	13.80
2 No	1677	82.65
7 Refused	49	2.41
8 Not ascertained	8	0.39
9 Don't know	15	0.74

Frequency Missing = 4746

QOL.445\_03.000: Are positive feelings that  
help me to accomplish goals/be productive

P_ANX_4C	Frequency	Percent
1 Yes	761	37.51
2 No	1151	56.73
7 Refused	49	2.41
8 Not ascertained	9	0.44
9 Don't know	59	2.91

Frequency Missing = 4746

QOL.445\_04.000: Feelings sometimes interfere  
 with my life/wish I did not have them

P_ANX_4D	Frequency	Percent
1 Yes	903	44.50
2 No	1042	51.36
7 Refused	50	2.46
8 Not ascertained	10	0.49
9 Don't know	24	1.18

Frequency Missing = 4746

QOL.445\_05.000: If I had more money or a better  
 job, I would not have these feelings

P_ANX_4E	Frequency	Percent
1 Yes	677	33.37
2 No	1246	61.41
7 Refused	49	2.41
8 Not ascertained	10	0.49
9 Don't know	47	2.32

Frequency Missing = 4746

QOL.445\_06.000: Everybody has these feelings/are part of life/normal

P_ANX_4F	Frequency	Percent
1 Yes	1443	71.12
2 No	483	23.80
7 Refused	49	2.41
8 Not ascertained	10	0.49
9 Don't know	44	2.17

Frequency Missing = 4746

QOL.445\_07.000: Have been told by a medical professional I have anxiety

P_ANX_4G	Frequency	Percent
1 Yes	587	28.93
2 No	1359	66.98
7 Refused	49	2.41
8 Not ascertained	11	0.54
9 Don't know	23	1.13

Frequency Missing = 4746

QOL.450\_00.000: How often feel depressed

DEP_1	Frequency	Percent
1 Daily	273	4.03
2 Weekly	334	4.93
3 Monthly	428	6.32
4 A few times a year	1531	22.60
5 Never	3538	52.22
7 Refused	48	0.71
8 Not ascertained	597	8.81
9 Don't know	26	0.38

QOL.460\_00.000: Take medication for depression

DEP_2	Frequency	Percent
1 Yes	534	7.88
2 No	5589	82.49
7 Refused	44	0.65
8 Not ascertained	598	8.83
9 Don't know	10	0.15

QOL.470\_00.000: How depressed you felt last time you were depressed

DEP_3	Frequency	Percent
1 A little	532	41.89
2 A lot	289	22.76
3 Somewhere in between a little and a lot	379	29.84
7 Refused	48	3.78
8 Not ascertained	0	0.00
9 Don't know	22	1.73

Frequency Missing = 5505

QOL.480\_00.000: Level of depression somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

DEP_4	Frequency	Percent
1 Closer to a little	112	29.55
2 Closer to a lot	63	16.62
3 Exactly in the middle	199	52.51
7 Refused	2	0.53
8 Not ascertained	0	0.00
9 Don't know	3	0.79

Frequency Missing = 6396

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

21

QOL.485\_01.000: Feelings caused by death of loved one

P_DEP_4A	Frequency	Percent
1 Yes	331	26.06
2 No	874	68.82
7 Refused	47	3.70
8 Not ascertained	2	0.16
9 Don't know	16	1.26

Frequency Missing = 5505

QOL.485\_02.000: Sometimes feelings can be so intense I cannot get out of bed

P_DEP_4B	Frequency	Percent
1 Yes	230	18.11
2 No	977	76.93
7 Refused	46	3.62
8 Not ascertained	2	0.16
9 Don't know	15	1.18

Frequency Missing = 5505

QOL.485\_03.000: Feelings sometime interfere  
with my life/wish I did not have them

P_DEP_4C	Frequency	Percent
1 Yes	671	52.83
2 No	534	42.05
7 Refused	46	3.62
8 Not ascertained	2	0.16
9 Don't know	17	1.34

Frequency Missing = 5505

QOL.485\_04.000: If I had more money or a better  
job, I would not have these feelings

P_DEP_4D	Frequency	Percent
1 Yes	350	27.56
2 No	843	66.38
7 Refused	46	3.62
8 Not ascertained	2	0.16
9 Don't know	29	2.28

Frequency Missing = 5505

QOL.485\_05.000: Everybody has these feelings/they are part of life/normal

P_DEP_4E	Frequency	Percent
1 Yes	755	59.45
2 No	433	34.09
7 Refused	46	3.62
8 Not ascertained	2	0.16
9 Don't know	34	2.68

Frequency Missing = 5505

QOL.485\_06.000: Been told by medical professional I have depression

P_DEP_4F	Frequency	Percent
1 Yes	587	46.22
2 No	619	48.74
7 Refused	47	3.70
8 Not ascertained	2	0.16
9 Don't know	15	1.18

Frequency Missing = 5505

QOL.490\_00.000: Have frequent pain

PAIN_1	Frequency	Percent
1 Yes	1481	21.86
2 No	4645	68.56
7 Refused	37	0.55
8 Not ascertained	603	8.90
9 Don't know	9	0.13

QOL.500\_00.000: Frequency of pain in past 3 months

PAIN_2	Frequency	Percent
1 Never	2631	38.83
2 Some days	2289	33.79
3 Most days	486	7.17
4 Every day	709	10.46
7 Refused	41	0.61
8 Not ascertained	606	8.94
9 Don't know	13	0.19

QOL.510\_00.000: Length of time pain lasted last time you had it

PAIN_3	Frequency	Percent
1 Some of the day	2230	62.96
2 Most of the day	673	19.00
3 All of the day	570	16.09
7 Refused	45	1.27
8 Not ascertained	3	0.08
9 Don't know	21	0.59

Frequency Missing = 3233

QOL.520\_00.000: How much pain you had last time had pain

PAIN_4	Frequency	Percent
1 A little	1693	47.80
2 A lot	674	19.03
3 Somewhere in between a little and a lot	1099	31.03
7 Refused	47	1.33
8 Not ascertained	6	0.17
9 Don't know	23	0.65

Frequency Missing = 3233

QOL.530\_00.000: Amount of pain somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

PAIN_5	Frequency	Percent
1 Closer to a little	275	25.02
2 Closer to a lot	260	23.66
3 Exactly in the middle	549	49.95
7 Refused	2	0.18
8 Not ascertained	0	0.00
9 Don't know	13	1.18

Frequency Missing = 5676

QOL.535\_01.000: Pain is constantly present

P_PAIN5A	Frequency	Percent
1 Yes	1080	30.49
2 No	2388	67.42
7 Refused	44	1.24
8 Not ascertained	8	0.23
9 Don't know	22	0.62

Frequency Missing = 3233

QOL.535\_02.000: Sometimes I'm in a lot of pain and sometimes it's not so bad

P_PAIN5B	Frequency	Percent
1 Yes	1926	54.38
2 No	1536	43.37
7 Refused	45	1.27
8 Not ascertained	8	0.23
9 Don't know	27	0.76

Frequency Missing = 3233

QOL.535\_03.000: Sometimes pain is unbearable/excruciating

P_PAIN5C	Frequency	Percent
1 Yes	871	24.59
2 No	2598	73.35
7 Refused	45	1.27
8 Not ascertained	9	0.25
9 Don't know	19	0.54

Frequency Missing = 3233

QOL.535\_04.000: When I get my mind on other things, I am not aware of the pain

P_PAIN5D	Frequency	Percent
1 Yes	1661	46.89
2 No	1781	50.28
7 Refused	46	1.30
8 Not ascertained	9	0.25
9 Don't know	45	1.27

Frequency Missing = 3233

QOL.535\_05.000: Medication can take my pain away completely

P_PAIN5E	Frequency	Percent
1 Yes	1471	41.53
2 No	1918	54.15
7 Refused	49	1.38
8 Not ascertained	9	0.25
9 Don't know	95	2.68

Frequency Missing = 3233



QOL.535\_06.000: My pain is because of work

P_PAIN5F	Frequency	Percent
1 Yes	585	16.52
2 No	2876	81.20
7 Refused	44	1.24
8 Not ascertained	10	0.28
9 Don't know	27	0.76

Frequency Missing = 3233

QOL.535\_07.000: My pain is because of exercise

P_PAIN5G	Frequency	Percent
1 Yes	493	13.92
2 No	2971	83.88
7 Refused	45	1.27
8 Not ascertained	10	0.28
9 Don't know	23	0.65

Frequency Missing = 3233

QOL.540\_00.000: How often felt very tired/exhausted in past 3 months

TIRED_1	Frequency	Percent
1 Never	2377	35.08
2 Some days	3023	44.62
3 Most days	478	7.06
4 Every day	224	3.31
7 Refused	43	0.63
8 Not ascertained	616	9.09
9 Don't know	14	0.21

QOL.550\_00.000: How long it lasted the last time you felt very tired/exhausted

TIRED_2	Frequency	Percent
1 Some of the day	2667	70.52
2 Most of the day	734	19.41
3 All of the day	310	8.20
7 Refused	47	1.24
8 Not ascertained	2	0.05
9 Don't know	22	0.58

Frequency Missing = 2993

QOL.560\_00.000: Level of tiredness last time felt very tired/exhausted

TIRED_3	Frequency	Percent
1 A little	1704	45.06
2 A lot	835	22.08
3 Somewhere in between a little and a lot	1157	30.59
7 Refused	55	1.45
8 Not ascertained	4	0.11
9 Don't know	27	0.71

Frequency Missing = 2993

QOL.570\_00.000: Level of tiredness somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

TIRED_4	Frequency	Percent
1 Closer to a little	332	28.69
2 Closer to a lot	232	20.05
3 Exactly in the middle	576	49.78
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	17	1.47

Frequency Missing = 5618

QOL.575\_01.000: Too much work or exercise

PTIRED4A	Frequency	Percent
1 Yes	1603	42.38
2 No	2102	55.58
7 Refused	51	1.35
8 Not ascertained	5	0.13
9 Don't know	21	0.56

Frequency Missing = 2993

QOL.575\_02.000: Not getting enough sleep

PTIRED4B	Frequency	Percent
1 Yes	2019	53.38
2 No	1680	44.42
7 Refused	52	1.37
8 Not ascertained	5	0.13
9 Don't know	26	0.69

Frequency Missing = 2993

QOL.575\_03.000: A physical or health-related problem

PTIRED4C	Frequency	Percent
1 Yes	1149	30.38
2 No	2541	67.19
7 Refused	53	1.40
8 Not ascertained	6	0.16
9 Don't know	33	0.87

Frequency Missing = 2993

QOL.575\_04.000: Tiredness result of something else

PTIRED4D	Frequency	Percent
1 Yes	662	17.50
2 No	3023	79.93
7 Refused	55	1.45
8 Not ascertained	6	0.16
9 Don't know	36	0.95

Frequency Missing = 2993

QOL.575\_05.000: Other reason for tiredness

PTIRED4E	Frequency	Percent
Verbatim response	639	96.53
97 Refused	10	1.51
98 Not ascertained	0	0.00
99 Don't know	13	1.96

Frequency Missing = 6113

QOL.580\_00.000: Amount limited in carrying out daily activities

QOL_1	Frequency	Percent
1 Not at all	4848	71.56
2 A little	811	11.97
3 A lot	272	4.01
4 Completely	164	2.42
7 Refused	43	0.63
8 Not ascertained	624	9.21
9 Don't know	13	0.19

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables                      Monday, April 18, 2011  
Unweighted Frequencies

28

QOL.590\_00.002: Working outside the home to earn an income

QOL_2B	Frequency	Percent
1 Do the activity	3805	56.16
2 Don't do the activity	1794	26.48
3 Unable to do the activity	483	7.13
7 Refused	44	0.65
8 Not ascertained	634	9.36
9 Don't know	15	0.22

QOL.590\_00.003: Going to school or achieving your education goals

QOL_2C	Frequency	Percent
1 Do the activity	1222	18.04
2 Don't do the activity	4525	66.79
3 Unable to do the activity	331	4.89
7 Refused	48	0.71
8 Not ascertained	636	9.39
9 Don't know	13	0.19

QOL.590\_00.004: Participating in leisure or social activities

QOL_2D	Frequency	Percent
1 Do the activity	5065	74.76
2 Don't do the activity	846	12.49
3 Unable to do the activity	167	2.46
7 Refused	48	0.71
8 Not ascertained	637	9.40
9 Don't know	12	0.18

QOL.590\_00.005: Getting out with friends or family

QOL_2E	Frequency	Percent
1 Do the activity	5584	82.42
2 Don't do the activity	378	5.58
3 Unable to do the activity	112	1.65
7 Refused	49	0.72
8 Not ascertained	638	9.42
9 Don't know	14	0.21

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
QOL Variables Monday, April 18, 2011  
Unweighted Frequencies

29

QOL.590\_00.006: Doing household chores

QOL_2F	Frequency	Percent
1 Do the activity	5605	82.73
2 Don't do the activity	345	5.09
3 Unable to do the activity	123	1.82
7 Refused	49	0.72
8 Not ascertained	639	9.43
9 Don't know	14	0.21

QOL.590\_00.007: Using transportation to get to places you want to go

QOL_2G	Frequency	Percent
1 Do the activity	5472	80.77
2 Don't do the activity	447	6.60
3 Unable to do the activity	155	2.29
7 Refused	49	0.72
8 Not ascertained	639	9.43
9 Don't know	13	0.19

QOL.590\_00.008: Participating in religious activities

QOL_2H	Frequency	Percent
1 Do the activity	3832	56.56
2 Don't do the activity	2132	31.47
3 Unable to do the activity	88	1.30
7 Refused	64	0.94
8 Not ascertained	641	9.46
9 Don't know	18	0.27

QOL.590\_00.009: Participating in community gatherings

QOL_2I	Frequency	Percent
1 Do the activity	3465	51.14
2 Don't do the activity	2482	36.63
3 Unable to do the activity	110	1.62
7 Refused	59	0.87
8 Not ascertained	642	9.48
9 Don't know	17	0.25

QOL.000\_00.000: Record completion status

RCS_QOL	Frequency	Percent
1 Not ascertained answers only	543	8.01
2 Refused and don't know answers only	15	0.22
3 Refused, DK, and not ascertained answers only	8	0.12
4 At least one valid answer	6209	91.65