Code Review

Martin Kellogg

Code Review

Today's agenda:

- Reading Quiz
- What is code review (and why we do it)
- How to do a code review (with empirical evidence)
- Good and bad examples of code review comments

Reading Quiz: Code Review

Q1: **TRUE** or **FALSE**: The document argues that developers who get upset during a code review are usually more upset about the way comments are written than about the reviewer's insistence on code quality.

Q2: **TRUE** or **FALSE**: The document argues that you should always do a code review shortly after it comes in, unless you are actively dealing with an emergency, to avoid blocking the developer who asked you to do the review.

Reading Quiz: Code Review

Q1: TRUE or FALSE: The document argues that developers who get upset during a code review are usually more upset about the way comments are written than about the reviewer's insistence on code quality.

Q2: **TRUE** or **FALSE**: The document argues that you should always do a code review shortly after it comes in, unless you are actively dealing with an emergency, to avoid blocking the developer who asked you to do the review.

Reading Quiz: Code Review

Q1: TRUE or FALSE: The document argues that developers who get upset during a code review are usually more upset about the way comments are written than about the reviewer's insistence on code quality.

Q2: **TRUE** or **FALSE**: The document argues that you should always do a code review shortly after it comes in, unless you are actively dealing with an emergency, to avoid blocking the developer who asked you to do the review.

Code Review

Today's agenda:

- Reading Quiz
- What is code review (and why we αυ π)
- How to do a code review (with empirical evidence)
- Good and bad examples of code review comments

Announcements:

- Project plan due today AoE
 - Expect feedback from us by the end of the week
- You should be working on your sprint 0 tasks this week

Code Review

Today's agenda:

- Reading Quiz
- What is code review (and why we do it)
- How to do a code review (with empirical evidence)
- Good and bad examples of code review comments

What is code review?

Definition: In a *code review*, another developer examines your proposed change and explanation, offers feedback, and decides whether to accept it.

What is code review?

Definition: In a *code review*, another developer examines your proposed change and explanation, offers feedback, and decides whether to accept it.

- There is significant tool support for "modern" code review
 - We'll talk about this in more depth later in this lecture

Analogy: writing

Compare the effectiveness of:

- spell checking your own writing
- reading and editing your own writing
- having your writing be edited by someone else

Analogy: writing

Compare the effectiveness of:

- spell checking your own writing
- reading and editing your own writing
- having your writing be edited by someone else

Professional writers have editors; professional software engineers have code reviewers

 Historically, "code review" used to refer to what we now call code inspection or holistic code review.

 Historically, "code review" used to refer to what we now call code inspection or holistic code review.

Definition: a *holistic code review* is a code review of an entire component of a software system as a whole.

 Historically, "code review" used to refer to what we now call code inspection or holistic code review.

Definition: a *holistic code review* is a code review of an entire component of a software system as a whole.

• Typically, "code inspection" suggests that a team of reviewers is involved, while "holistic code review" suggests a single reviewer (but these are connotations, not rules)

Historically, "code review" used to refer to what we now call code inspection or holistic code review.

Definition: a holistic code review is a code component of a software system as a who

 Typically, "code inspection" sugged is involved, while "holistic code re reviewer (but these are connotation)

History fact: there was a lot of interest (and research) into code inspection in the 80s/90s (at the same time that Waterfall was the dominant methodology)

 Unlike code inspections or holistic reviews, modern code reviews are performed at the changeset granularity

 Unlike code inspections or holistic reviews, modern code reviews are performed at the changeset granularity

Definition: a modern code review is a review of a set of proposed changes to a codebase, typically performed by another developer who is already familiar with the code being changed

 Unlike code inspections or holistic reviews, modern code reviews are performed at the changeset granularity

Definition: a *modern code review* is a review of a set of proposed changes to a codebase, typically performed by another developer who is already familiar with the code being changed

- Inductive argument for code quality:
 - o if v(n) is good, and the diff between v(n) and v(n+1) is good, then v(n+1) is good

 Unlike code inspections or holistic reviews, modern code reviews are performed at the changeset granularity

Definition: a modern code changes to a codebase, to who is already familiar w

One reason you should care about this lecture: you are required to do modern code reviews on all code that you write for your group project (we will check!)

Inductive argume (we will c

good, then v(n+1) is good

bsed

eloper

Modern code review: intuition

• "Given enough eyeballs, all bugs are shallow." – Linus's Law

Modern code review: intuition

- "Given enough eyeballs, all bugs are shallow." Linus's Law
- Reviewer has:
 - different background, different experience
 - no preconceived idea of correctness
 - no bias because of "what was intended"

Modern code review: intuition

"Breadth of experience in an individual is essential to creativity and hence to good engineering. ... Collective diversity, or diversity of the group - the kind of diversity that people usually talk about - is just as essential to good engineering as individual diversity. ... Those differences in experience are the "gene pool" from which creativity springs."

- Bill Wulf, National Academy of Engineering President

 Modern code review is considered a best practice almost everywhere in industry

"All code that gets submitted **needs to be reviewed** by at least one other person, and either the code writer or the reviewer needs to have readability in that language. Most people use Mondrian to do code reviews, and obviously, **we spend a good chunk of our time reviewing code**."

- Amanda Camp, Software Engineer, Google

"At Yelp we use review-board. An engineer works on a branch and commits the code to their own branch. The reviewer then goes through the diff, adds inline comments on review board and sends them back. The reviews are meant to be a dialogue, so typically comment threads result from the feedback. Once the reviewer's questions and concerns are all addressed they'll click "Ship It!" and the author will merge it with the main branch for deployment the same day."

- Alan Fineberg, Software Engineer, Yelp

"At Wizards we use Perforce for SCM. I work with stuff that manages rules and content, so we try to commit changes at the granularity of one bug at a time or one card at a time. Our team is small enough that you can designate one other person on team as a code reviewer. Usually you look at code sometime that week, but it depends on priority. It's impossible to write sufficient test harnesses for the bulk of our game code, so code reviews are absolutely critical."

- Jake Englund, Software Engineer, MtGO

"At Facebook, we have an internally-developed web-based tool to aid the code review process." Once an engineer has prepared a change, she submits it to this tool, which will notify the person or people she has asked to review the change, along with others that may be interested in the change – such as people who have worked on a function that got changed. At this point, the reviewers can make comments, ask questions, request changes, or accept the changes. If changes are requested, the submitter must submit a new version of the change to be reviewed. All versions submitted are retained, so reviewers can compare the change to the original, or just changes from the last version they reviewed. Once a change has been submitted, the engineer can merge her change into the main source tree for deployment to the site during the next weekly push, or earlier if the change warrants guicker release."

Ryan McElroy, Software Engineer, Facebook

- Modern code review is considered a best practice almost everywhere in industry
- While each place has their own way of doing reviews, the broad strokes are common between companies

- > 1 person has seen every piece of code
 - Insurance against author's disappearance (recall: bus factor)
 - Accountability (both author and reviewers are accountable)

- > 1 person has seen every piece of code
 - Insurance against author's disappearance (recall: bus factor)
 - Accountability (both author and reviewers are accountable)
- Forcing function for documentation and code improvements
 - Authors must articulate their decisions
 - Prospect of a review raises your quality threshold

- > 1 person has seen every piece of code
 - Insurance against author's disappearance (recall: bus factor)
 - Accountability (both author and reviewers are accountable)
- Forcing function for documentation and code improvements
 - Authors must articulate their decisions
 - Prospect of a review raises your quality threshold
- Inexperienced personnel get experience without hurting quality
 - Pairing them up with experienced developers
 - Can learn by being a reviewer as well

- > 1 person has seen every piece of code
 - Insurance against,
 - Accountability (b)
- Forcing function for
 - Authors must art
 - Prospect of a rev
- Inexperienced persor
 - Pairing them up w
 - Can learn by being a reviewer as well

Non-goal: assessing whether the author is good at their job

managers/HR shouldn't be involved in code review

us factor) untable) nents

lg quality

Modern code review: benefits by the numbers

Modern code review: benefits by the numbers

- Average defect detection rates higher than testing
- 11 programs developed by the same group of people
 - First 5 without reviews: average 4.5 errors / 100 LoC
 - Remaining 6 with reviews: average 0.82 errors / 100 LoC
 - Errors reduced by > 80%.
- IBM's Orbit project: 500,000 lines, 11 levels of inspections.
 Delivered early with 1% of the predicted errors.
- After AT&T introduced reviews, 14% increase in productivity and a 90% decrease in defects.

(From Steve McConnell's Code Complete)

Code Review

Today's agenda:

- Reading Quiz
- What is code review (and why we do it)
- How to do a code review (with empirical evidence)
- Good and bad examples of code review comments

Review it yourself

- Review it yourself
- Make sure the diff is clean

- Review it yourself
- Make sure the diff is clean

Avoid:

- extraneous whitespace changes
- debugging code
- commented-out code
- style guide violations
- undocumented code
- etc.

- Review it yourself
- Make sure the diff is clean
- Choose the right reviewers

- Review it yourself
- Make sure the diff is clean
- Choose the right reviewers

Factors to consider in a reviewer:

- availability (how many reviews are they already working on?)
- code ownership
- code expertise
- readability

- Review it yourself
- Make sure the diff is clean
- Choose the right reviewers

Factors to consider in a reviewer:

- availability (how many reviews are they already working on?)
- code ownership
- code expertise
- readability

Aside: "readability"

Definition: a developer is said to "have readability" in a language if they know the language's ins and outs, design patterns, ecosystem of libraries, and idiomatic usage well enough to be trusted to catch any issues in language usage.

Aside: "readability"

Definition: a developer is said to "have readability" in a language if they know the language's ins and outs, design patterns, ecosystem of libraries, and idiomatic usage well enough to be trusted to catch any issues in language usage.

- Concept comes from an internal Google requirement that each code review includes one participant with certified readability in each relevant language
 - But "have readability" has entered industry jargon

 Technical facts and data overrule opinions and personal preferences.

- Technical facts and data overrule opinions and personal preferences.
- On matters of style, the **style guide** is the absolute authority

- Technical facts and data overrule opinions and personal preferences.
- On matters of style, the style guide is the absolute authority
- Aspects of software design are almost never a pure style issue or just a personal preference.

- Technical facts and data overrule opinions and personal preferences.
- On matters of style, the style guide is the absolute authority
- Aspects of software design are almost never a pure style issue or just a personal preference.
 - weigh options on principles, not simply by personal opinion

- Technical facts and data overrule opinions and personal preferences.
- On matters of style, the style guide is the absolute authority
- Aspects of software design are almost never a pure style issue or just a personal preference.
 - weigh options on principles, not simply by personal opinion
- If no other rule applies, then the reviewer may ask the author to be consistent with what is in the current codebase

- Technical facts and data overrule opinions and personal preferences.
- On matters of style, the **style guide** is the absolute authority
- Aspects of software design are almost never a pure style issue or just a personal preference.
 - weigh options on principles, not simply by personal opinion
- If no other rule applies, then the reviewer may ask the author to be consistent with what is in the current codebase
- reviewers should favor approving a CL once it is in a state where it definitely improves the overall code health of the system

- Technical facts and data overrule opinions are preferences.
- On matters of style, the style guide is
- Aspects of software design are almost hever a pure style issue or just a personal preference.

I'll add one more:

• Don't be a jerk

- weigh options on principles, not simply by personal opinion
- If no other rule applies, then the reviewer may ask the author to be consistent with what is in the current codebase
- reviewers should favor approving a CL once it is in a state where it definitely improves the overall code health of the system

• Design/complexity:

- Design/complexity:
 - Does this change belong in this code, or somewhere else?

- Design/complexity:
 - Does this change belong in this code, or somewhere else?
 - Are all the parts of the change related enough, or should this really be two (or more) PRs

- Design/complexity:
 - Does this change belong in this code, or somewhere else?
 - Are all the parts of the change related enough, or should this really be two (or more) PRs
 - Is it easy to understand how the parts fit together?

- Design/complexity:
 - Does this change belong in this code, or somewhere else?
 - Are all the parts of the change related enough, or should this really be two (or more) PRs
 - Is it easy to understand how the parts fit together?
 - Does each unit of code (class, method, etc.) follow good code-level design principles?

- Design/complexity:
 - Does this change belong in this code, or somewhere else?
 - Are all the parts of the change related enough, or should this really be two (or more) PRs
 - Is it easy to understand how the parts fit together?
 - Does each unit of code (class, method, etc.) follow good code-level design principles?
 - o Is it over-engineered?

Definition: a design is *over-engineered* if it anticipates problems for which will never occur in practice

Definition: a design is *over-engineered* if it anticipates problems for which will never occur in practice

 over-engineered code is harder to change, because it has abstractions that aren't necessary

Definition: a design is *over-engineered* if it anticipates problems for which will never occur in practice

- over-engineered code is harder to change, because it has abstractions that aren't necessary
- defense against over-engineering: do not add an abstraction to deal with a purely theoretical problem
 - demand to see evidence that a problem actually exists!

Definition: a design is *over-engineered* if it anticipates problems for which will never occur in practice

 over-engineered code is harder to change, because it has abstractions that aren't necessary

defense against over-enging deal with a purely theore

demand to see evider

Large danger of over-engineering in code reviews: designing for changes that you don't know whether you will need. Advice: err on the side of not supporting such changes

• Functionality/testing:

- Functionality/testing:
 - o Is it clear what the change is supposed to do?

- Functionality/testing:
 - Is it clear what the change is supposed to do?
 - Are there tests? Are the tests testing the right thing?

- Functionality/testing:
 - Is it clear what the change is supposed to do?
 - Are there tests? Are the tests testing the right thing?
 - Is it a change to a user interface? If so, has someone actually looked at the new UI?

- Functionality/testing:
 - Is it clear what the change is supposed to do?
 - Are there tests? Are the tests testing the right thing?
 - Is it a change to a user interface? If so, has someone actually looked at the new UI?

Especially relevant for **course projects**, since Covey.Town is UI-heavy

- Functionality/testing:
 - o Is it clear what the change is supposed to do?
 - Are there tests? Are the tests testing the right thing?
 - Is it a change to a user interface? If so, has someone actually looked at the new UI?
 - Is the code doing something difficult to understand (such as concurrency)?

- Functionality/testing:
 - Is it clear what the change is supposed to do?
 - Are there tests? Are the tests testing the right thing?
 - Is it a change to a user interface? If so, has someone actually looked at the new UI?
 - Is the code doing something difficult to understand (such as concurrency)?
 - If so, pay extra attention and prove to yourself that it is correct.

How to write code review comments

• Be kind, courteous, and respectful.

- Be kind, courteous, and respectful.
- Explain your reasoning.

- Be kind, courteous, and respectful.
- Explain your reasoning.
- Balance giving explicit directions with just pointing out problems and letting the developer decide.

- Be kind, courteous, and respectful.
- Explain your reasoning.
- Balance giving explicit directions with just pointing out problems and letting the developer decide.

"In general it is the developer's responsibility to fix a CL, not the reviewer's"

- Be kind, courteous, and respectful.
- Explain your reasoning.
- Balance giving explicit directions with just pointing out problems and letting the developer decide.
- Insist developers simplify code or add code comments instead of just explaining the complexity to you.

- Be kind, courteous, and respectful.
- Explain your reasoning.
- Balance giving explicit directions with just pointing out problems and letting the developer decide.
- Insist developers simplify code or add code comments instead of just explaining the complexity to you.

"Explanations written only in the code review tool are not helpful to future code readers"

Label comments with their severity, to avoid misunderstandings:

- Label comments with their severity, to avoid misunderstandings:
 - Must Fix: I don't think I can approve this CL until this problem is fixed, even if everything else is perfect.

- Label comments with their **severity**, to avoid misunderstandings:
 - Must Fix: I don't think I can approve this CL until this problem is fixed, even if everything else is perfect.

Usually authors treat comments without a severity level as must fix

- Label comments with their severity, to avoid misunderstandings:
 - Must Fix: I don't think I can approve this CL until this problem is fixed, even if everything else is perfect.
 - Nit: This is a minor thing. Technically you should do it, but it won't hugely impact things.

- Label comments with their **severity**, to avoid misunderstandings:
 - Must Fix: I don't think I can approve this CL until this problem is fixed, even if everything else is perfect.
 - Nit: This is a minor thing. Technically you should do it, but it won't hugely impact things.
 - Optional: I think this may be a good idea, but it's not strictly required.

- Label comments with their **severity**, to avoid misunderstandings:
 - Must Fix: I don't think I can approve this CL until this problem is fixed, even if everything else is perfect.
 - Nit: This is a minor thing. Technically you should do it, but it won't hugely impact things.
 - Optional: I think this may be a good idea, but it's not strictly required.
 - FYI: I don't expect you to do this in this CL, but you may find this interesting to think about for the future.

Being condescending, especially if you're wrong.

Being condescending, especially if you're wrong.

If you get **pushback** on a suggestion, take the time to understand why

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.

Try to get back to the author within "one business day", whatever that means for your team

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax

Common mistake: "LGTM" everything for the sake of speed

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax
- Being inconsistent

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax
- Being inconsistent

I've had reviewers ask for one thing, which I do, and then ask for something completely different a week later. Read your previous review!

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax
- Being inconsistent
- Letting complexity through with a promise to clean up later

- Being condescending, especially if you're wrong.
- Taking too long to complete a review.
- Being too lax
- Being inconsistent
- Letting complexity through with a promise to clean up later

Doesn't usually happen! If the problem is serious, insist on fixing it now!

Respond to every comment

Making a code change counts as a response!
Don't write "fixed" or similar on every comment.

- Respond to every comment
- If you fix something in one place, fix it everywhere

As a reviewer, it is very tedious to point out every place that an author has made the same mistake.

- Respond to every comment
- If you fix something in one place, fix it everywhere
- Assume good faith


- Respond to every comment
- If you fix something in one place, fix it everywhere
- Assume good faith
- Address comments by changing the code, not by explaining in the review tool

- Respond to every comment
- If you fix something in one place, fix it everywhere
- Assume good faith
- Address comments by changing the code, not by explaining in the review tool
- Tell the reviewer when you're ready for another review


- Respond to every comment
- If you fix something in one place, fix it everywhere
- Assume good faith
- Address comments by changing the review tool
- Tell the reviewer when you're re

Remember that we're going to use how seriously your team has taken code review to help us decide your final project grades.

- Recommendation:
 - Do not exceed 60 minute session
- Reason: focus fatigue




- Recommendation:
 Don't review more than 400 LoC per hour
- Reason: at faster paces, reviews get too shallow




[Code Review at Cisco Systems. In J A Cohen et al.'s Best Kept Secrets of Peer Code Review, 2013.]

Defect Density vs. Inspection Rate

- Recommendation:
 Don't review more than 400 LoC per hour
- Reason: at faster paces, reviews get too shallow



[Code Review at Cisco Systems. In J A Cohen et al.'s Best Kept Secrets of Peer Code Review, 2013.]





Important to review your own code before giving it to others

Code Review


Today's agenda:


- Reading Quiz
- What is code review (and why we do it)
- How to do a code review (with empirical evidence)
- Good and bad examples of code review comments







BAD! comes off as nitpicking and condescending


















OK: emojis and similar "casual" language should only be used to praise, never to criticize



anon-reviewer

I don't mean we're mean-spirited. I just mean that we are merciless. You'll notice that I left the comment "Beep!" on the imports of every file you touched. What I meant was, "Your imports violate our standard convention — we order them by built-ins, then third party, and then project level," but that was too much to type on every file.



anon-reviewer

I don't mean we're mean-spirited. I just mean that we are merciless. You'll notice that I left the comment "Beep!" on the imports of every file you touched. What I meant was, "Your imports violate our standard convention.

and then project

VERY BAD!

rude, condescending, and sarcastic. Be helpful, not antagonistic



anon-reviewer

This breaks when you enter a negative number. Can you please address this case?



anon-reviewer

This breaks when you enter a negative number. Can you please address this case?

GOOD: straight to the point, politely points out a technical problem

Takeaways

- Code review is one of the best ways to prevent defects
 - You must do it during the course project (we will check!)
- Be nice as both an author and a reviewer
 - Respect each other and each other's time
- One thing I'll look for when assessing your group project is the quality of your code reviews
 - If you're unsure, you can ask the course staff to review your reviews (in office hours)