

APIs Lab

Part 1:

1. <https://swapi.dev/api/people/?search=vader>

2. <https://swapi.dev/api/planets/?search=alderaan>

3. <https://swapi.dev/api/starships/?search=falcon>

4. <https://swapi.dev/api/people/?search=c-3p>
<https://swapi.dev/api/species/2/>

5. <https://swapi.dev/api/people/?search=obi-wan>
<https://swapi.dev/api/films/1/>
<https://swapi.dev/api/films/2/>
<https://swapi.dev/api/films/3/>
<https://swapi.dev/api/films/4/>
<https://swapi.dev/api/films/5/>
<https://swapi.dev/api/films/6/>

6. <https://swapi.dev/api/starships/?search=falcon>

Part 2:

1. POST accepts a param which is an object containing a key:value pair of "type": "string"
2. GET returns an array of all posts
3. DELETE using url - <https://practiceapi.devmountain.com/api/posts/?id=555>
4. 200 or 409
5. POST using - <https://practiceapi.devmountain.com/api/posts/>

```
{  
  "text": "Kellon"  
}
```

6. PUT - <https://practiceapi.devmountain.com/api/posts/?id=1323>

```
With body - {  
  "text": "Blue"  
}
```

7. <https://practiceapi.devmountain.com/api/posts/filter/?text=blue>
8. Content type=application/json, charset=utf-8
9. Missing req.query.id or req.body.text
10. It still returns all posts, because the server is set up to return all posts with just a get request