## Stats Reference

Kelly Sovacool 2018-11-19

# Contents

Pı	Preface								5
1	1 Calculus Review 1.1 Logarithms	ıles	 	 	 	 		 	7 7 7 8
2	2 Probability								9
	2.1 Axioms			 	 	 	 · · ·	 	9 9 9 9 9 10
3	3 Distributions of Random Va 3.1 Discrete								11 11
	3.2 Continuous								$\frac{11}{12}$
	3.3 Properties		 	 	 	 		 	14 15
4	4 Joint Distributions								17
	4.1 Marginals		 	 	 	 		 	17
	4.2 Independence								17
	4.3 Sums of Independent Rand								17
	4.4 Conditional Joint Distribu	tions $\dots$	 	 	 	 		 	18
	4.5 Order Statistics		 	 	 	 		 	19
	4.6 Transformations of Joint I	Distributions .	 	 	 	 		 	19
5	1								21
	5.1 Expectation $\mathbb{E}[x]$		 	 	 	 		 	21
	5.2 Variance $Var[x]$								
	5.3 Covariance $Cov[x, y]$		 	 	 	 		 	21
	5.4 Correlation Coefficient $\rho$ .		 	 	 	 		 	21

4 CONTENTS

# **Preface**

I started compiling this reference for concepts & equations in statistics while taking an introductory probability theory course at U-M.

You can view the bookdown site or download the PDF file.

The source code is hosted on GitHub.

6 CONTENTS

# Calculus Review

### 1.1 Logarithms

$$\log_b a = x \leftrightarrow b^x = a$$
$$e^{c \ln x} = x^c$$

### 1.2 Derivative & Integration rules

Derivative	Integral
$\frac{d}{dx}x^n = nx^{n-1}$	$\int x^n dx = \frac{x^{n+1}}{n+1} + c$
$\frac{d}{dx}n^x = n^x \ln x$	$\int x^n dx = \frac{x^{n+1}}{n+1} + c$ $\int n^x dx = \frac{n^x}{\ln n} + c$
$\frac{d}{dx} \ln x = \frac{1}{x}$	$\int_{C} \frac{1}{ax+b} dx = \frac{1}{a} \ln ax+b  + c$
$\frac{d}{dx}e^x = e^x$	$\int e^x dx = e^x + c$ $\int \sin x dx = -\cos x + c$
$\frac{d}{dx}\sin x = \cos x$ $\frac{d}{dx}\cos x = -\sin x$	$\int \sin x dx = -\cos x + c$ $\int \cos x dx = \sin x + c$
$\frac{d}{dx}x^n = nx^{n-1}$ $\frac{d}{dx}n^x = n^x \ln x$ $\frac{d}{dx}\ln x = \frac{1}{x}$ $\frac{d}{dx}e^x = e^x$ $\frac{d}{dx}\sin x = \cos x$ $\frac{d}{dx}\cos x = -\sin x$ $\frac{d}{dx}\tan x = \sec^2 x$	$\int \tan x = \ln \sec x  + c$

$$\int f(x) \pm g(x)dx = \int f(x)dx \pm \int g(x)dx$$
$$\int xf(x) = xF(x) + f(x)$$

### 1.2.1 Quotient Rule

$$\frac{d}{dx} \big( \frac{f(x)}{g(x)} \big) = \frac{f'(x)g(x) - f(x)g'(x)}{g^2(x)}$$

### 1.2.2 Integration by substitution

$$u = g(x)$$

$$\int_a^b f(g(x))g'(x)dx = \int_{g(a)}^{g(b)} f(u)du$$

### 1.2.3 Integration by parts

Assign u and dv, differentiate u to find du, integrate dv to find v, then solve:

$$\int_a^b u dv = [uv]_a^b - \int_a^b v du$$

### 1.3 Trigonometry

### 1.3.1 SOH CAH TOA

### 1.3.2 Basic Identities

### 1.3.3 Pythagorean Identities

$$\sin^2 x + \cos^2 x = 1$$

$$\tan^2 x + 1 = \sec^2 x$$

$$1 + \cot^2 x = \csc^2 x$$

# Probability

For the following section, A and B represent events in the sample space S.

### 2.1 Axioms

- 1.  $\mathbb{P}(A) \ge 0 \quad \forall A \subset S$
- 2.  $\mathbb{P}(S) = 1$
- 3. If  $A \cap B = \emptyset$ , then  $\mathbb{P}(A \cup B) = \mathbb{P}(A) + \mathbb{P}(B)$

### 2.2 Union Rule

$$\mathbb{P}(A \cup B) = \mathbb{P}(A) + \mathbb{P}(B) - \mathbb{P}(A \cup B)$$

### 2.3 De Morgan's Laws

$$(A \cup B)^c = A^c \cap B^c$$

$$(A \cap B)^c = A^c \cup B^c$$

### 2.4 Conditional Probability

$$\mathbb{P}(A|B) = \frac{\mathbb{P}(A \cap B)}{\mathbb{P}(B)}$$

$$\mathbb{P}(A) = \mathbb{P}(A|B)\mathbb{P}(B) + \mathbb{P}(A|B^c)\mathbb{P}(B^c)$$

### 2.5 Bayes' Theorem

$$\mathbb{P}(B_j|A) = \frac{\mathbb{P}(A|B_j)\mathbb{P}(B_j)}{\mathbb{P}(A)} = \frac{\mathbb{P}(A|B_j)\mathbb{P}(B_j)}{\sum_{i=1}^k \mathbb{P}(A|B_i)\mathbb{P}(B_i)}$$

## 2.6 Independence

If events A and B are independent:  $\mathbb{P}(A|B) = \mathbb{P}(A)$ 

## 2.7 Counting Examples

- There are n! ways to arrange n distinct elements in an ordered list.
- There are  $6^n$  outcomes for n tosses of a 6-sided die.

## Distributions of Random Variables

### 3.1 Discrete

CDF: 
$$F(k) = \sum_{k=0}^{i} p(k)$$

#### 3.1.1 Bernoulli

 $X \sim \mathrm{Bern}(p)$ 

$$\mathbb{E}[X] = p$$

Var[X] = p(1-p)

$$p(x) = \begin{cases} p & x = 1\\ 1 - p & x = 0\\ 0 & else \end{cases}$$
 (3.1)

#### 3.1.2 Binomial

 $X \sim \operatorname{Binom}(n, p)$ 

$$\mathbb{E}[X] = np$$

$$Var[X] = np(1-p)$$

$$p(k) = \binom{n}{k} p^k (1-p)^{n-k}$$

#### 3.1.3 Poisson

 $X \sim \text{Poisson}(\lambda \sim np)$ 

$$\mathbb{E}[X] = \lambda$$

$$\operatorname{Var}[X] = \lambda$$

$$p(k) = e^{-\lambda} \frac{\lambda^k}{k!}$$

- Approximation to binomial when  $n \to \infty$  and  $p \to 0$ .
- E.g. number of misprints per page of a book.

### 3.1.4 Geometric

 $X \sim \text{Geom}(p)$ 

$$\mathbb{E}[X] = \frac{1}{p}$$

 $\operatorname{Var}[X] = \frac{1-p}{p^2}$ 

$$p(k) = (1-p)^{k-1}$$

$$F(k) = 1 - (1-p)^k$$
(3.2)

- Experiment with infinite trials; stop at first success.
- Memoryless.
- $\bullet~$  E.g. flip a coin until heads comes up.

### 3.1.5 Hypergeometric

pmf

exp

var

#### 3.2 Continuous

#### 3.2.1 Uniform

 $X \sim \text{Unif}(a, b)$ 

$$\mathbb{E}[X] = \frac{b+a}{2}$$

$$Var[X] = \frac{(b-a)^2}{12}$$

$$f(x) = \begin{cases} \frac{1}{b-a} & x \in [a, b] \\ 0 & \text{else} \end{cases}$$

$$F(x) = \begin{cases} \frac{x-a}{b-a} & x \in [a, b] \\ 0 & \text{else} \end{cases}$$

$$(3.3)$$

- Simplest continuous distribution.
- All outcomes equally likely.
- E.g. uniformly pick random point on disk of radius r. x is distance to center (not Uniform).  $f(x) = \frac{2x}{r^2}$  when  $0 \le x \le r$ .

3.2. CONTINUOUS 13

#### 3.2.2 General Normal

$$X \sim N(\mu, \sigma)$$

$$\mathbb{E}[X] = \mu$$

$$Var[X] = \sigma^2$$

$$f(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-(x-\mu)^2/2\sigma^2}$$

$$F(x) = \phi(Z = \frac{x-\mu}{\sigma})$$
(3.4)

- To find CDF, convert to standard normal, then use Z table.
- E.g. biological variables.
- E.g. exam scores.

#### 3.2.3 Standard Normal

$$X \sim N(0, 1)$$

$$\mathbb{E}[X] = 0$$

$$Var[X] = 1$$

$$f(x) = \frac{1}{\sqrt{2\pi}} e^{-(x^2)/2}$$
 (3.5)  
$$F(x) = \phi(x)$$

- To find CDF, use Z table.
- Special case of the normal with no parameters.

#### 3.2.3.1 Normal Approximation to the Binomial Distribution

When 
$$X \sim \text{Binom}(n, p), n \to \infty, \& p \to \frac{1}{2}$$
:

$$\mathbb{E}[X] = np = \mu, \ \sigma = \sqrt{np(1-p)}, \ z = \frac{x-np}{\sqrt{np(1-p)}}$$

$$F_z(a) \to \phi(a)$$

$$\mathbb{P}(a \le z \le b) \approx \phi(b) - \phi(a)$$

via De Maivre-Laplace Central Limit Theorem

#### 3.2.4 Exponential

$$X \sim \text{Exp}(\lambda)$$

$$\mathbb{E}[X] = \frac{1}{\lambda}$$

$$Var[X] = \frac{1}{\lambda^2}$$

$$f(x) = \begin{cases} \lambda e^{-\lambda x} & x > 0\\ 0 & else \end{cases}$$

$$F(x) = \begin{cases} 1 - e^{-\lambda x} & x > 0\\ 0 & else \end{cases}$$
(3.6)

- Memoryless.
- $\lambda = \text{rate}$ .
- Continuous version of Geom(p).

#### 3.2.4.1 Hazard & Survival

Survival: 
$$S_T(t) = \mathbb{P}(T > t) = 1 - \mathbb{P}(T \le t) = 1 - F_T(t) = e^{-\int_{u=o}^t \lambda(u)du}$$

Density: 
$$f_T(t) = F'_T(t) = -S'_T(t)$$

Hazard: 
$$\lambda(t)=\frac{f_T(t)}{S_T(t)}=\frac{-S_T'(t)}{S_T(t)}=-\frac{d}{dt}\log S_T(t)$$

#### 3.2.5 Gamma

$$X \sim \Gamma[\alpha,\lambda]$$

$$\mathbb{E}[X] = \frac{\alpha}{\lambda}$$

$$Var[X] = \frac{\alpha}{\lambda^2}$$

### 3.2.6 Chi Square

$$X \sim \chi^2[n]$$

$$\mathbb{E}[X] = n$$

$$Var[X] = 2n$$

• Special case of  $\Gamma$  where  $\alpha = \frac{n}{2}$  and  $\lambda = \frac{1}{2}$ .

### 3.3 Properties

### 3.3.1 Density Functions

PMF: p(k) PDF: f(x)

- Derivative of the distribution function.
- Nonnegative everywhere.
- Integral over its domain is 1:  $\int_a^b f(x) = 1$

#### 3.3.2 Distribution Functions

CDF: F(x)

- $\lim_{x \to -\infty} F(x) = 0$
- $\lim_{x\to+\infty} F(x) = 1$
- Nondecreasing.

#### 3.3.3 Parameters

Law of total expectation: 
$$\mathbb{E}[X] = \sum_{j} \mathbb{E}(E|F_{j})\mathbb{P}(F_{j})$$

Discrete: 
$$\mathbb{E}[X] = \mu = \sum_{i=1}^{k} x_i p_i$$

Continuous: 
$$\mathbb{E}[X] = \mu = \int_{-\infty}^{\infty} x f(x) dx$$
 (3.7)

$$Var[X] = \mathbb{E}(X^2) - \mathbb{E}(X)^2 = \sigma^2$$

$$\sigma = \sqrt{\mathrm{Var}[X]}$$

$$Z = \frac{x - \mu}{\sigma}, \quad Z \sim N(0, 1)$$

### 3.4 Distributions of Functions

X is a random variable. Y = g(x) is a function of X.

#### 3.4.1 Transformation Method

If Y = g(x) is monotonic:

$$f_Y(y) = \frac{1}{|g'(x)|} f_X(x)$$

Derive g'(x) from g(x). Integrate  $f_Y$  to find  $F_Y$ .

Note: monotonic = invertible = one-to-one.

#### 3.4.2 CDF Method

Must use when Y = g(x) is not monotonic:

 $F_Y(y) = \mathbb{P}(Y \leq y) = \mathbb{P}(g(x) \leq y) \to \text{solve for } x \text{ and frame in terms of } F_X(y).$ 

Differentiate  $F_Y$  to find  $f_Y$ .

## Joint Distributions

$$\begin{split} \mathbb{P}(x \in A, y \in B) &= \int_A \int_B f(x, y) dy dx \\ \mathbb{E}[XY] &= \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} xy f(x, y) dx dy \end{split}$$

### 4.1 Marginals

$$\begin{split} f_X &= \int f(x,y) dy \\ f_Y &= \int f(x,y) dx \\ \mathbb{P}(x \in A) &= \mathbb{P}(x \in A, y \in (-\infty, \infty)) = \int_A \int_{-\infty}^\infty f(x,y) dy dx \\ \mathbb{P}(y \in B) &= \mathbb{P}(x \in (-\infty, \infty), y \in B) = \int_{-\infty}^\infty \int_B f(x,y) dy dx \end{split}$$

### 4.2 Independence

$$f(x,y) = f_X(x)f_Y(y) \quad \forall x, y$$
$$F(x,y) = F_X(x)F_Y(y) \quad \forall x, y$$

#### 4.2.1 Minimum & Maximum

Max: 
$$F_{\text{Max}}(t) = \mathbb{P}(\text{Max} \le t) = \mathbb{P}(x \le t, y \le t) \rightarrow \text{use independence} \rightarrow = F_X(t)F_Y(t)$$
  
Min:  $1 - F_{\text{Max}}$ 

### 4.3 Sums of Independent Random Variables

#### 4.3.1 Distributions

Convolution (CDF): 
$$F_{X+Y}(a) = \mathbb{P}(X+Y\leq a) = \int_{-\infty}^{\infty} F_X(a-y)f_Y(y)dy$$
  
Density (PDF):  $f_{X+Y} = \int_{-\infty}^{\infty} f_X(a-y)f_Y(y)dy$ 

### 4.3.2 Uniform

#### 4.3.3 Normal

The sum of n normal RVs  $\sum_i^n X_i$  is normally distributed with parameters:

$$\mu = \sum_{i}^{n} \mu_{i}$$

$$\sigma^{2} = \sum_{i}^{n} \sigma_{i}^{2}$$

$$\sigma = \sqrt{\sum_{i}^{n} \sigma_{i}^{2}} \neq \sum_{i}^{n} \sqrt{\sigma_{i}^{2}}$$

#### 4.3.4 Gamma

#### 4.3.5 Poisson

 $X_1 \sim \text{Poisson}(\lambda_1)$ 

 $X_2 \sim \text{Poisson}(\lambda_2)$ 

$$Y = X_1 + Y_2$$

 $Y \sim \text{Poisson}(\lambda = \lambda_1 + \lambda_2)$ 

$$\mathbb{P}(X_1 + X_2 = n) = \frac{1}{n!} e^{-(\lambda_1 + \lambda_2)} (\lambda_1 + \lambda_2)^n$$

#### 4.3.6 Binomial

 $X_1 \sim \operatorname{Binom}(n, p)$ 

 $X_2 \sim \text{Binom}(m, p)$ 

$$Y = X_1 + Y_2$$

 $Y \sim \text{Binom}(n+m,p)$ 

$$\mathbb{P}(X_1 + X_2 = k) = \binom{n+m}{k} = \sum_{i=0}^{n} \binom{n}{i} \binom{m}{k-i}$$

#### 4.3.7 Geometric

### 4.4 Conditional Joint Distributions

### 4.4.1 Discrete

$$P_{X|Y} = \frac{P(x,y)}{P_Y(y)} = \mathbb{P}(X = x|Y = y)$$

$$\mathbb{E}[X|Y=y] = \sum_{x} x P_{X|Y}(x|y)$$

#### 4.4.2 Continuous

$$f_{X|Y} = \frac{f(x,y)}{f_Y(y)}$$

$$\mathbb{E}[X|Y = y] = \int_{-\infty}^{\infty} x f_{X|Y}(x|y) dx$$

$$F_{X|Y}(a,y) = \mathbb{P}(X \le a|Y = y) = \int_{-\infty}^{a} f_{X|Y}(x|y) dx$$

### 4.4.3 Bayes' Theorem (Continuous)

$$f_{X|Y} = \frac{f_{Y|X}(y|x)f_x(x)}{f_Y(y)} = \frac{f_{Y|X}(y|x)f_x(x)}{\int f_{Y|X}(y|x)f_x(x)dx}$$

### 4.5 Order Statistics

### 4.6 Transformations of Joint Distributions

#### 4.6.1 The Jacobian

$$(u, v) = G(x, y)$$

$$\operatorname{Jac}(x, y) = \det \begin{bmatrix} \frac{\partial u}{\partial x} & \frac{\partial u}{\partial y} \\ \frac{\partial v}{\partial x} & \frac{\partial v}{\partial y} \end{bmatrix} = \frac{\partial u}{\partial x} \frac{\partial v}{\partial y} - \frac{\partial u}{\partial y} \frac{\partial v}{\partial x}$$

$$f_{u,v}(u, v) = \frac{1}{|\operatorname{Jac}(x, y)|} f_{x,y}(x, y)$$

# Expectation

### 5.1 Expectation $\mathbb{E}[x]$

Law of total expectation:  $\mathbb{E}[X] = \sum_{j} \mathbb{E}(E|F_{j})\mathbb{P}(F_{j})$ 

Discrete: 
$$\mathbb{E}[X] = \mu = \sum_{i=1}^{k} x_i p_i$$

Continuous: 
$$\mathbb{E}[X] = \mu = \int_{-\infty}^{\infty} x f(x) dx$$

Conditional expectation:

$$\mathbb{E}[X] = \mathbb{E}(\mathbb{E}[X|Y])$$

$$\mathbb{E}[XY] = \mathbb{E}(\mathbb{E}[XY|Y]) = \mathbb{E}(Y\mathbb{E}[X|Y])$$

### 5.2 Variance Var[x]

where a is a constant:

$$Var(ax) = a^2 var(x)$$

$$Var(a) = 0$$

### 5.3 Covariance Cov[x, y]

$$Cov(X, Y) = \mathbb{E}[XY] - \mathbb{E}[X]\mathbb{E}[Y]$$

## 5.4 Correlation Coeffecient $\rho$

$$\rho(x,y) = \frac{\text{Cov}(x,y)}{\sqrt{\text{Var}[X]}\sqrt{\text{Var}[Y]}}$$