Naming and Abbreviation Rules in UI

Word	Abbreviations	Comments
Commission %	Comm %	Use Commission when room.
Commissionable	Comm	Checkbox. Spell out if room, use 'Comm' for abbreviation
Quantity	Qty	When just using the word Quantity only, spell out if room. When qualified, as by 'Required Qty', then use 'Qty'.
Number	Nbr	

Type and Status Values

Field	Table	Values
Status	Address	Active, Inactive
	AP_Check	Open, Void, Cleared
	AP_Document	Posted, Unposted, Hold
	Customer	Active, Inactive, Prospect
	Deposit	Reconciled, Unreconciled
	Employee	Active, Inactive
	Invoice_Header	Posted, Unposted
	Job	Pending, Active, Hold, Complete, closed, Template **As of rel 8.1- Job Status Rules Change** 9 FC 12.872.971 We will set the Job to complete automatically when the following Conditions are met: 1: When Shipped Qty >= Order Quantity on the Job 2: When Transferred Qty + Shipped Qty on the Job >= Make Qty on the Job Completed Quantity on the Job is calculated as the greater of shipped + transferred or Completed Qty at the last routing line - actual picked qty ▪ Job status is no longer changing to complete on completion of routing lines. ▪ Job Status goes to complete when Shipped Qty >= Order Quantity on the Job ▪ Job Status goes to complete when Transferred Qty + Shipped Qty on the Job >= Make Qty on the Job
	Job_Operation	O (Open), S (Started), C (Complete)
	Material	Active, Inactive
	Material_Req	O (Open), S (Started), C (Closed)
	PO_Header	Unissued, Open, Closed
	PO_Detail	Unissued, Open, Closed
	Quote	Pending, Active, Won, Lost, Hold, No Quote, Template
	SO_Header	Open, Hold, Closed
	SO_Detail	Open, Hold, Backorder, Shipped, Closed
	Vendor	Active, Inactive

Field	Table	Values
Type	Account	Asset, Liability, Capital, Revenue, NonOperRev, Expense, CostOfSales, NonOperExp
	Address	Main, Ship, Bill or Remit (Note: since 7.0 added the Billable and Shippable Booleans, don't really need this field except for Main designation. Will probably change the meaning of this field in future.)
	AP_Check	M (Manual), C (Computerized), P (Prepaid).
	AP_Document	INV (Invoice) or CM (Credit Memo).
	Auto_Number	Invoice, Jentry, Job, Packlist, PurchaseOrder, Quote, SalesOrder.
	Employee	Shop, Sales, Other
	Invoice_Header	INV (Invoice), CM (Credit Memo), COA (Cash on Account)
	Journal_Entry	AR-Receipt, AR-Invoicing, AR-CrMemo, AR-Adjustment, AP-Document, AP-Checks, AP-Adjustment, GL-Jentry-C, GL-Jentry-P, PY, B_Recon_C, B_Recon_D
	Job	Assembly, Blanket, Regular
	Material	R, H, S, F for Rawstock, Hardware, Supplies, Finished Goods
	Material_Req	R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods, Miscellaneous
	Packlist_Header	Shipment, Return, Service
	Quote	Assembly, Regular
	Quote_Req	R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods, Miscellaneous
	Receipt	R (Customer Receipt), A (Adjustment) or G (GL Cash Receipt)
	Shapes	B (Barstock) or P (Preform). Sheet and Preform shapes are = P, all others are = B
	User_Codes	Terms, Dept, Class, CustType, Discount, LocType, QuoteRsn, ShipVia, UofM, AddlCost, AdjReasn, TaxCds, ARCodes, Banks, Account,, StdText, Warehse , FinStmt, AccType, NMFC, FrtClass, ScpRwkCd, SellUofM
	Work_Center	Direct, Indirect
Adjust_Type	AP_Check	Values are 0 (Check), 1 (Vendor Adjustment)
Application_Type	AP_Doc_Check	Values are 0 (Receipt), 1 (Adjustment)
	Invoice_Receipt	Values are 0 (Receipt), 1 (Adjustment).
Source_Type	AP_Doc_Detail	Values are 0 (PO Item), 1 (Job Item), 2 (PO addl chrg), 3 (Job addl chrg), 4 (Misc Item or from recurring invoice)
	Invoice_Detail	Values are 0 (Packlist for Job), 1 (Packlist for SO), 2 (Packlist from Inventory), 3 (Job addl chrg), 4 (SO addl chrg), 5 (misc addl chrg)

Field	Table	Values
Owner_Type	Attachment	Job (Job notes), Quote (Quote notes), JobOperation (job routing notes), MaterialReq (job material req notes), QuoteOperation (quote routing notes), QuoteReq (quote material req notes), PartSpec (part notes), Customer (customer ntoes), Vendor (Vendor notes), Material (material notes), Operation (operation notes), Employee (employee notes), POHeader (PO notes), PODetail (PO line item comments), PackList (PackList comments), PackListItem (Packlist line item comments)
Relationship_Type	Bill_Of_Jobs	Component, Release, Split
	Bill_Of_Quotes	Component
Entry_Type	Job_Operation_Time	1 (Setup) or 2 (Run)
Tran_Type	Material_Trans	Transfer, Adjustment, Receipt, Issue, Servshipmt, Invoice, Shipment, Loctfr (Location Transfer

Account Table

Field	Type	Default	Req'd	Indexed	Description
Account	C10		Yes	Yes, dupl	PRIMARY KEY
Type	C12		Yes		Identifies account type. Values are: Asset, Liability, Capital, Revenue, NonOperRev, Expense, CostOfSales, NonOperExp
Description	C30				Describes the account
Section_Name	C25				Identifies what section of the Financial Statements to report dollars
Rollup_Account	C10			Yes	Identifies the account these dollars rollup into for financial reporting purposes
QB_ID	C50				QuickBooks ID in the QB Database Added in 11.3
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Activities Table

Field	Type	Default	Req'd	Indexed	Description

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, dupl	PRIMARY KEY
Function	C30				
Record	C30				
Activity	C25				
Description	C75				
Date	Date/Time				
Status	C20				
Note_Text	Memo				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Additional_Charge Table

An additional_charge record is created by Job Entry when charges are added to the job. An additional_charge record is also created by Customer Invoices when the additional charges are added to the invoice. **Note**: An Invoice_Detail line is created for each additional charge when the Invoice is *saved*, but the additional_charge record is not created until the invoice is *posted*.)

Field	Type	Default	Req'd	Indexed	Description
Additional_ChargeKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Additional_Charge	Long Int			Yes, no dupl	
Job	C30			Yes	FGN-KEY to Job table (referential integrity on)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity) Updated by Job Entry Updated by Customer Invoice
Invoice	C8			Yes	FGN-KEY to Invoice_Header table (no referential integrity) Updated by Post Invoices
SO_Detail	Long Int			Yes	FGN-KEY to SO_Detail table (no referential integrity)
Description	C25				Description of additional charge Updated by Job Entry Updated by Customer Invoice

Field	Type	Default	Req'd	Indexed	Description
Note_Text	Memo				Extended Description for this additional charge. This is printed on the Order Acknowledgment. (This extended description does not come over when job is placed on an Invoice. When additional charges are added on an Invoice, the 'notes' are saved to the Invoice_Detail.Notes field and print on the Invoice) Updated by Job Entry
Est_Price	Currency	0	Yes		Estimated Price of additional charge Updated by Job Entry
Act_Price	Currency	0			Actual Price of additional charge Updated by Customer Shipments – Jobs if no accounting (AR) Updated by Post Invoices
Job_Revenue	Yes/No	No	Yes		Include this additional charge in Job Revenue? Updated by Job Entry Updated by Customer Invoice
Commssionable	Yes/No	No	Yes		Include this Additional Charge in Commission? Updated by Job Entry Updated by Customer Invoice
Processed	Yes/No	No	Yes		Has this Additional Charge been processed? Updated by Customer Shipments – Jobs if no accounting (AR) Updated by Customer Invoice when a job is invoiced (that has an additional charge). An additional charge record is created and set to posted when an additional charge is created on an Invoice (not from the job).
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Due_Date	Date/Time				Date Additional Charge is due Added in 9.0 (Added to handle Prepayments)
Approved	Yes/No				Has charge been approved? Added in 9.0 (Added to handle Prepayments)

Field	Type	Default	Req'd	Indexed	Description
Charge_Type	Integer				Type of charge Added in 9.0 0 = Addl Charge 1 = Prepayment
Recurring	Yes/No				Is this a recurring charge? Added in 9.0 (Added to handle Prepayments)
Delivery	Long Int				FGN KEY to Delivery table. Added in 9.0 Final Payment is due when order shipped. (Added to handle Prepayments)
~~Taxable~~	~~Yes/No~~	~~No~~	~~Yes~~		~~Is this Additional Charge taxable?~~ ~~Updated by Customer Invoice **OBSOLETE** in 8.0~~
QB_ID	C50				QuickBooks ID in the QB Database Added in 11.3
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
CommissionIncluded	True/False	False	Yes		Indicates whether Sales Commission is included in the Price. Added in rel 11.11

Address Table

Field	Type	Default	Req'd	Indexed	Description
AddressKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Address	Long Int			Yes, no dupl	
Customer	C10				FGN KEY to Customer table (refrential integrity is on - Null is valid)
Vendor	C10				FGN KEY to Vendor table (refrential integrity is on - Null is valid)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Type	C5		Yes	Yes	Defines the type of Address. ~~Values are Main, Ship, Bill or Remit~~. Changed in 7.0.1 String of 3 numbers, 0 or 1. • 1 in 1st position is Default Main • 1 in 2nd position is Default Bill/Remit • 1 in 3rd position is Default Ship To Updated by Customer and Vendor

Field	Type	Default	Req'd	Indexed	Description
Status	C8	Active	Yes		Status of the Address. Values are Active or Inactive
Ship_To_ID	C6				Ship To Identifier for this Address Updated by Customer and Vendor
Name	C45				Address Location Name increased to C45 (from C30) in 11.2 Could be Company Name defined on Preferences/General tab Could be Contact name entered on Customer/Contacts or Vendor/Contacts tab Could be Ship To location name entered on Customer/Shipping or Vendor/Purchasing tab
Line1	C45				Line 1 of the address Updated by Customer and Vendor
Line2	C45				Line 2 of the address Updated by Customer and Vendor
City	C20				City Updated by Customer and Vendor
State	C3				State Updated by Customer and Vendor
Zip	C10				Postal Code Updated by Customer and Vendor
Country	C50				Country increased to C50 (from C20) in 11.3 Updated by Customer and Vendor
Phone	C20				Telephone Number Updated by Customer and Vendor
Fax	C20				Fax Number Updated by Customer and Vendor
Lead_Days	Integer	0	Yes		Lead days to ship
Billable	Yes/No	No	Yes		Is this a billable address? Added in 7.0
Shippable	Yes/No	Yes	Yes		Is this a shippable address? Added in 7.0
Cell_Phone	C20				The cell phone for the contact. Added in 11.2
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AddressCountry Table – New for 11.4

Field	Type	Default	Req'd	Indexed	Description
ObjectID	ReplicationID		Yes	Yes, no dupl	PRIMARY KEY
CountryCode	C3				3-character code for the Country
CountryName	C100				Name of the Country
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AddressState Table – New for 11.4

Field	Type	Default	Req'd	Indexed	Description
ObjectID	ReplicationID		Yes	Yes, no dupl	PRIMARY KEY
CountryCode	C3				3-character code for the Country
StateCode	C3				2-3 character code for the State
StateName	C100				Name of the State
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AP_Check Table

Field	Type	Default	Req'd	Indexed	Description
AP_Check	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID) Added in 7.0
Vendor	C10				FGN KEY to Vendor Table (referential integrity is on) Vendor that this check was for. Vendor is not required; check can be to anyone, not necessarily a Vendor.
Bank	C15			Yes	FGN KEY to User_Code Table (no referential integrity). Bank check was drawn on
Check_Number	Long Int			Yes	Check number of check Updated by Check Print when check is actually printed.
Check_Date	Date				Date of check Updated by Payment Processing or check writer??
Check_Amt	Currency	0			Amount of check

Field	Type	Default	Req'd	Indexed	Description
Discount_Amt	Currency	0			Amount of the discount taken on check
Status	C10				Status of this check. Values are Open, Void, Cleared.
Type	C1				Identifies Type of payment. Values Area: M (Manual), C (Computerized), P (Prepaid).
Statement_Date	Date				Identifies the date of the statement the check was cleared on
Remit_To	Long Int				FGN KEY to Address table. Added in 7.0
Period	C50			Yes	FGN KEY to Fiscal_Period table. Added in 7.0
Void_Entry	C50				Contains value in AP_Check for the original check. Added in 7.0
Description	C25				Added in 7.0
Reference	C8				Added in 7.0
Adjust_Type	Integer	0	Yes		Type of transaction. Values are: 0 (Vendor Check), 1 (GL Check), 2 (Vendor Adjustment). Added in 7.0
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes Added in 7.0
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with the invoice Added in 7.0
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed Added in 7.0
Trade_Date	Date				Identifies the date the exchange rate on the invoice was updated Added in 7.0
Base_Amount	Double	0	Yes		Amount of check in base currency Added in 7.0
Base_Discount_Amt	Double	0	Yes		Amount of discount in base currency Added in 7.0
Posted	Yes/No	No	Yes		Has this check been posted?
Void_Date	Date				Date check was voided
GL_Account	C10				GL Account
Note_Text	Memo				Memo field for check Updated by AP Adjustments

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AP_Doc_Check Table

Field	Type	Default	Req'd	Indexed	Description
AP_Doc_Check	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID) Added in 7.0
AP_Check	C50			Yes	FGN KEY to AP_Check Table (referential integrity is on)
AP_Document	C50		Yes	Yes	FGN KEY to AP_Document Table (referential integrity is on)
Amount_Applied	Currency	0			Amount of the Check that was applied to this Document (vendor invoice)
Application_Type	Integer	0	Yes		Corresponds to Adjust_Type of AP_Check record. Values are 0 (Receipt), 4 (Adjustment), 5 (Void). Added in 7.0
Discount_Amt	Double	0	Yes		Discount Amount Added in 7.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AP_Document Table

Field	Type	Default	Req'd	Indexed	Description
AP_Document	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Remit_To	Long Int				FGN-KEY to Address table Added in 7.0
User_Values	Long Int			Yes	FGN_KEY to User_Values table Added in 7.0
Vendor	C10		Yes	Yes	Vendor the invoice came from
Document	C15		Yes	Yes	Identifies the document used to pay the invoice Updated from Document Entry
Document_Date	Date				Date of the document Updated from Document Entry
Period	C50			Yes	Identifies the accounting period this transaction will be processed in (GUID) Updated from Document Entry
Original_Amt	Currency	0			Identifies the original amount of the invoice Updated from Document Entry
Open_Amt	Currency	0			Identifies the open amount of the invoice as of today Updated from Document Entry
Open_Amt_Curr_Per	Currency	0			Identifies the open amount through the current accounting period Updated from Document Entry
Due_Date	Date				Identifies the date the document is due to be paid Updated from Document Entry
Type	C3		Yes		Identifies the Type of AP Document, invoice or credit memo. Values are INV or CM. Updated from Document Entry
Status	C10			Yes	Identifies the Status of this AP Document. Values are Posted, Unposted, Hold Updated from Document Entry Updated by Payment Processing
Entry_Date	Date		Yes		Date the AP_Document record was added Updated from Document Entry

Field	Type	Default	Req'd	Indexed	Description
Startup	Yes/No	No	Yes		Is this a Startup entry? Updated from Beginning Balances dialog in Vendor. If Startup, there won't be any other associated records
Discount_Amt	Currency	0			Estimated discount to be taken Updated from Document Entry
Discount_Date	Date				The date required to be paid by in order to obtain the discount Updated from Document Entry
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor on this document
Fixed_Rate	Yes/No	Yes	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the job was updated
Note_Text	Memo				Used to maintain Notes associated with an AP document
Invoiced_By	C30				Person that created invoice. Added in 7.0
Transaction_Date	Date/Time				Date of Transaction
~~Invoice_Date~~	~~Date/Time~~				~~Date of Invoice. Added in 7.2~~
~~Days_To_Pay~~	~~Integer?~~	~~0~~			~~??. Added in 7.2~~
~~Discount_Taken~~	~~Currency~~	~~0~~			~~Actual discount being taken on this payment~~ ~~Deleted in 7.0~~
~~Total_Discount_Taken~~	~~Currency~~	~~0~~			~~Total amount of the discount being taken on this payment~~ ~~Deleted in 7.0~~
~~Payment_Amt~~	~~Currency~~	~~0~~			~~Identifies the amount of the invoice being paid.~~ ~~Deleted in 7.0~~

Field	Type	Default	Req'd	Indexed	Description
~~Payment_Method~~	~~C1~~				~~The method of payment, Manual, Computerized, or Prepaid. Values are M, C, or P.~~ ~~Deleted in 7.0~~
~~Recurring_Base_Number~~	~~C11~~				~~Base number that associates all related recurring payments~~ ~~Deleted in 7.0~~
~~Recurring_Expire_Date~~	~~Date~~				~~Identifies the date the recurring payment will expire~~ ~~Deleted in 7.0~~
~~Recurring_Suffix~~	~~Integer~~	~~0~~			~~Along with the Recurring Base Number makes the Recurring document ID~~ ~~Deleted in 7.0~~
Paid_Date	Date/Time				Date Document was paid. Added in 8.0
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Taxable_Amt	Currency				Amount of payment that is taxable. Added in 8.0 Not currently being used – was this just added for Reporting? Chris said Dave added it at the last minute.
JECount	Long Int	0	Yes		To trace double posting issue, keeps the count of the record Journal_entry should have for the entry.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

AP_Doc_Detail Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
AP_Doc_Detail	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
AP_Document	C50			Yes	FGN KEY to AP_Document table
Amount	Double	0	Yes		Amount for detail line
GL_Account	C10			Yes	GL Account for detail line
Description	C30				AP Description
PO_Detail	Long Int			Yes	FGN KEY to PO_Detail table
Qty_UofM	C10				Unit of measure for Quantity value

Field	Type	Default	Req'd	Indexed	Description
Quantity	Double	0	Yes		Quantity
Source	Long Int			Yes	?? Is this used? no values in database
Source_Type	Integer	0	Yes		Values are 0 (PO Item), 1 (Job Item, 2 (PO addl chrg), 3 (Job addl chrg), 4 (Misc Item or from recurring invoice)
Unit_Price	Double	0	Yes		Price per Unit
Price_UofM	C10				Unit of measure for Unit_Price value
Addl_Position	Integer	0	Yes		Identifies whether this detail is for the first or second additional charge
Discountable	Yes/No				Can a discount be applied? Added in 7.2
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

API Table

Field	Type	Default	Req'd	Indexed	Description
API_Name	C30		Yes	Yes, no dupl.	PRIMARY KEY
API_URL	C255		Yes		

Attachment Table

Field	Type	Default	Req'd	Indexed	Description
AttachmentKey	Long Int		Yes	Yes, no dupl.	PRIMARY KEY
Attachment	Long Int			Yes, no dupl.	
Owner_Type	C50			Yes	Owner Type of the attachment. Values are Job (Job notes), Quote (Quote notes), JobOperation (job routing notes), MaterialReq (job material req notes), QuoteOperation (quote routing notes), QuoteReq (quote material req notes), PartSpec (part notes), Customer (customer ntoes), Vendor (Vendor notes), Material (material notes), Operation (operation notes), Employee (employee notes), POHeader (PO notes), PODetail (PO line item comments), PackList (PackList comments), PackListItem (Packlist line item comments)
Owner_ID	C50			Yes	The ID for the attachment, depending on Owner Type. E.g. for Owner Type of Job, Owner ID would be the Job Number.
Attach_Path	C254 (max)				Path to the attachment
Description	C254				Description of the attachment
Print_Attachment	Yes/No	Yes	Yes		Should this attachment be printed?
Attach_Type	C10	File	Yes		Indicates whether this is a file path for an attachment or web link. Added in 11.9 Values are: File (Attachment), Link (URL)
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Attachment_Print Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Attachment_Print	C50		Yes	Yes, no dupl.	PRIMARY KEY
Attachment	Long Int		Yes		FGN-KEY to Attachment table
Report_ID	C50			Yes	Report ID (GUID) Identifies the report the attachment is for

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Attachable_Report Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Attachable_Report	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Name	C50		Yes		
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Auto_Number Table

Field	Type	Default	Req'd	Indexed	Description
Type	C15		Yes	Yes, no dupl	**PRIMARY KEY. Types are: Invoice, Jentry, Job, Packlist, PurchaseOrder, Quote, SalesOrder. BOL, Group**
System_Generated	Yes/No	No	Yes		**Should the system auto-generate values when adding records?**

Field	Type	Default	Req'd	Indexed	Description
Last_Nbr	C30	0			**Last Number Used. This number + 1 would be the next number to use.** **Updated by Quote Entry** **Updated by Job Entry** **Updated by Customer Shipments – Jobs** **Updated by Customer Shipments – SO** **Updated by Vendor Shipments** **Updated by Other Shipments** **Updated by Purchasing** **Updated by SO Entry** **Updated by Customer Invoice** **Updated by GL Journal Entry** **Updated by DC Group Entry**
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Bank_History Table – Added in 8.0

Used by Bank Reconciliation Report; saved data from GL Bank Reconciliation function

Field	Type	Default	Req'd	Indexed	Description
Bank_History	C50		Yes	Yes, no dupl	PRIMARY KEY.
Bank	C15				FGN KEY to User_Codes table.
Statement_Date	Date/Time				Statement Date
Beginning_Balance	Double				Bank Beginning Balance
Ending_Balance	Double				Bank Ending Balance
Bank_Statement_OtherChecks	Double				Other Checks on Bank Statement
Account_OtherChecks	Double				Other Checks for Accout
Account_Ending_Bal	Double				Account Ending Balance
Filter_Date	Yes/No				Was checkbox on form checked or not

Field	Type	Default	Req'd	Indexed	Description
Bank_Statement_JE_Additions	Double				Journal Entry Additions
Bank_Statement_JE_Subtractions	Double				Journal Entry Subtractions
Outstanding_Deposits	Double				Outstanding Deposits
Outstanding_JE	Double				Outstanding Journal Entries
Outstanding_Checks	Double				Outstanding Check Amount
Cleared_Deposits	Double				Outstanding Deposits
Cleared _JE	Double				Outstanding Journal Entries
Cleared _Checks	Double				Outstanding Check Amount
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Bar_Stock_Cutoff Table

Field	Type	Default	Req'd	Indexed	Description
Bar_Stock_CutoffKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Bar_Stock_Cutoff	Long Int			Yes, no dupl	
To_Diameter	Double	0	Yes		Up to Diameter of Material
Cut_Off	Double	0	Yes		Cutoff Amount
Std_Bar_End	Double	0			Standard Bar End
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Bill_Of_Jobs Table

This table maintains the relationship between an Assembly job and its components jobs, a blanket job and its release jobs, and the original job and the job that was split off and 'sent ahead'.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Parent_Job	C30		Yes	Yes, no dupl	PRIMARY KEY. FGN-KEY to Job.Job Job representing the 'Parent' (Assembly, Blanket, Split From) side of the relationship
Parent_Job_OID	Replication ID			Yes	FGN-KEY to Job.ObjectID Job representing the 'Parent' (Assembly, Blanket, Split From) side of the relationship. Added in 11.0
Component_Job	C30		Yes	Yes, no dupl	PRIMARY KEY. FGN-KEY to Job.Job Job representing the 'Child' (Component, Release, Split to) side of the relationship
Component_Job_OID	Replication ID			Yes	FGN-KEY to Job.ObjectID Job representing the 'Child' (Component, Release, Split to) side of the relationship. Added in 11.0
Root_Job	C30			Yes	Top Level Parent for an assembly job. Same field as Top_Lvl_Job in Job table; just different column name. Added in 8.0

Field	Type	Default	Req'd	Indexed	Description
Root_Job_OID	Replication ID			Yes	Top Level Parent for an assembly job. Same field as Top_Lvl_Job in Job table; just different column name. Added in 11.0
Job_Operation	Long Int			Yes	FGN-KEY to Job_Operation.Job_Operation The operation that *components* are **linked** to when scheduling. Updated/Used by scheduling
Job_Operation_OID	Replication ID			Yes	FGN-KEY to Job_Operation.ObjectID Added in 11.0 The operation that *components* are **linked** to when scheduling. Updated/Used by scheduling
Relationship_Type	C9		Yes		The relationship of the' child' to the 'parent'. Values are: Component, Release, Split
Relationship_Qty	Long Int	0			When Relationship_Type = Component, contains the number of component parts required to make the parent part When Relationship_Type = Release, contains the order qty of the release job. When Releationship_Type = Split, contains the quantity that was split off from the original job and becomes the order qty of the new 'split' job. Updated by Job Entry (Assembly and Release jobs) Updated by Split Jobs
Manual_Link	Yes/No	No	Yes		When Relationship_Type = Component, is this component job *manually* linked (by the user) to an operation for the parent job? Updated/Used by Job Scheduling
~~Sequence~~	~~Int~~	~~0~~	~~Yes~~		~~Added in 11.9~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Bill_Of_Quotes Table

This table maintains the relationship between an Assembly quote and its component quotes.

Field	Type	Default	Req'd	Indexed	Description
Parent_Quote	C50		Yes		PRIMARY KEY > FGN-KEY to Quote table (referential integrity on) Quote representing the Parent side of the relationship. changed in 8.0
Component_Quote	C50		Yes		PRIMARY KEY > FGN-KEY to Quote table (referential integrity on) Quote representing the Component side of the relationship. changed in 8.0
Quote_Operation	Long Int				FGN-KEY to Quote_Operation table (referential integrity on) Null is valid
Relationship_Type	C9		Yes		The relationship of the' child' to the 'parent'. Values are Component Updated by Quote Entry
Relationship_Qty	Long Int	0			Number of Component parts required for the Parent part Updated by Quote Entry (Assembly quote)
Sequence	Int	0	Yes		Added in 11.9
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Breaks Table – Added in 8.1

Used to define breaks for a Shift. (Prior to rel 11.0, this was only used in Data Collection.) As of 11.0 Scheduling release, this is now used to store breaks for Work Center Overrides.

Field	Type	Default	Req'd	Indexed	Description
Breaks	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID) (changed Type from C50 to Replication ID in 11.0
Break_Name	C50				Name of break (this will always be blank for WC Override)

Field	Type	Default	Req'd	Indexed	Description
Shift	Replication ID		Yes	Yes	FGN-KEY to Shift.Shift or Shift_Override.ObjectID (changed Type from C50 to Replication ID in 11.0 (Break times defined on **Shift** form point to Shift table. Break times defined as Overrides in **Work Center** form go thru the Shift_Override table, which then points to the Shift table.)
Start_Time	Date				Time break begins
End_Time	Date				Time break ends
Deduct_Job_Time	Yes/No				Do you want breaks deducted from Labor and Machine hours?
Schedule_Break	Yes/No				Is this a scheduled break? Do you want break time taken into account (*deducted*) when calculating hours for daily and weekly work center capacity? Only one Break can be checked on Shift form. This is the default break displayed in Work Center form. Added in 11.0 Used by Work Center Used by Scheduling
~~PreStart_Grace~~	~~Long~~				~~Grace period for break Start_Time to determine if you were logged in during the break~~ ~~Breaks are deducted from 'Payroll' time on Employee Logout~~ ~~Breaks are deducted from Labor and Machine hours on Job Logout if Deduct_Job_Time = Yes~~ ~~**OBSOLETE – decided not to use**~~
~~PostStart_Grace~~	~~Long~~				~~Grace period for break Start_Time to determine if you were logged in during the break~~ ~~**OBSOLETE – decided not to use**~~
~~PreEnd_Grace~~	~~Long~~				~~Grace period for break End_Time to determine if you were logged in during the break~~ ~~**OBSOLETE – decided not to use**~~

Field	Type	Default	Req'd	Indexed	Description
~~PostEnd_Grace~~	~~Long~~				~~Grace period for break End_Time to determine if you were logged in during the break~~ ~~**OBSOLETE – decided not to use**~~
Created_Time	Date/Time				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

CA_ProjectedCashFlow Table – Added in 11.8

Table added to support viewing/printing Cost Analysis - Cash Flow data

Field	Type	Default	Req'd	Indexed	Description
CA_PCF_ID	Long Int		Yes	Yes	PRIMARY KEY
UserID	C50		Yes		
InflowBeginningBalance	Double				
InflowAdjustment	Double				
InflowEffectiveBalance	Double				
InflowEndingBalance	Double				
OutflowBeginningBalance	Double				
OutflowEffectiveBalance	Double				
OutflowEndingBalance	Double				
OutflowAdjustment	Double				
BankBeginningBalance	Double				
BankAdjustment	Double				
BankEffectiveBalance	Double				
BankEndingBalance	Double				
EndingBalance	Double				
ToDate	Date/Time				
PeriodType	Long Int				
InTermsType	Long Int				
InAdjustType	Long Int				
InTermsMoments	Long Int				
InPostPonetype	Long Int				

InPostPoneMoments	Long Int				
InDiscountType	Long Int				
OutTermsType	Long Int				
OutAdjustType	Long Int				
OutTermsMoments	Long Int				
OutPostPonetype	Long Int				
OutPostPoneMoments	Long Int				
OutDiscountType	Long Int				
StartDate	Date/Time				
EndDate	Date/Time				
Title	C30				
Inflow	Double				
Outflow	Double				
NetInflow	Double				
ProjectedBalance	Double				
CashFlowDate	Date/Time				
CashflowAmount	Double				
Coefficient	Long Int				
ID	C50				
Source	C50				
EffectiveTermsDays	Long Int				
ProjectionInclusion	Yes/No				
InvoiceDate	Date/Time				
DiscountDate	Date/Time				
DiscountDays	Long Int				
DiscountPercent	Double				
BusinessPartner	C10				
Category1	C30				
Category2	C30				

~~Calendar Table – OBSOLETE as of Rel 11.0~~

Field	Type	Default	Req'd	Indexed	Description
~~Source~~	~~C20~~		~~Yes~~		~~PRIMARY KEY > Value can be 'Company' which indicates a shop calendar or a specific Work Center ID; FGN KEY to Work Center (no referential integrity). Work Center calendars are used by ShopBOSS~~
~~Cal_Year~~	~~C4~~		~~Yes~~		~~PRIMARY KEY – Calendar Year (YYYY)~~
~~Days~~	~~Memo~~				~~Days of the year. String contains flags for 366 days in a year to indicate work days vs non-work days~~
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

Change_History Table – Added in 9.0 –

Contains change history for **Purchase Orders** done in 9.0 (Could also be used for other change history in future) Job Tracking added in 10.1

Field	Type	Default	Req'd	Indexed	Description
Change_History	C50			Yes, no dupl	PRIMARY KEY
Change_Owner	C50			Yes	FGN-KEY to PO_Detail Table, Job, or Job_Operation depending on Change_Type. PO_Detail = PO_DetailKey Job = Job Job_Operation = Job_OperationKey
Requested_By	Integer				Where did this request originate (instigator)? 0 = Vendor, 1 = Internal
Change_Type	Integer				Type of change being made. Purchase Order Tracking 0 = Order Qty, 1 = Unit Cost, 2 = Due Date, 11 = PO Created (11 Added in 11.4) Job Change Tracking 3 = Order Qty, 4 = Unit Price, 5 = Part, 6 = Revision, 7 = Status, 8 = Promised Date, 9 = Promised Qty, 10 = Job Created (10 Added in 11.4), 36 = Requested Date (Added in 11.7) Routing Change Tracking (Added in 11.6) 12 = Operation Added, 13 = Operation Removed, 14 = Status, 15 = Est Setup Hrs, 16 = Run, 17 = Run Method, 18 = Work Center/Vendor, 19 = Operation/Service, 20 = Eff Percent, 21 = Percent Attd, 22 = Resources to Use, 23 = Description, 24 = Que Hours, 25 = Overlap Hrs, 26 = Lag Hours, 27 = Unit Cost, 28 = Cost Unit, 29 = Cost Conv Factor, 30 = Due Date, 31 = Addl Cost Description, 32 = Lead Days, 33 = Sequence Nbr, 34 = Est Addl Cost , 35= Overlap Method, 37= Scheduled End Date

Field	Type	Default	Req'd	Indexed	Description
External_Notif	Yes/No				Was this an external notification?
Internal_Notif	Yes/No				Was this an internal notification?
ShipDate_Changed	Yes/No				Did the Shipped Date change?
ProdDate_Changed	Yes/No				Did the Production Date change?
Reason	C15				Reason associated with change (defined in User_Code table)
Notes	Memo				Notes associated with change
Changed_By	C10				JobBOSS User ID – defaults to user logged in
Change_Date	Date				Date change took place
Old_Date	Date				Date prior to change
New_Date	Date				Date after change
Old_Number	Double				Number prior to change
New_Number	Double				Number after change
Old_Text	C50				Text data prior to change. Added in 10.1
New_Text	C50				Text data after change. Added in 10.1
Job	C30		No		Job from the Job_Operation table. Serves as identification in the case of a Routing Delete. Added in 11.6
WC_Vendor	C10		No		WorkCenter or Vendor from the Job_Operation table. Serves as identification in the case of a Routing Delete. Added in 11.6
Operation_Service	C10		No		Operation or Service from the Job_Operation table. Serves as identification in the case of a Routing Delete. Added in 11.6
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Contact Table

Field	Type	Default	Req'd	Indexed	Description
ContactKey	Long Int		Yes	Yes, no dupl	The primary identifier of Contact
Contact	Long Int			Yes, no dupl	
Customer	C10			Yes	FGN-KEY to Customer Table
Vendor	C10			Yes	FGN-KEY to Vendor Table
Address	Long Int			Yes	FGN-KEY to Address Table
Contact_Name	C30				The name of the contact Updated by Customer and Vendor
Title	C20				The title of contact
Phone	C20				The phone number for the contact
Phone_Ext	C8				The extension number for the contact. Increased from T4 to T8 I 11.2
Fax	C20				The Fax number for the contact
Email_Address	C255				The email address for the contact
Cell_Phone	C20				The cell phone for the contact. Added in 11.2
NET1_Contact_ID	C50				
Default_Invoice_Contact	Yes/No				
Status	Active/Inactive	Active	Yes		To set a contact as an Active or Inactive.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Cost Table

As of Rel 7.0, Cost records are created/updated whenever a Journal_Entry record is created, so don't need to update a Period Ending Amount anymore or create new Cost 'buckets' at year end. (prior to 7.0, Cost records were only created if you had the GL module, but not if you had AR or AP.)

Field	Type	Default	Req'd	Indexed	Description
CostKey	Long Int		Yes	Yes, dupl	PRIMARY KEY
Cost	Long Int		Yes	Yes, dupl	
Account	C10		Yes	Yes	Identifies the account associated with this cost data

Field	Type	Default	Req'd	Indexed	Description
Period	C50			Yes	Identifies the period for this cost data (GUID)
Budget_Amt	Currency	0			Identifies the percent used to determine the budget amount
MTD_Amt	Currency	0			Identifies the actual month to date amount for this period for this account
Dist_Pct	Integer	0			Identifies the percent used to determine the budget amount Deleted in 7.0
Per_Ending_Amt	Currency	0			Identifies the period ending account balance Deleted in 7.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Currency_Def Table

Field	Type	Default	Req'd	Indexed	Description
Currency_DefKey	Autonumber		Yes	Yes	PRIMARY KEY
Currency_Def	Long Int				
Currency_Name	C10		Yes	Yes	Contains currency name
Symbol	C10				Contains currency symbol to be used when formatting currency
Description	C30				Contains currency description
Base_Currency	Long Int				FGN KEY to Currency_Def table (link to self) Identifies currency as base currency
Rate	Double	0	Yes		Identifies exchange rate to Euro if EMU member
EMU_Member	Yes/No	No	Yes		Identifies EMU membership
Sig_Digits	Integer	2	Yes		Contains number of significant decimals when formatting currency
Dec_Symbol	C1	.			Contains decimal symbol to be used when formatting currency
Thousand_Separator	C1	,			Contains thousands separator symbol to be used when formatting currency
Neg_Format	Integer	9	Yes		Indicates how to format negative numbers when formatting currency. Contains pointer to item in Regional settings.
Pos_Format	Integer	2	Yes		Indicates how to format positive numbers when formatting currency. Contains pointer to item in Regional settings
Locale	Long Int	1033	Yes		Identifies the Locale to be used when formatting currency. Contains pointer to item in Regional settings
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Currency_Rate Table

Field	Type	Default	Req'd	Indexed	Description
Currency_RateKey	Autonumber		Yes	Yes	PRIMARY KEY

Field	Type	Default	Req'd	Indexed	Description
Currency_Rate	Long Int				
Source_Currency	Long Int		Yes	Yes	FGN KEY to Currency_Def table
Target_Currency	Long Int		Yes	Yes	FGN KEY to Currency_Def table
Rate	Double	0	Yes		Defines exchange rate from source to target currency
Effective_Date	Date				Effective date of the exchange rate
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Trading Currency

All currency values in the Job Control modules are now stored in the trading currency. In addition, the Invoice Detail currency values are also being stored in the appropriate trading currency. However, The Invoice Header values are still in base currency at this time. We will re-address the invoice header when the migration of the accounting functions is completed.

Customer Table

Field	Type	Default	Req'd	Indexed	Description
Customer	C10		Yes	Yes	PRIMARY KEY
Sales_Rep	C6				FGN-KEY to Employee table (no referential integrity)
User_Values	Long Int				FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Type	C15				FGN-KEY to User_Code table (no referential integrity)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15				FGN-KEY to User_Code table (referential integrity is on - NULL is valid)
Tax_Code	C15				FGN-KEY to User_Code table (referential integrity is on - NULL is valid)
Currency_Def	Long Int				FGN KEY to Currency_Def table
Name	C45			Yes	Customer Name increased to C45 (from C30) in 11.2
Email_Address	C255				The email address for the contact
URL	C255				The Web site address
Status	C15		Yes		Status of this account . increased to C15 (from C8) in 11.4 Values are: Active, Inactive, Prospect When a customer is placed on a job (either manually or thru Copy), customer Status is set to Active. Updated by Job Entry Updated by Copy
Ship_Lead_Days	Integer	0			Days to allow before shipping
Print_Statement	Yes/No	No	Yes		Should a statement be printed for this Customer (0 or 1)
Credit_Limit	Currency				Credit Limit
Curr_Balance	Currency				Current Balance. Updated by Period Close
Customer_Since	Date				Date this Customer became a customer

Field	Type	Default	Req'd	Indexed	Description
Accept_BO	Yes/No	Yes	Yes		Does this Customer accept backorders on sales orders?
Pricing_Level	C15				Pricing level for this Customer for sales orders
Partner	C16				EDI Partner
Note_Text	Memo				Customer notes
Tax_ID	C15				Tax ID for this vendor. Added in 8.0
Acct_Mgr	C6				FGN-KEY to Employee table. Used by Synergy Int for CRM Added in 11.1
Rating	Integer	10			Indicates the rating give to this customer. Values are: 1 – 20. Used by Synergy Int for CRM Added in 11.1
~~Last_Sale~~	~~Currency~~				~~Amount of last sale to this Customer. Deleted in 7.0~~
~~Last_Sale_Date~~	~~Date~~				~~Date of last sale to this Customer. Deleted in 7.0~~
~~Last_Payment~~	~~Currency~~				~~Amount of last payment from this Customer. Deleted in 7.0~~
~~Last_Payment_Date~~	~~Date~~				~~Date of last payment from this Customer. Deleted in 7.0~~
~~YTD_Sales~~	~~Currency~~				~~Year-to-Date Sales for this Customer. Deleted in 7.0~~
~~YTD_Payments~~	~~Currency~~				~~Year-to-Date Payments for this Customer. Deleted in 7.0~~
QB_ID	C50				QuickBooks ID in the QB Database Added in 11.3
Send_Report_By_Email	Bit	0			Customer preference for sending reports. **Added in 11.7**
PST_ID	C30				Provincial Sales Tax Registration Number (Account Number) for Canadian customers. **Added in 11.7**
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Customer_Part Table

This table contains information that a specific customer uses to identify a JobBOSS material and the discounted price

Field	Type	Default	Req'd	Indexed	Description
Customer_PartKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Customer_Part	Long Int				
Customer	C10			Yes	FGN-KEY to the Customer table
Material	C50		Yes		FGN-KEY to the Material table
Customer_Type	C15				Corresponds to Type field in Customer table. Added in 7.0 Updated by Material
Part_Number	C50		Yes		The Customers internal part number Updated by Material
Rev	C10				The revision number for the customers internal part number Updated by Material
Description	C50				The Customer's description of the part Updated by Material
Ext_Description	Memo				The Custome'rs extended description of the part Updated by Material
Sell_Price	Double	0			The unit price charged to this Customer for the part (99999999.99999) Updated by Material
Use_Customer_Currency	Yes/No	No	Yes		If checked, uses currency set for the customer.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Delivery Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
DeliveryKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Delivery	Long Int				
Packlist	C8			Yes	FGN-KEY to Packlist_Header table
Job	C30		Yes		FGN-KEY to Job.Job
Job_OID	Replication ID		Yes	Yes	FGN-KEY to Job.ObjectID. Added in 11.0
SO_Detail	Long Int				FGN-KEY to SO_Detail table (no referential integrity)

Field	Type	Default	Req'd	Indexed	Description
Packlist_Detail_OID	Replication ID			Yes	FGN KEY to Packlist_Detail.ObjectID. Added in 11.3 **– DECIDED NOT TO ADD AFTERALL**
Requested_Date	Date				Date Customer wants Parts shipped Updated by Job Entry
Promised_Date	Date		Yes		Date Promised to ship parts Updated by Job Entry
Promised_Quantity	Long Int				Quantity promised to ship Updated by Job Entry
Shipped_Date	Date				Date Parts were shipped Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Shipped_Quantity	Long Int				Quantity that has been shipped Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Remaining_Quantity	Long Int				Quantity remaining to be shipped for this Delivery **Calculated as**: (Promised_Quantity – Shipped_Quantity) Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Invoice	C50				Invoice that the packlist line for this delivery Updated by Invoice Post
CrMemo	C50				Credit Memo number for the Return packlist line item Updated by Invoice Post
Invoice_Line	C50				Line number on Invoice – only used for accounting integration to third party accounting packages (not used by JB accounting) Updated by accounting integration
CrMemo_Line	C50				Line number on Credit Memo – only used for accounting integration to third party accounting packages (not used by JB accounting) Updated by accounting integration
Invoice_Date	Date				Date associated with Invoice Updated by Invoice Post

Field	Type	Default	Req'd	Indexed	Description
CrMemo_Date	Date				Date associated with Credit Memo Updated by Invoice Post
Return_Document	C15				Document ID associated with return for this delivery Updated by Customer Returns
Returned_Date	Date				Date Parts were returned for this Delivery Updated by Customer Returns
Returned_Quantity	Long Int				Quantity returned for this Delivery Updated by Customer Returns
NCP_Quantity	Long Int				Non-Conforming Parts Quantity NEVER IMPLEMENTED
Comment	Memo				Instructions to go on Pack List
Last_Updated_By	T50				The JobBOSS User ID responsible for the last record update. (Added in 11.7)
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Deposit Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Deposit	C50		Yes		Primary Key (GUID)
Bank	C15				Bank deposit was for
Status	C20				Status values are: Reconciled, Unreconciled
Deposit_Date	Date				Date deposit was made
Statement_Date	Date				
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	0			FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with a deposit
Fixed_Rate	Yes/No	1	Yes		Identifies whether the exchange rate has been fixed

Field	Type	Default	Req'd	Indexed	Description
Trade_Date	Date				Identifies the date the exchange rate on the deposit was updated
Base_Amount	Double	0			Amount in base currency
Trade_Amount	Double	0			Amount in trading currency
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Employee Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Employee	C6		Yes	Yes, no dupl	PRIMARY KEY
Address	Long Int			Yes	FGN-KEY to Address table (referential integrity is on > NULL is valid)
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
First_Name	C10				First Name
Middle_Initial	C1				Middle Initial
Last_Name	C20				Last Name
SSN	C11				Social Security Number
Type	C6		Yes		Employee type values are: Shop, Sales, Other. Employees of Type Sales are considered 'Sales Reps' and 'commissionable'.
Status	C8		Yes		Status with company. Values are: Active, Inactive
Class	C1		Yes		Independent or Employee. Values are: I or E
Hourly_Rate	Currency	0			Employee's Hourly Rate of Pay (999.99)
Commission_Pct	Double	0			Commission Percent (99.99) for employees of Type 'Sales'
Hire_Date	Date				Date employee was hired
Note_Text	Memo				Employee notes
~~Shift_Start~~	~~Date/Time~~				~~Scheduled time to begin work Not Used in 6.0 OBSOLETE~~
~~Shift_End~~	~~Date/Time~~				~~Scheduled time to end work Not Used in 6.0 OBSOLETE~~
~~Shift~~	~~C1~~				~~Primary Work Shift Not Used. DELETED FOR 8.1 (re-added as GUID- see below)~~
Shift	Replication ID			Yes	Employee's shift. FGN-KEY to Shift_Definition table added in 8.1 (changed Type from C50 to Replication ID in 11.0
Department	C15				Employee's department added in 8.1
Supervisor	C6				Employee's supervisor added in 8.1

Field	Type	Default	Req'd	Indexed	Description
Default_Tran_Limit	Int				Number of transactions an employee can have open at one time. added in 8.1
Begin_Tran_Prompt	C15				Default value for beginning prompt (after entering Emp ID) at Data Terminals. added in 8.1 The default for new Employee record is Tran ID
Repeat_Tran_Prompt	C15				Default value for repeat prompt at Data Terminals. added in 8.1 The default for new Employee record is Another Tran?
Tran_Repeater	Yes/No				Default value for Repeat_Tran_Prompt. added in 8.1
~~Work_Center~~	~~C10~~				~~FGN-KEY to Work_Center table. Default work center for employee~~ ~~**OBSOLETE** in 11.0. As of 11.0, an Employee can have multiple work centers (stored in WCEmployee table). Note: **Did NOT rename** this field, as Delphi code is still referencing it.~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

FinPref Table

Field	Type	Default	Req'd	Indexed	Description
PreferencesKey	Long Int			Yes, no dupl	PRIMARY KEY
Preferences	Long Int				
AR_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Current AR fiscal period. Added in 7.0
AR_Next_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Next AR fiscal period. Added in 7.0
AR_Account	C10				FGN-KEY to Account table (no referential integrity). Accounts Receivables account code.
AR_Discount_Code	C15				FGN-KEY to User_Code table (no referential integrity). Discount account code

Field	Type	Default	Req'd	Indexed	Description
AR_Aging	C1		Yes		AR Aging Method. Base on Invoice Date (I) or Due Date (D)
AR_Cutoff_Days1	Integer	0			AR Cutoff Days 1st cutoff (99)
AR_Cutoff_Days2	Integer	0			AR Cutoff Days 2nd cutoff (99)
AR_Cutoff_Days3	Integer	0			AR Cutoff Days 3rd cutoff (99)
AP_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Current AP fiscal period. Added in 7.0
AP_Next_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Next AP fiscal period. Added in 7.0
AP_Account	C10				FGN-KEY to Account table (no referential integrity). Accounts Payables account code.
AP_Discount	C10				FGN-KEY to User_Code table (no referential integrity). Purchase Discount account code.
AP_Aging	C1		Yes		AP Aging Method. Base on Invoice Date (I) or Due Date (D)
AP_Cutoff_Days1	Integer	0			AP Cutoff Days 1st cutoff (99)
AP_Cutoff_Days2	Integer	0			AP Cutoff Days 2nd cutoff (99)
AP_Cutoff_Days3	Integer	0			AP Cutoff Days 3rd cutoff (99)
AP_Check_Recon	Yes/No	No	Yes		Is AP Check Reconciliation on?
Gl_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Current GL fiscal period. Added in 7.0
GL_Next_Fiscal_Per	C50				FGN-KEY to Fiscal_Period table. Next GL fiscal period. Added in 7.0
GL_Retained_Earnings	C10				FGN-KEY to Account table (no referential integrity). GL Retained Earnings account code
GL_CurrYr_Retained_Earnings	C10				FGN-KEY to Account table (no referential integrity). GL Current Year Earnings account code
~~Nbr_Fiscal_Periods~~	~~Integer~~	~~0~~			~~Number of Fiscal Periods in one year **OBSOLETE** as of 7.0~~
~~JE_Retention~~	~~Integer~~	~~0~~			~~Specifies for how many periods to retain Journal_Entry records **OBSOLETE** as of 7.0~~
WIP_Account	C10				Added in 8.0
RM_Account	C10				Added in 8.0
FG_Account	C10				Added in 8.0
COGS_Account	C10				Added in 8.0
Scrap_Account	C10				Added in 8.0

Field	Type	Default	Req'd	Indexed	Description
Labor_Account	C10				Added in 8.0
Labor_Burden_Account	C10				Added in 8.0
Machine_Burden_Account	C10				Added in 8.0
GABurden_Account	C10				Added in 8.0
AR_GLFE_Account	C10				GL Account to use for AR adjustments on Gain or Loss on Foreign Exchange Added in 11.2
AP_GLFE_Account	C10				GL Account to use for AP adjustments on Gain or Loss on Foreign Exchange Added in 11.2
NET1_Location_ID	C24				
NET1_Developer_ID	C10				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Fiscal_Year Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Fiscal_Year	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Name	C30				Name of fiscal year On Financial Preferences/Fiscal Periods tab
Nbr_Periods	Int				
Start_Date	Date				Starting date of the fiscal year On Financial Preferences/Fiscal Periods tab
End_Date	Date				Ending date of the fiscal year On Financial Preferences/Fiscal Periods tab
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Fiscal_Period Table – Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Fiscal_Period	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Fiscal_Year	C50				FGN_KEY to Fiscal_Year table (GUID)
Per_Nbr	Integer	0			Number of the fiscal period (99) On Financial Preferences/Fiscal Periods tab
Name	C30				Name of fiscal period On Financial Preferences/Fiscal Periods tab
Start_Date	Date				Starting date of the fiscal period On Financial Preferences/Fiscal Periods tab
End_Date	Date				Ending date of the fiscal period On Financial Preferences/Fiscal Periods tab
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

GL_Entry Table – Added in 7.0 Created by GL Journal Entry. A Journal_Entry record is not created until the entry is *posted*.

Field	Type	Default	Req'd	Indexed	Description
GL_Entry	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Period	C50				FGN_KEY to Fiscal_Period table (GUID)
Reference	C15				Reference
Description	C30				Description

Field	Type	Default	Req'd	Indexed	Description
Entry_Type	Integer				Type of GL entry. Values are: 0 (Regular), 1 (Recurring), 2 (Reversing)
Transaction_Date	Date				Date of transaction
Posted	Yes/No	No			Has this entry been posted yet?
Type	C15				Type of transaction. Values are: B-Recon-C (Credit), B-Recon-D (Debit) Added in 11.2
Bank	C15				Bank the transaction is for. Added in 11.2
Statement_Date	Date				Bank Statement Date transaction is for. Added in 11.2
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Global_Pref Table – Added in 11.0

Currently holds Preferences for ShopBOSS.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Created_Date	Date/Time		Yes		Date/Time record was created.
Pref_Type	C20		Yes		The Type of record this is. Values are: ShopBOSSPref,
Name	C30		Yes		Name of the Preference setting
Data_Type	C20		Yes		Data type of the Preference setting
Value	C20		Yes		Value of the Preference setting
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Holiday Table – Added in 8.1

Used to define holidays for a Shift. Prior to rel 11.0, this was only used in Data Collection. As of 11.0 Scheduling release, this is now used by core modules.

Field	Type	Default	Req'd	Indexed	Description
Holiday	C50		Yes	Yes	PRIMARY KEY
Holiday_Name	C20				
Shift	Replication ID			Yes	FGN KEY to Shift.Shift table. (changed Type from C50 to Replication ID in 11.0
HolidayStart	Date				Date holiday begins
HolidayEnd	Date				Date holiday ends
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

IdentityLog

Field	Type	Default	Req'd	Indexed	Description
Spid	Long Int				
TableName	C20				
KeyValue	Long Int				

Invoice_Header Table

Field	Type	Default	Req'd	Indexed	Description
Document	C8		Yes	Yes	PRIMARY KEY
Customer	C10		Yes	Yes	FGN-KEY to Customer table (referential integrity on)
Ship_To	Long Int				FGN-KEY to Address table (referential integrity on, Null is valid)
Contact	Long Int				FGN-KEY to Contact table (no referential integrity)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)

Field	Type	Default	Req'd	Indexed	Description
Tax_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Bill_To	Lont Int				FGN-KEY to Address table (referential integrity on, Null is valid) Added in 7.0
Document_Date	Date				Document Date
AR_Description	C25				Description
Due_Date	Date				Due Date
Orig_Invoice_Amt	Currency	0			Original Invoice Amount
Open_Invoice_Amt	Currency	0			Open Invoice Amount
Open_Invoice_Amt_Curr_Per	Currency	0			Open Invoice Amount Current Period
Source	C1		Yes		Source of the Invoice, Normal or Startup entry. Values are: N = Normal or S = Startup. If Startup, won't create Journal Entries and there are no Invoice_Detail records. Updated from Beginning Balances dialog in Customer for Startup entries.
Type	C3		Yes		Type of Invoice: Invoice, Credit Memo, Cash on Account. Values are: INV, CM, COA
Status	C8		Yes		Status of Invoice. Values are: Posted, Unposted Changed to Posted status by Post Invoices
Period	C50				Fiscal Period (GUID)
Taxable_Amt	Currency	0			Taxable Amount
Sales_Tax_Rate1	Currency	0			Sales Tax Rate 1
Sales_Tax_Rate2	Currency	0			Sales Tax Rate 2
Sales_Tax_Rate3	Currency	0			Sales Tax Rate 4
Sales_Tax_Rate4	Currency	0			Sales Tax Rate 1
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this job

Field	Type	Default	Req'd	Indexed	Description
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the job was updated
Print_Date	Date				Date Invoice was updated
~~EDI~~	~~Yes/No~~	~~No~~			~~Use EDI? OBSOLETE~~
Comment	Memo				Comments to be printed on the Invoice
Journal_Entry	C50				GUID. This is the key to Journal_Entry table. All JE records created for this Invoice will use this key to point back to the associated Invoice_Header record. Added in 7.0
Invoiced_By	C30				Person who created the invoice. Added in 7.0
Days_To_Pay	Integer?	0			??. Added in 7.2
Paid_Date	Date				Date Invoice was paid. Added in 8.0
User_Values	Int				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Invoice_Detail Table

Field	Type	Default	Req'd	Indexed	Description
Invoice_DetailKey	Long Int			Yes, no dupl	PRIMARY KEY
Invoice_Detail	Long Int				
Document	C8		Yes	Yes	FGN-KEY to AP_Document table (referential integrity on)
Document_Line	Integer			Yes	Line Number on the AP_Document referenced by this Detail Line
Packlist	C8			Yes	FGN-KEY to Packlist_Header table (no referential integrity)
Job	C30			Yes	FGN-KEY to Job table (no referential integrity)
SO_Detail	Long Int				FGN-KEY to Job table (no referential integrity)
AR_Code	C15				FGN-KEY to User_Code table (no referential integrity)

Field	Type	Default	Req'd	Indexed	Description
Sales_Rep	C8			Yes	FGN-KEY to Employee table (no referential integrity)
Additional_Charge	Long Int				FGN-KEY to Additional_Charge table. Added in 7.0
Description	C50				Description of line item
Ship_Date	Date				Date this line item was shipped
Quantity	Long Int	0			Quantity shipped
Unit_Price	Double				Unit Price
Price_UofM	C4				Unit of Measure for the Unit_Price value
Amount	Currency	0			Dollar amount of shipment
Commission_Pct	Double	0			Commission Percentage
Commissionable	Yes/No	No	Yes		Is the dollar amount commissionable?
Discountable	Yes/No	No	Yes		Is the dollar amount discountable? Not used per Chris
Job_Revenue	Yes/No	No	Yes		Include the dollar amount in Job_Revenue?
Backorder_Qty	Double	0			The quantity that wasn't available to ship but will be shipped when it becomes available
Order_Qty	Double	0			The quantity that was ordered
Prepay	Yes/No	No	Yes		Was this invoice prepaid?
Prepaid_Code	C15				FGN-KEY to User_Code table (no referential integrity) Sales Code for prepaid amount
Prepaid_Amt	Currency	0			Amount prepaid
Reference	C10				Reference
Material_Trans	Long Int				FGN-KEY to Material_Trans table (no referential integrity)
Note_Text	Memo				Comments for detail line to be printed on the Invoice. When notes are added for an additional charge on an Invoice, they are saved to this field, not the Additional_Charge.Notes field.
Part_Number	C50				Part Number for line item Added in 7.0
Part_Description	C50				Part Number Description. Added in 7.0
Ext_Description	Memo				Extended description of part Added in 7.0
Revision	C10				Revision of part Added in 7.0
Customer_PO	C30				Customer PO for line item Added in 7.0
POLine	C10				Customer PO Line number Added in 7.0

Field	Type	Default	Req'd	Indexed	Description
Source_Type	Integer				Values are 0 (Packlist for Job), 1 (Packlist for SO), 2 (Packlist from Inventory), 3 (Job addl chrg), 4 (SO addl chrg), 5 (misc addl chrg) Added in 7.0
Price_Coefficient	Double	0			Either neg 1 or pos 1. When line pulled in from Packlist, will be pos 1; when line pulled in from a Return Packlist, will be neg 1. Added in 7.0
Order_Unit	C4				Unit of measure for order Quantity. Added in 7.4
Price_Unit_Conv	Double				Conversion factor between Order Unit and Price Unit. Added in 7.4
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Prog_Payment	Yes/No				Is this a progress payment? Added in 9.0
Prepaid_Identifier	T50				Identifies the 'final' progress payment. Added in rel 11.2 Updated by Post Invoices
Type	C1		Yes		Type of Invoice Item, Product or Misc. Values are: P or M. **Deleted** in 7.0
~~Journal_Entry~~	~~Long Int~~				~~FGN-KEY to Journal_Entry table (no referential integrity) **Deleted** in 7.0~~
~~Taxable~~	~~Yes/No~~	~~No~~	~~Yes~~		~~Is the dollar amount taxable? **OBSOLETE** in 8.0~~
Prepaid_Tax_Amount	Currency	0			Amount of tax associated with the Prepaid_Amt on the associated job. Added in 11.5 Updated by Post Invoices
CommissionIncluded	Yes/No	False			Indicates whether Sales Commission is included in the Price. Added in rel 11.8
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Invoice_Receipt Table

Field	Type	Default	Req'd	Indexed	Description
Invoice_Receipt	C50		Yes	Yes	PRIMARY KEY (GUID) Added in 7.0
Invoice	C8		Yes		FGN KEY to Invoice_Header table (referential integrity is on)
Receipt	C50		Yes	Yes	FGN KEY to Receipt table (referential integrity is on)
Amount_Applied	Currency	0			Amount applied between this Invoice and this Receipt
Application_Type	Integer	0			Corresponds to Type of Receipt record. Values are 0 (Receipt), 1 (Adjustment). Added in 7.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

JB_Database Table

Field	Type	Default	Req'd	Indexed	Description
JB_Database	Integer			Yes	PRIMARY KEY
DatabaseID	C50		Yes	Yes	

Journal_Entry Table

Used by AR, AP and GL functions

Field	Type	Default	Req'd	Indexed	Description
Journal_Entry	Long Int			Yes	
Journal_EntryKey	Long Int			Yes	PRIMARY KEY
GL_Account	C10				FGN-KEY to Account table (referential integrity on > Null is valid)
Reference	C15			Yes	Reference
Source	C30				Source of entry. Varies with Type. For AR Types, Source = Customer ID For AP Types, Source = Vendor ID For GL Types, Source = Description
Transaction_Date	Date				Transaction Date
Period	C50			Yes	Fiscal Period (GUID)

Field	Type	Default	Req'd	Indexed	Description
Type	C13		Yes		Type of entry. Values are: AR-Receipt, AR-Invoicing, AR-CrMemo, AR-Adjustment, AP-Document, AP-Checks, AP-Adjustment, GL-Jentry-C (current period), GL-Jentry-P (prior period), GL_Jentry_S (Startup), PY (payroll) B-Recon-C (Credit), B-Recon-D (Debit)
Amount	Currency	0			Amount of transaction
Creation_Date	Date				Date this transaction was created
Originating_Transaction	C50				When Customer Invoice posted, set to the Invoice_Header.Journal_Entry key (GUID) All JE records for that Invoice will have this same 'key'. As part of e-Synergy integration, also set to the Holder_ID from several tables. Holder_Type indicates where Originating_Transaction came from.
Statement_Date	DateTime				
Posted	Yes/No	No	Yes	Yes	Has this Journal Entry been posted? Was deleted in 7.0, then added back in 7.0 and is now used by Bank Reconciliation to indicate whether entry is cleared or not. **Note**: As of 7.0, all entries in the Journal_Entry table are now assumed to be POSTED.
Holder_Type	C50				Indicates where Originating_Transaction came from (ie. Job, Material. Etc). Added for e_Synergy integration. Added in 8.0
MFG_Holder_ID	C50				Added for e_Synergy integration. Added in 8.0
MFG_Holder_Type	C50				Indicates where MFG_Holder_ID came from. Added for e_Synergy integration. Added in 8.0
Line_Description	C50				Added for e_Synergy integration. Added in 8.0
Quantity	Double				Added for e_Synergy integration. Added in 8.0
Unit	C4				Added for e_Synergy integration. Added in 8.0
Order_Number	C30				Added for e_Synergy integration. Added in 8.0

Field	Type	Default	Req'd	Indexed	Description
Partner_Type	Long Int				Added for e_Synergy integration. Added in 8.0
Cust_Trans_Type	Long Int				Added for e_Synergy integration. Added in 8.0
Partner	C10				Added for e_Synergy integration. Added in 8.0
Cust_Trans	C50				Added for e_Synergy integration. Added in 8.0
Employee	C8				Added for e_Synergy integration. Added in 8.0
Item_ID	C50				Added for e_Synergy integration. Added in 8.0
Item_Description	C50				Added for e_Synergy integration. Added in 8.0
Location	C10				Added for e_Synergy integration. Added in 8.0
Currenty_Def	Long Int				Added for e_Synergy integration. Added in 8.0
Reversing_Entry	Yes/No	No	Yes		Is this a reversing entry? **Deleted in 7.0**
Recurring_Entry	Yes/No	No	Yes		Is this a recurring entry? **Deleted in 7.0**
Debit_Credit	C1		Yes		Is this a Debit or a Credit (D or C) **Deleted in 7.0**
Posted_Date	Date				Date this Journal Entry was posted **Deleted in 7.0**
Posting_Error	C25				If an error occurred during posting, what was the error **Deleted in 7.0**
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Journal_EntryAudit (Created to trace double posting issue)

Field	Type	Default	Req'd	Indexed	Description
Audit_ID	C50			Yes	PRIMARY KEY
Journal_EntryKey	Long Int			Yes	FGN-KEY to Journal_entry table
AP_Document	C50				FGN-KEY to AP_Document table
Reference	C15			Yes	Reference
Vendor_ID	C30				
GL_Account	C10				
Period	C50			Yes	Fiscal Period (GUID)
Amount	Currency	0			Amount of transaction

Field	Type	Default	Req'd	Indexed	Description
Posted	Yes/No	No	Yes	Yes	Has this Journal Entry been posted? Was deleted in 7.0, then added back in 7.0 and is now used by Bank Reconciliation to indicate whether entry is cleared or not. **Note**: As of 7.0, all entries in the Journal_Entry table are now assumed to be POSTED.
Last_updatedJE	Date/Time				LastUpdated Journal entry table for the given transaction
PostedHdr	C10				Posted status for header table
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
User_Name	C50				Name of the Jobboss user who made entry
Machine_Name	C100				Name of the Machine from where entry made

Job_Exception Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEYAdded in 11.0
Job_Operation_OID	Replication ID		Yes	Yes	FGN-KEY to Job_Operation.ObjectID. Added in 11.0
Requirement	C50				Linked Material/Component the exception is for. Material ID if exception is for a linked material Job if exception is for a linked component Blank if exception is for the operation (not for a linked requirement)
Description	C100		Yes		Short description of the exception that occurred during scheduling
Created_Time	Date/Time	Now()	Yes	Yes	Date/Time this load record was created. Added in 11.0
Material_Req_OID	Replication ID		Yes		FGN-KEY to Material_Req.ObjectID. Added in 11.1

Field	Type	Default	Req'd	Indexed	Description
Exception_Type	Integer			Yes	Numeric value identifying the exception. Added in 11.1 Values are: PriorToCurrentDate = 1 InvalidOverlapFromFixed = 2 InvalidOverlap = 3 AdjustedDueToComp = 4 AdjustedDueToEarliest = 5 LockedOpWithMaterial = 6 ZeroCapacityWorkCenter = 7 FiniteOverload = 8 OpMoveToChildWC = 9 Scheduling Enginge Exceptions: Values are: JobLate = 100 PODueLaterThanSched = 101 MaterialStartDatePastDue = 102 ComponentStartDatePastDue = 103 FwdSchedGlobal = 104 ReschedForFinite = 105 EndChangedInGlobal = 106 ChangedInGlobal = 107 **Note**: Refer to JBStringLib for exception text
Job_Exception	Long Int			Yes	~~PRIMARY KEY. **OBSOLETE** in 11.0 Ended up needing to keep this field because Delphi code (Job Entry and Time Entry) needed to delete Exception records when routing removed or goes to Complete. It is NOT the primary key any longer.~~
~~Job_Operation~~	~~Long Int~~		~~Yes~~		~~FGN KEY to Job_Operation.Job_Operation. **OBSOLETE** in 11.0 (this field was actually *removed* from the table rather than *renamed* since the table had to be deleted and recreated for 11.0)~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Job Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Job	C30		Yes	Yes, no dupl	PRIMARY KEY
Sales-Rep	C6				FGN-KEY to Employee table (referential integrity is on > NULL is valid)
Customer	C10				FGN-KEY to Customer table (referential integrity is on)
Ship_To	Long int				FGN-KEY to Address table (referential integrity is on > NULL is valid)
User_Values	Long int				FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Quote	C30				FGN-KEY to Quote table (no referential integrity)
Contact	Long int				FGN-KEY to Contact table (no referential integrity)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Tax_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Top_Lvl_Job	C30				Top Level Parent for an assembly job
Type	C8		Yes		Type of Job. Values are: Assembly, Blanket, Regular
Order_Date	Date		Yes		Order Date

Field	Type	Default	Req'd	Indexed	Description
Status	C8		Yes		Status of job. Values are: Pending, Active, Hold, Complete, Closed, Template Updated by Time Entry – goes to Complete when last operation completed (all other inside operations must be in "Started" status.) Updated by Customer Shipments – Jobs - goes to Complete when full qty shipped Updated by PO Receiving - if outside operation is the last operation, goes to complete when full qty received. Updated by Job Receiving - if outside operation is the last operation, goes to complete when full qty received. Updated by MC Transfers/FG to Inventory – goes to complete when remaining quantity is transferred into FG inventory.
Status_Date	Date		Yes		Date Status last changed Updated by same functions above for Status
Part_Number	C50				Part Number for job
Rev	C10				Part Number Revision
Description	C50				Part Number Description
Ext_Description	Memo				Extended part number description
Drawing	C30				Drawing number for this part/revision. Increased to T30 from T16 for 11.4
Build_To_Stock	Yes/No	No	Yes		Is this part being built for inventory?
Order_Quantity	Long int		Yes		Order quantity for this job Updated by Split Jobs – set to Split_Quantity from original job
Extra_Quantity	Long int				Number of Extra Parts to Make
Pick_Quantity	Long int				Estimated Pick Quantity. Number of parts (already made) to be picked from inventory
Make_Quantity	Long int		Yes		Total number of Parts to make (Order_Quantity + Extra_Quantity – Pick_Quantity) Updated by Split Jobs – reduced on original job

Field	Type	Default	Req'd	Indexed	Description
~~Split_Quantity~~	~~Long int~~				~~Quantity sent ahead when original job is split. This appears to be OBSOLETE as it is not being updated, the quantity sent ahead (split off) is in the Bill_of_Jobs.Relationship_Qty so it seems unnecessary here.~~
Completed_Quantity	Long int				Quantity of completed parts on this job Completed_Quantity is calculated as the number of parts completed at last operation (Act_Run_Qty from job operation record) + actual picked qty (Act_Qty from FG matl req record) OR Shipped_Quantity + FG_Transfer_Qty WHICHEVER is greater Updated by Time Entry when last operation completed Updated by Customer Shipments – Jobs Updated by PO Receiving when last operation received in full or closed Updated by Job Receiving when last operation received in full or closed Updated by MC Transfers to FG Updated by Pick Material when picking FG parts Updated by Split Jobs – reduced if split qty is equal to or less than original job Completed Quantity
Shipped_Quantity	Long int				Quantity that has been shipped for job Updated by Customer Shipments - Jobs
FG_Transfer_Qty	Long int				Quantity transferred to Finished Goods inventory Updated by MC Transfers to FG Updated by Customer Shipments – SO when Preferences set to auto pick
Returned_Quantity	Long int				Quantity returned on this job Updated by Customer Returns
REVISION	VARCHAR(15) NULL				Contains Revision Text/Number added in Revision field present on General tab.

Field	Type	Default	Req'd	Indexed	Description
In_Production_Quantity	Long int		Yes		Number of parts currently in production. Basically, parts are considered to be 'in production' if they aren't in inventory and haven't been shipped or scrapped. **Calculated as:** (Make_Quantity – Act_Scrap_Quantity – FG_Transfer_Qty – Shipped_Quantity + Act_Qty from FG Matl Req record for Pick_Quantity.) Updated by MC Transfers to FG Updated by Customer Shipments – Jobs Updated by Time Entry to enter parts scrapped Updated by Pick Material when picking FG parts
Assembly_Level	Integer				Assembly Level (0 is top) Indicates the level of the job in an assembly job structure
Certs_Required	Yes/No	No	Yes		Is Certification required?
Time_And_Materials	Yes/No	No	Yes		Is this a Time and Materials job?
Open_Operations	Integer				Remaining open Routing operations
Scrap_Pct	Double	0	Yes		Estimated Scrap Percentage (The Make_Quantity is increased based on the Order_Qty and Scrap %)
~~Est_Scrap_Qty~~	~~Long int~~				~~Estimated Scrap Quantity OBSOLETE as of 6.0 don't need to save qty because you can always calculate it.~~
Est_Rem_Hrs	Double				Estimated Remaining Hours (9999.99) Inside operations only Rolled up from Job_Operation records
Est_Total_Hrs	Double				Estimated Total Hours (9999.99) Inside operations only Rolled up from Job_Operation records
Est_Labor	Currency				Estimated Labor **Cost** (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_Material	Currency				Estimated Material Cost (9999999.99) Rolled up from Material_Req records

Field	Type	Default	Req'd	Indexed	Description
Est_Service	Currency				Estimated Service Cost (9999999.99) Outside operations only Rolled up from Job_Operation records
Est_Labor_Burden	Currency				Estimated Labor Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_Machine_Burden	Currency				Estimated Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_GA_Burden	Currency				Estimated GA Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Act_Revenue	Currency				Actual Revenue (9999999.99) Updated by Customer Shipments – Jobs when JB Invoicing is not purchased Updated by AR Invoicing if purchased Updated when Update Revenue is executed in OP if accounting interface purchased.
Act_Scrap_Quantity	Long int				Actual Scrap Quantity Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Total_Hrs	Double				Actual Total Hours (9999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Labor	Currency				Actual Labor Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Material	Currency				Actual Material Cost (9999999.99) Rolled up from Material_Req records Updated by Pick Material Updated by PO Receiving when cost received Updated by Job Receiving when cost received

Field	Type	Default	Req'd	Indexed	Description
Act_Service	Currency				Actual Service Cost (9999999.99) Outside operations only Rolled up from Job_Operation records Updated by PO Receiving when cost received Updated by Job Receiving when cost received
Act_Labor_Burden	Currency				Actual Labor Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Machine_Burden	Currency				Actual Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_GA_Burden	Currency				Actual Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Priority	Integer	5			Priority of this job. Values are 0 to 9. Setting the priority to 0 excludes the job when Scheduling. Value 1 is the highest priority. Setting Job priority to 0 sets the Priority to 0 and Priority_Zero_Lock = True for all routing lines. As of rel 11.0, this became obsolete for new scheduling, but had to keep for existing customers.
Unit_Price	Double				Unit Price (99999999.9999) Updated by Customer Shipments – Jobs if no accounting (AR)?? Updated by AR Invoicing? Updated by accounting interface??
Price_UofM	C4				Unit of Measure for Unit_Price value
Total_Price	Currency				Total Price (9999999.99) (Order_Qty * Unit_Price) + sum of addl charges Updated by Customer Shipments – Jobs if no accounting (AR)?? Updated by AR Invoicing?

Field	Type	Default	Req'd	Indexed	Description
Commission_Pct	Double				Commission Percentage allowed for this Job
Customer_PO	C20				Customer Purchase Order Number
Customer_PO_LN	C6				Line number on Customer Purchase Order
Sched_End	Date				Date Job is scheduled to end Updated by Scheduling
Sched_Start	Date				Date Job is scheduled to start Updated by Scheduling
Profit_Pct	Double				Profit Percentage to make on this job
Labor_Markup_Pct	Double	0	Yes		Labor Markup Percentage
Mat_Markup_Pct	Double	0	Yes		Material Markup Percentage
Serv_Markup_Pct	Double	0	Yes		Service Markup Percentage
Labor_Burden_Markup_Pct	Double		Yes		Added to support markup for labor burden
Machine_Burden_Markup_Pct	Double	0	Yes		Added to support markup for machine burden
GA_Burden_Markup_Pct	Double	0	Yes		Added to support markup for GA burden
Lead_Days	Integer				Lead days required to make shipments of this Part
Profit_Markup	C1				Profit Markup
Prepaid_Amt	Currency				Amount that has been prepaid on this job (in **Base** currency) Updated by Post Invoices
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion. Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this job
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the job was updated

Field	Type	Default	Req'd	Indexed	Description
Split_To_Job	Yes/No	No	Yes		Is this Job a split from another Job (or or 1) Updated by Split Jobs
Note_Text	Memo				Internal job notes
Comment	Memo				Comments for Order Acknowledgement
Order_Unit	C4				Unit of measure for Order Quantity. Added in 7.4
Price_Unit_Conv	Double				Conversion factor between Order Unit and Price Unit. Added in 7.4
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Added for e-Synergy integration. Added in 8.0
Source	C20				The source application that created the job. System (JobBOSS) SDK View (e-orders) Synergy Added in 8.0
Order_Taken_By	C50				Added in 8.0
Plan_Modified	Yes/No	No			Has the job been modified? **Used by** Job Entry to indicate whether customer needs to be contacted due to changes in job. **Set by** Material Planning form whenever there are changes to job that affect the plan Added in 9.0
~~Quantity_Per~~	~~Double~~	~~1~~			~~Quantity Per - number of Parts in this Job needed to make one Part of Parent Job.~~ ~~**OBSOLETE** as of 6.0; now use Relationship_Qty in Bill_of_Jobs table~~

Field	Type	Default	Req'd	Indexed	Description
Released_Date	Date/Time				Date that a job is released to the floor. Indicates that everything is ready so work can actually begin. Added in rel 11.0 Updated by Job Entry. Used by Reporting
Prepaid_Tax_Amount	Currency	0			Portion of the Prepaid_Amt that is taxab le. Added in rel 11.2 Updated by Post Invoices
Prepaid_Identifier	T50				Identifies the 'final' progress payment. Added in rel 11.2 Updated by Post Invoices
Prepaid_Trade_Amt	Currency	0			Amount that has been prepaid on this job (in **Trade** currency). Added in rel 11.2 Updated by Post Invoices
Last_Updated_By	T50				The JobBOSS User ID responsible for the last record update. Added in 11.6
CommissionIncluded	Yes/No	False			Indicates whether Sales Commission is included in the Price. Added in rel 11.8
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Job_Operation Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. Added in 11.0
Job_OperationKey	Integer		Yes	Yes	PRIMARY KEY
Job_Operation	Autonumber		Yes	Yes, no dupl	
Vendor	C10				FGN-KEY to Vendor table Vendor if outside operation; blank if inside operation
Work_Center	C10				FGN-KEY to Work_Center.Work_Center Work Center if inside operation; blank if outside operation
WorkCenter_OID	Replication ID			Yes	FGN-KEY to Work_Center.ObjectID. Added in 11.0
Job	C30		Yes		FGN-KEY to Job.Job
Job_OID	Replication ID		Yes	Yes	FGN-KEY to Job.ObjectID. Added in 11.0
Operation_Service	C10				FGN-KEY to Operation table or Service table Operation if inside operation; Service if outside operation
WC_Vendor	C10		Yes		Work Center if inside operation; Vendor if outside service
Inside_Oper	Yes/No	No	Yes		Is this an inside operation?
Sequence	Integer	0	Yes		Sequence of this operation in the routing
Description	C25				Description of operation
Run	Double	0			Run value for *costing* estimates Inside operations only
Run_Method	C8				Run Method (for the Run value) for *costing* estimates (Parts/Hr,Hrs/Part,Min/Part,Sec/Part,FixedHrs) Inside operations only
Est_Run_Per_Part	Double	0			Estimated time it takes to make *one* Part. Inside operations only Calculated. Rem_Run_Hrs / Est_Req_Qty = Est_Run_Per_Part Field stored in db only used by reporting.

Field	Type	Default	Req'd	Indexed	Description
Efficiency_Pct	Double	100			Efficiency Percentage for *costing* estimates (1 to 9999) Inside operations only
Queue_Hrs	Double	0			Queue Hours. (99.99) Hours that work sits in this WC *before* operation can start. Inside operations only
Attended_Pct	Double	100			Attended Percentage (0 to 100) The percent that the machine is attended by an operator. Inside operations only For *scheduling* purposes, this field is being replaced by Sched_Resources in 11.0 . The Attd % field will still be used for **costing** purposes. Currently, Delphi is only set up to handle up to 100% for costing. Don't know yet whether we will change field for 11.0 to only allow 100%, or change code to handle > 100%. Lisa O and Dave L. both said that users had requested to be able to set to > 100% for costing. For example, another operator (a 'helper') might be added to help load a machine, so there would be additional labor cost involved. See **FC 26.122.334** **For 11.0, solution was to only allow entry = < 100%**
Est_Setup_Hrs	Double	0			Estimated Setup Hours for *costing* estimates (9999.99) Inside operations only Included in **Est_Total_Hrs** total Used by Scheduling
Est_Run_Hrs	Double	0			Estimated Run Hours for *costing* estimates (9999.99) Inside operations only Included in **Est_Total_Hrs** total Used by Scheduling
Est_Total_Hrs	Double	0			Estimated Total Hours for *costing* estimates (9999.99) Inside operations only. **This field is used by Reporting**. All JB functions *calculate* this total by summing the two fields below **Total of**: (note: total calc verified in 11.0) Est_Setup_Hrs Est_Run_Hrs

Field	Type	Default	Req'd	Indexed	Description
Rem_Setup_Hrs	Double	0			Remaining Setup Hours for *costing* estimates (9999.99) Inside operations only Included in **Rem_Total_Hrs** Updated by Time Entry Used by Scheduling
Rem_Run_Hrs	Double	0			Remaining Run Hours for *costing* estimates (9999.99) Inside operations only Included in **Rem_Total_Hrs** Updated by Time Entry Used by Scheduling
Rem_Total_Hrs	Double	0			Remaining Total Hours for *costing* estimates (9999.99) Inside operations only. **This field is used by Reporting**. All JB functions *calculate* this total by summing the two fields below Updated by Time Entry **Total of:** Rem_Setup_Hrs Rem_Run_Hrs
Act_Setup_Hrs	Double	0			Actual Setup **Machine** Hours (9999.99) Inside operations only. Updated by Time Entry **Note**: to get total of *Actual Setup* hours, add Act_Setup_Hrs + Rwk_Setup_Hrs to get *Projected Setup* hours, add Act_Setup_Hrs + Rwk_Setup_Hrs + Rem_Setup_Hrs
Act_Setup_Labor_Hrs	Double				Actual Setup **Labor** Hours Inside operations only Added in 8.1 Updated by Time Entry
Rwk_Setup_Hrs	Double	0			Rework Setup **Machine** Hours (9999.99) Inside operations only Updated by Time Entry
Rwk_Setup_Labor_Hrs	Double				Rework Setup **Labor** Hours Inside operations only Added in 8.1 Updated by Time Entry

Field	Type	Default	Req'd	Indexed	Description
Act_Run_Hrs	Double	0			Actual Run **Machine** Hours (9999.99) Inside operations only Updated by Time Entry **Note**: to get total of Actual Run hours, add Act_Run_Hrs + Rwk_Run_Hrs to get *Projected Run* hours, add Act_Run_Hrs + Rwk_Run_Hrs + Rem_Run_Hrs
Act_Run_Labor_Hrs	Double				Actual Run **Labor** Hours Inside operations only Added in 8.1 Included in **Act_Run_Hrs** total
Rwk_Run_Hrs	Double	0			Rework Run **Machine** Hours (9999.99) Inside operations only Updated by Time Entry
Rwk_Run_Labor_Hrs	Double				Rework Run **Labor** Hours Inside operations only Added in 8.1 Updated by Time Entry
Est_Required_Qty	Long Int	0			Estimated Required Quantity Outside operations only **NOTE**: this 'null' field caused problems in Time Entry after release 8.1, so created utility and ran on customer's database to set this field to the Job.Make_Quantity for **all** operations. Updated by Job Entry
Deferred_Qty	Double	0	Yes		Amount of requirement remaining to be ordered Outside operations only Initially set to the estimated required qty when service is added to the job Purchasing reduces deferred qty by the order qty PO Receiving if partial received and PO line not closed, should not update Deferred_Qty. If PO line closed (either full or short), requirement is closed and deferred qty is set to zero. (PO line must be closed before deferred qty is updated). Job Receiving reduces deferred by received qty. If requirement is closed (either full or short), deferred qty is set to zero. Job Entry Closing routing on job sets deferred qty to zero. If operation closed short, reopening operation sets deferred qty to remaining qty (Est_Required_Qty – Act_Run_Qty)

Field	Type	Default	Req'd	Indexed	Description
Setup_Qty	Long Int				Setup Quantity Inside operations only Added in 8.1 Actual Qty made during Setup operations; included in **Act_Run_Qty** total
Run_Qty	Long Int				Run Quantity Inside operations only Added in 8.1 Actual Qty made during Run operations; included in **Act_Run_Qty** total
Act_Run_Qty	Long Int				Actual Run Quantity (Inside) or Actual Required Quantity (Outside) (99999999) Used by both Inside and Outside operations Updated by Time Entry (Inside) Updated by PO Receiving with qty received (Outside) Updated by Job Receiving with qty received (Outside) **As of 8.1 Total of** (Inside): (verified in 11.0) Setup_Qty Run_Qty
Rwk_Setup_Qty	Long Int				Rework Setup Quantity Inside operations only Added in 8.1 Actual Qty made during Rework Setup operations; included in **Rwk_Quantity** total
Rwk_Run_Qty	Long Int				Rework Run Quantity Inside operations only Added in 8.1 Actual Qty made during Rework operations; included in **Rwk_Quantity** total
Rwk_Quantity	Long Int	0			**Total** Rework Quantity (99999999). **This field is used by Reporting**. All JB functions *calculate* this total by summing the two fields below. Updated by Time Entry As of 8.1 **Total of:** (verified in 11.0) Rwk_Setup_Qty Rwk_Run_Qty

Field	Type	Default	Req'd	Indexed	Description
Act_Scrap_Qty	Long Int				Actual Scrapped Quantity (999999) Inside operations only Updated by Time Entry **Total of**: Qty Scrapped during **Setup** and **Run** operations (there aren't separate fields for setup and run quantities.)
Rwk_Scrap_Qty	Double	0			Rework Scrapped Quantity (999999) Inside operations only Updated by Time Entry Qty Scrapped during **Rework Setup** and **Rework Run** operations (there aren't separate fields for setup and run quantities.)
Est_Setup_Hrs	Double	0			
Est_Run_Hrs	Double	0			
Est_Total_Hrs	Double	0			
Est_Setup_Labor	Currency	0			Estimated Setup Labor **Cost** (9999999.99) Inside operations only
Est_Run_Labor	Currency	0			Estimated Run Labor **Cost** (9999999.99) Inside operations only
Est_Labor_Burden	Currency	0			Estimated Labor Burden **Cost** (9999999.99) Inside operations only
Est_Machine_Burden	Currency	0			Estimated Machine Burden **Cost** (9999999.99) Inside operations only
Est_GA_Burden	Currency	0			Estimated GA Burden **Cost** (9999999.99) Inside operations only
Est_Unit_Cost	Currency	0			Estimated Unit Cost (99999999.9999) Outside operations only
Est_Addl_Cost	Currency	0			Estimated Additional Cost (9999999.99) Outside operations only
Est_Total_Cost	Currency	0			Estimated Total Cost (9999999.99) Outside operations only
Act_Setup_Labor	Currency	0			Actual Setup Labor **Cost** (9999999.99) Inside operations only Updated by Time Entry
Act_Run_Labor	Currency	0			Actual Run Labor **Cost** (9999999.99) Inside operations only Updated by Time Entry

Field	Type	Default	Req'd	Indexed	Description
Act_Labor_Burden	Currency	0			Actual Labor Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry
Act_Machine_Burden	Currency	0			Actual Machine Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry
Act_GA_Burden	Currency	0			Actual GA Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry
Act_Unit_Cost	Currency	0			Actual Unit **Cost** (99999999.9999) Outside operations only Updated by PO Receiving and Job Receiving when receiving costs. This is an average Act_Total_Cost/Act_Run_Qty as there can be multiple sources for each requirement
Act_Addl_Cost	Currency	0			Actual Additional **Cost** Outside operations only Updated by Job Entry when adding addl costs to routing line Updated by PO Receiving when receiving costs (accumulative) Updated by Job Receiving when receiving costs (accumulative)
Addl_Cost_Desc	C15				Additional Cost Description Outside operations only Updated by Job Entry when adding addl costs to routing line (Receiving does not update)
Rwk_Setup_Labor	Currency	0			Rework Setup Labor **Cost** (9999999.99) Inside operations only Updated by Time Entry
Rwk_Run_Labor	Currency	0			Rework Run Labor **Cost** (9999999.99) Inside operations only Updated by Time Entry
Rwk_Labor_Burden	Currency	0			Rework Labor Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry
Rwk_Machine_Burden	Currency	0			Rework Machine Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry

Field	Type	Default	Req'd	Indexed	Description
Rwk_GA_Burden	Currency	0			Rework GA Burden **Cost** (9999999.99) Inside operations only Updated by Time Entry
Act_Total_Cost	Double	0			Actual **Total Cost** (9999999.99) Outside operations only Includes Act_Addl_Cost Updated by PO Receiving when receiving costs Updated by Job Receiving when receiving costs
Setup_Pct_Complete	Double	0			Setup Percent Complete Inside operations only Updated by Time Entry
Run_Pct_Complete	Double	0			Run Percent Complete Inside operations only For Quantity 1 jobs only. User can specify either 100% complete when done, or check the operation Complete checkbox. Updated by Time Entry
Overlap_Method	C3				Overlap Method Inside operations only Unit for the value in Overlap field. Values are: Hrs, Pct, Qty All 3 values can be specified from Job Entry. If Overlap value is updated from Job Scheduling, Overlap is always in hours and method is set to Hrs. Updated by Job Entry Used by Scheduling
Overlap	Double	0			Overlap Inside operations only Overlap value, along with the Overlap_Method (unit), is used to determine the number of Est_Ovl_Hrs. From Job Scheduling, Overlap is always in hours. In Job Scheduling, this value is calculated: Est_Run_Per_Part * Overlap_Qty = Overlap (hours) Updated by Job Entry Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Overlap_Qty	Double	0			Overlap Quantity Inside operations only After this many parts are done, I can begin the next operation. This value is calculated using Overlap_Method, Overlap, and Est_Run_Per_Part in Job Entry. In Job Scheduling, this value is calculated: Overlap (hrs) / Est_Run_Per_Part = Overlap_Qty Updated by Job Entry Used by Scheduling
Est_Ovl_Hrs	Double	0			Estimated Overlap Hours Inside operations only After this many run hours, I can begin the next operation. This value is calculated: (Overlap_Qty * Est_Run_Per_Part) + Est_Setup_Hrs Updated by Job Entry Used by Scheduling
Lead_Days	Integer	0			Total outside processing time in days. This would include: time to ship to vendor, vendor processing time, time to ship back from vendor. Outside operations only Used by Scheduling
Sched_Start	Date/Time				Scheduled start date/time. As of 11.0, this will be a date/time field Updated by scheduling
Sched_End	Date/Time				Scheduled end date/time. As of 11.0, this will be a date/time field For Outside operations, this is Sched_Start + Lead Days Updated by Scheduling Used by Purchasing as Thru Date in PO Reqs dialog filter when there is one, else uses Due_Date

Field	Type	Default	Req'd	Indexed	Description
Due_Date	Date				Date outside service is due to return from Vendor. This is set = Sched_End Outside operations only APPEARS NOT TO HAVE BEEN IMPLEMENTED FOR SERVICES; doesn't appear on form and not getting set as far as I can tell. Implemented for Services in11.0 Used by Purchasing as Thru Date in PO Reqs dialog filter when there is no Sched_End date Updated by Scheduling **Not sure about this now**, in talking to Lisa, she said the Due Date for outside ops was set by Scheduling based on the service Lead Days. I verified that we are NOT setting in 10.2 scheduling. Implemented for Services in 11.0
Status	C1		Yes		Status of operation. Values are: O, S, C for Open, Started, Complete Job Entry – set to O when initially added to job or when template job changed to active; set to C when job closed or T for template job. If job complete or closed when requirement added, status set to C. Time Entry – set to S when partial time entered or C when full time entered (inside) Purchasing – set to S when placed on purchase order (service) PO Receiving – set to C when full receipt (service) Job Receiving – set to S when partial received or C when full receipt (service)
Priority	Double	5			Priority of this operation. Values are 0 to 9. Setting the Job priority to 0 sets the Priority to 0 on all routing lines (as of 11.0) Priority 0 excludes the operation when scheduling the job. Value 1 is the highest priority.
Minimum_Chg_Amt	Currency	0	Yes		The minimum charge for this service Outside operations only
Cost_Unit	C4				Cost Unit (each, lot) Outside operations only
Cost_Unit_Conv	Double	0	Yes		Conversion factor from 'each' to the Cost_Unit Outside operations only

Field	Type	Default	Req'd	Indexed	Description
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	0			FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with an outside service Outside operations only
Fixed_Rate	Yes/No	1	Yes		Identifies whether the exchange rate has been fixed
Trade_Date	Date				Identifies the date the exchange rate on the job was updated
Note_Text	Memo				Routing Line Notes; Internal notes for routing line
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Added for e-Synergy integration. Added in 8.0
OP_Group	C50				Group of operations that this Job_Operation belongs to. Inside operations only FGN_KEY to OP_Group table Added in 8.1
Floor_Notes	Memo				Job Operation Notes Inside operations only Added in 8.1 (Replaces old Job_Operation_Time.Note_Text field)
Sched_Resources	Double	1			Resources to Schedule. Number of resources to use when scheduling this operation (user specified). If more resources are used, then Total Hrs *duration* is reduced. Inside operations only Added in 11.0 Replaces the functionaly previously indicated by Attended_Pct field when it was > 100%. Updated by Job Scheduling Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Lag_Hours	Double	0			Lag Hours (99.99) Time that work sits at a work center *after* the work is completed and/or time it takes to move work to the next WC. This is considered '**Move'** time. (By specifying time at the *end* of an operation, the time is accounted for regardless of which operation it goes to next. Prior to 11.0, user had to specify the move time using Que at the beginning of all operations that it *might* be moved to.) Inside operations only Added in 11.0 Updated by Job Scheduling Used by Scheduling
Manual_Start_Lock	Yes/No	0			Was the Sched_Start date manually changed by the user? Added in 11.0 Updated by Job Scheduling Used by Scheduling
Manual_Stop_Lock	Yes/No	0			Was the Sched_End date manually changed by the user? Added in 11.0 Updated by Job Scheduling Used by Scheduling
Priority_Zero_Lock	Yes/No	0			Was the Priority on the Job set to zero by the user? When value is true, scheduling engine skips this job. Added in 11.0 Updated by Job Scheduling Used by Scheduling
Firm_Zone_Lock	Yes/No	0			Is this operation in the 'Firm Zone'? When value is true, scheduling engine skips this job. Added in 11.0 Updated by ShopBOSS
SB_Orig_OID	Replication ID		Yes	Yes	FGN-KEY to Job_Operation.ObjectID. Added in 11.0 Pointer to the original routing line this was created from when moved to a different work center in ShopBOSS. Created and used by ShopBOSS
SB_Setup_Hrs	Double	0			Estimated Setup Hours for *scheduling* estimates (9999.99) Inside operations only. Added in 11.0 Updated and used by ShopBOSS

Field	Type	Default	Req'd	Indexed	Description
SB_Run_Hrs	Double	0			Estimated Run Hours for *scheduling* estimates (9999.99) Inside operations only. Added in 11.0 Updated and used by ShopBOSS
SB_Run	Double	0			Run value for *scheduling* estimates Inside operations only Added in 11.0 Updated and used by ShopBOSS
SB_RunMethod	C8				Run Method (for the Run value) for *scheduling* estimates (Parts/Hr,Hrs/Part,Min/Part,Sec/Part,FixedHrs) Inside operations only Added in 11.0 Updated and used by ShopBOSS
SB_Efficiency	Double	100			Efficiency Percentage for *scheduling* estimates (1 to 9999) Inside operations only Added in 11.0 Updated and used by ShopBOSS
Actual_Start	Date/Time				Actual date and time the operation started. Updated by Job, Time Entry, DC, Vendor Shipments (outside ops) Used by scheduling Added in 11.0
Last_Updated_By	T50				The JobBOSS User ID responsible for the last record update. Added in 11.6
~~Sched_Start_Hr~~	~~Double~~	~~0~~			~~Scheduled start hour~~ ~~Updated by scheduling **OBSOLETE** in 11.0~~
~~Sched_End_Hr~~	~~Double~~	~~0~~			~~Scheduled end hour~~ ~~Updated by scheduling **OBSOLETE** in 11.0~~
~~Sched_Ovl_Start_Hr~~	~~Double~~	~~0~~			~~Scheduled start hour for starting next operation when overlapping is specified~~ ~~Updated by scheduling **OBSOLETE** in 11.0~~
~~Sched_Ovl_Start~~	~~Date~~				~~Scheduled start date for starting next operation when overlapping is specified.~~ ~~Updated by scheduling **OBSOLETE** in 11.0~~
~~Schedule_Exception~~	~~Yes/no~~		~~Yes~~		~~Was there an exception found when scheduling this operation?~~ ~~Created by Scheduling **OBSOLETE** in 11.0~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Job_Operation_Time Table

Field	Type	Default	Req'd	Indexed	Description

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. Added in 11.0
Job_Operation_Time	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID) Added in 7.0
Work_Date	Date/Time		Yes	Yes	Date and time work was done
Job_Operation	Long Int		Yes	Yes	FGN-KEY to Job_Operation.Job_Operation Operation that time was applied to
Job_Operation_OID	Replication ID		Yes	Yes	FGN-KEY to Job_Operation.ObjectID. Added in 11.0 Operation that time was applied to
Employee	Long Int		Yes		FGN-KEY to Employee.Employee Employee that time was entered for
Employee_OID	Replication ID		Yes	Yes	FGN-KEY to Employee.ObjectID. Added in 11.0 Employee that time was entered for
Entry_Type	Integer		Yes		Type of Time Entry record. 0 = Setup, 1 = Run Added in 7.0
Setup_Overtime_Hrs	Double				Setup Overtime Hours (9999.99) Setup Type only Labor Hours must be = or > Overtime Hours, i.e., Labor Hours includes Overtime Hours; this just specifies how *many* of the labor hours were OT Updated by Time Entry
Setup_Pct_Complete	Double	0			Setup Percent Complete (999) Setup Type only Updated by Time Entry
Setup_Labor_Rate	Double	0			Setup Labor Rate (9999.99) Setup Type only Updated by Time Entry Used by Payroll??
Setup_Labor_Burden	Double	0			Setup Labor Burden Rate (9999.99) Setup Type only Updated by Time Entry
Act_Setup_Hrs	Double	0			Actual Setup **Machine** Hours (9999.99) Setup Type only Updated by Time Entry
Act_Setup_Labor_Hrs	Double	0			Actual Setup **Labor** Hours Inside operations only Added in 8.1

Field	Type	Default	Req'd	Indexed	Description
Act_Run_Hrs	Double	0			Actual Run **Machine** Hours (9999.99) Run Type only Updated by Time Entry
Act_Run_Labor_Hrs	Double	0			Actual Run **Labor** Hours Inside operations only Added in 8.1
Act_Setup_Qty	Long Int	0			Actual Setup Quantity Inside operations Updated by Time Entry Added in 8.1
Act_Run_Qty	Long Int	0			Actual Run Quantity Run Type only Updated by Time Entry
Act_Scrap_Qty	Long Int	0			Actual Scrap Quantity Run Type only Updated by Time Entry
Attended_Pct	Double	100			Attended Percent (999) The percent that the machine is attended by an operator. Run Type only Updated by Time Entry
Overtime_Hrs	Double				Run Overtime Hours (9999.99) Run Type only Labor Hours must be = or > Overtime Hours, i.e., Labor Hours includes Overtime Hours; this just specifies how *many* of the labor hours were OT Updated by Time Entry
Run_Pct_Complete	Double	0			Run Percent Complete (999) Run Type only For Quantity 1 jobs only. User can specify either 100% complete when done, or check the operation Complete checkbox. Updated by Time Entry
Run_Labor_Rate	Double	0			Run Labor Rate (9999.99) Run Type only Rate of pay Updated by Time Entry Used by Payroll??
Labor_Burden	Double	0			Labor Burden Rate (9999.99) Run Type only
Operation_Complete	Yes/No	No	Yes		Is the work at this operation completed? Run Type only Updated by Time Entry

Field	Type	Default	Req'd	Indexed	Description
Overtime_Factor	Double				Overtime Factor Both Types I THINK this is used by Payroll to determine Time and a half, or double pay, etc. Probably used with the Labor Rate fields. Updated by Time Entry Used by Payroll??
Rework_Time	Yes/No	No	Yes		Is the time for this operation considered rework? Both Types Updated by Time Entry
Machine_Burden	Currency	0			Machine Burden Cost (9999.99) Both Types
GA_Burden	Currency	0			GA Burden Cost (9999.99) Both Types
Scrap_Code	C25				FGN_KEY to User_Codes table. Reason that part was scrapped. Added in 8.0
Rwk_Code	C25				FGN_KEY to User_Codes table. Reason that part was reworked. Added in 8.0
WC	C10				Work Center ID. FGN_KEY to Work_Center table. Added in 8.0. May not be implemented until after 8.0
OP_Group	C50				Job_Operation Group that this time entry was made against. FGN_KEY to OP_Group table. Added in 8.1
Status	Int	0			Status Inside operations only Values are: 0 = Open, 1 = Complete If source is Data Collection 'Start' transaction, status will be Open and not editable thru Time Entry form. Added in 8.1
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on - NULL is valid) Added in 9.0
~~Overtime_Hrs_7x~~	~~Double~~				~~Added for 8.1 – used to calculate Overtime_Hrs – **one time use** - OBSOLETE after 8.1~~
~~Note_Text~~	~~Memo~~				~~Time Entry notes – Both Types~~ ~~Updated by Time Entry OBSOLETE in 8.1 – replaced with Job_Operation.Floor_Notes~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Location Table

Field	Type	Default	Req'd	Indexed	Description
Location	Long Int			Yes, no dupl	
LocationKey	Long Int		Yes	Yes	PRIMARY KEY
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Warehouse	C4				Identifies the warehouse containing the location
Location_ID	C10		Yes	Yes	User-Defined ID representing the location
Description	C25				Description for the location
Type	C8				Identifies the type of location Defined in Preferences/User Codes tab; Location Type
Note_Text	Memo				Location notes
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Material Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Material	C50		Yes	Yes	PRIMARY KEY
Primary_Vendor	C10				FGN-KEY to Vendor table (referential integrity is on > NULL is valid)
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Shape	C10				FGN-KEY to Shapes.Shapes (no referential integrity)) (Raw Stock only)
Shape_OID	Replication ID				FGN-KEY to Shapes.ObjectID) (Raw Stock only) Added in 11.0
Location_ID	C10		Yes		FGN-KEY to Location table (referential integrity is on > NULL is valid)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity)

Field	Type	Default	Req'd	Indexed	Description
Description	C50				Description for this material
Type	C1		Yes		Type of Material. Values are: R, H, S, F for Rawstock, Hardware, Supplies, Finished Goods
Status	C8		Yes	Yes	Status of material. Values are: Active, Inactive
Pick_Buy_Indicator	C1		Yes		Pick for Job or Buy for Stock. Values are: P (pick) or B (buy)
Class	C10		Yes	Yes	Class of rawstock Material; used to categorize raw stock materials. (increased size from 6 to 10 in 9.0. In 9.0, Class now required for Raw Stock. During conversion, if Class was null, it was populated with the Alloy, which was C10.)
Rev	C8				Engineering Revision for this material
Purchase_UofM	C4		Yes		The Unit of Measure this inventory item is (normally) purchased in
Stocked_UofM	C4		Yes		The Unit of Measure this inventory item is stocked in
UofM_Conv_Factor	Double				Unit of Measure Conversion Factor between the Purchase_UofM and Stocked_UofM. Purch * Stock - OR - Stock/Purch Only applicable for **discrete** (non-rawstock) materials; the system *calculates* the conversion for raw stock.
Cost_UofM	C4		Yes		The Unit of Measure used to calculate cost for this inventory item. For **discrete** (non-rawstock) materials, the Stocked_UofM and Cost_UofM are always the same.
Selling_Price	Double				Selling Price (99999999.99999)
Price_UofM	C4		Yes		The Unit of Measure for the Selling_Price
Price_Unit_Conv	Double				Conversion factor between Stocked_UofM (Order Unit) and Price Unit. Added in 7.4
Standard_Cost	Double				Standard Cost (99999999.99999)

Field	Type	Default	Req'd	Indexed	Description
Average_Cost	Double				Average Cost (99999999.99999) Updated by MC Transfer when transferring in FG materials Updated by PO Receiving when receiving qty; uses the unit cost on PO
Last_Cost	Double				Last Cost (99999999.99999) Updated by MC Transfer when transferring in FG materials Updated by PO Receiving when receiving qty only, uses the unit cost on PO Updated by PO Receiving when receiving cost (or qty and cost), uses the unit cost specified in receiving
On_Order_Qty	Double				On Order Quantity – Calculated dynamically (from Source records) Updated by Purchasing when material placed on PO Updated by PO Receiving when receiving to Stock
Order_Point	Double				Specifies the quantity at which to replenish inventory.
Reorder_Qty	Double				Reorder Quantity associated with Reorder Point
Rd_Whole_Unit	Yes/No	No	Yes		Round to Whole Unit. Identifies whether to round to whole stock units. Used primarily by the calculators.
Lot_Trace	Yes/No	No	Yes		Does the material require a lot number?
Ext_Description	Memo				Extended Description for this material
Make_Buy	C1		Yes		Indicates whether the item is normally purchased or made in house
Vendor_Reference	C30				Code the Vendor uses to identify this Material
Lead_Days	Integer	0	Yes		Lead Days required when ordering this material.
Drawing	C30				Drawing number for this material/revision. Increased to T30 from T16 for 11.4
Use_Price_Breaks	Yes/No	No			Indicates whether or not this Material utilizes Quantity Break Pricing

Field	Type	Default	Req'd	Indexed	Description
GL_Account	C100				Default GL Account for this material Added in 7.0
Note_Text	Memo				Internal notes for this material
~~Allocated_Qty~~	~~Double~~				~~Allocated Quantity~~ ~~**OBSOLETE**~~ ~~as of Release 6.0~~ ~~Deleted in 7.0~~
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Added for e-Synergy integration. Added in 8.0
Job	C30				Added in 8.0
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Purchasing Tax Code. Used by Purchasing Used as the default tax code when material placed on a purchase order. Added in 8.0
Taxable	Yes/No	No			Used to determine whether to default the Tax Code. Used by Job Entry When material is taxable and entered as Part on a job, tax code defaults from Customer. Used by SO Entry When material is taxable and placed on sales order as item from inventory, defaults tax code from SO General tab. Added in 8.0
IS_Width	Double				Item Size Width (each material size under Stock Item has its own width.) Added in 9.0 Only applicable for Coil, Sheet and Preform shapes. For other shapes, information comes from Stock_Item table.
IS_Length	Double				Item Size Length (bar length) (each material size under Stock Item has its own bar length.) Added in 9.0
IS_Weight_Factor	Double				Item Size Weight Factor (lbs/Inch) (each material size under Stock Item has its own width.) Added in 9.0
IS_Thickness	Double				Item Sizer Thickness Added in 9.0 **THIS FIELD IS NOT USED**

Field	Type	Default	Req'd	Indexed	Description
Stock_Item	C50				FGN KEY (GUID) to Stock_Item table. Added in 9.0
Affects_Schedule	Yes/No		Yes		Does this material affect scheduling? Used as the default when adding material to a Job. Added in 11.0 Used by Job Entry
Tooling	Yes/No	No			Indicates whether this material is considered 'tooling'. Used by Synergy Int for MQ1 quality system Added in 11.1
IsSerialized	Yes/No	No			Does this material require a serial number? Added in 11.3
MaxUsage	Double	0			User defined parameter indicating the maximum number of times a part/material can be used/refurbished. N8.5 Added in 11.3
ShelfLife	Integer	0			User defined parameter indicating the shelf life of this material. Added in 11.3
ShelfLifeUofM	C10				User defined parameter indicating the unit of measure of the shelf life of this material (Days, Weeks, Months, Years). Added in 11.3
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Material_Location Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID			Yes, no dupl	Added in 11.3
Material_LocationKey	Long Int			Yes	PRIMARY KEY
Material_Location	Long Int			Yes	
Location_ID	C10		Yes		FGN-KEY to Location table (referential integrity is on)
Material	C50		Yes		FGN-KEY to Material table (referential integrity is on)
Lot	C20				Identifies the lot associated with the material at this location

Field	Type	Default	Req'd	Indexed	Description
On_Hand_Qty	Double	0			Quantity of material at this location **Material_Location records are Created by**: SA Material, Rawstock when material initially added. Material Adjustments when inventory adjusted Material Adjustments – Transfer, Transfers when transferring material to a new (non-existent) location PO Receiving when receiving to a new (non-existent) location Ship Returns when returning material to stock to a new (non-existent) location **On_Hand_Qty is Updated by:** Material Adjustments, Location Adjustments, Transfers and Pick Material Customer Shipments – Jobs, Ship Returns, Other Shipments when shipping from/return to Stock PO Receiving, Job Receiving when receiving quantity (although Job Receiving technically is receiving directly to the Job, it goes thru the same process programmatically as PO Receiving and does a receipt to inventory and then pick from inventory behind the scenes, so needs to be tested too.) Pick SO when when picking to sales order Ship SO when 'loosey goosey' and it does a Pick SO behind the scenes
Unit_Cost	Double	0			Unit Cost (99999999.99999) for material at this location Updated by MC Transfers when transferring in FG materials Updated by PO Receiving when receiving cost
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Material_Req Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID			Yes, no dupl	Added in 11.0
Material_ReqKey	Autonumber		Yes	Yes	PRIMARY KEY
Material_Req	Autonumber			Yes	
Job_Operation	Long Int		Yes	Yes	FGN-KEY to Job_Operation.Job_Operation. The operation this material is **linked** to when scheduling. Should this be considered OBSOLETE for 11.0??? Mike checking into Updated/Used by scheduling
Job_Operation_OID	Replication ID		Yes	Yes	FGN-KEY to Job_Operation,Job_Operation_OID. Added in 11.0 The operation this material is **linked** to when scheduling. Updated/Used by scheduling
Job	C30				FGN-KEY to Job.Job
Job_OID	Replication ID			Yes	FGN-KEY to Job.Job_OID. Added in 11.0
Material	C50				FGN-KEY to Material.Material
Material_OID	Replication ID			Yes	FGN-KEY to Material.Material_OID. Added in 11.0
Vendor	C10				FGN-KEY to Vendor table (referential integrity is on > NULL is valid)
Description	C50				Description of material used by this requirement
Pick_Buy_Indicator	Yes/No		Yes		Pick from Stock or Buy directly for Job (P, B)
Type	C1		Yes		Type of material. Values are: R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods. Miscellaneous

Field	Type	Default	Req'd	Indexed	Description
Status	C1		Yes	Yes	Status of requirement. Values are: O, S, C, for Open, Started, Closed Job Entry – set to O when initially added to job or when template job changed to active; set to C when job closed or T for template job. If job complete or closed when requirement added, status set to C. Purchasing – set to S when placed on purchase order (buy) Pick Material – set to S when partial picked or C if full pick (pick) PO Receiving – set to C when full receipt (buy) Job Receiving – set to S when partial received or C when full receipt (buy)
UofM	C4		Yes		Stocked Unit of Measure (from the Material record)
Deferred_Qty	Double	0	Yes		Amount of requirement remaining to be ordered or picked . You can see the deferred_qty displayed as the Allocated Qty Initially set to the estimated required qty when material is added to the job (Est_Qty) Purchasing reduces deferred qty by the purchase order qty PO Receiving If partial received and PO line not closed, should not update Deferred_Qty. If PO line closed (either full or short), the requirement is closed and deferred qty is set to zero. (PO line must be closed before deferred qty is updated) Job Receiving reduces deferred by received qty. If requirement is closed (either full or short), deferred qty is set to zero Pick Material reduces deferred qty by picked qty Transfers/Return to Stock increases deferred qty by transferred qty Closing matl req on job sets deferred qty to zero. If requirement closed short, reopening requirement sets deferred qty to remaining qty (Est_Qty – Act_Qty)
Est_Qty	Double	0			Estimated Required Quantity

Field	Type	Default	Req'd	Indexed	Description
Est_Unit_Cost	Double	0			Estimated Unit Cost (99999999.99999)
Est_Addl_Cost	Currency	0			Estimated Additional Cost (9999999.99)
Addl_Cost_Desc	C25				Additional Cost Description
Est_Total_Cost	Currency	0			Estimated Total Cost (9999999.99) Includes Est_Addl_Cost
Act_Qty	Double	0			Actual Required Quantity Updated by PO Receiving when receiving quantity Updated by Job Receiving when receiving quantity Updated by Pick Material when picking FG parts – increases Updated by MC Transfers when transferring FG parts to inventory – reduces Updated by MC Transfers when returning material to stock - reduces
Act_Unit_Cost	Double	0			Actual Unit Cost (99999999.99999) Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Act_Addl_Cost	Currency	0			Actual Additional Cost (9999999.99) Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Act_Total_Cost	Currency	0			Actual Total Cost (9999999.99) Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Quantity_Per_Basis	C1				Quantity Per Basis (P, I, B, S) Parts per Item (how many parts can I get from each of the materials) or Items per Part (how much of this material is required for each part I'm making); or Bars or Sheet for Rawstock materials. Preform is also set to S (Parts per Sheet) Updated when material calculator used (Other, Sheet Stock, Bar Stock, Coil, Wire)

Field	Type	Default	Req'd	Indexed	Description
Quantity_Per	Double	1			Quantity Per Used to calculate Est_Qty; depending on Quantity Per Basis. This is the value entered in the Parts per Item/Items per Part field in the materials calculator Ex: If P, Est_Qty = Order_Qty/Quantity_Per If I, Est_Qty = Order_Qty * Quantity_Per. Updated when material calculator used (Other, Coil, Wire)
Quantity_Multiplier	Double				The **Pieces Per** value from the Bar Stock, Sheet Stock, and Coil **material calculators** is stored here. Added in 9.0 Updated when material calculator used (Bar Stock, Sheet, Coil)
Part_Length	Double	0			Part Length of the part being made. Updated when material calculator used
Part_Width	Double	0			Part Width of the part being made Updated when material calculator used (Sheet, Coil)
Bar_End	Double	0			Amount to account for Bar End for barstock Updated when material calculator used
Cutoff	Double	0			Amount to account for Cutoff for barstock Updated when material calculator used
Facing	Double				Amount to account for Facing for barstock Updated when material calculator used
Bar_Length	Double				Bar Length of barstock Updated when material calculator used
Lead_Days	Integer				Lead days required to order Material. Defaults from Material.Lead_Days, if present, else from Vendor.Lead_Days
Certs_Required	Yes/No	No	Yes		Is Certification required?
Manual_Link	Yes/No	No	Yes		Identifies that a material requirement has been *manually* linked (by the user) to an operation. Manually set in Scheduling on Links tab

Field	Type	Default	Req'd	Indexed	Description
Sched_Start_Date	Date				Scheduled start date of the operation requiring this material (operation that the material is linked to). If the requirement is a Buy, then Material.Lead_Days are subtracted from the operation start date. Updated by scheduling
Sched_End_Date	Date				Scheduled end date of the operation requiring this material (operation that thematerial is linked to). Updated by scheduling Used by Purchasing as Thru Date in PO Reqs dialog filter when there is one, else uses Due_Date
Due_Date	Date				Date material is due from Vendor – material Buys only – as of 9.0, also used for Picks Updated manually on Job Entry/Material tab Updated by Purchasing when material req is placed on a PO – currently NOT updating Due Date for Picks, but this seems like an oversight, since it does update Reservation fields Updated by Material Planning when material req is placed on a PO Updated by scheduling if you have Auto Link Material (to routing) option turned on in Preferences or on work center, or Manual_Link = Yes (and Due Date is null) Used by Purchasing as Thru Date in PO Reqs dialog filter when there is no Sched_Start_Date
Vendor_Reference	C30				Code Vendor uses to identify this Material
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with the purchase of this material
Fixed_Rate	Yes/No	Yes	Yes		Identifies whether the exchange rate has been fixed.

Field	Type	Default	Req'd	Indexed	Description
Trade_Date	Date				Identifies the date the exchange rate on the material requirement was updated
Note_Text	Memo				Internal notes for this material requirement
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Add for e-Synergy integration. Added in 8.0
Cost_UofM	C4				Cost Unit of Measure. Added in 9.0
Cost_Unit_Conv	Double				Conversion factor between UofM (stock unit) and Cost UofM. Added in 9.0 For example, if stock unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333 if stock unit = lb and cost unit = ea, the Cost-Unit_Conv = 1/weight_Factor * 1/IS_Length (Weight_Factor = lbs/inch)
Drawing_ID	C30				Bill of Material ID from engineering drawing. Used to sequence material requirements on reports. Added in 9.0
Res_Type	Integer				Reservation Type (Owner Type) Reservation fields are used to show 'reserved' quantity for '**Picks**'. Values are: 0 = Stock Item 1 = Source (PO) 2 = Job When PO created for 'pick' requirement, sets Res_Type = 1 When material Received, changes Res_Type (from 1) to 0 Material Planning form set Res_Type = 2 when creating 'build to stock' Job Added in 9.0

Field	Type	Default	Req'd	Indexed	Description
Res_ID	C50				Reservation ID (Owner of reserved material) Material ID (for Res_Type 0, Stock) Source ID (for Res_Type 1, PO) Job ID (for Res_Type 2, Job) Updated by Purchasing and Material Planning forms. In Purchasing, when a Mat-Pick is placed on a PO, the Material_Req points to the Source record, whereas, when a Buy is placed on a PO, the Source record points to the Material_Req (or Job_Operation record). Added in 9.0
Res_Qty	Double				Reserved Quantity for pick requirement Added in 9.0 Updated by Purchasing and Material Planning forms
Partial_Res	Yes/No				Is this a partial reservation? Added in 9.0 Used by Material Planning form
Affects_Schedule	Yes/No		Yes		Does this material affect scheduling? Added in 11.0 Used by scheduling
Rounded	Yes/No		Yes		Identifies whether Rounding was used to calculate Required Quantity. Added in 11.8
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Material_Trans Table

Field	Type	Default	Req'd	Indexed	Description
Material_TransKey	Long Int			Yes	PRIMARY KEY
ObjectID	Replication ID			Yes, no dupl	Added in 11.3
Material_Trans	Long Int			Yes	PRIMARY KEY

Field	Type	Default	Req'd	Indexed	Description
Tran_Type	C10		Yes	Yes	Type of Transaction. Values are: Transfer (FG to Inv, Material to Inv) Adjustment (Material – when OH Qty added or Location deleted, Rawstock – when OH Qty added or Location deleted, Material Adjustments, Location Adjustments) ReqAdj ("Job Adjustment" Job Split – when material calculator has been used to calculate required qty and material picked. Apparently just a record of the 'pick' going back to inventory and then back out to the new job,(not sure what else might use this, just found out about it during JB 11.3.8!)) Receipt (PO Receiving, Job Receiving, AP Vendor Invoice) Issue (Pick Material) Servshipmt (Vendor Shipment) Invoice (PO Receiving, Job Receiving, AR Customer Invoice) Shipment (Customer Shipments – From Inventory) Loctfr (Location Transfer) Othershpmt (Other Shipments when linked to Job, Material, SO, or PO Line) Response (Request for Quote when Response from Vendor done) Added at 9.0
Vendor	C10			Yes	FGN KEY to Vendor table (no referential integrity) Invoice Receipt Vendor Shipment Response
Customer	C10			Yes	FGN KEY to Vendor table (no referential integrity) Shipment (from inventory)

Field	Type	Default	Req'd	Indexed	Description
Job	C30			Yes	FGN KEY to Job table (no referential integrity) Invoice Receipt Issue Vendor Shipment Other Shipments (if linked to Job)
Sales_Code	C15				FGN KEY to User_Code table (no referential integrity)
Material	C50			Yes	FGN KEY to Material table (no referential integrity) Adjustment Invoice Issue Receipt Location Transfer Other Shipment (if linked to Material)
Document	C15				FGN KEY to AP_Document table (no referential integrity) Vendor Shipment
SO_Detail	Long Int				FGN-KEY to SO_Detail table (no referential integrity) Shipment Other Shipment (if linked to sales order)
Job_Operation	Long Int				FGN KEY to Job_Operation table (referential integrity is on)
Material_Req	Long Int				FGN-KEY to Material_Req table (no referential integrity) Issue
Source	Long Int			Yes	FGN-KEY to **Source** table (no referential integrity) Invoice Receipt Other Shipment (if linked to PO Line) Response
PO_Number	C20				FGN KEY to PO_Header table (no referential integrity) Invoice Receipt

Field	Type	Default	Req'd	Indexed	Description
PO_Line	C10				FGN KEY to PO_Detail table (no referential integrity) Invoice Receipt
Location_ID	C10			Yes	FGN-KEY to Location table (referential integrity is on) Adjustment Location Transfer
Lot	C20				Identifies the lot associated with this transaction Adjustment Location Transfer
Cost_UofM	C4				Cost Unit of Measure Adjustment Invoice Issue Receipt Location Transfer Response
Stock_UofM	C4				Stock Unit of Measure Adjustment Invoice Issue Receipt Location Transfer Response
Unit_Cost	Double	0			Unit Cost (99999999.99999) Adjustment Invoice Issue Receipt Response
Addl_Cost	Double	0			Additional Cost Receipt
Reason	C15				Reason for Transaction Adjustment

Field	Type	Default	Req'd	Indexed	Description
Description	C50				Description of material or the service on this transaction Invoice (description of service) Issue (description of material) Receipt (description of service) Location Transfer (description of material) Vendor Shipment (description of service)
Quantity	Double	0			Quantity this transaction Adjustment Invoice Issue Receipt Location Transfer Vendor Shipment Shipment (from inventory)
Selling_Price	Double	0			Selling Price
Service	C10				Service done for this transaction Vendor Shipment
GL_Account	C100				GL Account number Added in 7.0
Material_Trans_Date	Date				Date of this transaction
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Added for e-Synergy integration. Added in 8.0
Tax_Assigned	Double				Amount assigned as taxable (for purchasing). Added in 8.0
No_Quote	Yes/No				When Response to Vendor done in Request for Quote, was the No Quote checkbox checked? Added in 9.0 Response
Lead_Days	Integer				Lead Days for material at time of trans Added in 9.0

Field	Type	Default	Req'd	Indexed	Description
Vendor_Trans	Long Int				FGN KEY to Material_Material.Material_Trans. If Tran_Type 'Receipt' or 'Invoice', 'detail' trans records created for each source are set to point to the 'header' Material_Trans record with the Total received. This field is blank for the 'total' record. (However, for existing data, during the 9.0 conversion this field is set to point to itself so that old data behaves the same as new (9.0) data.) This field was introduced because in 9.0 there can be multiple quantities (sources) for the same po detail line. Added in 9.0 Ex. There are 3 qtys (sources) for a PO Line. When they are received, 4 Material_Trans records are created; one for each source and one for the total received. This field ties them together.
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency for the selling price Added in 9.0
Note_Text	Memo				Notes from Vendor Reponses (from MC Request for Quote). Added in 9.0
~~Purch_Unit_Weight~~	~~Double~~	~~0~~			~~Purchase Unit Weight~~ ~~OBSOLETE~~
Processed	Yes/No	0			Has this Invoice transaction been processed thru the QuickBooks Batch Integration? Added in 11.3
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Operation Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Operation	C10		Yes	Yes, no dupl	PRIMARY KEY

Field	Type	Default	Req'd	Indexed	Description
WorkCenter_OID	Replication ID		Yes	Yes	FGN-KEY to Work_Center.ObjectID. Added in 11.0
Work_Center	C10		Yes	Yes	FGN-KEY to Work_Center.Work_Center.
User_Values	Long Int			Yes, no dupl	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Description	C25				Description of this Operation
Est_Setup_Hrs	Double	0			Default Estimated Setup Hours needed for this Operation. Used as default when operation placed on a job.
Run	Double				Default Run value; used with Run Method to determine run time
Run_Method	C8				Default Run Method for this Operation (Parts/Hr, Hrs/Part, Min/Part, Sec/Part, FixedHrs) Or Is Null
Attended_Pct	Double	100			Default Attended Percent (0-100) The percent that the machine is attended by an operator. As of 11.0, used for costing only - allow entry = < 100%
Overlap_Method	C3				Default Overlap Method: Hours, Percent, Quantity (none, Hrs, Pct, Qty)
Overlap	Double	0			Default Overlap Quantity
Efficiency_Pct	Double	100			Default Efficiency Percent (1 – 100) The efficiency of the machine
Note_Text	Memo				Operation notes
Sched_Resources	Double	1			Resources to Schedule. Default number of resources to use when scheduling this operation (user specified). If more resources are used, then Total Hrs *duration* is reduced. Inside operations only Added in 11.0 Updated by Job Scheduling Used by Scheduling
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Packlist_Header Table

Field	Type	Default	Req'd	Indexed	Description
Packlist	C8		Yes	Yes, no dupl	PRIMARY KEY
Customer_Vendor	C10				FGN KEY to Customer OR Vendor table depending on packlist Type (no referential integrity)
Invoice	C50				FGN KEY to Invoice_Header table (no referential integrity)
Ship_To	Long Int				FGN KEY to Address table (no referential integrity)
Ship_Via	C15				FGN KEY to User_Code table (no referential integrity)
Contact	Long Int				FGN KEY to User_Code table (no referential integrity)
Packlist_Date	Date				Date of packing list
Type	C8		Yes		The type of Packing List. Values are: Shipment, SOShip, Return, Service, Other
Invoiced	Yes/No	No	Yes		Has this Packlist been invoiced? 0 = No, 1 = Yes If Other Packlist, 0 = Customer, 1 = Vendor (other shipments will never be invoiced; just a record of having sent 'some stuff')
Comment	Memo				Comments to be printed on the Packing List
Freight_Amt	Double				Freight charge amount of shipment.
BOL_Number	C10				Number for Bill of Lading report. Added in 8.0
Carrier_Bill_To	Integer	0			Billing address for Carrier. Added in 8.0
BOL_Terms	Integer	0			Bill of Lading Terms. Values are: Prepaid (default), Collect, Third Party Added in 8.0
Third_Party_Acct	C20				Third Party Account number. Added in 8.0
QB_Ready	Yes/No				Is this ready to send to QuickBooks? Added in 11.4
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Packlist_Detail Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID			Yes, no dupl	Unique Index. Added in 11.0
Packlist_DetailKey				Yes, no dupl	PRIMARY KEY
Packlist_Detail	Long Int			Yes	
Packlist	C8		Yes		FGN KEY to Packlist_Header table
Job	C30			Yes	FGN KEY to Job.Job Used by Customer Shipments – Jobs (Packlist_Header.Type = Shipment) It looks like at one time Vendor Shipment was also saving the Job, but doesn't seem to be anymore.
Job_Operation	Long Int			Yes	FGN KEY to Job_Operation.Job_Operation Used by Vendor Shipments (Packlist_Header.Type = Service)
Job_Operation_OID	Replication ID			Yes	FGN KEY to Job_Operation.ObjectID. Added in 11.0 Used by Vendor Shipments (Packlist_Header.Type = Service)
Material_Trans	Long Int				FGN KEY to Material_Trans table Used by Customer Shipments – Jobs (when Shipped from Inventory) Used by Vendor Shipments Used by Other Shipments (Material_Trans.Tran_Type = Shipment, Servshipmt, or Othershpmt)
SO_Detail	Lont Int				FGN KEY to Sales Order Detail line item Used by Customer Shipments – Sales Orders (Packlist_Header.Type = SOShip)
Original_Packlist	Long Int				Pointer back to the original Packlist for returns Used by Customer Returns (Packlist_Header.Type = Return)
Invoice_Line	C50				I think that this was added for Accounting Integration and is not used by JB Accounting
PO_Number	C20				FGN KEY to PO_Header.PO
PO_Header_OID	Replication ID			Yes	FGN KEY to PO_Header.ObjectID. Added in 11.0
Due_Date	Date				Due Date for detail line
Reopen_Delivery	Yes/No	No			

Field	Type	Default	Req'd	Indexed	Description
Tracking_Nbr	C20				Tracking Number for this line item
Unit_Price	Double	0			Unit price on job at time shipment was made. Set from Job.Price_UofM
Price_UofM	C4				Unit of Measure for quantity shipped
Quantity	Long Int	0			Quantity Shipped or sent to an Outside Service via this Packing List
Promised_Qty	Double	0			Promised Quantity
Backorder_Qty	Double	0			Backordered Quantity
Instructions	Memo				Delivery Instructions
Note_Text	Memo				Comments for line item printed on Packing List
Order_Unit	C4				Unit of measure for order Quantity (stock unit). Added in 7.4
Price_Unit_Conv	Double	0			Conversion factor between Order Unit and Price Unit. Added in 7.4
Cartons	Long Int	0			Number of cartons in shipment. Added in 8.0
Pallets	Long Int	0			Number of pallets in shipment. Added in 8.0
Weight	Double	0			Weight of shipment. Added in 8.0
NFMC_Code	C15				Nat'l Motor Freight Code for shipment. Added in 8.0
Freight_Class	C15				Freight class of shipment. Added in 8.0
Freight_Amt	Double	0			Freight charge amount of shipment. Added in 8.0
Hazardout_Material	Yes/No	No			Does shipment contain hazardous material?. Added in 8.0
BOL_Comments	Memo				Comments for Bill of Lading report. Added in 8.0
Lot	C20				Lot number for the (produced) parts shipped on this packlist line. Added in 11.3
Packlist_OID	Replication ID			Yes	FGN KEY to Packlist_Header.ObjectID.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

PO_Header Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
PO	C8		Yes	Yes	PRIMARY KEY
PO_Type	Integer		Yes	Yes	PRIMARY KEY. Identifies whether this is a purchase order or request for quote Added in 9.0 0 = Vendor (PO), 1 = RFQ
Vendor	C10				FGN-KEY to Vendor table (referential integrity is on)
Ship_To	Long Int				FGN-KEY to Address table (no referential integrity)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Contact	Long Int				FGN-KEY to Contact table (no referential integrity)
Drop_Ship_Ship_To	Long Int				FGN-KEY to Address table (referential integrity is on)
Drop_Ship_Contact	Long Int				FGN-KEY to Contact table (referential integrity is on)
Drop_Ship	C10				Drop Ship ID identifying Vendor
Drop_Ship_Customer	C10				FGN-KEY to Cusotmer table (no referential integrity)
Order_Date	Date		Yes		Date PO was generated
Due_Date	Date				Date PO is due
Print_Date	Date				Date PO was printed
FOB	C11				FOB
Status	C8		Yes		Status of purchase order. Values are: Unissued, Open, Closed
Issued_By	C30				Who issued the PO
Comment	Memo				Purchase Order Comments. Will print on the Purchase Order
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes

Field	Type	Default	Req'd	Indexed	Description
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor on this PO
Fixed_Rate	Yes/No	Yes	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the PO was updated
Note_Text	Memo				Internal notes for PO (will not print on purchase order)
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Track_Changes	Yes/No				Do you want to track changes for this PO? Added in 9.0
Print_Details	Yes/No				Do you want to print details for this PO?
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on - NULL is valid) Added in 9.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
REVISION	VARCHAR(15) NULL				Contains Revision Text/Number added in Revision field present on General tab.

PO_Detail Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
PO_DetailKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
PO_Detail	Long Int		Yes	Yes, no dupl	
PO	C8		Yes	Yes	FGN-KEY to PO_Header.PO
PO_Type	Integer		Yes	Yes	Identifies whether this is a purchase order or request for quote Added in 9.0 Vendor (PO) = 0, RFQ = 1
PO_Header_OID	Replication ID		Yes	Yes	FGN-KEY to PO_Header.ObjectID. Added in 11.0
Line	C6		Yes		Line Number within PO

Field	Type	Default	Req'd	Indexed	Description
Status	C8		Yes		Status of the po line item. Values are: Unissued, Open, Closed
Order_Quantity	Double				Order Quantity in terms of **Purchase_Unit** Ordered_Qty from all Source records will be rolled up into Ordered_Quantity field in associated PO_Detail record as of 9.0. **Note** that the Ordered_Qty in Source records is in terms of the material's **stock unit**
Purchase_Unit	C4				Unit of Measure for Order_Quantity
Unit_Cost	Double				*Estimated* Unit Cost (99999999.99999)
Cost_Unit	C4		Yes		Unit of Measure for Unit_Cost value
Certs_Required	Yes/No	No			Is certification required (0 or 1)
Due_Date	Date				Date this line item is due
Vendor_Reference	C30				Material ID used by the Vendor
~~Purchase_Unit_Weight~~	~~Double~~	~~0~~	~~Yes~~		~~Purchase Unit Weight (99999999.9999)~~ ~~**OBSOLETE**~~
Addl_Cost_Desc1	C15				Description for first additional cost
Addl_Cost_Desc2	C15				Description for second additional cost
Addl_Cost_Est_Amt1	Currency	0			Estimated Amount for first additional cost
Addl_Cost_Est_Amt2	Currency	0			Estimated Amount for second additional cost
Addl_Cost_Act_Amt1	Currency	0			Actual Amount for first additional cost Updated by Job Receiving when cost is received Updated by AP when cost is received
Addl_Cost_Act_Amt2	Currency	0			Actual Amount for second additional cost Updated by Job Receiving when cost is received Updated by AP when cost is received
Act_Cost	Currency	0			Actual Cost (99999999.99) Rolled up from all Source rcords based on Source.Act_Unit_Cost and Source.Inv_Qty Updated by PO Receiving when cost is received, with the unit cost of the receipt Updated by Job Receiving when cost is received Updated by AP when cost is received

Field	Type	Default	Req'd	Indexed	Description
Est_Ext_Amount	Currency	0	Yes		*Estimated* Extended Amount for PO Line – calculated based on PO_Detail.Order_Qty and PO_Detail.Unit_Cost **Note**: Ext Cost column on Purchasing form includes Addl Cost amounts, but database field does NOT include Addl Costs Also note that this does NOT get updated if the Source.Act_Unit_Cost is updated
Ext_Description	Memo				The Customers extended description of the part
GL_Account	C100				GL Account for this line item Added in 7.0
Note_Text	Memo				Purchase Order Detail comments
Line_Revision	C4				Revision for po detail line. Added in 8.0
Holder_ID	C50				E_Synergy integration. Added in 8.0
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Addl_Cost_Taxable1	Yes/No	No			Is this additional cost taxable? Added in 8.0
Addl_Cost_Taxable2	Yes/No	No			Is this additional cost taxable? Added in 8.0
Awarded_Vendor	C10				FGN KEY to Vendor table (Vendor ID). Updated by MC Request for Quote when Vendor is awarded the Quote. Added in 9.0
Lowest_Quote	Long Int				?? Lowest quote for vendor RFQ (this was not being used when I asked Joleen about it. Will this come into play when the Place Order functionality is added??) Added in 9.0
Price_Locked	Yes/No				Should I ignore Vendor Pricing? Added in 9.0
Plan_Modified	Yes/No				Has the po been modified? **Used by** Purchasing to indicate whether Vendor needs to be contacted due to changes in po. **Set by** Material Planning form whenever there are changes to purchase order that affect the plan Added in 9.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Preferences Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. Added in 11.0
PreferencesKey	Long Int			Yes, no dupl	PRIMARY KEY
Preferences	Long Int			Yes, no dupl	
System_Base_Currency	Long Int				FGN KEY to Currency_Def table
Partner	C16				The EDI Partner ID. On Preferences/General tab
Imperial_Metric	C1		Yes		Use Imperial or Metric measurements (I, M) On Preferences/Rawstock tab.
Mat_Cost_Method	C8		Yes		Inventory Costing Method to use when material is placed on a job or quote or PO to create the estimated costs. Labeled 'Estimates' on Preferences/Costing tab. Values are Standard, Average, Last. Used by Quote Entry Used by Job Entry Used by Purchasing
Transfer_Cost_Method	C10		Yes		Inventory Costing Method to use when transferring into FG inventory. Labeled 'Transfers' on Preferences/Costing tab. Values are Actual, Standard, Estimated. Used by MC Transfers/Transfer to FG Inventory
Inv_Cost_Method	C8		Yes		Inventory Costing Method to use when picking from inventory, adjusting inventory or shipping from stock. Labeled 'Picks' on Preferences/Costing tab. Values are Standard, Average, Last, Lot. Used by MC Pick Material Used by MC Adjustments Used by MC Transfers/Return material to stock Used by Customer Shipments/Ship from stock
Labor_Rate	C1		Yes		Job Costing method. On Preferences/Costing tab. Calculate job costs using employee or work center rates (E, W)

Field	Type	Default	Req'd	Indexed	Description
Labor_Burden	C1		Yes		Work Center Labor Burden Method. On Preferences/Costing tab. Percent or Dollars (P, D). Since 'Dollars' was not an appropriate label for localization, it was changed to 'Fixed Rate'. Used by ??
Profit_Markup	C1		Yes		Pricing Method default. On Preferences/Costing tab. Use Profit Percent or Markup costs by Percent when calculating prices (P, M). Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Profit_Pct	Double	0			The default Profit Percentage to use when Pricing Method is set to P (Profit Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Labor_Markup_Pct	Double	0			The default Labor Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Mat_Markup_Pct	Double	0			The default Material Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs

Field	Type	Default	Req'd	Indexed	Description
Serv_Markup_Pct	Double	0			The default Service Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Labor_Burden_Markup_Pct	Double	0			The default Labor Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Machine_Burden_Markup_Pct	Double	0			The default Material Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
GA_Burden_Markup_Pct	Double	0			The default Service Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Burden_Incl_Comm	Yes/No	No	Yes		Sales Commissions are included in Burden. On Preferences/Costing tab. Used by ??

Field	Type	Default	Req'd	Indexed	Description
SO_Ship_Override	Yes/No	No	Yes		Automatically pick all FG materials when parts are shipped. On Preferences/Costing tab. Used by Customer Shipments – Jobs Used by Customer Shipments – SO
Run_Method	C8		Yes		The default Run Time Method (Parts/Hr, Hrs/Part, Min/Part, Sec/Part, FixedHrs) On Preferences/Routing tab. Used by ??
Default_Status	Long Int	1	Yes		Default Status to use when creating a Job. Values are: Pending, Active or Hold. On Preferences/Routing tab. Used by Job Entry
Quote_Default_Status	Integer	11	Yes		Default Status to use when creating a Quote. Values are: Pending, Active or Hold. On Preferences/Routing tab. Added for 7.0 Used by Quote Entry
Calc_Rem_Hours	C1		Yes		Calculate Remaining Hours using Actuals or Estimates. Values are: A, E On Preferences/Routing tab. Used by ??
Copy_Job_Hours	C1		Yes		Use Actual hrs or Estimated hrs when copying a Job. Values are: A, E On Preferences/Routing tab. Used by Copy
Close_Rule	C15		Yes		The rule for closing a job with open requirements. Values are: Warn, No Warning, Not Allowed. On Preferences/Routing tab. Used by Job Entry
Auto_Complete_Oper	Yes/No	No	Yes		Automatically complete Operations? On Preferences/Routing tab. Used by ??
Incl_Scrap_Qty	Yes/No	No	Yes		Include Scrap Quantity when auto completing operations? On Preferences/Routing tab. Used by ??

Field	Type	Default	Req'd	Indexed	Description
Ship_Lead_Days	Integer	0			The default Lead Days required to ship to customer or get material from a vendor. On Preferences/Scheduling tab. Used by SA Customer as default when customer created. Used by SA Vendor as default when vendor created. (note that services have their own lead days)
Overlap_Method	C3				What is the default Overlap Method to use when scheduling. (Null, Hrs, Pct, Qty). On Preferences/Scheduling tab. Used by ??
Link_Material	Yes/No	No	Yes		Should Material be Linked to first operation when scheduling? On Preferences/Scheduling tab. Used by Job Scheduling? Used by Global Scheduling?
Link_Component	Yes/No	No	Yes		Should Components be Linked to parent job when scheduling? On Preferences/Scheduling tab. Used by Job Scheduling? Used by Global Scheduling?
Interface_AR	Yes/No	No	Yes		Is an interface to Accounts Receivable active? On Financial Preferences/AR tab Used by AccountingInterface dll
Sell_Misc_Items	Yes/No	No	Yes		Allow selling of items when they are not in material library. Added in 7.0 Used by SO Entry
Use_Discounts	Yes/No	No	Yes		Allow discounts when selling this item. Added in 7.0 Used by SO Entry
Update_Job_From_PO	Yes/No	No	Yes		Should Jobs be updated from Purchase Orders? **NOT USED**, leave in per Dan D
Time_Entry_Pct	Integer	0			What is the default Time Entry Percent **NOT USED**, leave in per Dan D
WC_Rate	Currency	0			The default Work Center Rate. Was on Preferences/Costing tab. **NOT USED in 6.0**
Order_Unit	C4				Default Order Unit of Measure (stock unit). Added in 7.4
Price_Unit	C4				Default Price Unit of Measure. Added in 7.4

Field	Type	Default	Req'd	Indexed	Description
Price_Unit_Conv	Double				Conversion factor between Order Unit (Stocked_UofM) and Price Unit. Added in 7.4
Quote_Decimal_Places	Long Int				Default Number of decimal places to display for the Quote price. Added in 8.0
Freight_Class	C15				Default Freight Class for shipping functions. Added in 8.0
Post_Transactions	Yes/No				Determines whether transactions should be sent to **e-Synergy**. Added in 8.0
Default_Tran_Limit	Int				Default number of transactions an employee can have open at one time. added in 8.1
Home_Prompt	C15				Default company prompt that displays at Data Terminals before Employee logs in. added in 8.1 Example could be the Company Name
Track_PO_Changes	Yes/No				When 'on', changes made to Purchase Orders are saved to Change_History table. Added in 9.0
Track_Job_Changes	Yes/No				When 'on', changes made to Jobs are saved to Change_History table. Added in 10.1
Material_Affects_Schedule	Yes/No				Default value for scheduling. Added in 11.0
Allow_Prior_Schedule	Yes/No				Default value for scheduling options dialog Allow Scheduling Prior to Today. Added in 11.0
Win_Probability	Integer				Default Probability that a Quote will be won. Used by Synergy Int for CRM Added in 11.1
Expiration_Days	Integer				Number of days before the Quote will expire. Used by Synergy Int for CRM Added in 11.1
QualitySystemURL	T255				URL for Quality System (Currently MQ1). Added in 11.1
Syn_Items_FG	Yes/No				Indicates whether to create Items in Synergy for Finished Goods materials during Synergy Integration. Added in 11.4 Used by Synergy Int for Quality

Field	Type	Default	Req'd	Indexed	Description
Syn_Items_Supply	Yes/No				Indicates whether to create Items in Synergy for Supply materials during Synergy Integration. Added in 11.4 Used by Synergy Int for Quality
Syn_Items_HW	Yes/No				Indicates whether to create Items in Synergy for Hardware materials during Synergy Integration. Added in 11.4 Used by Synergy Int for Quality
Syn_Items_Raw	Yes/No				Indicates whether to create Items in Synergy for Rawstock materials during Synergy Integration. Added in 11.4 Used by Synergy Int for Quality
Syn_Items_IncludeRev	Yes/No				Indicates whether to use Revision code in the Item code when creating Items in Synergy during Synergy Integration. Added in 11.4 Used by Synergy Int for Quality
AutoLogoutOption	Int				Used for Auto-Logout feature. Values are: 0 = Never, 1 = Close, 2 = Relinquish Seat. Default is Never. Added in 11.5
AutoLogoutIdleTime	Double				Used for Auto-Logout feature. Number of *minutes* to wait until performing the AutoLogoutOption. Added in 11.5
Unique_JobPart_SerialNum	bit				Used by Serialization module. Specifies whether to be able to use the same SS and Part on a different Job again. **Yes** = enforce uniqueness and don't allow duplicates to enter the system. Added in 11.6
Track_Routing_Changes	Yes/No				When 'on', changes made to Job Routing lines (operations) are saved to Change_History table. Added in 11.6
MobileLogoutIdleTime	Double				Used by Mobile Application Auto-Logout feature. Number of *minutes* to wait until performing the AutoLogoutOption. **Added in 11.7**
Quality_Solution_Key	Yes/No				FGN KEY to Third_Party_Integration table. Indicates the Quality Solution chosen on Preferences – Quality tab. **Added in 11.7**

Field	Type	Default	Req'd	Indexed	Description
QueLagHoursSource	Int	1	Yes		Identifies the source to use for Que and Lag Hours when copying from a Quote to a Quote or Job. **0** = Quote **1** = Work Center **Added in 11.7**
uniPoint_TokenKey	C30				Key for JobBOSS customers to use uniPoint for quality system. **Populated** with uniPoint Token Key = 42147-VUFFZFWKBNOZA **Added in 11.7**
uniPoint_Server_Path	C250				Path to uniPoint server for database connection. Added in 11.9
SynergyURL	C255				
SynergySQLServer	C255				
SynergySQLDB	C255				
SynergyDBPrefix	C255				
Do_Not_Use_Currency_Conversion	Yes/No				
Post_Transactions	Yes/No				
Company_Code	C50			Yes	
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Price_Break Table

This table holds information for Customer price breaks. As of rel 9.0, now also holds Vendor price break information.

Field	Type	Default	Req'd	Indexed	Description
Price_BreakKey	Long Int			Yes, no dupl	PRIMARY KEY
Price_Break	Long Int			Yes	
Material	C50		No ~~Yes~~ Changed in 9.0	Yes	FGN KEY to Material table The Material ID for *customer* price breaks (for discrete materials)
Minimum_Qty	Double	0			The Minimum Quantity to qualify for the associated Sell_Price

Field	Type	Default	Req'd	Indexed	Description
Sell_Price	Double	0			The Selling price for order quantities equal to or greater than the associated Minimum_Qty and less than the next Minimum_Qty (if there is one)
Vendor_Material	C50		Yes	Yes	FGN KEY (GUID) to Vendor_Material table Added in 9.0 Pointer to Material for *vendor* price breaks
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote Table - Quote header information split off to RFQ Table in 8.0

Field	Type	Default	Req'd	Indexed	Description
Quote	C50		Yes	Yes, no dupl	PRIMARY KEY changed in 8.0 (from C10, containing the 'quote number')
RFQ	C30		Yes		Quote Number Added in 8.0 (replaces the old Quote.Quote field)
Line	C6				Quote Line Number on RFQ (only on top level job) Added in 8.0
Assembly_ID	C20				Suffix of Component Quote – appended to RFQ base number when copying a quote Added in 8.0
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Reason	C15				FGN-KEY to User_Code table (no referential integrity)
Type	C8				Type of Quote. Values are: Assembly, Regular
Top_Lvl_Quote	C50				Top Level Parent for an assembly quote. changed in 8.0
Quoted_By	C30				The estimator of the quote. changed in 8.0
Part_Number	C50			Yes	Part Number for quote
Rev	C8				Part Number Revision
Description	C50				Part Number Description
Ext_Description	Memo				Extended part number Description

Field	Type	Default	Req'd	Indexed	Description
Drawing	C30				Drawing number for this part/revision. Increased to T30 from T16 for 11.4
Commission_Pct	Double	0			Commission Percentage allowed for this Job
Certs_Required	Yes/No	No	Yes		Is Certification required?
Status	C8				Status of quote. Values are: Pending, Active, Won, Lost, Hold, No Quote, Template Status set to Won by Copy function when quote copied to a job
Status_Date	Date				Date Status last changed
Priority	Integer	5			Priority of this quote. Values are 0 to 9. Value 1 is the highest priority.
Assembly_Level	Integer	0			Assembly Level (0 is top)
Lead_Days	Integer	0			Lead days required to make shipments of this Part. This field has never been implemented – NOT USED.
Profit_Markup	C1				Profit Markup
Sched_End	Date				Date Job is scheduled to end – 'what if 'scheduling
Sched_Start	Date				Date Job is scheduled to start – 'what if' scheduling
Note_Text	Memo				Internal notes for quote
Comment	Memo				Comments for Order Acknowledgment
~~Quantity_Per~~	~~Double~~	~~0~~			~~Quantity Per - number of Parts in this Quote needed to make one Part of Parent Quote~~ ~~**OBSOLETE** as of 6.0; now use Relationship_Qty in Bill_of_Quotes table~~
Customer	C10			Yes	FGN-KEY to Customer table (referential integrity is on). **Moved to RFQ table for 8.0**
Sales_Rep	C6				FGN-KEY to Employee table (referential integrity is on > NULL is valid). **Moved to RFQ for 8.0**
Ship_To	Long Int				FGN-KEY to Address table (referential integrity is on > NULL is valid). **Moved to RFQ for 8.0**
Contact	Long Int				FGN-KEY to Contact table (no referential integrity). **Moved to RFQ for 8.0**

Field	Type	Default	Req'd	Indexed	Description
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity). **Moved to RFQ for 8.0**
Terms	C15				FGN-KEY to User_Code table (no referential integrity). **Moved to RFQ for 8.0**
Quote_Date	Date				Date Quote was created. **Moved to RFQ for 8.0**
RFQ_Date	Date				Date quote was requested. **Moved to RFQ for 8.0**
Submitted_Date	Date				Date quote was submitted. **Moved to RFQ for 8.0**
Submittal_Due_Date	Date				Date quote is due. **Moved to RFQ for 8.0**
Expiration_Date	Date				Date quote expires. **Moved to RFQ for 8.0**
Reference	C16				Reference. **Moved to RFQ table in 8.0**, but left in Quote table to accommodate converted data for customers using reference field so they can merge old quotes into one 'RFQ' if they want.
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion. **Moved to RFQ for 8.0**
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this quote. **Moved to RFQ for 8.0**
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed. **Moved to RFQ for 8.0**
Trade_Date	Date				Identifies the date the exchange rate on the job was updated. **Moved to RFQ for 8.0**
Win_Probability	Integer				Probability that the Quote will be won. Used by Synergy Int for CRM Added in 11.1
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Additional_Charge Table

Field	Type	Default	Req'd	Indexed	Description
Quote_Addl_ChargeKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Addl_Charge	Long Int		Yes	Yes, no dupl	
Quote	C50		Yes		FGN-KEY to Quote table (referential integrity on)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Description	C25				Description of additional charge
Est_Price	Currency	0			Estimated Price
Job_Revenue	Yes/No	No	Yes		Include this additional charge in Job Revenue?
Commssionable	Yes/No	No	Yes		Include this Additional Charge in Commission?
Note_Text	Memo				Additional charge notes
Recurring	Yes/No				Is this a recurring charge? Added in 9.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Operation Table

Field	Type	Default	Req'd	Indexed	Description
Quote_OperationKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Quote_Operation	Long Int		Yes	Yes, no dupl	
Vendor	C10				FGN-KEY to Vendor table (referential integrity is on - Null is valid) Vendor if outside operation; blank if inside operation
Work_Center	C10				FGN-KEY to Work_Center table (referential integrity is on - Null is valid) Work Center if inside operation; blank if outside operation
Quote	C50				FGN-KEY to Quote table (referential integrity is on)
WC_Vendor	C10				Work Center if inside operation; Vendor if outside operation

Field	Type	Default	Req'd	Indexed	Description
Description	C25				Description of operation
Operation_Service	C10				FGN-KEY to Operation table or Service table (no referential integrity) Operation if inside operation; Service if outside operation
Run	Double	0			Run Inside operations only
Run_Method	C8				Run Method (Parts/Hr,Hrs/Part,Min/Part,Sec/Part,FixedHrs) Inside operations only
Est_Run_Per_Part	Double	0			Estimated time to Run Per Part Inside operations only
Efficiency_Pct	Double	0			Efficiency Percent (1 to 100) Inside operations only
Attended_Pct	Double	0			Attended Percentage (0 to 100) The percent that the machine is attended. Inside operations only As of 11.0, used for costing only. **For 11.0, solution was to only allow entry = < 100%**
Queue_Hrs	Double	0			Queue Hours Inside operations only
Est_Setup_Hrs	Double	0			Estimated Setup Hours (9999.99) Inside operations only
Sequence	Integer	0			Sequence of this operation in the routing
Inside_Oper	Yes/No	Yes	Yes		Is this an Inside Operation?
Lead_Days	Integer	0			Lead Days required when shipping to an outside service
Minimum_Chg_Amt	Currency	0			The minimum charge for this service Outside operations only
Cost_Unit	C4				Cost Unit (each, lot) Outside operations only
Cost_Unit_Conv	Double	0	Yes		Conversion factor from 'each' to the Cost_Unit Outside operations only
Run_Labor_Rate	Currency	0			Labor rate when running an operation Inside operations only
Setup_Labor_Rate	Currency	0			Labor rate when setting up an operation Inside operations only
Run_Labor_Burden_Rate	Currency	0			Burden rate on labor to run operation Inside operations only
Setup_Labor_Burden_Rate	Currency	0			Burden rate on labor to set up operation Inside operations only

Field	Type	Default	Req'd	Indexed	Description
Machine_Burden_Rate	Currency	0			Burden rate on machine Inside operations only
GA_Burden_Rate	Currency	0			Burden rate for General Admin Inside operations only
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	0			FGN KEY to Currency_Def record where Currency_Def matches Trade Currency. Defines trading currency of the vendor associated with an outside service Outside operations only
Fixed_Rate	Yes/No	1	Yes		Identifies whether the exchange rate has been fixed
Trade_Date	Date				Identifies the date the exchange rate on the quote was updated
Note_Text					Internal notes for this routing line
Est_Unit_Cost	Double	0			Estimated Unit Cost (99999999.9999) Outside operations only This same field is in the Quote_Operation_Qty for quantity specific dialog, but also saves here from the Routing tab. If updated on the Routing tab, then it will update Unit Cost for each quantity IF the value is the same. If you have changed quantity to something else, then it will NOT update in quantity specific.
Sched_Resources	Double	1			Resources to Schedule. Number of resources to use when scheduling this operation (user specified). If more resources are used, then Total Hrs *duration* is reduced. Inside operations only Added in 11.0 Updated by Job Scheduling?? Used by Scheduling??

Field	Type	Default	Req'd	Indexed	Description
Lag_Hours	Double	0			Lag Hours (99.99) Time that work sits at a work center *after* the work is completed and/or time it takes to move work to the next WC. Inside operations only Added in 11.0 Updated by Job Scheduling?? Used by Scheduling??
Overlap	Double	0			Overlap Inside operations only Overlap value, along with the Overlap_Method (unit), is used to determine the number of Est_Ovl_Hrs. From Job Scheduling, Overlap is always in hours. Added in 11.0 In Job Scheduling, this value is calculated: Est_Run_Per_Part * Overlap_Qty = Overlap (hours) Updated by Job Entry?? Updated by Job Scheduling?? Used by Scheduling??
Overlap_Method	C3				Overlap Method Inside operations only Unit for the value in Overlap field. Values are: Hrs, Pct, Qty All 3 values can be specified from Job Entry. If Overlap value is updated from Job Scheduling, Overlap is always in hours and method is set to Hrs. Added in 11.0 Updated by Job Entry?? Updated Job Scheduling?? Used by Scheduling??
~~Est_Addl_Cost~~	~~Currency~~	~~0~~			~~Estimated Additional Cost (9999999.99)~~ ~~Outside operations only~~ ~~OBSOLETE as ob 6.0 – moved to Quote_Operation_Qty table~~
~~Addl_Cost_Desc~~	~~C15~~	~~0~~			~~Additional Cost Description Outside operations only~~ ~~OBSOLETE as ob 6.0 – moved to Quote_Operation_Qty table~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Operation_Qty Table

Field	Type	Default	Req'd	Indexed	Description
Quote_Operation_QtyKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Quote_Operation_Qty	Long Int		Yes	Yes, no dupl	
Quote_Operation	Long Int				FGN-KEY to Quote_Qty table (referential integrity is on)
Quote_Qty_Key	Long Int			Yes	FGN-KEY to Quote_Qty table (referential integrity is on)
Est_Setup_Hrs	Double	0			Estimated Setup Hours (9999.99) Inside operations only
Est_Run_Hrs	Double	0			Estimated Run Hours (9999.99) Inside operations only
Est_Total_Hrs	Double	0			Estimated Total Hours (9999.99) Inside operations only
Est_Setup_Labor	Currency	0			Estimated Setup Labor Cost (9999999.99) Inside operations only
Est_Run_Labor	Currency	0			Estimated Run Labor Cost (9999999.99) Inside operations only
Est_Labor_Burden	Currency	0			Estimated Labor Burden Cost (9999999.99) Inside operations only
Est_Machine_Burden	Currency	0			Estimated Machine Burden Cost (9999999.99) Inside operations only
Est_GA_Burden	Currency	0			Estimated GA Burden Cost (9999999.99) Inside operations only
Sequence	Integer	0			Sequence of operation in the routing
Priority	Integer	0			Priority of this operation. Values are 0 to 9. Value 1 is the highest priority.
Inside_Oper	Yes/No	Yes			Is this an Inside Operation?
Est_Unit_Cost	Double	0			Estimated Unit Cost Outside service only
Est_Addl_Cost	Currency	0			Estimated Additional Cost Outside service only
Addl_Cost_Desc	C15				Additional Cost Description Outside service only
Est_Total_Cost	Currency				Estimated Total Cost of outside service Outside service only Includes Est_Addl_Cost

Field	Type	Default	Req'd	Indexed	Description
Offset_Rate	Currency				Amount to adjust the rate for this quantity
Nbr_Setups	Double	1			Number of setups for this operation for this quantity
Run	Double				Added in 8.0
Run_Method	C8				Added in 8.0
Efficiency_Pct	Double				Added in 8.0
Est_Run_Per_Part	Double				Added in 8.0 Per Dave, this is not being set yet. Will only be used for reporting.
Locked	Yes/No				Added in 8.0
Setup_Hrs	Double				Added in 8.0
Overlap_Qty	Double				
Est_Ovl_Hrs	Double				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Req Table

Field	Type	Default	Req'd	Indexed	Description
Quote_ReqKey	Long Int			Yes	PRIMARY KEY
Quote_Req	Long Int			Yes	
Quote	C50				FGN KEY to Quote Table (referential integrity is on)
Material	C50			Yes	FGN KEY to Material Table (referential integrity is on - Null is valid)
Quote_Operation	Long Int				FGN KEY to Quote_Operation Table (no referential integrity)
Vendor	C10				FGN KEY to Vendor Table (referential integrity is on - Null is valid)
Type	C1		Yes		Type of material. Values are: R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods, Miscellaneous
Description	C50				Description of material used by this requirement
Pick_Buy_Indicator	C1		Yes		Pick from Stock or Buy directly for Job. Values are: P, B

Field	Type	Default	Req'd	Indexed	Description
Quantity_Per_Basis	C1				Quantity Per Basis. Values are: P, I, B, S Parts per Item (how many parts can I get from each of the materials) or Items per Part (how much of this material is required for each part I'm making); or Bars or Sheet for Rawstock materials
Quantity_Per	Double	0			Quantity Per Used to calculate Est_Qty; depending on Quantity Per Basis. **This field is not set until the calculator is used**; this is the value entered in the Parts per Item/Items per Part field in the materials calculator Ex: If P, Est_Qty = Order_Qty/Quantity_Per If I, Est_Qty = Order_Qty * Quantity_Per.
UofM	C4		Yes		Stocked Unit of Measure
Cost_UofM	C4		Yes		Cost Unit of Measure
Est_Unit_Cost	Double	0			Estimated Unit Cost (99999999.99999)
Vendor_Reference	C30				Vendor Reference for this material
Part_Length	Double	0			Part Length. Updated when material calculator used
Part_Width	Double	0			Part Width Updated when material calculator used
Bar_End	Double	0			Amount to account for Bar End Updated when material calculator used
Cutoff	Double	0			Amount to account for Cutoff Updated when material calculator used
Facing	Double	0			Amount to account for Facing Updated when material calculator used
Bar_Length	Double	0			Bar Length Updated when material calculator used
Certs_Required	Yes/No	No			Is Certification required?
Sched_Start_Date	Date				Scheduled start date of the operation requiring this material Updated by scheduling
Sched_End_Date	Date				Scheduled end date of the operation requiring this material Updated by scheduling

Field	Type	Default	Req'd	Indexed	Description
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this quote
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the job was updated
Note_Text	Memo				Internal notes for this material requirement
Cost_Unit_Conv	Double				Conversion factor between UofM (stock unit) and Cost UofM. Added in 9.0 For example, if stock unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333
Quantity_Multiplier	Double				The **Pieces Per** value from the Bar Stock, Sheet Stock, and Coil **material calculators** is stored here. Added in 9.0
Drawing_ID	C30				Bill of Material ID from engineering drawing. Used to sequence material requirements on reports. Added in 9.0
Affects_Schedule	Yes/No		Yes		Does this material affect scheduling? Added in 11.0 Used by scheduling
Rounded	Yes/No		Yes		Identifies whether Rounding was used to calculate Required Quantity. Added in 11.8
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Req_Qty Table

Field	Type	Default	Req'd	Indexed	Description
Quote_Req_QtyKey	Long Int			Yes, no dupl	PRIMARY KEY
Quote_Req_Qty	Long Int			Yes, no dupl	
Quote_Req	C10				FGN KEY to Quote_Req table (referential integrity is on)

Field	Type	Default	Req'd	Indexed	Description
Quote	C50				FGN KEY to Quote table (referential integrity is on)
Material	C50				FGN KEY to Material table (referential integrity is on - Null is valid)
Quote_Qty_Key	Long Int				FGN KEY to Quote_Qty table (referential integrity is on)
Make_Quantity	Long Int	0			Make Quantity for this Quote Quantity
Est_Qty	Double	0			Estimated Quantity of Material needed
Est_Unit_Cost	Double	0			Estimated Unit Cost (99999999.99999)
Est_Addl_Cost	Currency	0			Estimated Additional Cost (9999999.99)
Addl_Cost_Desc	C25				Additional Cost Description
Est_Total_Cost	Currency	0			Estimated Total Cost (9999999.99) Includes Est_Addl_Cost
Lead_Days	Integer	0			Lead Days to allow when ordering this Material
Affects_Schedule	Yes/No		Yes		Does this material affect scheduling? Added in 11.0 Used by scheduling
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Quote_Qty Table

Since each quantity on a quote would be like the order quantity on a job, the Quote_Qty table is roughly equivalent to the Job table.

Field	Type	Default	Req'd	Indexed	Description
Quote_QtyKey	Long Int			Yes, no dupl	PRIMARY KEY
Quote_Qty_Key	Long Int			Yes, no dupl	
Quote	C50		Yes		FGN KEY to Quote Table (referential integrity is on)
Parent_Quote_Qty_Key	Long Int	0		Yes	FGN KEY to Quote_Qty Table (no referential integrity)
Quote_Qty	Long Int	0			Estimated Quantity
Yield_Pct	Double	0			Yield Percentage
Make_Quantity	Long Int	0			Estimated Make Quantity
Est_Setup_Hrs	Double	0			Estimated Setup Hours Inside operations only Rolled up from Quote_Operation_Qty records

Field	Type	Default	Req'd	Indexed	Description
Est_Run_Hrs	Double	0			Estimated Run Hours Inside operations only Rolled up from Quote_Operation_Qty records
Est_Total_Hrs	Double	0			Estimated Total Hours Inside operations only Rolled up from Quote_Operation_Qty records
Est_Labor	Currency	0			Estimated Labor cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_Material	Currency	0			Estimated Material cost Rolled up from Quote_Req_Qty records
Est_Service	Currency	0			Estimated Service cost Outside operations only Rolled up from Quote_Operation_Qty records
Est_Labor_Burden	Currency	0			Estimated Labor Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_Labor_Burden	Currency	0			Estimated Machine Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_GA_Burden	Currency	0			Estimated GA Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Unit_Price	Double	0			Calculated Unit Price for this quantity Calculated Price
Quoted_Unit_Price	Double	0			Quoted Unit Price for this quantity. Manually set price.
Total_Price	Currency				Total Price
Price_UofM	C4				Price Unit of Measure
Profit_Pct	Double	0			Profit Percentage
Labor_Markup_Pct	Double	0			Labor Markup Percentage
Mat_Markup_Pct	Double	0			Material Markup Percentage
Serv_Markup_Pct	Double	0			Service Markup Percentage
Labor_Burden_Markup_Pct	Double	0			What is the default Labor Burden Markup Percentage
Machine_Burden_Markup_Pct	Double	0			What is the default Material Burden Markup Percentage
GA_Burden_Markup_Pct	Double	0			What is the default Service Burden Markup Percentage
Open_Operations	Integer	0			Open Operations
Note_Text	Memo				Internal notes for this operation

Field	Type	Default	Req'd	Indexed	Description
Order_Unit	C4				Unit of measure for Order Quantity. Added in 7.4
Price_Unit_Conv	Double				Conversion factor between Order Unit (stock unit) and Price Unit. Added in 7.4
Decimal_Places	Long Int				Number of decimal places to display for the quote price. Added in 8.0
Price_Source	Long Int				Price_Source defaults to 'Material' initiallywhen Part placed on a quote if there is a Material record. When changes to costs are made to the quote, then source changes to 'Quote'. If the Part added to aquote is a non-inventoried item, then Price_Source is set to 'Quote' initially. 0 = Material, 1 = Quote. Added in 8.0
Locked_Source	Yes/No				Do you want Quote_Price automatically calculated? Set to True if Unit_Price and Quoted_Unit_Price are equal. Added in 8.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

~~Rawstock Table – OBSOLETE in 9.0~~

~~Some fields went to the Material table, in the IS_Width and IS_Length fields. Some fields went to the Stock_Item table.~~

~~Field~~	~~Type~~	~~Default~~	~~Req'd~~	~~Indexed~~	~~Description~~
~~Raw_Stock~~	~~C30~~		~~Yes~~	~~Yes, no dupl~~	~~PRIMARY KEY > FGN KEY to Material table (referential integrity is on). Material ID~~
~~Type~~	~~C10~~		~~Yes~~		~~FGN KEY to Raw_Stock_Weight table (referential integrity is on). Type of Alloy for rawstock material~~
~~Shape~~	~~C10~~		~~Yes~~		~~FGN KEY to Shape table (referential integrity is on). Shape of material~~
~~Length~~	~~Double~~	~~0~~			~~Length MOVED TO MATERIAL TABLE~~
~~Length2~~	~~Double~~	~~0~~			~~Length2 MOVED TO MATERIAL OR STOCK_ITEM TABLE, DEPENDING ON THE SHAPE~~
~~Thickness~~	~~Double~~	~~0~~			~~Thickness MOVED TO MATERIAL OR STOCK_ITEM TABLE, DEPENDING ON THE SHAPE~~
~~Gauge~~	~~Double~~	~~0~~			~~Gauge APPARENTLY NOT NECESSARY~~
~~Distance_Across~~	~~Double~~	~~0~~			~~Distance Across MOVED TO MATERIAL OR STOCK_ITEM TABLE, DEPENDING ON THE SHAPE~~
~~Purchase_Unit_Weight~~	~~Double~~	~~0~~			~~Purchase Unit Weight APPARENTLY NOT NECESSARY~~
~~Weight_Factor~~	~~Double~~	~~0~~	~~Yes~~		~~Weight Factor MOVED TO MATERIAL TABLE (IS_WEIGHT_FACTOR) AND STOCK_ITEM TABLE (POUNDS_PER_BASE_UNIT)~~
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

Raw_Stock_Weight Table

Field	Type	Default	Req'd	Indexed	Description
Type	C10		Yes	Yes, no dupl	PRIMARY KEY. Type of Alloy for rawstock material

Field	Type	Default	Req'd	Indexed	Description
Class	C10				Class of rawstock material (increased size from 6 to 10 in 9.0)
Lbs_Per_Cu_In	Decimal	0			Pounds Per Cubic Inch (99.9999)
TFM_Alloy	C50				FOREIGN KEY to TFM_Alloy table. Tools for Mfg Alloy code. Added for 8.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Receipt Table

Field	Type	Default	Req'd	Indexed	Description
Receipt	C50			Yes	PRIMARY KEY (GUID)
Customer	C10			Yes	FGN-KEY to Customer table (referential integrity is on - NULL is valid)
~~Bank~~	~~C15~~				~~This appears to be OBSOLETE as of 7.0; Bank is now in the new Deposit table~~
AR_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Reference	C8			Yes	Document reference
Reverse_Entry	Yes/No	No	Yes		Is this a reversing entry?
Type	C1		Yes		Type of Receipt: Customer Receipt, Adjustment or GL Cash Receipt. Values are: R, A, G. (Discounts are considered Adjustments.)
Amount	Currency	0			Amount of this receipt (this is in the base currency)
Receipt_Date	Date				Date of receipt
Payer	C30				Payer
GL_Account	C10				GL Account number for this receipt Added in 7.0
Deposit	C50				FGN KEY to Deposit table. Added in 7.0
Customer_Receipt	C50				Was this pointer back to itself?? Added in 7.0
Period	C50				FGN Key to Fiscal_Period table Added in 7.0
Note_Text	Memo				Internal notes for receipt. Added in 7.0 Updated by AR Adjustments

Field	Type	Default	Req'd	Indexed	Description
Status	C1		Yes		Status of Receipt. Values are: O (Open), C (Closed) Deleted in 7.0
Deposit_Date	Date				Date deposit was made Deleted in 7.0
Statement_Date	Date				Date of Statement Deleted in 7.0
Net1TransationID	C50				
Contact	Long Int				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Receipt_Distribution Table – Added in 7.0

This is really an 'Account' distribution table. It is used both by AP Deposits/GL Cash Receipts when distributing cash and by Journal Entry when distributing to accounts.

Field	Type	Default	Req'd	Indexed	Description
Receipt_Distribution	C50		Yes		Primary Key (GUID)
Receipt	C50		Yes		FGN KEY to Receipt table or GL_Entry table (GUID) (this is really not 'Receipt' anymore, but the 'Owner'.)
AR_Code	C20				AR Code receipt amount applied to (will be EITHER AR Code OR GL Account code)
GL_Account	C10				GL Account receipt amount applied to
Amount	Double	0			Amount of receipt (99999999.99)
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

RFQ Table – Added in 8.0

Quote Header information

Field	Type	Default	Req'd	Indexed	Description
RFQ	C30		Yes	Yes, no dupl	FGN-Key to Quote table. Quote Number.
Customer	C10			Yes	FGN-KEY to Customer table (referential integrity is on)
Sales_Rep	C6				FGN-KEY to Employee table (referential integrity is on > NULL is valid)
Ship_To	Long Int				FGN-KEY to Address table (referential integrity is on > NULL is valid)

Field	Type	Default	Req'd	Indexed	Description
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Contact	Long Int				FGN-KEY to Contact table (no referential integrity)
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15				FGN-KEY to User_Code table (no referential integrity)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Reference	C30				Customer reference number; can be used to tie multiple quotes together for printing in Quote by Reference. When moved from Quote table, this field was increased to 30 chars, but the form only allows entry of 20 chars. Don't know if this increase was intentional or not.
Quoted_By	C30				The estimator of the quote
RFQ_Date	Date				Date RFQ was received on (**RFQ Received on**)
Quote_Date	Date				Date Quote was started (**Quote Started on**)
Submittal_Due_Date	Date				Date quote is due (**Submittal Due by**)
Submitted_Date	Date				Date quote was submitted (**Submitted on**)
Expiration_Date	Date				Date quote expires (**Expires on**)
Commission_Pct	Double	0			Commission Percentage allowed for this Job
Certs_Required	Yes/No	No	Yes		Is Certification required?
Status	C8				Status of quote. Values are: Pending, Active, Won, Lost, Hold, No Quote, Template Status set to Won by Copy function when quote copied to a job
Status_Date	Date				Date Status last changed
Priority	Integer	5			Priority of this quote. Values are 0 to 9. Value 1 is the highest priority.
Currency_Conv_Rate	Double	1	Yes		Currency conversion rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes

Field	Type	Default	Req'd	Indexed	Description
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this quote
Fixed_Rate	Yes/No	No	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date				Identifies the date the exchange rate on the job was updated
Note_Text	Memo				Internal notes for quote
Comments	Memo				Comments for Order Acknowledgment
Followup_Date	Date				Date to follow up on an RFQ (Followup Date).
Act_Followup_Date	Date				Date follow up actually took place (Date Followed Up)
Source	C20				The source application that created the job. System (JobBOSS) SDK View (e-orders) Synergy Added in 8.0
Win_Probability	Integer				Probability that the RFQ will be won. Used by Synergy Int for CRM Added in 11.1
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
REVISION	VARCHAR(15) NULL				Contains Revision Text/Number added in Revision field present on General tab.

RFQ_Vendor Table – Added in 9.0

This table contains requests for quotes by vendor

Field	Type	Default	Req'd	Indexed	Description
RFQ_Vendor	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Vendor	C10			Yes	FGN-KEY to the Vendor table
PO_Header	C8			Yes	FGN-KEY to the PO_Header table
Date_Added	Date				Date request was entered??

Field	Type	Default	Req'd	Indexed	Description
Trade_Currency	Long Int	0			FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with this material
Send_To_Address	Long Int.	0			FGN KEY to Address table
Contact	Long Int	0			FGN KEY to Contact table
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Report Table

Field	Type	Default	Req'd	Indexed	Description
ReportIDKey	Long Int		Yes	Yes	PRIMERY KEY
ReportID	Long Int				
Module	C21		Yes		
Name	C30		Yes		
Filter	bit		Yes		
Title	C50				
Title2	C50				
Description	C254				
Description2	C254				
DatabaseName	C25		Yes		
DatabaseCaption	C254		Yes		
DatabaseCaption2	C254				
AccessDDEMacro	C254				
AccessDDEService	C254				
AccessDDETopic	C254				
Parms	C254				
UseJobBOSS	Yes/No		Yes		
Application	C254				
CommandLineArgs	C254				
UseDDE	Yes/No				
DDEMacro	C254				
DDEService	C254				
DDETopic	C50				
SecName	C30				

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	datetime		Yes		

RptPref Table

Field	Type	Default	Req'd	Indexed	Description
PreferencesKey	Long Int			Yes, no dupl	PRIMARY KEY
Preferences	Long Int			Yes, no dupl	
Address	Long Int			Yes, no dupl	FGN-KEY to Address table (referential integrity is on - NULL is valid) pointer to Company Address. On Preferences/General tab.
Company_Logo	OLE Object				Company Logo image to be printed on forms (e.g. Quote, Purchase Order)
URL	Memo				The Company web site address. On Preferences/General tab
Quote_Head	Memo				Header comment to print on Quote. On Preferences/Forms tab
Quote_Foot	Memo				Footer comment to print on Quote. On Preferences/Forms tab
PO_Head	Memo				Header comment to print on Purchase Order. On Preferences/Forms tab
PO_Foot	Memo				Footer comment to print on Purchase Order. On Preferences/Forms tab
Cust_Pack_Head	Memo				Header comment to print on Customer Packlist. On Preferences/Forms tab
Cust_Pack_Foot	Memo				Footer comment to print on Customer Packlist. On Preferences/Forms tab
Vend_Pack_Head	Memo				Header comment to print on Vendor Packlist. On Preferences/Forms tab
Vend_Pack_Foot	Memo				Footer comment to print on Vendor Packlist. On Preferences/Forms tab
Acknow_Head	Memo				Header comment to print on Order Acknowledgment. On Preferences/Forms tab
Acknow_Foot	Memo				Footer comment to print on Order Acknowledgment. On Preferences/Forms tab

Field	Type	Default	Req'd	Indexed	Description
Invoice_Head	Memo				Header comment to print on Invoice/Credit Memo. On Preferences/Forms tab
Invoice_Foot	Memo				Footer comment to print on Invoice/Credit Memo. On Preferences/Forms tab
RFQ_Head	Memo				Header comment to print on Request for Quote. On Preferences/Forms tab Added in 7.0
RFQ_Foot	Memo				Footer comment to print on Request for Quote. On Preferences/Forms tab Added in 7.0
Print_BO_PL	Yes/No	No			Print backorder quantity on packing list. On Preferences/Forms tab For Customer Packlist and Vendor Packlist
Print_BO_Inv	Yes/No	No			Print backorder quantity on invoice, On Preferences/Forms tab
Route_Header1	C10				User Section Headings when printing Wide format of Traveler. Routing Column 1. On Preferences/Traveler tab
Route_Header2	C10				User Section Headings when printing Wide format of Traveler. Routing Column 2. On Preferences/Traveler tab
Route_Header3	C10				User Section Headings when printing Wide format of Traveler. Routing Column 3. On Preferences/Traveler tab
Mat_Header1	C10				User Section Headings when printing Wide format of Traveler. Material Column 1. On Preferences/Traveler tab
Mat_Header2	C10				User Section Headings when printing Wide format of Traveler. Material Column 2. On Preferences/Traveler tab
Mat_Header3	C10				User Section Headings when printing Wide format of Traveler. Material Column 3. On Preferences/Traveler tab
Inc_Job_Notes	Yes.No	Yes			Include Job Notes on Traveler? On Preferences/Traveler tab
Hide_Customer	Yes.No	No			Hide Customer information on Traveler? On Preferences/Traveler tab
Inc_Route	Yes.No	Yes			Include Routing on Traveler? On Preferences/Traveler tab

Field	Type	Default	Req'd	Indexed	Description
Inc_Route_Notes	Yes.No	Yes			Include Routing Notes on Traveler? On Preferences/Traveler tab
Hide_Estimates	Yes.No	Yes			Hide estimated setup and run times? On Preferences/Traveler tab
Inc_Matl	Yes.No	Yes			Include Material on Traveler? On Preferences/Traveler tab
Inc_Picks	Yes.No	Yes			Include Picks on Traveler? On Preferences/Traveler tab
Inc_Buys	Yes.No	Yes			Include Buys on Traveler? On Preferences/Traveler tab
Inc_Comp	Yes.No	Yes			Include Component Jobs on Traveler? On Preferences/Traveler tab
Inc_Services	Yes.No	Yes			Include Services on Traveler? On Preferences/Traveler tab
Inc_Deliveries	Yes.No	Yes			Include Delivery Schedule on Traveler? On Preferences/Traveler tab
Print_Order	C4				Order to print Traveler sections. Deliveries (D), Routings (R), Material (M), Services (S). Values are:(DRMS, MSRD, RMSD, RDMS. On Preferences/Traveler tab
Print_Comp_Jobs	Yes.No	No			When printing a Traveler for an Assembly Job, should a Traveler always be printed for each Component Job? On Preferences/Traveler tab
Print_Bar_Codes	C1	N	Yes		Defines type of Bar Code to be printed on the Traveler. Values area: N (No Bar Code), L (Large Bar Code), or S (Small Bar Code). On Preferences/Traveler tab
Print_Wide	Yes/No	No			Should the wide version of the Traveler be used? On Preferences/Traveler tab
BS_Print_Format	C2		Yes		Defines whether Balance Sheet is Stacked (ST) or Side by Side (SS) Defined on GL Financial Statements form
Print_Zero_Balances	Yes/No	No			Defines whether to print zero balance accounts on income statements Defined on GL Financial Statements form
Neg_Nbr_Format	C1		Yes		Defines the format for printing negative numbers on balance sheet and income statement (–10.00, (10.00), or < 10.00 >) Defined on GL Financial Statements form

Field	Type	Default	Req'd	Indexed	Description
Round_To_Dollar	Yes/No	No			Defines whether to round to the nearest dollar when printing financial statements. NOT USED Jenny didn't really see a need for this. Chris said that if we used this it probably would be better to have a field that would indicate the number of decimal places rather than just a Boolean. Will leave for now.
~~Quote_Form_Type~~					~~Defines the type of form the Quote will be printed on D (Pre-printed Dot matrix), L (Pre-printed Laser), S (Standard formless) OBSOLETE options stored in registry in 6.0 see TR 4810~~
~~Nbr_Copies_Quote~~					~~Defines how many copies of the Quote to print. Valid with pre-printed laser or standard form types only OBSOLETE options stored in registry in 6.0~~
~~Fax_Quote~~					~~Defines the whether to print the Fax version (non-shaded) or normal version (shaded) of Standard form OBSOLETE options stored in registry in 6.0~~
~~Acknow_Form_Type~~					~~OBSOLETE~~
~~Nbr_Copies_Acknow~~					~~OBSOLETE~~
~~Fax_Acknow~~					~~OBSOLETE~~
~~Invoice_Form_Type~~					~~OBSOLETE~~
~~Nbr_Copies_Invoice~~					~~OBSOLETE~~
~~Fax_Invoice~~					~~OBSOLETE~~
~~Pack_Form_Type~~					~~OBSOLETE~~
~~Nbr_Copies_Pack~~					~~OBSOLETE~~
~~Fax_Pack~~					~~OBSOLETE~~
~~PO_Form_Type~~					~~OBSOLETE~~
~~Nbr_Copies_PO~~					~~OBSOLETE~~
~~Fax_PO~~					~~OBSOLETE~~
~~Vend_Pack_Form_Type~~					~~OBSOLETE~~
~~Nbr_Copies_Vend_Pack~~					~~OBSOLETE~~
~~Fax_Vend_Pack~~					~~OBSOLETE~~
Quote_QualDoc	C30				
Quote_QualAlign	C15				
PO_QualDoc	C30				

Field	Type	Default	Req'd	Indexed	Description
PO_QualAlign	C15				
Cust_Pack_QualDoc	C30				
Cust_Pack_QualAlign	C15				
Vend_Pack_QualDoc	C30				
Vend_Pack_QualAlign	C15				
Acknow_QualDoc	C30				
Acknow_QualAlign	C15				
Invoice_QualDoc	C30				
Invoice_QualAlign	C15				
RFQ_QualDoc	C30				
RFQ_QualAlign	C15				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Scenario_Header Table – Added in 9.0

This table contains header information for Cash Flow scenarios.

Field	Type	Default	Req'd	Indexed	Description
Scenario_Header	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Scenario	C30				Description of scenario
Parent_ID	C50				(GUID) pointer to AP_Document or Invoice_Header table
Is_Customer	Yes/No				
Type	C15				
Comment	Memo				Comment
Contact_Date	Date				
Status	C15				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Scenario_Detail Table – Added in 9.0

This table contains detail information for Cash Flow scenarios.

Field	Type	Default	Req'd	Indexed	Description

Field	Type	Default	Req'd	Indexed	Description
Scenario_Detail	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Scenario_Header	C50			Yes	FGN-KEY to Scenario_Header table (GUID)
Description	C30				Description of scenario detail
Coefficient	Integer				
Amount	Double				
Scenario_Date	Date				
Satisfied	Yes/No				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Scheduled_Bill Table – Added in 7.0

This table contains header information for AP recurring invoices. A Vendor Invoice is created for each recurring invoice at period close.

Field	Type	Default	Req'd	Indexed	Description
Scheduled_Bill	C50		Yes	Yes, no dupl.	PRIMARY KEY (GUID)
Vendor	C10				FGN KEY to Vendor table
Remit_To	Long Int				FGN KEY to Address table
Started_Date	Date				Date recurring bill was first started
Invoice_Day	Integer				Day of month recurring bill should occur on
Base_Number	C20				Base number to use on recurring bill
Occurrence	Integer	0			Number to append to the base number
Note_Text	Memo				Notes for the recurring invoice
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Sched_Bill_Dist Table – Added in 7.0

This table contains the detail for AP recurring invoices (Scheduled_Bill table); the GL Accounts distribution.

Field	Type	Default	Req'd	Indexed	Description
Sched_Bill_Dist	C50				PRIMARY KEY (GUID)
Scheduled_Bill	C50				FGN Key to Scheduled_Bill table
Amount	Double	0			Amount of recurring bill

Field	Type	Default	Req'd	Indexed	Description
Description	C30				Description of recurring bill
GL_Account	C10				
Discountable	Yes/No				
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

SerialNumber Table– Added in 11.3

Used to define Serial Numbers for inventory items

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
SerialNumber	C25		Yes		Serial Number associated with this inventory item Updated by Serial Number generator
PartNumber	C50		Yes		Material ID for this inventory item Updated by Serial Number generator
CurrentUsage	Double	0	No		Count of Usage for this inventory item Updated by Serial Number generator
ExpirationDate	Date/Time		No		Expiration date for this inventory item Updated by Serial Number generator
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

SerialNumberDetail Table– Added in 11.3

Used to record where this serial number was used for tracking/reporting purposes.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
SerialNumber_OID	Replication ID		Yes		FOREIGN KEY to SerialNumber.ObjectID

Field	Type	Default	Req'd	Indexed	Description
Reference_OID	Replication ID		Yes	Yes	FOREIGN KEY to ObjectID in table associated with the creation of this SN detail record (could be Job, PO_Detail, Job_Operation_Time, Material_Location, etc)
OwnerReference_OID	Replication ID		Yes	Yes	FOREIGN KEY to ObjectID in table this serial number is 'owned' by. For Part serial numbers, could be Job or SO_Detail For Buys to Stock, will be the Material_Req associated with the purchase order Note: for detail where Reference is Job.ObjectID, the Owner would be Null; that is, it won't point to itself.
ObjectType	Int	0	Yes		Identifies the Type of function that created this SN Detail record 1 = Job, 2 = Sales Order, 3 = Job Shipment, 4 = Sales Order Shipment, 5 = Inventory Shipment, 6 = Vendor Shipment, 7 = Time Entry, 8 = Scrap Time Entry, 9 = Material Location, 10 = Transfer, 11 = Removed (from inventory), 12 = Sales Order Pick, 13 = Material Requirement, 14 = Purchase Order, 15 = Return Shipment, 16 = Outside Service Receive, 17 = Outside Service Return
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Service Table

Field	Type	Default	Req'd	Indexed	Description
Service	C10		Yes	Yes, no dupl	PRIMARY KEY
User_Values	Long Int			Yes	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Description	C25				Description of the service Updated by SA Service

Field	Type	Default	Req'd	Indexed	Description
Minimum_Chg	Currency	0	Yes		Minimum Charge for service Updated by SA Service
Lead_Days	Integer	0	Yes		Lead Days for service Updated by SA Service
Note_Text	Memo				Service notes Updated by SA Service
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Shapes Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. FGN KEY to WCMaterialShape.Shape_OID (might also be adding Material.Shape_OID later.) Added in 11.0
Shape	C10		Yes	Yes, no dupl	PRIMARY KEY. FGN KEY to Material.Shape
Volume	C254				Contains the formula for calculating the volume of the shape
Type	C1		~~Yes~~		Shape type, Barstock (linear) or Preform (area). P = Sheet and Preform shapes, B = all other shapes
Index	Integer				This is just a sequential number used for 'CASE' statement in code; used to just rely on records being in a certain order- this ensures that the right record is being returned in the CASE statement. Added in 9.0
~~Field1~~	~~C15~~				~~Dimension1 of shape **OBSOLETE** as of 9.0 – now in Shape_Dimension table~~
~~Field2~~	~~C15~~				~~Dimension2 of shape **OBSOLETE** as of 9.0 – now in Shape_Dimension table~~

Field	Type	Default	Req'd	Indexed	Description
~~Field3~~	~~C15~~				~~Dimension3 of shape **OBSOLETE as of 9.0 – now in Shape_Dimension table**~~
~~Field4~~	~~C15~~				~~Dimension4 of shape **OBSOLETE as of 9.0 – now in Shape_Dimension table**~~
~~UserDefined~~	~~Yes/No~~	~~No~~			~~Indicates whether the Shape is user-defined NOT USED~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Shape_Dimension Table – Added in 9.0

There is a Shape_Dimension record for each dimension associated with a Shape

Field	Type	Default	Req'd	Indexed	Description
Shape_Dimension	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Shape	C50			Yes	FGN KEY to Shape table
DB_Field_Name	C50				FGN KEY to Stock_Item table/Dimension_ field
Dimension	C50				Dimension of shape (e.g. Width or Thickness)
Display_Name	C50				Text displayed on form to identify this dimension
Unique_Dimension	Yes/No	No			Identifies the Dimension that displays for the Stock Item for grouping material sizes under on the SA Raw Stock form
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
Sequence	Long Int				Order of Dimensions for Shapes

Shift Table – Added in 8.1

Used to define work Shifts for shop. Prior to rel 11.0, this was only used in Data Collection. As of 11.0 Scheduling release, this is now used by core modules, although most of the fields still only apply to Data Collection.

Field	Type	Default	Req'd	Indexed	Description
Shift	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID) (changed Type from C50 to Replication ID in 11.0
Shift_Name	C20			Yes	Name of shift

Field	Type	Default	Req'd	Indexed	Description
Daily_OT_Threshold	Double				The number of hours worked after which daily overtime starts when applying payroll rates. Used by Data Collection
Daily_DT_Threshold	Double				The number of hours worked after which daily double time starts when applying payroll rates. Used by Data Collection
Weekly_OT_Threshold	Double				The number of hours worked after which weekly overtime starts when applying payroll rate. Used by Data Collection
Weekly_DT_Threshold	Double				The number of hours worked after which weekly double time starts when applying payroll rate. Used by Data Collection
Round_Direction	Long Int				Which direction should rounding be when logging in with Time & Attendance transaction (if not within the specified grace period)? 0 = Company Favor, 1 = Employee Favor, 2 = Backward, 3 = Forward, 4 = Nearest Used by Data Collection
Round_Increment	Long Int				What increment should be used when applying rounding? 0 = None, 1 = 5 min, 2 = 6 min, 3 = 10 min, 4 = 15 min, 5 = 20 min, 6 = 30 min, 7 = 1 hour Used by Data Collection
Round_Job_Time	Yes/No				Apply rounding to Op/Job Start transactions? Used by Data Collection Looks like this was never implemented
Saturday_Holiday	Yes/No				Is Saturday normally a non working day? Used by Data Collection
Sunday_Holiday	Yes/No				Is Sunday normally a non working day? Used by Data Collection

Field	Type	Default	Req'd	Indexed	Description
CutOff_Hrs	Double				Number of hours to add to Shift_Day.End_Time before the work day cuts off (that is, the Work Date goes to next day). That means that midnight is not necessarily the end of the work day. Used by Data Collection
~~DT_Rate~~	~~Double~~				~~Double Time Rate~~ ~~OBSOLETE – R&D decided not to use~~
~~OT_Rate~~	~~Double~~				~~Overtime Rate~~ ~~OBSOLETE – R&D decided not to use~~
~~Holiday_Rate~~	~~Double~~				~~Holiday Rate~~ ~~OBSOLETE – R&D decided not to use~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Shift_Day Table – Added in 8.1

Used to define days for a Shift. (Prior to rel 11.0, this was only used in Data Collection.) As of 11.0 Scheduling release, this is now used to store Shift Days for Work Center Overrides.

Field	Type	Default	Req'd	Indexed	Description
Shift_Day	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID) (changed Type from C50 to Replication ID in 11.0
Shift	Replication ID		Yes	Yes	FGN-KEY to Shift.Shift or Shift_Override.ObjectID (changed Type from C50 to Replication ID in 11.0 (Days defined on **Shift** form point to Shift table; Shift = Shift.Shift. Days defined as Overrides in **Work Center** form go thru the Shift_Override table, which then point to the Shift table; Shift = Shift_Override.ObjectID.)
Start_Time	Date				Time shift begins
End_Time	Date				Time shift ends

Field	Type	Default	Req'd	Indexed	Description
PreStart_Grace	Long Int				Grace period prior to shift Start_Time when logging in, that is, doing a Time & Attendance transaction. If employee is within the grace period, then login time is set to the start of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
PostStart_Grace	Long Int				Grace period following shift Start_Time when logging in, that is, doing a Time & Attendance transaction. If employee is within the grace period, then login time is set to the start of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
PreEnd_Grace	Long Int				Grace period prior to shift End_Time when logging out, that is, doing a Time & Attendance transaction. If employee is within the grace period, then logout time is set to the end of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
PostEnd_Grace	Long Int				Grace period following shift End_Time when logging out, that is, doing a Time & Attendance transaction. If employee is within the grace period, then logout time is set to the end of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
Sequence	Long Int				Sequence number for the day 0 = Sunday, 1 = Monday, 2 = Tuesday, 3 = Wednesday, 4 = Thursday, 5 = Friday, 6 = Saturday Used by Data Collection
First_Day	Yes/No	No			Indicates the first day of the week. Added in 9.0 Used by Data Collection
~~cIndex~~	~~Long Int~~				~~?? Added in 11.0~~

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Shift_Override Table – Added in 11.0

Created in order to resolve many-to-many database relationship between Work Centers and Shift Standards.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID).
Shift_Name	C20			Yes	Name of shift. (Set from Shift table). FGN key to **Shift.Shift_Name**
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

SO_Header Table

Field	Type	Default	Req'd	Indexed	Description
Sales_Order	C30		Yes	Yes, no dupl	Primary Key Secondary identifier of Sales Order
Customer	C10		Yes	Yes	FGN KEY to Customer table (referential integrity is enforced)
Ship_To	Long Int				FGN KEY to Address table (referential integrity is enforced) Null is valid
Contact	Long Int				FGN-KEY to Contact table (no referential integrity)
Sales_Rep	C6				FGN KEY to Employee table
Order_Taken_By	C6				FGN KEY to Employee table
Ship_Via	C15				FGN KEY to User_Code table (no referential integrity)
Tax_Code	C15				
Terms	C15				FGN KEY to User_Code table (no referential integrity)
User_Values	Long Int				FGN KEY to User_Values table (no referential integrity) Added in 7.0
Sales_Tax_Amt	Currency	0	Yes		Amount of Sales Tax associated with this order

Field	Type	Default	Req'd	Indexed	Description
Sales_Tax_Rate	Double	0	Yes		Amount of Sales Tax associated with this order
Order_Date	Date/Time		Yes		Amount of Sales Tax associated with this order
Promised_Date	Date/Time				Amount of Sales Tax associated with this order
Customer_PO	C20				Amount of Sales Tax associated with this order
Status	C8		Yes	Yes	The Status of the Sales Order. Values are: Open, Hold, Closed
Total_Price	Currency	0	Yes		This is the total extended price of all line items and additional charges on the Sales Order
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this sales order
Fixed_Rate	Yes/No	Yes	Yes		Identifies whether the exchange rate has been fixed.
Trade_Date	Date/Time				Identifies the date the exchange rate on the sales order was updated
Note_Text	Memo				The internal notes for this Sales Order
Comment	Memo				Sales Order comments to be printed on the Sales Order Acknowledgment
Source	C20				The source application that created the job. System (JobBOSS) SDK View (e-orders) Synergy Added in 8.0
Prepaid_Tax_Amount	Currency	0			Amount of Sales Tax associated with the prepayment on this order Added in 11.2 – **NEVER IMPLEMENTED**

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
REVISION	VARCHAR(15) NULL				Contains Revision Text/Number added in Revision field present on General tab.

SO_Detail Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.3
SO_DetailKey	Autonumber				PRIMARY KEY of Sales Order Detail record
SO_Detail	Long Int		~~Yes~~	Yes, no dupl	~~PRIMARY KEY of Sales Order Detail record~~
Sales_Order	C30		Yes	Yes	FGN-KEY to Sales Order record
SO_Line	C10		Yes		Line number indicating the order of the items on the Sales Order/Customer PO
PO	C8			Yes	Identifies the Vendor PO Header
Line	C6				Identifies the specific PO_Detail record ordering the parts for the Sales Order line item
Material	C50			Yes	FGN-KEY used to identify the item on the Material table
Description	C50				Material description for misc items being sold Added in 7.0
Ship_To	Long Int				FGN-KEY used to find the Ship-To address
Drop_Ship	Yes/No	No	Yes		Indicates if the line item needs to be drop shipped (pertinent to a Buy item only)
Quote	C50			Yes	Identifies the Quote sent to the Customer for the Sales Order line item. This gets populated when the quote is copied to a sales order. Updated by SO Copy
Job	C30			Yes ,No dupl	Identifies the Job making the parts for the Sales Order line item. Gets populated when the job is linked to the sales order.
Status	C9		Yes	Yes	The Status of the Sales Order line item. Values are: Open, Hold, Shipped, Backorder, Closed

Field	Type	Default	Req'd	Indexed	Description
Make_Buy	C1		Yes		Indicates whether the item is normally purchased or made inhouse
Unit_Price	Double	0	Yes		The price per unit for this line item
Discount_Pct	Double	0	Yes		The discount percent to be applied to the Unit_Price
Price_UofM	C4		Yes		The unit of measure for unit price
Total_Price	Currency	0	Yes		The result of multiplying Order_Qty times Unit_Price
Prepaid_Amt	Currency	0	Yes		Amount prepaid on this sales order (in **Base** currency).
Unit_Cost	Double	0	Yes		The cost per unit at the time the item was issued to the Sales Order
Order_Qty	Double	0	Yes		Identifies the quantity ordered
Stock_UofM	C4		Yes		The unit of measure for Order quantity (that is, the order unit)
Backorder_Qty	Double	0	Yes		The quantity that wasn't available to ship but will be shipped when it becomes available
Picked_Qty	Double	0	Yes		The accumulative quantity that has been issued to the Sales Order line item. Updated by Customer Shipments – SO function when auto pick option is 'on' in Preferences.
Shipped_Qty	Double	0	Yes		The accumulative quantity that has been shipped on the Sales Order line item. Updated by Customer Shipments – SO
Returned_Qty	Double	0	Yes		The accumulative quantity that has been returned for the Sales Order line item Updated by Customer Returns
Deferred_Qty	Double	0	Yes		Quantity remaining to order or pick for sales order Updated by Customer Shipments – SO when auto pick option is 'on' in Preferences (if you ship less than the full quantity) - reduces Updated by Pick Parts - reduces
Certs_Required	Yes/No	No	Yes		Indicates that certification is required for this Sales Order

Field	Type	Default	Req'd	Indexed	Description
Commissionable	Yes/No	No	Yes		Indicates that the Sales Order line item will have commissions paid against it
Commission_Pct	Double	0	Yes		The commission rate used to calculate the amount of commission for the SO line item
Sales_Code	C15			Yes	FGN-KEY to User_Code table. Sales Code and GL Account this SO line item is credited to
Promised_Date	Date/Time				Date that delivery of the parts is promised to the customer
Note_Text	Memo				Additional notes/comments regarding the line item on the Sales Order
Price_Unit_Conv	Double				Conversion factor between Stock_UofM (order unit) and Price Unit. Added in 7.4
Rev	C8				Part Number revision. Added in 7.4
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds. Added in 8.0
Ext_Description	Memo				Extended Description. Added in 8.0
Cost_UofM	C4				Cost Unit of Measure. Added in 9.0
Cost_Unit_Conv	Double				Conversion factor between Stock_Uofm (order unit) and Cost_UofM. Added in 9.0 For example, if stock unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333
Res_Type	Integer				Reservation Type (Owner Type) Values are: 0 = Stock, 1 = Source (PO), 2 = Job Used by Material Planning form Added in 9.0
Res_ID	C50				Reservation ID (Owner of reserved material) Material ID, Source ID, Job ID Used by Material Planning form Added in 9.0
Res_Qty	Double				Reserved Quantity Used by Material Planning form Added in 9.0

Field	Type	Default	Req'd	Indexed	Description
Partial_Res	Yes/No				Is this a partial reservation? Used by Material Planning form Added in 9.0
~~Taxable~~	~~Yes/No~~	~~No~~	~~Yes~~		~~Indicates that the Sales Order line item is subject to sales tax **OBSOLETE** in 8.0~~
Prepaid_Trade_Amt	Currency	0			Amount prepaid on this sales order (in **Trade** currency). Added in 11.2
CommissionIncluded	Yes/No	False	Yes		Indicates whether Sales Commission is included in the Price. Added in rel 11.8
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Source Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. Added in 11.0
SourceKey	Autonumber		Yes	Yes, no dupl	PRIMARY KEY
Source	Long Int		Yes	Yes, no dupl	~~PRIMARY KEY~~
PO_Detail	Long Int			Yes	FGN-KEY to PO_Detail.PO_Detail Present if source is for a PO Detail
PO_Detail_OID	Replication ID			Yes	FGN-KEY to PO_Detail.ObjectID. Added in 11.0 Present if source is for a PO Detail
Job_Operation	Long Int			Yes	FGN-KEY to Job_Operation.Job_Operation. Present if source is for a service on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Job_Operation_OID	Replication ID			Yes	FGN-KEY to Job_Operation.ObjectID. Added in 11.0 Present if source is for a service on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Material_Req	Long Int			Yes	FGN-KEY to Material_Req.Material_Req Present if source is for a material req on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Material_Req_OID	Replication ID			Yes	FGN-KEY to Material_Req.ObjectID. Added in 11.0 Present if source is for a material req on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Material	C50			Yes	FGN-KEY to Material table Only used if Buy is *not* for a job. Could be for stock or misc office supplies (if it is a misc material on a job, then this would be null)
IsSO	Yes/No	No	Yes		Is this PO detail tied to a Sales Order?

Field	Type	Default	Req'd	Indexed	Description
Misc_Material	Yes/No	No	Yes		Is this a miscellaneous material for Stock? Only used if misc purchase to stock, like office supplies. (would be 'False' for a misc material requirement for Job or SO)
Description	C50				Misc Material description. Only used for misc material. (Description otherwise taken from corresponding Matl Req or Material records.)
Act_Qty	Double	0	Yes		Actual Quantity. Quantity received on PO in terms of **Stocked_UofM** Updated by PO Receiving when quantity is received
Act_Unit_Cost	Double	0	Yes		Actual Unit Cost (99999999.99999) Updated by PO Receiving when cost is received, with the unit cost of the receipt Updated by Job Receiving when cost is received Updated by AP when cost is received
Stocked_UofM	C4		Yes		Material's Stocked Unit of Measure (unit for Act_Qty and Inv_Qty, and as of 9.0 for Ordered_qty) As of 9.0, Source record saves the order qty in both Stock Unit and Purchase Unit. The PO Detail is in terms of the Purchase Unit
Inv_Qty	Double	0	Yes		Invoiced Quantity from PO in terms of **Stocked_UofM**. Updated by PO Receiving when cost received. Updated by AP when cost received.
Last_Recv_date	Date/Time				Last received date Updated by PO Receiving when quantity received (not cost received)
Holder_ID	C50				FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). Add for e-Synergy integration. Added in 8.0

Field	Type	Default	Req'd	Indexed	Description
Total_Tax_Assigned	Double				Total Amount assigned as taxable (for purchasing) Material_Trans.Tax_Assigned is rolled up into this. Added in 8.0
Source_Type	Long Integer			Yes	Identifies what type of detail line the source is for Added in 9.0 0 = OutsideOperation (JobOp) 1 = MaterialRequirement (JobReq) 2 = SalesOrder (not used) 3 = Material (buy for stock) 4 = Unknown (not used) 5 = Misc Material 6 = SOMaterial (buy on SO or Drop Ship) 7 = QuoteOp 8 = QuoteReq
PO_Type	Long Integer			Yes	Identifies whether this source is for a purchase order or request for quote Added in 9.0 0 = Vendor (PO), 1 = RFQ
Quote_Req_Qty	Long Int				Required Quantity for Quote Added in 9.0
Quote_Operation_Qty	Long Int				Operation Quantity for Quote Added in 9.0
Cost_Unit	C4				Material's Cost Unit of Measure for Act_Unit_Cost Added in 9.0
Cost_Unit_Conv	Double				Conversion factor between (Purchase) Order Unit and Cost Unit. Added in 9.0 For example, if order unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333 (Per Dave BR 25.995.968) should be saving the Material's Stock/Purchase Unit Conversion (Material.UofM_Conv_Factor) NOT the PO Line's Purchase/Cost Unit Conversion Factor. What you see on the Purchasing form when you change the cost unit is a 'display' calculation, but we always store based on Stock UofM. What should happen for Outside Services? Should this be disabled then?

Field	Type	Default	Req'd	Indexed	Description
Ordered_Qty	Double				Ordered Quantity in terms of the material's **Stock Unit**. Added in 9.0
POOrdered_Qty	Double				Ordered Quantity in terms of the **Purchase Unit**. Added in 9.0 POOrdered_Qty from all Source records will be rolled up into Order_Quantity field in associated PO_Detail record.
Order_Unit	C4				**Purchase Unit** for POOrdered Quantity Added in 9.0 **NOTE: this unit field was originally added to be used with the Ordered_Qty and was same as Stock Unit**, but in future want to be able to change the Order Unit on the source. When this is implemented, then will *need to also add another Cost_Unit_Conv field to convert between Order Unit and Cost Un*it. Thought I would leave this note in here.
Due_Date	Date/Time				Date Source is due. PO_Detail.Due_Date is updated with the earliest Source.Due_Date. Added in 9.0
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Status_Change Table

This table contains the rules for valid Job and Quote status changes

Field	Type	Default	Req'd	Indexed	Description
Status_ChangeKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Status_Change	Long Int			~~Yes, no dupl~~	~~PRIMARY KEY~~
From_Status	Long Int	0	Yes		FGN-KEY to Status_Definitions table. Defines the Job/Quote Status being changed
To_Status	Long Int	0	Yes		FGN-KEY to Status_Definitions table. Defines the Job/Quote Status that the From_Status is allowed to be changed to

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Status_Definitions Table

Field	Type	Default	Req'd	Indexed	Description
Status_DefinitionsKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Status_Definitions	Long Int			~~Yes, no dupl~~	~~PRIMARY KEY~~
Status_Class	C30				Name of the Status Class to be called
Display_Name	C10				Status value to be displayed in UI
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Stock_Item Table – Added in 9.0

Contains information for the main stock item. There may be many material sizes for this main stock item. The stock item is a way of grouping 'like' raw stock materials.

Field	Type	Default	Req'd	Indexed	Description
Stock_Item	C50		Yes	Yes, no dupl	PRIMARY KEY. (GUID)
Name	C30				Name of material (old material ID)
Primary_Vendor	C10				FGN-KEY to Vendor table
Shape	C10				FGN-KEY to Shapes table
Location_ID	C10		~~Yes~~		FGN-KEY to Location table
Sales_Code	C15				FGN-KEY to User_Code table
Pick_Buy_Indicator	C1		~~Yes~~		Pick for Job or Buy for Stock. Values are: P (pick) or B (buy)
Class	C10			~~Yes~~	Class of rawstock Material; used to categorize material sizes
Stocked_UofM	C4		~~Yes~~		The Unit of Measure this inventory item is stocked in
Purchase_UofM	C4		~~Yes~~		Tthe Unit of Measure this inventory item is purchased in
Cost_UofM	C4		~~Yes~~		The Unit of Measure used to calculate cost for this inventory item

Field	Type	Default	Req'd	Indexed	Description
Rd_Whole_Unit	Yes/No	No	~~Yes~~		Round to Whole Unit. Identifies whether to round to whole stock units. Used primarily by the calculators. **THIS FIELD IS NOT USED**
Lot_Trace	Yes/No	No	~~Yes~~		Does the material require a lot number?
Lead_Days	Integer	0	~~Yes~~		Lead Days required when ordering this material.
GL_Account	C100				Default GL Account for this material
Alloy	C10				FGN KEY to Raw_Stock_Weight table. Type of Alloy for rawstock material
Tax_Code	C15				FGN KEY to User_Code table; Type TaxCds.
Pounds_Per_Base_Unit	Double				Weight Factor (lbs/inch)
Dimension_1	Double				First Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_1
Dimension_2	Double				Second Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_2
Dimension_3	Double				Third Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_3
Dimension_4	Double				Fourth Dimension for rawstock (is this for user-defined material?)
Dimension_5	Double				Fifth Dimension for rawstock (is this for user-defined material?)
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

Taxer Table – Added in 8.0

Taxer information is entered in SA Preferences/Tax Definition tab. Each tax authority is associated with one or more Tax Codea.

Field	Type	Default	Req'd	Indexed	Description
Taxer	C50		Yes	Yes, no dupl	PRIMARY KEY. (GUID)

Field	Type	Default	Req'd	Indexed	Description
Name	C50				Name of the tax authority e.g. State, City, Airport. (associated with a specific Tax Code in the User_Code table)
Collection_Account	C100				GL Account number for collecting taxes
Paid_Account	C100				GL Account number for paid taxes
Default_Rate	Double				Default tax rate
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

Tax_Code_Detail Table – Added in 8.0

Detail information for User_Code records of Type = TaxCds. This is the ***relationship*** record between Taxer table and User_Code TaxCds records.

Field	Type	Default	Req'd	Indexed	Description
Tax_Code_Detail	C50		Yes	Yes, no dupl	PRIMARY KEY. (GUID)
Tax_Code	C50			Yes	FOREIGN KEY to User_Codes.Code
Taxer	C50		~~Yes~~	Yes	FOREIGN KEY to Taxer table (GUID). Tax Authority
Rate	Double				Tax Rate
Post_To_GL	Yes/No				Should taxes be posted to GL?
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Tax_Detail Table – Added in 8.0

Detail records are **created for line items that are taxed**, on Invoices, Jobs, Purchase Order, Sales Orders and Additional Charges (See Owner_ID below).

Field	Type	Default	Req'd	Indexed	Description
Tax_Detail	C50		Yes	Yes, no dupl	PRIMARY KEY. (GUID)

Field	Type	Default	Req'd	Indexed	Description
Owner_ID	C50			Yes	FOREIGN KEY to 'source' record for this tax detail; based on Owner_Type If Type = 0, Owner ID is Invoice_Detail record If Type = 1, Owner ID is AP_Doc_Detail record If Type = 2, Owner ID is PO_Detail record If Type = 3, Owner ID is Additional_Charge record If Type = 4, Owner ID is Job record If Type = 5, Owner ID is SO_Detail record
Owner_Type	Long Int			Yes	The 'source' of this tax detail record. 0 = Cust Invoice, 1 = Vend Invoice, 2 = PO , 3 = Addl Charge (for Job or SO), 4 = Job, 5 = Sales Order
Taxer	C50		~~Yes~~	Yes	FOREIGN KEY to Taxer table (GUID). Tax Authority
Rate	Double				Tax Rate Based on Preference/Tax Definition setting
Tax_Amt	Double				Tax Rate Based on Preference/Tax Definition setting
Post_GL	Yes/No	No			Should taxes be posted to GL account rather than the tax account? Used by AP Vendor Invoice, based on Preference/Tax Definition setting Updated by AP Vendor Invoice
GL_Account	C100				GL Account number taxes were posted to The Tax Account, based on Preference/Tax Definition setting (Collected Account for AR or Paid Account for AP) Updated by AR Customer Invoice at **Posting** Updated by AP Vendor Invoice at **Posting** For AP Vendor Invoice, if Post_To_GL = Yes, then tax is posted to GL Account for associated invoice line rather than the specified tax account.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

tblJB_Keys Table

Field	Type	Default	Req'd	Indexed	Description
tblJB_Keys	Long Int		Yes	Yes, no dupl	PRIMARY KEY.
K_Table	C50		Yes	Yes	
K_KeyValue	Long Int				

tblJB_PrimKeys Table

Field	Type	Default	Req'd	Indexed	Description
tblJB_PrimKeys	Long Int		Yes	Yes, no dupl	PRIMARY KEY.
Table_Name	C50				
Column_Name	C50				
Sequence	Integer	1	Yes		

Temp_ID Table – Added in 8.0

This table is used to store queries for the Financial Analysis report. It could be used for other things in the future; wherever there is a need to store something by user session.

Field	Type	Default	Req'd	Indexed	Description
Session_ID	C50		Yes	Yes, no dupl	PRIMARY KEY.
Item	C50		Yes	Yes, no dupl	PRIMARY KEY.
Item2	C50				
Item3	C50				
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

TFM_Alloy Table – Added in 8.0

Field	Type	Default	Req'd	Indexed	Description
TFM_Alloy	C50		Yes	Yes, no dupl	PRIMARY KEY. Tools for Mfg Alloy code
Alloy	C20		~~Yes~~		FGN KEY to Raw_Stock_Weight.Type table (referential integrity is on). Type of Alloy for rawstock material
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

Third_Party_Integration Table – Added in 11.7

Field	Type	Default	Req'd	Indexed	Description
Integration_Key	Int		Yes	Yes, no dupl	PRIMARY KEY.
Integration_Type	Varchar(20)		Yes		Identifies the type of integration (Quality, Accounting)
Integration_Name	Varchar(100)		Yes		Identifies the name of the third pary integration product. Populates the drop down list on the **Preferences – Quality** tab in JobBOSS. Values are: None, uniPoint, TQM/Synergy, MQ1.

User_Code Table

User-defined values for drop down lists. **The inital table generically defines all fields in the User_Code table**.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Type	C8		Yes	Yes, no dupl	PRIMARY KEY. Record Type Values are: Terms, Dept, Class, CustType, Discount, LocType, QuoteRsn, ShipVia, UofM, AddlCost, AdjReasn, TaxCds, ARCodes, Banks, Account, StdText, Warehse, FinStmt, AccType, NMFC, FrtClass, ScpRwkCd, SellUofM, CashFlow, Chngrsn, MStone, WKFlow
Code	C25		Yes	Yes, no dupl	PRIMARY KEY. Name of the user code. This is the value that displays in drop down lists to select
Numeric1	Double	~~0~~			Numeric field 1
Numeric2	Double	~~0~~			Numeric field 2
Numeric3	Double	~~0~~			Numeric field 3
Numeric4	Double	~~0~~			Numeric field 4
Text1	C100				Text field 1
Text2	C20				Text field 2
Text3	Memo				Text field 3.
Text4	C100				Text field 4. Added in 8.0
Date1	Date/Time				Date field.
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated.

Each subsequent table is by Record Type and defines the fields specific to that record type.

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Account Added in 7.0
Code	C25		Yes		Description for Account structure section. Defined on Account Structure tab in Accounting Preferences. Used by reporting.
Numeric1	Double	0			Beginning Position (for structure section)
Numeric2	Double	0			Length (of structure section)
Text1	C100				Currently writing a GUID here, but **Dave thought it wasn't being used for anything**.

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = AddlCost Additional Cost.
Code	C25		Yes		Name of the user code. This is the value that displays in drop down lists to select

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = AdjReasn Adjustment Reason. Reason an adjustment was made to inventory
Code	C25		Yes		Name of the user code. This is the value that displays in drop down lists to select

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = ARCodes AR Codes. Refers back to a GL Account
Code	C25		Yes		User defined Sales Codes.
Text1	C100				GL Account Number associated with sales code

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Banks Banks used by accounting
Code	C25		Yes		User defined Banks to be used by accounting modules
Numeric1	Double	0			FGN KEY to Currency_Def table. Trading currency of bank.
Numeric2	Double	0			Last Statement Balance. Updated by Bank Recon
Text1	C100				GL Account for bank.
Date1	Date				Last Statement Date. Updated by Bank Recon.

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Class
Code	C25		Yes		User Defined Material Classifications.

Field	Type	Default	Req'd	Indexed	Description

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = CustType Used by SO Entry for pricing
Code	C25		Yes		User defined customer types
Numeric1	Double	0			Discount Percent allowed for this customer type

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Dept
Code	C25		Yes		User defined company Departments

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Discount
Code	C25		Yes		User defined Discount Levels, identified by number
Numeric1	Double	0			Discount Percent allowed at this pricing level

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = FinStmt Added in 7.0
Code	C25		Yes		Section Names for GL Balance Sheet and Income Statement
Numeric1	Double	0			Sequence of section on report
Numeric2	Double	0			Print totals on report (true or false)
Numeric3	Double	0			Print currency symbol on report (true or false)
Text1	C100				Account Type

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Frtclass added in 8.0
Code	C25		Yes		System Defined Carrier Freight Class codes

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = LocType
Code	C25		Yes		User defined Locations Types

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = NMFC added in 8.0
Code	C25		Yes		User defined Natl Motor Freight Codes – this is a *subclass* of Freight Class

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = QuoteRsn added in 8.0
Code	C25		Yes		User defined reason a quote was not won

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = ScpRwkCd added in 8.0
Code	C25		Yes		User defined reason for Scrap or Rework on time entries

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = SellUofM added in 8.0
Code	C25		Yes		User defined units of measure for Sell Price on SA Material/Pricing tab. (The item in the User Code list is 'Ordering Unit'.)

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = ShipVia
Code	C25		Yes		User defined Shipping Carriers
Text1	C100				Carrier's Web Page to get Tracking Number status
Text2	C100				Default Tax Code added in 8.0
Text3	C100				Default Sales Code – used in AR Invoicing added in 8.0
Text4	C100				Carrier's Web Page to get freight rates added in 8.0

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = StdText Available from standard notes dialog.

Field	Type	Default	Req'd	Indexed	Description
Code	C25		Yes		User Defined names of standard text to be used throughout the system
Text2	C20				Short Description of text
Text3	Memo				The text

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = TaxCds Tax Codes. Allowed to have up to 4 Taxer records associated with each Tax Code
Code	C25		Yes		User defined identifiers for Tax Code
~~Numeric1~~	~~Double~~	~~0~~			~~State tax rate OBSOLETE as of 8.0; moved to Taxer table~~
~~Numeric2~~	~~Double~~	~~0~~			~~County tax rate. OBSOLETE as of 8.0; moved to Taxer table~~
~~Numeric3~~	~~Double~~	~~0~~			~~City tax rate. OBSOLETE as of 8.0; moved to Taxer table~~
~~Numeric4~~	~~Double~~	~~0~~			~~Other tax rate. OBSOLETE as of 8.0; moved to Taxer table~~
~~Text1~~	~~C100~~				~~GL Account Number associated with Tax Code. OBSOLETE as of 8.0; moved to Taxer table~~

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Terms
Code	C25		Yes		User defined payment Terms
Numeric1	Double	0			Number of days net amount of payment is due
Numeric2	Double	0			Number of days discount is good for
Numeric3	Double	0			Discount Percent

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = UofM
Code	C25		Yes		User defined units of measure. Used for non-rawstock materials.

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = Warehse
Code	C25		Yes		User defined Warehouses for storing inventory

Field	Type	Default	Req'd	Indexed	Description
Type	C8		Yes		Record Type = WKFlow – added in 10.2
Code	C25		Yes		

User_Values Table

User-Defined fields entered on Custom tab

Field	Type	Default	Req'd	Indexed	Description
User_ValuesKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
User_Values	Long Int		~~Yes~~	Yes, no dupl	~~PRIMARY KEY~~
Date1	Date/ Time				Date Field 1
Date2	Date/ Time				Date Field 2
Text1	C15				Text Field 1
Text2	C15				Text Field 2
Text3	C15				Text Field 3
Text4	C25				Text Field 4
Text5	C25				Text Field 5
Amount1	Currency	0			Amount Field 1
Amount2	Currency	0			Amount Field 2
Numeric1	Double	0			Numeric Field 1
Numeric2	Double	0			Numeric Field 2
Decimal1	Double	0			Decimal Field 1
Note_Text	Memo				Note text
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

User_Labels Table

User-Defined labels for user-defined fields on the Custom tab

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added for 11.0

Field	Type	Default	Req'd	Indexed	Description
Table_Name	C50		Yes	Yes, no dupl	PRIMARY KEY. Identifies the JB form that owns the labels. Values are: Customer, Vendor, Material, Employee, Service, Work Center, Operation, Location, Job, Quote, Added in 7.0 SO Header, Customer Invoice, Vendor Invoice, Added in 8.0 RFQ, Added in 9.0 Raw Stock, Time Entry, Quote changed to Quoted Part, RFQ changed to Quote.
Date1_Label	C12				Label for Date Field 1
Date2_Label	C12				Label for Date Field 2
Text1_Label	C12				Label for Text Field 1
Text2_Label	C12				Label for Text Field 2
Text3_Label	C12				Label for Text Field 3
Text4_Label	C12				Label for Text Field 4
Text5_Label	C12				Label for Text Field 5
Amount1_Label	C12				Label for Amount Field 1
Amount2_Label	C12				Label for Amount Field 2
Numeric1_Label	C12				Label for Numeric Field 1
Numeric2_Label	C12				Label for Numeric Field 2
Decimal1_Label	C12				Label for Decimal Field 1
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Vendor Table

Field	Type	Default	Req'd	Indexed	Description
Vendor	C10		Yes	Yes	PRIMARY KEY
User_Values	Long Int			~~Yes~~	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Ship_Via	C15				FGN-KEY to User_Code table (no referential integrity)
Tax_ID	C15				Tax ID for this vendor
Tax_Code	C15				FGN-KEY to User_Code table (no referential integrity) Tax code to support sales tax calculations
Terms	C15				FGN-KEY to User_Code table (no referential integrity)
Currency_Def	~~Autonumber~~ Integer				FGN KEY to Currency_Def table counter
Name	C45				Vendor Name increased to C45 (from C30) in 11.2
Email_Address	C255				The email address for the contact
URL	C255				The Web site address
Status	C15			Yes	Status of this Vendor. increased to C15 (from C8) in 11.4 Values are: Active, Inactive
Vendor_Since	Date/Time				Date began using this Vendor
Our_Account_ID	C25				Code Vendor uses to identify us
Lead_Days	Integer	0			Lead Days required to send parts to this Vendor
Send_1099	Yes/No	No	Yes	Yes	Should a 1099 be sent to this Vendor (0 or 1)
Note_Text	Memo				Internal notes for this vendor
GL_Account	C100				GL Account
Acct_Mgr	C6				FGN-KEY to Employee table. Used by Synergy Int for CRM Added in 11.1
Rating	Integer	10			Indicates the rating give to this vendor. Values are: 1 – 20. Used by Synergy Int for CRM Added in 11.1

Field	Type	Default	Req'd	Indexed	Description
~~Curr_Year_1099_Payments~~	~~Currency~~	0			Total amount of 1099 payments to this Vendor this year' taxes Deleted in 7.0
~~Next_Year_1099_Payments~~	~~Currency~~	0			Total amount of 1099 payments to this Vendor next year's taxes Deleted in 7.0
~~Last_Check~~	~~Long Int~~	0			Number of last check printed Deleted in 7.0
~~Last_Check_Date~~	~~Date~~				Date of last check Deleted in 7.0
~~Last_Check_Amt~~	~~Currency~~	0			Amount of last check Deleted in 7.0
~~YTD_Purchases_Curr_Year~~	~~Currency~~	0			Year-to-Date purchases this year's tax record Deleted in 7.0
~~YTD_Purchases_Next_Year~~	~~Currency~~	0			Year-to-Date purchases next year's tax record Deleted in 7.0
~~YTD_Payments_Curr_Year~~	~~Currency~~	0			Reflect year to date payments for the current year updated by AP Payment Processing Deleted in 7.0
~~YTD_Payments_Next_Year~~	~~Currency~~	0			Year-to-Date payments next year's tax record Deleted in 7.0
QB_ID	C50				QuickBooks ID in the QB Database Added in 11.3
Send_Report_By_Email	Bit	0	Yes		Vendor preference for sending reports. **Added in 11.7**
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Vendor_Material Table – Added in 9.0

This table contains information about a material purchased from a specific vendor and the discounted price from them

Field	Type	Default	Req'd	Indexed	Description
Vendor_Material	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Vendor	C10			Yes	FGN-KEY to the Vendor table
Material_Owner	C50			Yes	FGN-KEY to the Material or Stock_Item table
Vendor_Reference	C50				Code the Vendor uses to identify this Material
Sell_Price	Double	~~0~~			The unit price charged by this Vendor for the material Updated by Material

Field	Type	Default	Req'd	Indexed	Description
Price_Unit	C4				The Unit of Measure used when buying this material Updated by Material
Trade_Currency	Long Int	~~0~~			FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with this material
Lead_Days	Integer	~~0~~			Lead Days required when ordering this material. Updated by Material
Owner_Type	Integer	~~0~~			Identifies whether the material is discrete, rawstock or misc item?? 0 = material item, 1 = stock item, 2 = none
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

Vendor_Service Table

Defines outside services a particular Vendor provides.

Field	Type	Default	Req'd	Indexed	Description
Vendor_ServiceKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Vendor_Service	Long Int		~~Yes~~	~~Yes, no dupl~~	~~PRIMARY KEY~~
Vendor	C10		Yes		FGN KEY to Vendor table (referential integrity is on)
Service	C10		Yes		FGN KEY to Service table (referential integrity is on)
Minimum_Chg	Currency	0	Yes		Minimum Charge
Lead_Days	Integer	0	Yes		Lead Days
Currency_Conv_Rate	Double	1	Yes		Currency exchange rate for international currency conversion Stores **Currency_Rate.Rate** based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int				FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with a service
Fixed_Rate	Yes/No	1	Yes		Identifies whether the exchange rate has been fixed

Field	Type	Default	Req'd	Indexed	Description
Trade_Date	Date/Time				Identifies the date the exchange rate on the job was updated
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Version Table

Field	Type	Default	Req'd	Indexed	Description
VersionKey	Long Int		Yes	Yes, no dupl	PRIMARY KEY
Version	Long Int			Yes, no dupl	
Version_Name	C25				
Version_Number	C10				JB Version
Version_Date	Date/Time				
Conversion_DB	Yes/No	0	Yes		
Version_PVCS	C10				
Last_Updated	Date/Time	Now()	Yes		
INI_Rev	C50				

Version_Upgrade Table

Defines outside services a particular Vendor provides.

Field	Type	Default	Req'd	Indexed	Description
Version_Upgrade_ID	Long Int		Yes	Yes, no dupl	PRIMARY KEY
From_Version	C50		Yes		
To_Version	C50		Yes		
Upgrade_Script	C50		Yes		
Script_Result	C50		Yes		
Script_Errors	Memo				
Last_Updated	Date/Time	Now()	Yes		

Work_Center Table

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	Added in 11.0
Work_Center	C10		Yes	Yes, no dupl	Work Center ID. PRIMARY KEY
Department	C15			Yes	Department that work center belongs to
Type	C8		Yes	~~Yes~~	Work Center Type. Values are: Direct, Indirect
Setup_Labor_Rate	Currency	0			Setup Labor Rate (999.99)
Run_Labor_Rate	Currency	0			Run Labor Rate (999.99)
Labor_Burden	Double	0			Labor Burden Rate (999.99)
Machine_Burden	Currency	0			Machine Burden Rate (999.99)
GA_Burden	Currency	0			GA Burden Rate (999.99)
Queue_Hrs	Double	0			Queue Hours. (99.99) Hours that work sits in this WC *before* operation can start. Inside operations only
Link_Material	Yes/No	No	Yes		Link Material to first operation on the job?
Link_Component	Yes/No	No	Yes		Link Component jobs to parent job?
Note_Text	Memo				Work Center notes
Parent_ID	C10				Pointer to Work_Center.Work_Center for the parent work center. Added in 8.0. Used by ShopBOSS
Parent_OID	Replication ID		~~Yes~~	Yes	Pointer to Work_Center.ObjectID for the parent work center. Added in 11.0 Used by Scheduling
Is_Parent	Yes/No	~~No~~	~~Yes~~		Does this work center have work centers grouped under it? Added in 8.0 Used by ShopBOSS
Has_Parent	Yes/No	~~No~~	~~Yes~~		Is this work center grouped under a parent work center? Added in 8.0 Used by ShopBOSS
Machines	Int				Number of machines at this work center. Added in 11.0 Updated by Work Center – Capacity tab, top area. Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Operators	Int				Number of operators at this work center. Added in 11.0 Updated by Work Center – Capacity tab, top area. Used by Scheduling
Operators_Per_Machine	Double	~~1~~			Number of operators per machine at this work center. Added in 11.0 The number of Scheduable Resources is calculated based on Machines and Operators. ▪ Scheduable Resources = the lesser of either Machines or (Operators * Operators_Per_Machine) ▪ If Operators_Per_Machine = 0, then Scheduable Resources = the greater of either Machines or Operators Updated by Work Center – Capacity/Scheduling tab, top area. Used by Scheduling
Link_FinishedGoods	Yes/No	~~0~~			Are FG materials linked to this Work Center? Added in 11.0 Used by Scheduling
Link_Hardware	Yes/No	~~0~~			Are Hardware materials linked to this Work Center? Added in 11.0 Used by Scheduling
Link_Supplies	Yes/No	~~0~~			Are Supply materials linked to this Work Center? Added in 11.0 Used by Scheduling
Link_Misc	Yes/No	~~0~~			Are Miscellaneous materials linked to this Work Center? Added in 11.0 Used by Scheduling
Link_RawStock	Yes/No	~~0~~			Are Raw Stock materials linked to this Work Center? Added in 11.0 Used by Scheduling
Finite_Schedule	Yes/No	~~0~~			Is this Work Center to be Finite scheduled? Only available if ShopBOSS is purchased. Added in 11.0 Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Lag_Hrs	Double	~~0~~			Lag Hours (99.99) for this work center. Time that work sits at a work center *after* the work is completed and/or time it takes to move work to the next WC. This is considered '**Move'** time. (By specifying time at the *end* of an operation, the time is accounted for regardless of which operation it goes to next. Prior to 11.0, user had to specify the move time using Queue at the beginning of all operations that it *might* be moved to.) Inside operations only Added in 11.0 Updated by Job Scheduling Used by Scheduling
Equipment	Yes/No	~~No~~			Indicates whether this work center is considered 'tooling'. Used by Synergy Int for MQ1 quality system Added in 11.1
~~Nbr_Limiting_Rsrc~~	~~Integer~~	~~1~~			~~Number of Resources required to operate this Work Center. **OBSOLETE** in 11.0~~
~~Capacity~~	~~Double~~	~~0~~			~~Capacity Hours (999.99) **OBSOLETE** in 11.0~~
~~Sched_Hrs~~	~~Double~~	~~0~~			~~Scheduled Hours (99.99) **OBSOLETE** in 11.0~~
~~User_Values~~	~~Long Int~~			~~Yes, no dupl~~	~~FGN-KEY to User_Values table (referential integrity is on - NULL is valid) **OBSOLETE** in 11.0~~
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
UVDate1	Date/Time				
UVDate2	Date/Time				
UVText1	C15				
UVText2	C15				
UVText3	C15				
UVText4	C30				
UVText5	C30				
UVAmount1	Currency				
UVAmount2	Currency				
UVNumeric1	double				
UVNumeric2	double				
UVDecimal1	double				

Field	Type	Default	Req'd	Indexed	Description
UVNote_Text	text				
Status	Yes/No				

WorkCenter_Load Table – Added in 11.0

Used to define the work load in a Work Center.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID
Job_Operation_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Job_Operation.ObjectID
Start_Date	Date/Time		~~Yes~~		Start date/time of this load record.
End_Date	Date/Time		~~Yes~~		End date/time of this load record.
Created_Time	Date/Time	Now()	~~Yes~~	Yes	Date/Time this load record was created.
Resource_ID	Integer		~~Yes~~	Yes	For a Finite work center, identifies how much load is on each scheduable resource. For example, if there are 2 Schedulable Resources, there would be two load records created with Resource_ID 1 and 2. For Infinite Work Centers, value will always be 1.
Fixed	Yes/No		~~Yes~~		Is this load locked? If the load record is locked ('fixed') then it cannot be 'bumped'. ▪ If any of the 'lock' fields in Job_Operation record for this op are True, Fixed is set = True for all its load records. ▪ If the Job_Operation.Status = S (Started) for this op, Fixed is set = True for all its load records.

Field	Type	Default	Req'd	Indexed	Description
Load_Multiplier	Integer	1	Yes		For an Infinite work center, the number to multiply the load by to get the total scheduled hours. This is the number of Scheduling Resources that were *used*. So this will always be = Job_Operation.Sched_Resources (except that it is an integer, so truncates Sched_Resources) For Finite work centers, value will always be 1, unless the wc is overloaded, that is, scheduled 'infinitely'. Then it is set same as an Infinite wc. Used to calculate 'load' in Shop Overview and Scheduling Engine.
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

WCDisplay_Sequence Table – Added in 11.0

Used to define the sequence for displaying jobs in ShopBOSS.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID		Yes	~~Yes~~	FOREIGN KEY to Work_Center.ObjectID
Sequence	Int		Yes		Sequence to display data
Created_Date	Date/Time	Now()	Yes		Date and Time record was created
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

WCEmployee Table – Added in 11.0

Used to define the Employees that regularly work in a Work Center. Resolves many-to-many database relationship between Work_Center and Employee table.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID
Employee_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Employee.ObjectID
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

WCMaterialClass Table – Added in 11.0

Used to define the Classes of material linked to a Work Center. Resolves many-to-many database relationship between Work_Center and User_Code table records of Type = Class.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID

Field	Type	Default	Req'd	Indexed	Description
Class_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to User_Code.ObjectID, Type = Class
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

WCMaterialShape Table – Added in 11.0

Used to define the Shapes of material linked to a Work Center. Resolves many-to-many database relationship between Work_Center and Shapes table.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID
Shape_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY Shapes.ObjectID
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

WCShift_Override Table – Added in 11.0

Used to define Overrides for a shift. Resolves many-to-many database relationship between Work_Center and Shift_Override table.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Shift_ID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to **Shift_Override.ObjectID**
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID
Machines	Int				Number of machines available for this shift. Overrides WCShift_Standard.Machines. Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Operators	Int				Number of operators working on this shift. Overrides WCShift_Standard.Operators Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators_Per_Machine	Double				Number of operators per machine on this shift. Overrides WCShift_Standard.Operators_Per_Machine Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Shift_Type	Int				0 = Standard, 1 = Override
Date	Date/Time				Date for this overide
Hours	Double				Number of hours for this override
Is_Work_Day	Yes/No	No			Is this a work day?
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

WCShift_Standard Table – Added in 11.0

Used to define Shift Standards for a Work Center. Resolves many-to-many database relationship between Work_Center and Shift table.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Shift_ID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to **Shift.Shift**
WorkCenter_OID	Replication ID		~~Yes~~	Yes	FOREIGN KEY to Work_Center.ObjectID
Machines	Int				Number of machines available for this shift. Overrides Work_Center.Machines. Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators	Int				Number of operators working on this shift. Overrides Work_Center.Operators Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling

Field	Type	Default	Req'd	Indexed	Description
Operators_Per_Machine	Double				Number of operators per machine on this shift. Overrides Work_Center.Operators_Per_Machine Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Shift_Type	Int				0 = Standard, 1 = Override
Date	Date/Time				Date for this overide
Hours	Double				Number of hours for this override
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

Data Collection Tables

OP_Group Table – Added in 8.1

Used to group routing lines from different (or same) jobs together to make time entry easier.

Field	Type	Default	Req'd	Indexed	Description
OP_Group	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Work_Center	C10		~~Yes~~		FGN-KEY to Work_Center table
Name	C10			Yes	Name of group of job operations
Schedule_Start	Date				Scheduled Start date from earliest job_Operation?? NOT BEING USED YET
Schedule_End	Date				Scheduled End date from earliest job_Operation?? NOT BEING USED YET
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

Emp_Assignment Table – Added in 8.1

Used to assign work to employees, i.e. create a work list.

Field	Type	Default	Req'd	Indexed	Description
Emp_Assignment	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
ObjectID	Replication ID		Yes	Yes, no dupl	Unique Index. Added in 11.0
Employee	C6		~~Yes~~	Yes	FGN-KEY to Employee table
~~Group~~ OP_Group	C50			Yes	FGN-KEY to OP_Group table Group of job operations assigned to employee to work on. There will be EITHER a pointer to Group or pointer to Job_Operation, not both
Job_Operation	Long Int			Yes	FGN-KEY to Job_Operation table Job_Operation assigned to employee to work on. There will be EITHER a pointer to Group or pointer to Job_Operation, not both
Completed_Date	Date/Time				Date work was completed

Field	Type	Default	Req'd	Indexed	Description
Schedule_Date	Date/Time				Scheduled Date from Job_Operation (when Emp_Assignment.Job_Operation is present.) Noticed in 11.0 that we set this field from the Sched Start of Job op, but we don't Clear it in scheduling. Per Dave, this was not fully implemented and he does not plan to do anything more with it; he said it's kind of a 'dead' field at this point.
Due_Date_Only	Yes/No				
Sequence	Long int				
Status	C10				
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

Transaction_Definition Table – Added in 8.1

Predefined set of transactions supported for data collection.

Field	Type	Default	Req'd	Indexed	Description
ID	Long Int	1	Yes	Yes, no dupl	PRIMARY KEY Transaction number
Name	C30		~~Yes~~		Predefined transaction name, default name.
Prompt_Display	C30				(misnamed) The **transaction name** customer wants to display. Preset to default, but customer can change.
Deferred	Yes/No				Is this transaction deferred for batch posting?
Enabled	Yes/No				If customer purchases DC Lite, then only the Labor Reporting transactions are enabled for use.
IsChildTrans	Yes/No	No	Yes		Transactions 23-31, added for Serialization, are considered 'child' transactions because they are adjunct Serial Number information and not a standalone transaction. Added in 11.3 Transaction 32 added in 17.3 for Outside Service Job Receiving (parent ID 3)

Field	Type	Default	Req'd	Indexed	Description
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

Transaction_Value Table – Added in 8.1

Contains the prompts required per Transaction as defined in the Transaction_Definition table.

Field	Type	Default	Req'd	Indexed	Description
Transaction_Value	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Transaction_Definition	Long Int			Yes	FGN KEY to Transaction_Definition table; the Transaction Number
Display_Text	C20				Text display for this prompt (customizeable by the customer)
Sequence	Long Int		~~Yes~~		Sequence in which this prompt should be displayed at the data terminal or work station driver.
Default_Value	C50				Default value for this prompt (customizeable by the customer)
Data_Type	Long Int		~~Yes~~		What data type is the prompt field? Values are: 0 = string, 1 = float, 2 = integer, 3 = Boolean (primitive), 15 = Yes/No (must be Y or N), 16 = Setup/Run (must be S or R) Special data types defined for use with the DB_Validation field are: 4 = Job, 5 = JobInsideOp (Op Key), 6 = JobOutsideOp (Op Key), 7 = JobBuy (Req Key), 8 = JobPick (Req Key), 9 = POLine (which is just the PO nbr, not line), 10 = Material, 11 = SODetail, 12 = WorkCenter, 13 = Location, 14 = Group, 17 = Display
Min_Value	Long Int				Used for validation of Data_Type 1 and 2 (numeric). The minimum value allowed
Max_Value	Long Int				Used for validation of Data_Type 1 and 2 (numeric). The maximum value allowed
String_Length	Long Int				Used for validation Data_Type 0 (string) The maximum length allowed
System_Required	Yes/No				Is this field system required?

Field	Type	Default	Req'd	Indexed	Description
User_Required	Yes/No				Is this field required? (customizeable by the customer
Hidden	Yes/No				Is this field hidden? (customizeable by the customer)
DB_Validation	Yes/No				Used for validation of special data types, e.g. Job or Op Key. Is there a database validation required?
Confirmation_Prompt	Yes/No				Does this prompt have a confirmation step? Used only at the Data Terminals for the Accept Entry prompt. If user responds No, then transaction is cycled thru again to allow employee to review. If user responds Yes, then transaction is processed.
Transaction_Field	C50				**Internal use only** – reference to the field in the the Transaction_Data or Transaction_Detail table where data entered (from terminal or WSD) is stored for that prompt.
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

Permission Table – Added in 8.1

Used to assign transactions to employees, i.e. list of employees and the transactions they have permissions to.

Field	Type	Default	Req'd	Indexed	Description
Permission	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Employee	C6		Yes		FGN KEY to Employee table. Employee ID
Employee_Title	C20				(misnamed) The **transaction name** employee wants to display
Transaction_Definition	Long Int				FGN KEY to Transaction_Definition table; the Transaction Number
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated

Transaction_Setting Table – Added in 8.1

Contains personalized settings of prompts per Employee per Transaction.

Field	Type	Default	Req'd	Indexed	Description
Transaction_Setting	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Transaction_Value	C50		~~Yes~~	Yes	FGN KEY to Transaction_Value table (GUID)
Permission	C50		~~Yes~~	Yes	FGN KEY to Permission table (GUID)
Employee	C6		~~Yes~~		FGN KEY to Employee table. Employee ID
Display_Text	C20				Text display for this prompt
Default_Value	C50				Default value for this prompt
Required	Yes/No				Is this field required?
Hidden	Yes/No				Is this field hidden?
Last_Updated	Date/Time	~~Now()~~	~~Yes~~		Date and Time stamp. Last time record was updated

Attendance Table – Added in 8.1

Contains Attendance records by Employee. **Employee Login** and **Employee Logout** transactions update this table. There will be a corresponding Transaction_Data record for Attendance_Type = 0

Field	Type	Default	Req'd	Indexed	Description
Attendance	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Employee	C6		~~Yes~~	Yes	FGN KEY to Employee table. Employee ID
Attendance_Type	Long Int				Type of time entry. Values are: 0 = Earned, 1 = Holiday, 2 = Vacation, 3 = Sick
Work_Date	Date/Time			Yes	Date and Time stamp for attendance record. Will be the day the shift starts (not the day the shift ends if it goes over midnight).
Login	Date/Time				Date and Time of Login
Adjusted_Login	Date/Time				Login time adjusted based on Shift rounding rules if you are not within Grace periods but are within shift times.
Logout	Date/Time				Date and Time of Logout

Field	Type	Default	Req'd	Indexed	Description
Adjusted_Logout	Date/Time				Logout time adjusted based on Shift rounding rules if you are *not* within Grace periods but are within shift times.
Regular_Minutes	Double				Regular minutes
OT_Minutes	Double				Overtime minutes
DoubleOT_Minutes	Double				Double overtime minutes
Break_Minutes	Double				Break minues
Source	Long Int				Origin of Attendance record. 0 = Application (Attendance form in jobboss) 1 = Data Collection (DC terminal or WSD trans) If Source = 1, then the Linked_Tran_String in Transaction_Data is pointer to Attendance record. (If Source = 0, then there is no Transaction_Data record.)
Lock_Times	Yes/No				Indicates whether to recalculate OT and DT hours as attendance hours are entered Set to False when Source = Data Collection, so OT and DT is recalculated as time is accumulated daily and weekly, based on Shift Rules Set to True when Source = Application; if entered or edited through Attendance form, then don't recalculate
Last_Updated	Date/Time	Now()	Yes		Date and Time stamp. Last time record was updated
ManualBrkTime	Yes/No	No	Yes		

Transaction_Data – Added in 8.1

Contains data from transactions entered thru data terminals and workstation driver. All transaction types are immediately saved to this table; then processing is done against this record. Elapsed Time transactions also have an associated Transaction_Detail record.

Field	Type	Default	Req'd	Indexed	Description
Transaction_Data	C50		Yes	Yes, no dupl	PRIMARY KEY (GUID)

Field	Type	Default	Req'd	Indexed	Description
Transaction_Type	Long Int		~~Yes~~	Yes	Transaction number **Note**: for 'paired' transactions, such as Employee Login and Employee Logout, there is only **one** Transaction_Data record created. The Login trans creates the record and sets the Type = 15; then the Logout trans changes the Type = 16.
Employee	C6			Yes	FGN KEY to Employee table. ID of Employee that entered the transaction
Work_Date	Date/Time			Yes	Date work was performed based on Shift End Time + CutOff Hours. Set at start of transaction.
Terminal_ID	C50				ID of terminal that was the source of the transaction.
Status	Long Int			Yes	Status of the transaction. Values are: 0 = Open, 1 = Deferred, 2 = Error, 3 = Processed For transactions that don't have a corresponding 'stop' transaction, you will never see the Open status because it changes to one of the other 3 statuses when processing takes place; it is only in Open status on the initial save of the Transaction_Data record. For 'paired' transactions, such as Employee Login and Employee Logout, the Login sets the Status to Open and the Logout transaction then updates the open record, changes the Tran Type and sets Status to Processed.
Transaction_Start	Date/Time				Start date/time of transaction.
Transaction_End	Date/Time				End date/time of transaction. For transacations that don't have a 'stop' transaction, this will be blank. e.g. all inventory control trans and Elapsed Time trans. For 'paired' transactions, such as Employee Login and Employee Logout, the Logout transaction sets this.

Field	Type	Default	Req'd	Indexed	Description
Error_ID	C50			Yes	Error number (present if error found during processing)
Error_Text	C255				Error text (present if error found during processing)
Linked_Tran_Int	Long Int			Yes	FGN KEY to associated table for record that was created/updated as a result of processing this transaction; Present when key is an integer PO Receiving (1) = Pointer to Material_Trans Job Matl Receiving (2) = Pointer to Material_Trans Job Serv Receiving (3) = Pointer to Material_Trans Inventory Adjust (4) = Pointer to Material_Trans Issue by Req (5) = Pointer to Material_Trans Issue by Job (18) = Pointer to Material_Trans Job Transfer (6) = Pointer to Material_Trans
Linked_Tran_String	C50			Yes	FGN KEY to associated table for record that was created/updated as a result of processing this transaction; Present when key is a string value Location Transfer (7) = Material ID Pick SO (8) = Pointer (Line Key) to SO_Detail Employee Login (15) = Pointer to Attendance record Employee Logout (16) = Pointer to Attendance record

Field	Type	Default	Req'd	Indexed	Description
Target_Int	Long Int			Yes	FGN KEY to associated table for record that was the 'target' of this transaction, e.g. Job Operation key or Material_Req key; Present when key is an integer, e.g. autonumber Job Matl Receiving (2) = Pointer to Material_Req (Req Key) Job Serv Receiving (3) = Pointer to Job_Operation record (Op Key) Issue by Req (5) = Pointer to Material_Req Issue by Job (18) = Pointer to Material_Req Pick SO (8) = Pointer (Line Key) to SO_Detail
Target_String	C50			Yes	FGN KEY to associated table for record that was the 'target' of this transaction, e.g. Job Operation key or Material_Req key; Present when key is a string value, e.g. GUID Don't currently have anything saved here
Job	C30			Yes	Transaction data. Will hold Job number depending on type of transaction.
Material	C50			Yes	Transaction data. Will hold Material ID depending on type of transaction.
Quantity	Double				Transaction data. Will hold Quantity depending on type of transaction.
Document	C15				Transaction data. Will hold Document depending on type of transaction.
Location	C10				Transaction data. Will hold Location (or Source Location) depending on type of transaction.
Lot	C20				Transaction data. Will hold Lot (or Source Lot) depending on type of transaction.
PO	C8			Yes	Transaction data. Will hold PO number for PO Receiving transaction.

Field	Type	Default	Req'd	Indexed	Description
PO_Line	C6				Transaction data. Will hold PO Line number for PO Receiving transaction.
Location_1	C10				Transaction data. Will hold Target Location for Location Transfer transaction.
Lot_1	C20				Transaction data. Will hold Target Lot for Location Transfer transaction.
Close	Yes/No				Transaction data. Close operation? Added in 9.0
~~Text1~~	~~C20~~				~~Transaction data.~~ ~~Will hold Custom data Added in 9.0~~
~~Text4~~	~~C20~~				~~Transaction data.~~ ~~Will hold Custom data Added in 9.0~~
Last_Updated	Date/Time	Now()	~~Yes~~		Date and Time stamp. Last time record was updated

Transaction_Detail Table – Added in 8.1

Contains Detail time entry data for Elapsed Time transactions. The associated Transaction_Data record contains 'header' information.

Field	Type	Default	Req'd	Indexed	Description
Transaction_Detail	Autonumber		Yes	Yes, no dupl	PRIMARY KEY
Transaction_Data	C50			Yes	FGN KEY to Transaction_Data table (GUID) which contains the 'header' information
Entry_Type	Long Int	0			Transaction data. Entry Type from transaction. Values are: 0 = Setup, 1 = Run For Trans that are neither Setup or Run, such as Op Start (11), Entry_Type will be Null
Labor_Hrs	Double	0			Transaction data. Labor Hours from transaction.
Machine_Hrs	Double	0			Transaction data. Machine Hours from transaction.
Percent_Complete	Double	0			Transaction data. Percent Complete value from transaction.
Rework	Yes/No	N			Transaction data. Value Y or N from transaction.
Rework_Rsn	C15				Transaction data. Rework Code from transaction.
Scrap_Rsn	C15				Transaction data. Scrap Code from transaction.
Scrap_Qty	Long Int	0			Transaction data. Scrap Quantity from transaction.
Quantity	Long Int	0			Transaction data. Quantity from transaction.
Complete_Operation	Yes/No	N			Transaction data. Value Y or N from transaction.
Job	C30				Transaction data. Job Number from transaction. This should also get filled in for transactions that only supply the Op Key

Field	Type	Default	Req'd	Indexed	Description
Work_Center	C10				Transaction data. Work Center from transaction. This should also get filled in for transactions that only supply the Op Key
Operation	C10				Transaction data. Operation from transaction.
Notes	Memo				Transaction data. Routing Notes from transaction.
Target_Integer	Long Int	0			Transaction data. The Op Key (FGN KEY to Job_Operation table) for the Labor transactions (this should get filled in even when Op Key is not supplied as a prompt) Present for all Labor transactions
Linked_Tran_String	C50			Yes	FGN KEY to Job_Operation_Time record for record that was created as a result of processing this transaction Present for all Labor transactions
SN_OID	Replication ID			Yes, ~~no dupl~~	Added in 11.3
SerialNumber	C25				Serial Number associated with this inventory item Added in 11.3 Updated by Serial Number generator
PartNumber	C50				Material ID for this inventory item Added in 11.3 Updated by Serial Number generator
CurrentUsage	Double	0	Yes		Count of Usage for this inventory item Added in 11.3 Updated by Serial Number generator
ExpirationDate	Date/Time				Expiration date for this inventory item Added in 11.3 Updated by Serial Number generator
SN_IsScrapped	Yes/No	No	Yes		Has this Serial Number been 'scrapped'? Added in 11.3

Field	Type	Default	Req'd	Indexed	Description
~~ObjectType~~	~~Int~~	~~0~~			~~Identifies the Type of function that created this SN Detail record~~ ~~1 = Job, 2 = Sales Order, 3 = Job Shipment, 4 = Sales Order Shipment, 5 = Inventory Shipment, 6 = Vendor Shipment, 7 = Time Entry, 8 = Scrap Time Entry, 9 = Material Location, 10 = Transfer, 11 = Removed, 12 = Sales Order Pick, 13 = Material Requirement, 14 = Purchase Order~~ ~~Added in 11.3 – REMOVED; didn't need~~
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

Lookup_Type Table – Added in 8.1

Prepopulated with information to support lookups in Work Station driver

Field	Type	Default	Req'd	Indexed	Description
Lookup_Type	Long Int		Yes	Yes, no dupl	PRIMARY KEY Values are: 1 = 2 = 3 = 4 = 5 = 6 = 7 = 8 = 9 = 10 = 11 = 12 = 13 = 14 = 15 = 16 = 17 = Location
Param_Sequence	Long Int		~~Yes~~		Sequence of ??

Field	Type	Default	Req'd	Indexed	Description
Name	C20		~~Yes~~		Name of ??
~~Last_Updated~~	~~Date/Time~~	~~Now()~~	~~Yes~~		~~Date and Time stamp. Last time record was updated~~

Synergy Integration Tables

Synergy_Entry_Point Table – Added in 10.2

Used to define the entry point in JobBOSS where the transaction initiated. So far, used in Workflow and CRM.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Display	C30		~~Yes~~		The name of the entry point in Jobboss
JBType	Integer		~~Yes~~		The entry point numeric identifier.

Synergy_Workflow_Page Table – Added in 10.2

Used in Workflow integration to define the action and asp page in Synergy to launch. As of 11.1, also used for CRM integration.

Field	Type	Default	Req'd	Indexed	Description
ObjectID	Replication ID		Yes	Yes, no dupl	PRIMARY KEY (GUID)
Button	C50		~~Yes~~		What is the name of the action in Jobboss that initiated the transaction????
Page	C~~50~~255 Changed in 11.1		~~Yes~~		The name of the asp page in synergy that should launch from touch point in Jobboss.