

# tidyv

Alexa Kelly

7/2/2020

1. The relationship between weekly working hours and monetary compensation in European countries, according to the International Labour Organization (ILO).
2. Communicating with the tidyverse They say that a picture is worth a thousand words. Indeed, successfully promoting your data analysis is not only a matter of accurate and effective graphics, but also of aesthetics and uniqueness.

This Rmarkdown shows how to leverage the power of ggplot2 themes for producing publication-quality graphics that stick out from the mass of boilerplate plots out there. It shows you how to tweak and get the most out of ggplot2 in order to produce unconventional plots that draw attention on social media.

In the end, combining this knowledge will produce a slick and custom-styled report with RMarkdown and CSS – all of that within the powerful tidyverse.

```
if(!require(tidyverse)) install.packages("tidyverse", repos = "http://cran.us.r-project.org")

## Loading required package: tidyverse

## -- Attaching packages ----- tidyverse 1.3.0 --

## v ggplot2 3.2.1      v purrr  0.3.3
## v tibble  2.1.3      v dplyr  0.8.4
## v tidyr   1.0.0      v stringr 1.4.0
## v readr   1.3.1      v forcats 0.4.0

## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()

if(!require(forcats)) install.packages("forcats", repos = "http://cran.us.r-project.org")

if(!require(ggplot2)) install.packages("ggplot2", repos = "http://cran.us.r-project.org")

if(!require(dplyr)) install.packages("dplyr")

library(dplyr)
library(forcats)
library(ggplot2)
library(tidyverse)

load(url("http://s3.amazonaws.com/assets.datacamp.com/production/course_5807/datasets/ilo_data.RData"))

# Count the resulting rows and examine
ilo_data %>% count()

## # A tibble: 1 x 1
##       n
```

```
## <int>
## 1 380
```

```
ilo_data
```

```
## # A tibble: 380 x 4
##   country      year hourly_compensation working_hours
##   <fct>      <fct>      <dbl>          <dbl>
## 1 Finland    1980          8.61          35.6
## 2 France     1980          8.90          35.4
## 3 Italy      1980          8.09          35.7
## 4 Norway     1980         11.8          30.4
## 5 Spain      1980          5.86          36.8
## 6 Sweden     1980         12.4          29.2
## 7 Switzerland 1980         11.0          34.7
## 8 United Kingdom 1980          7.52          34.1
## 9 Finland    1981          8.33          35.7
## 10 France    1981          7.98          34.8
## # ... with 370 more rows
```

The loaded data contains 380 rows.

Can visualizations reveal a correlation between the relationship between weekly working hours and monetary compensation in European countries within the dataset?

```
# Turn year and country into a factor
```

```
ilo_data_corrected <- ilo_data %>% mutate(year = as.factor(as.numeric(year)), country = as.factor(country))
```

```
ilo_data_corrected # See the results
```

```
## # A tibble: 380 x 4
##   country      year hourly_compensation working_hours
##   <fct>      <fct>      <dbl>          <dbl>
## 1 Finland    1          8.61          35.6
## 2 France     1          8.90          35.4
## 3 Italy      1          8.09          35.7
## 4 Norway     1         11.8          30.4
## 5 Spain      1          5.86          36.8
## 6 Sweden     1         12.4          29.2
## 7 Switzerland 1         11.0          34.7
## 8 United Kingdom 1          7.52          34.1
## 9 Finland    2          8.33          35.7
## 10 France    2          7.98          34.8
## # ... with 370 more rows
```

```
# Filter for European countries, that also have sufficient data:
```

```
european_countries <- c("Finland", "France", "Italy", "Norway", "Spain", "Sweden", "Switzerland", "United Kingdom", "Belgium", "Ireland", "Luxembourg", "Portugal", "Netherlands", "Germany", "Hungary", "Austria", "Czech Rep.")
```

```
european_countries # Examine the European countries vector
```

```
## [1] "Finland"      "France"       "Italy"        "Norway"
## [5] "Spain"        "Sweden"       "Switzerland"  "United Kingdom"
## [9] "Belgium"     "Ireland"      "Luxembourg"   "Portugal"
## [13] "Netherlands" "Germany"      "Hungary"      "Austria"
## [17] "Czech Rep."
```

```
# Only retain European countries
```

```
ilo_data <- ilo_data %>% filter(country %in% european_countries)
```

```
str(ilo_data) # Examine the structure of ilo_data
```

```
## Classes 'tbl_df', 'tbl' and 'data.frame':   380 obs. of  4 variables:
## $ country      : Factor w/ 30 levels "Australia","Austria",...: 8 9 15 22 25 27 28 29 8 9 ...
## $ year         : Factor w/ 27 levels "1980","1981",...: 1 1 1 1 1 1 1 1 2 2 ...
## $ hourly_compensation: num  8.61 8.9 8.09 11.8 5.86 ...
## $ working_hours   : num  35.6 35.4 35.7 30.4 36.8 ...
```

```
# Group and summarize the data
```


```
ilo_data %>%
  group_by(year) %>%
  summarize(mean_hourly_compensation = mean(hourly_compensation),
             mean_working_hours = mean(working_hours))
```

```
## # A tibble: 27 x 3
##   year mean_hourly_compensation mean_working_hours
##   <fct>          <dbl>          <dbl>
## 1 1980             9.27             34.0
## 2 1981             8.69             33.6
## 3 1982             8.36             33.5
## 4 1983             7.81             33.9
## 5 1984             7.54             33.7
## 6 1985             7.79             33.7
## 7 1986             9.70             34.0
## 8 1987            12.1             33.6
## 9 1988            13.2             33.7
## 10 1989            13.1             33.5
## # ... with 17 more rows
```

Let's take a look at what the distribution for working\_hours looks like:


```
plot_data <- ilo_data %>%
  filter(year == 2006)
ggplot(plot_data) + geom_histogram(
  aes(x = working_hours), fill="lightblue", color="darkblue") +
  theme(
    plot.background = element_rect(fill = "lightcyan1"))
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



Let's take a look at what the distribution for hourly\_compensation looks like:

```
plot_data <- ilo_data %>%  
  filter(year == 2006)  
ggplot(plot_data) + geom_histogram(  
  aes(x = hourly_compensation), fill="lightcyan3", color="darkblue") +  
  theme(  
    plot.background = element_rect(fill = "lightcyan3"))  
  
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




```
# Filter for 2006
plot_data <- ilo_data %>% filter(year %in% 2006)

# Add labels and save the scatter plot into a variable: ilo_plot
ilo_plot <- ggplot(plot_data) +
  geom_point(aes(x = working_hours, y = hourly_compensation, color = ifelse(hourly_compensation < 25, "red", "darkgreen"))) +
  labs(
    x = "Working hours per week",
    y = "Hourly compensation",
    title = "The more people work, the less compensation they seem to receive",
    subtitle = "Working hours and hourly compensation in European countries, 2006",
    caption = "Data source: ILO, 2017"
  ) +
  scale_color_manual(name="Key", values = c("red", "darkgreen"))

ilo_plot
```

## The more people work, the less compensation they seem to receive


Working hours and hourly compensation in European countries, 2006



Data source: ILO, 2017

```
ilo_plot <- ilo_plot + theme_minimal() +  
  # Customize the "minimal" theme with another custom "theme" call  
  theme(  
    text = element_text(family = "serif"),  
    title = element_text(color = "slategrey"),  
    plot.caption = element_text(color = "midnightblue"),  
    plot.subtitle = element_text(size = 12)  
  )  
  
ilo_plot # Render the plot object
```

The more people work, the less compensation they seem to receive  
 Working hours and hourly compensation in European countries, 2006



Data source: ILO, 2017

“theme” calls can be stacked upon each other, so this is already the third call of “theme”.

```
ilo_plot +
  theme(
    plot.background = element_rect(fill = "gainsboro"),
    plot.margin = unit(c(5, 10, 5, 10), units = "mm"))
```




```
# Filter ilo_data to retain the years 1996 and 2006
ilo_data <- ilo_data %>% filter(year=="1996" | year=="2006")
```

The data is now filtered so it only contains the years 1996 and 2006 – a good time range for comparison.

```
# Again, save the plot object into a variable so you can save typing later on
ilo_plot <- ggplot(ilo_data, aes(x = working_hours, y = hourly_compensation)) +
  geom_point(aes(color = ifelse(hourly_compensation < 25, "Not Paid Enough", "Compensated More Fairly")))
  labs(
    x = "Working hours per week",
    y = "Hourly compensation",
    title = "The more people work, the less compensation they seem to receive",
    subtitle = "Working hours and hourly compensation in European countries, 2006",
    caption = "Data source: ILO, 2017"
  ) + theme(
    text = element_text(family = "serif"),
    title = element_text(color = "white"),
    plot.caption = element_text(color = "black"), plot.background = element_rect(fill = "darkolivegreen3")
  ) +
  # Add facets here
  facet_grid(facets = . ~ year) +
  scale_color_manual(name="Key", values = c("firebrick", "lightgreen"))

ilo_plot
```







Another possible design, using a theme function:

```
# Define theme function below
theme_ilo <- function() {
  theme_minimal() +
  theme(
    text = element_text(family = "serif", color = "darkolivegreen"),
    plot.subtitle = element_text(size = 12),
    plot.caption = element_text(color = "gray30"),
    plot.background = element_rect(fill = "gray95"),
    plot.margin = unit(c(5, 10, 5, 10), units = "mm")
  )
}


# Apply the theme function
ilo_plot <- ilo_plot + theme_ilo()
ilo_plot # Examine ilo_plot
```



```
ilo_plot +
  # Add another theme call
  theme(
    # Change the background fill and color
    strip.background = element_rect(fill= "gray60", color="gray95"),
    # Change the color of the text
    strip.text = element_text(color="white")
  )
```




```
ggplot(ilo_data) +
  geom_path(aes(x = working_hours, y = country),
    # Add an arrow to each path
    arrow = arrow(length = unit(1.5, "mm"), type = "closed")) +
  # Add a geom_text() geometry
  geom_text(
    aes(x = working_hours,
      y = country,
      label = round(working_hours, 1)))
```



```
# Reorder country factor levels
ilo_data <- ilo_data %>%
  # Arrange data frame
  arrange(year) %>%
  # Reorder countries by working hours in 2006
  mutate(country = fct_reorder(country, working_hours, last))


# plot again, and save plot into an object for reuse
ilo_dot_plot <- ggplot(ilo_data) +
  geom_path(aes(x = working_hours, y = country),
    arrow = arrow(length = unit(1.5, "mm"), type = "closed")) +
  # Specify the hjust aesthetic with a conditional value
  geom_text(
    aes(x = working_hours,
      y = country,
      label = round(working_hours, 1),
      hjust = ifelse(year == "2006", 1.4, -0.4)
    ),
    # Change the appearance of the text
    size = 3,
    family = "serif",
    color = "gray25"
  )

ilo_dot_plot
```



```
# Reuse ilo_dot_plot
ilo_dot_plot <- ilo_dot_plot +
  # Add labels to the plot
  labs(
    x = "Working hours per week",
    y = "Country",
    title = "People work less in 2006 compared to 1996",
    subtitle = "Working hours in European countries, development since 1996",
    caption = "Data source: ILO, 2017"
  ) +
  # Apply your theme
  theme_ilo() +
  # Change the viewport
  coord_cartesian(xlim = c(25, 41))

# View the plot
ilo_dot_plot
```



The Reduction in Weekly Working Hours in Europe.

Results... In the following, a plot that shows the reduction of weekly working hours from 1996 to 2006 in each country is produced.

```
# Compute temporary data set for optimal label placement
median_working_hours <- ilo_data %>%
  group_by(country) %>%
  summarize(median_working_hours_per_country = median(working_hours)) %>%
  ungroup()

# Have a look at the structure of this data set
str(median_working_hours)


## Classes 'tbl_df', 'tbl' and 'data.frame':   17 obs. of  2 variables:
##  $ country                : Factor w/ 30 levels "Netherlands",...: 1 2 3 4 5 6 7 8 9 10 ...
##  $ median_working_hours_per_country: num  27 27.8 28.4 31 30.9 ...

ilo_dot_plot +
  # Add label for country
  geom_text(data = median_working_hours,
    aes(y = country, x = median_working_hours_per_country, label = country),
    vjust = 2,
    family = "Times",
    color = "gray25") +
  # Remove axes and grids
  theme(
    axis.ticks = element_blank(),
```

```
axis.title = element_blank(),
axis.text = element_blank(),
panel.grid = element_blank(),
# Also, let's reduce the font size of the subtitle
plot.subtitle = element_text(size = 7)
)
```

## People work less in 2006 compared to 1996

Working hours in European countries, development since 1996



Data source: ILO, 2017