

How to Use NeuroTri2-VISDOT

NeuroTri2-VISDOT is an interactive online tool to visualize data from the second trimester human brain development dataset published by Bhaduri et al.

Table of Contents

Access	2
About	3
Plot a Gene of Interest	4
Download Plots	6
Download Data	8
Scaling	10
Cell Type Selection	12
Plotting Multiple Genes	13
Troubleshooting	15

Access

NeuroTri2-VISDOT can be openly accessed at bhojlab.shinyapps.io/NeuroTri2-VISDOT. Code and associated documentation can be found at github.com/kellyclark1/VISDOT. When you visit the web page for NeuroTri2-VISDOT, this will be the first screen you see:

NeuroTri2-VISDOT

[About](#)

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

Cell Types

- ☒ cerebral cortex endothelial cell
- ☒ blood vessel endothelial cell
- ☒ native cell
- ☒ microglial cell
- ☒ oligodendrocyte precursor cell
- ☒ forebrain radial glia cell
- ☒ Cajal-Retzius cell
- ☒ progenitor cell
- ☒ glutamatergic neuron
- ☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

- ☒ No
☐ Yes

[Download](#)

About

When you click the “About” button in the upper right, you will see a pop-up box that contains gene name instructions and current citation information. Please check this tab for information about how to cite the tool and the dataset.

NeuroTri2-VISDOT

About

Human HGNC Gene Symbols (separated by sensitive)

TBCK

Cell Types

☒ cerebral cortex endothelial cell

☒ blood vessel endothelial cell

☒ native cell

☒ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron

☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits)

☒ No

☐ Yes

Plot

About

Data from Bhaduri et al. 2021

NeuroTri2-VISDOT is a web-based data visualization tool that allows users to enter gene names to generate individual or side-by-side plots of gene expression in cell types of their choosing in the second trimester developing human brain using the data published by Bhaduri et al.

Please cite the following when using NeuroTri2-VISDOT:

Bhaduri, A., Sandoval-Espinosa, C., Otero-Garcia, M. et al. An atlas of cortical arealization identifies dynamic molecular signatures. *Nature* 598, 200–204 (2021). <https://doi.org/10.1038/s41586-021-03910-8>

Clark, K.J., Lubin, E.E., Gonzalez, E.M., Sangree, A.K., Layo-Carris, D.E., Durham, E.L., Ahrens-Nicklas, R.C., Nomakuchi, T.T., Bhoj, E.J. NeuroTri2-VISDOT: An open-access tool to harness the power of second trimester human single cell data to inform models of Mendelian neurodevelopmental disorders. *BioRxiv* (2024). <https://doi.org/10.1101/2024.02.01.578438>.

Please use HGNC gene symbols consistent with Ensembl version 110

Dismiss

Download

Plot a Gene of Interest


To plot a gene of interest, type in the gene name as the HGNC symbol according to Ensembl version 110. Here, we will use the histone H3.3 gene H3-3A as an example (formerly H3F3A).

NeuroTri2-VISDOT

[About](#)

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A



Cell Types

☒ cerebral cortex endothelial cell

☒ blood vessel endothelial cell

☒ native cell

☒ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron

☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)


☒ No

☐ Yes

Plot

[Download](#)

When we click plot (you must click- the enter key will not generate plots, we see each of the three plots like this:



Download Plots

We can download each plot by clicking the download button under that plot:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A

Cell Types

☒ cerebral cortex endothelial cell

☒ blood vessel endothelial cell

☒ native cell

☒ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron

☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☒ No

☐ Yes

Plot

About

H3-3A

Cell Type

cerebral cortex
endothelial cell
blood vessel
endothelial cell
native cell
microglial cell
oligodendrocyte
precursor cell
forebrain radial glia
cell
Cajal-Retzius cell
progenitor cell
glutamatergic neuron
cerebral cortex
GABAergic interneuron

Average Expression
Scaled

2

1

0

-1

Percent Expressing

• 25

• 50

• 75

Week

14 16 17 18 19 20 22 25

H3-3A

Percent Expressing

100
75
50
25

Week

14 16 17 18 19 20 22 25

Cell Type

cerebral cortex
endothelial cell
blood vessel
endothelial cell
native cell
microglial cell
oligodendrocyte
precursor cell
forebrain radial glia
cell
Cajal-Retzius cell
progenitor cell
glutamatergic neuron
cerebral cortex
GABAergic interneuron

H3-3A

Average Expression Scaled

2
1
0
-1

Week

14 16 17 18 19 20 22 25

Cell Type


cerebral cortex
endothelial cell
blood vessel
endothelial cell
native cell
microglial cell
oligodendrocyte
precursor cell
forebrain radial glia
cell
Cajal-Retzius cell
progenitor cell
glutamatergic neuron
cerebral cortex
GABAergic interneuron

Download

Download

Data

For example, we get this PDF if we download the dot plot:



Plots will be automatically scaled according to the number of genes included.

Download Data

If we want to download the data for our gene of interest, we can use the “Data” button at the bottom of the page to download a comma-separated, spreadsheet-compatible CSV file:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A

Cell Types

☒ cerebral cortex endothelial cell

☒ blood vessel endothelial cell

☒ native cell

☒ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron

☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☒ No

☐ Yes

Plot

About

H3-3A

Cell Type

cerebral cortex endothelial cell

blood vessel endothelial cell

native cell

microglial cell

oligodendrocyte precursor cell

forebrain radial glia cell

Cajal-Retzius cell

progenitor cell

glutamatergic neuron

cerebral cortex GABAergic interneuron

Average Expression Scaled

2

1

0

-1

Percent Expressing

25

50

75

Week

14

16

17

18

19

20

22

25

Download

H3-3A

Percent Expressing

100

75

50

25

Cell Type

cerebral cortex endothelial cell

blood vessel endothelial cell

native cell

microglial cell

oligodendrocyte precursor cell

forebrain radial glia cell

Cajal-Retzius cell

progenitor cell

glutamatergic neuron

cerebral cortex GABAergic interneuron

Week

14

16

17

18

19

20

22

25

Download

H3-3A

Average Expression Scaled

2

1

0

-1

Cell Type

cerebral cortex endothelial cell

blood vessel endothelial cell

native cell

microglial cell

oligodendrocyte precursor cell

forebrain radial glia cell

Cajal-Retzius cell

progenitor cell

glutamatergic neuron

cerebral cortex GABAergic interneuron

Week

14

16

17

18

19

20

22

25

download

Data

We get a CSV that looks like this, with the gene, cell type, week of prenatal development, percent of that cell type expressing the gene, and the scaled average expression:

	A	B	C	D	E
1	gene	cell.type	week	pct.exp	avg.exp.scaled
2	H3-3A	progenitor ce	19	70.4519481	0.44029863
3	H3-3A	progenitor ce	14	63.1679389	-0.1374569
4	H3-3A	progenitor ce	17	62.5	-0.6634694
5	H3-3A	progenitor ce	20	49.256218	-0.7373942
6	H3-3A	progenitor ce	25	39.1126495	-1.270602
7	H3-3A	progenitor ce	22	63.7869822	0.26860174
8	H3-3A	progenitor ce	18	63.5143319	0.07234076
9	H3-3A	progenitor ce	16	98.7490465	2.0276813
10	H3-3A	cerebral cort	19	52.1129608	-0.6136513
11	H3-3A	cerebral cort	20	54.5121056	-0.1146702
12	H3-3A	cerebral cort	25	41.9718043	-1.3491034
13	H3-3A	cerebral cort	22	69.5599022	0.95002486
14	H3-3A	cerebral cort	18	57.6297616	-0.227546
15	H3-3A	cerebral cort	16	93.6466165	1.35494595
16	H3-3A	native cell	19	51.3421712	-0.6866966
17	H3-3A	native cell	14	64.010989	-0.1327101
18	H3-3A	native cell	17	65.7142857	-0.0119856
19	H3-3A	native cell	20	55.4888422	-0.2861422
20	H3-3A	native cell	25	51.2951106	-0.7485524
21	H3-3A	native cell	22	58.9813406	-0.1543225
22	H3-3A	native cell	18	55.6727246	-0.3688605
23	H3-3A	native cell	16	97.991857	2.3892699
24	H3-3A	oligodendroc	19	44.5747801	-0.0030504
25	H3-3A	oligodendroc	14	52.5423729	-0.3320625
26	H3-3A	oligodendroc	20	34.8471616	-1.0428462
27	H3-3A	oligodendroc	25	31.9155844	-1.1772372
28	H3-3A	oligodendroc	22	54.2930591	0.47522283
29	H3-3A	oligodendroc	18	50.6053269	0.32328306
30	H3-3A	oligodendroc	16	92.7272727	1.75669034
31	H3-3A	forebrain rad	19	47.9633401	-0.1182937
32	H3-3A	forebrain rad	14	48.5344828	-0.0597037

Scaling

We can also custom scale the plots by selecting “Yes” for “Custom scale plots.” We see this when we select “Yes”:

NeuroTri2-VISDOT

About

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A

Cell Types

- ☒ cerebral cortex endothelial cell
- ☒ blood vessel endothelial cell
- ☒ native cell
- ☒ microglial cell
- ☒ oligodendrocyte precursor cell
- ☒ forebrain radial glia cell
- ☒ Cajal-Retzius cell
- ☒ progenitor cell
- ☒ glutamatergic neuron
- ☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☐ No

☒ Yes

Maximum percent expressing

50


Minimum average scaled expression

0


Maximum average scaled expression

0

Plot



Download



Let's say we want to center 0 on the average expression line plot. We can assign 100 to "Maximum percent expressing," -2.5 to "Minimum average scaled expression," and 2.5 to "Maximum average scaled expression," and click "Plot" again. Now we can see that the limits on the plots have changed:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A

Cell Types

☒ cerebral cortex endothelial cell

☒ blood vessel endothelial cell

☒ native cell

☒ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron

☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☐ No

☒ Yes

Maximum percent expressing

100

Minimum average scaled expression


-2.5

Maximum average scaled expression


2.5

Plot


About



Download



Download



Download

Data

Cell Type Selection

We can also choose which cell types to include on the plots. Maybe we are not interested in looking at endothelial or immune cells. We can uncheck these in the “Cell Types” list, and plot again, this time without those cell types:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A

Cell Types

☐ cerebral cortex endothelial cell

☐ blood vessel endothelial cell

☐ native cell

☐ microglial cell

☒ oligodendrocyte precursor cell

☒ forebrain radial glia cell

☒ Cajal-Retzius cell

☒ progenitor cell

☒ glutamatergic neuron


☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☒ No


☐ Yes

Plot



About

Download



Plotting Multiple Genes

We can plot multiple genes on the same scale by typing in gene names separated by spaces. With two genes, you will get side-by-side plots:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A H3-3B

Cell Types


- ☒ cerebral cortex endothelial cell
- ☒ blood vessel endothelial cell
- ☒ native cell
- ☒ microglial cell
- ☒ oligodendrocyte precursor cell
- ☒ forebrain radial glia cell
- ☒ Cajal-Retzius cell
- ☒ progenitor cell
- ☒ glutamatergic neuron
- ☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☒ No


☐ Yes

Plot



About

Download



With three or more, the plots will be automatically arranged into equal (or near-equal) numbers of rows and columns. For example, if we plot H3-3A, H3-3A, MACROH2A1, and MACROH2A2, we get two plots by two plots:

NeuroTri2-VISDOT

Human HGNC Gene Symbols (separated by spaces, case-sensitive)

H3-3A H3-3B MACROH2A1 MACROH2A2

Cell Types


- ☒ cerebral cortex endothelial cell
- ☒ blood vessel endothelial cell
- ☒ native cell
- ☒ microglial cell
- ☒ oligodendrocyte precursor cell
- ☒ forebrain radial glia cell
- ☒ Cajal-Retzius cell
- ☒ progenitor cell
- ☒ glutamatergic neuron
- ☒ cerebral cortex GABAergic interneuron

Custom scale plots (Note: Setting plot limits may cut off data.)

☒ No


☐ Yes

Plot




About

Download



You may need to scroll within plotting spaces on the web page, but the plots can also be downloaded and will automatically resize:



The data can be downloaded the same as single-gene plot data. Multiple-gene plots can also be produced with cell type and scaling options in the same way as single-gene plots.

Troubleshooting

Gene X not found.

If you get an error “Gene [gene name] not found,” this means that gene name is not present in the data. This may mean that it is not an HGNC gene symbol included in Ensembl version 110, or it may not be present in the dataset. Try checking Ensembl to make sure you have the correct version, and make sure the gene name is in the proper case (input is case-sensitive).

Please enter at least one gene.

If you get this error, there is nothing in the input text box.

Please select at least one cell type.

If you get this error, there are no cell types checked.

Missing data on plots

If you have “floating points” not connected to lines on the line plots and have custom scaled, or you are missing points on the dot plot compared to auto scaled plots, your plot limits are likely narrower than the data range. You can check this by selected “No” for custom scaling, or by downloading the data.