

Results


Descriptives


Descriptives

	Adverts	Sales	Airplay	Image
N	200	200	200	200
Missing	0	0	0	0
Mean	614	193	27.5	6.77
Median	532	200	28.0	7.00
Standard deviation	486	80.7	12.3	1.40
Minimum	9.10	10.0	0.00	1.00
Maximum	2272	360	63.0	10.0
Skewness	0.853	0.0439	0.0597	-1.29
Std. error skewness	0.172	0.172	0.172	0.172
Kurtosis	0.236	-0.680	-0.0342	3.74
Std. error kurtosis	0.342	0.342	0.342	0.342
Shapiro-Wilk W	0.925	0.985	0.993	0.877
Shapiro-Wilk p	< .001	0.030	0.408	< .001


Plots


Adverts







Sales







Airplay





Image






Correlation Matrix

Correlation Matrix

		Adverts	Sales	Airplay	Image
Adverts	Pearson's r	—			
	df	—			
	p-value	—			
Sales	Pearson's r	0.578 ***	—		
	df	198	—		
	p-value	< .001	—		
Airplay	Pearson's r	0.102	0.599 ***	—	
	df	198	198	—	
	p-value	0.151	< .001	—	
Image	Pearson's r	0.081	0.326 ***	0.182 **	—
	df	198	198	198	—
	p-value	0.256	< .001	0.010	—

Note. * $p < .05$, ** $p < .01$, *** $p < .001$

Plot



Correlation Matrix

Correlation Matrix

Linear Regression

Model Fit Measures

Model	R	R ²	Adjusted R ²	Overall Model Test			
				F	df1	df2	p
1	0.578	0.335	0.331	99.6	1	198	< .001
2	0.815	0.665	0.660	129.5	3	196	< .001

1	-	2	0.330	96.4	2	196	< .001
---	---	---	-------	------	---	-----	--------

Model Specific ResultsModel 1Model 2

Omnibus ANOVA Test

	Sum of Squares	df	Mean Square	F	p
Adverts	433688	1	433688	99.6	< .001
Residuals	862264	198	4355		

Note. Type 3 sum of squares


[3]

Model Coefficients - Sales




Predictor	Estimate	SE	95% Confidence Interval		t	p	Stand. Estimate
			Lower	Upper			
Intercept	134.1399	7.53657	119.2777	149.002	17.80	< .001	
Adverts	0.0961	0.00963	0.0771	0.115	9.98	< .001	0.578

Assumption Checks

Q-Q Plot



Residuals Plots



Omnibus ANOVA Test

	Sum of Squares	df	Mean Square	F	p
Adverts	333332	1	333332	150.3	< .001
Airplay	325860	1	325860	147.0	< .001
Image	45853	1	45853	20.7	< .001
Residuals	434575	196	2217		

Note. Type 3 sum of squares


[3]

Model Coefficients - Sales




Predictor	Estimate	SE	95% Confidence Interval		t	p	Stand. Estimate
			Lower	Upper			
Intercept	-26.6130	17.35000	-60.8296	7.6037	-1.53	0.127	
Adverts	0.0849	0.00692	0.0712	0.0985	12.26	< .001	0.511
Airplay	3.3674	0.27777	2.8196	3.9152	12.12	< .001	0.512
Image	11.0863	2.43785	6.2786	15.8941	4.55	< .001	0.192



Assumption Checks

Q-Q Plot



Residuals Plots





References

[1] The jamovi project (2022). *jamovi*. (Version 2.3) [Computer Software]. Retrieved from <https://www.jamovi.org>.

[2] R Core Team (2021). *R: A Language and environment for statistical computing*. (Version 4.1) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from MRAN snapshot 2022-01-01).

[3] Fox, J., & Weisberg, S. (2020). *car: Companion to Applied Regression*. [R package]. Retrieved from <https://cran.r-project.org/package=car>.