

## SAFETY DATA SHEET

Version 6.9 Revision Date 03/02/2024 Print Date 06/23/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Copper(I) iodide

Product Number : 205540 Brand : SIGALD CAS-No. : 7681-65-4

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Skin sensitization (Sub-category 1A), H317

SIGALD - 205540

Page 1 of 11



Specific target organ toxicity - repeated exposure, Oral (Category 1), Thyroid, H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H372 Causes damage to organs (Thyroid) through prolonged or

repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Cuprous iodide

Formula : CuI

Molecular weight : 190.45 g/mol CAS-No. : 7681-65-4

SIGALD - 205540

MilliPORE

EC-No. : 231-674-6

Component	Classification	Concentration
copper(I)-iodide		
	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Skin Sens.	<= 100 %
	1A; STOT RE 1; Aquatic Acute 1; Aquatic Chronic	
	1; H302, H315, H318, H317, H372, H400, H410	
	M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SIGALD - 205540

Page 3 of 11



## 5.2 Special hazards arising from the substance or mixture

Hydrogen iodide

Copper oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Light sensitive.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 205540

Page 4 of 11



## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
copper(I)-iodide	7681-65-4	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen Danger of cutaneous absorption		
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min



Material tested: KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Color: brown

b) Odor odorless

c) Odor Threshold No data availabled) pH No data available

e) Melting point/range: 605 °C (1121 °F)

point/freezing point

f) Initial boiling point 1,290 °C 2,354 °F at 1,013.25 hPa

and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 13 hPa at 656 °C (1213 °F)

I) Vapor density No data available

m) Density 5.62 g/mL at 25 °C (77 °F)

Relative density No data available

n) Water solubility insoluble

o) Partition coefficient: No data available

n-octanol/water

SIGALD - 205540

Millipore Sigma p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 72.4 mN/m at 20.5 °C (68.9 °F)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Decomposes on exposure to light.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - 300 - 2,000 mg/kg (OECD Test Guideline 420)
Inhalation: No data available
LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test

(OECD Test Guideline 439) Remarks: Causes skin irritation.



## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye - 21 d

(OECD Test Guideline 405)

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: May cause sensitization by skin contact.

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells
Application Route: Gavage

Method: OECD Test Guideline 486

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Gavage

Method: Directive 67/548/EEC, Annex V, B.12.

Result: negative

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

- Thyroid

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Gavage - NOAEL (No observed adverse effect level) - 10 mg/kg

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1.67 mg/l

- 96 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 0.13

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available



### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(copper(I)-iodide)
Marine pollutant : yes
Marine pollutant : no

**IATA** 

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (copper(I)-

iodide)

## **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date copper(I)-iodide 7681-65-4 2015-07-08

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

SIGALD - 205540 Page 10 of 11



No components are subject to the Massachusetts Right to Know Act.

## **Pennsylvania Right To Know Components**

copper(I)-iodide CAS-No. Revision Date 7681-65-4 2015-07-08

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.9 Revision Date: 03/02/2024 Print Date: 06/23/2024

SIGALD - 205540 Page 11 of 11

