

# SAFETY DATA SHEET

Version 6.11 Revision Date 09/05/2024 Print Date 09/05/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : 2,2,2-Trifluoroethanol

Product Number : T63002 Brand : SIGALD CAS-No. : 75-89-8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Serious eye damage (Category 1), H318 Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Blood, H373

SIGALD - T63002

Page 1 of 11



For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapor. H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs (Blood) through prolonged or

repeated exposure if inhaled.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist or vapors.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

P310 Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Trifluoroethyl alcohol

Formula :  $C_2H_3F_3O$ Molecular weight : 100.04 g/mol CAS-No. : 75-89-8

SIGALD - T63002

Page 2 of 11



EC-No. : 200-913-6

Component	Classification	Concentration			
2,2,2-trifluoroethanol					
	Flam. Liq. 3; Eye Dam. 1;	<= 100 %			
	Repr. 1B; STOT RE 2;				
	H226, H318, H360, H373				

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SIGALD - T63002

Page 3 of 11



## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen fluoride

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

SIGALD - T63002

Page 4 of 11



## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with workplace control parameters

zingi carento tritti trot kpiaco control paramietero					
Component	CAS-No.	Value	Control parameters	Basis	
2,2,2- trifluoroethanol	75-89-8	TWA	0.3 ppm	USA. Workplace Environmental Exposure Levels (WEEL)	

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Chloroprene

Minimum layer thickness: 0.65 mm Break through time: 480 min

Material tested: KCL 720 Camapren®

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

SIGALD - T63002

**Millipore** 

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

## **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Form: liquid a) Appearance

Color: colorless

characteristic b) Odor

c) Odor Threshold No data available

d) pH neutral

Melting point/ range: -44 °C (-47 °F) e) Melting

point/freezing point

Initial boiling point 77 - 80 °C 171 - 176 °F

and boiling range

30 °C (86 °F) - closed cup g) Flash point

No data available h) Evaporation rate No data available

Flammability (solid,

gas)

Upper/lower Upper explosion limit: 28.8 %(V) j) flammability or Lower explosion limit: 8.4 %(V)

explosive limits

70.9 hPa at 20 °C (68 °F) - OECD Test Guideline 104 k) Vapor pressure

Vapor density 3.5

m) Density 1.373 g/mL at 25 °C (77 °F)

Relative density No data available

SIGALD - T63002

lilliPOR**e** 

n) Water solubility soluble

o) Partition coefficient: log Pow: < 0.3 at 25 °C (77 °F) - OECD Test Guideline 117 -

n-octanol/water Bioaccumulation is not expected.

p) Autoignition No data available

temperature

q) Decomposition 315 °C (599 °F) -

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 69.3 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115

Dissociation constant 12.37 at 25 °C (77 °F) - OECD Test Guideline 112

Relative vapor

density

3.5

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents strong alkalis

#### 10.4 Conditions to avoid

Heating.

#### 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral: No data available Inhalation: No data available

SIGALD - T63002

MILLIPORE

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

# Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

May damage fertility.

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.

- Blood

## **Aspiration hazard**

No data available

SIGALD - T63002

*AilliPDRE* 

Page 8 of 11

#### 11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

119 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

semi-static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

974 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 310)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1986 Class: 3 (6.1) Packing group: III

Proper shipping name: Alcohols, flammable, toxic n.o.s. (2,2,2-trifluoroethanol)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1986 Class: 3 (6.1) Packing group: III EMS-No: F-E, S-D Proper shipping name: ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (2,2,2-trifluoroethanol)

**IATA** 

UN number: 1986 Class: 3 (6.1) Packing group: III

Proper shipping name: Alcohols, flammable, toxic, n.o.s. (2,2,2-trifluoroethanol)

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

## **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

SIGALD - T63002

Page 10 of 11



# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.11 Revision Date: 09/05/2024 Print Date: 09/05/2024

SIGALD - T63002

