

# SAFETY DATA SHEET

Version 6.16 Revision Date 05/06/2025 Print Date 05/07/2025

## **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Boric acid

Product Number : B0394
Brand : SIGALD
Index-No : 005-007

Index-No. : 005-007-00-2 CAS-No. : 10043-35-3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 1B

Short-term (acute) : Category 3

SIGALD - B0394

Page 1 of 14



# aquatic hazard

#### Other hazards

None known.

# **GHS label elements**

Hazard pictograms



Signal Word : Danger

Hazard Statements : H360 May damage fertility or the unborn child.

H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

## Components

	CAS No./Unique ID	Concentration (% w/w)	Trade secret
boric acid	10043-35-3*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

# **SECTION 4. FIRST AID MEASURES**

SIGALD - B0394

Page 2 of 14



General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important symptoms and effects.

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Borane/boron oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

SIGALD - B0394 Page 3 of 14



Special protective equipment for fire-fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up carefully. Dispose of properly. Clean up

affected area.

Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on storage conditions

: Tightly closed.

Dry.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to

qualified or authorized persons.

Storage class : 6.1C, Combustible, acute toxic Cat.3 / toxic

compounds or compounds which causing chronic

effects

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Moisture sensitive.

SIGALD - B0394



## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m3 (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m3 (Borate)	ACGIH

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

SIGALD - B0394

Millipore SigMa

Page 5 of 14

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

: Immediately change contaminated clothing. Apply Hygiene measures

preventive skin protection. Wash hands and face

after working with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : crystalline

Color : white

Odor : odorless

Odor Threshold : Not applicable

рΗ : 5.1 (77 °F / 25 °C)

Concentration: 1.8 g/l

: 320 °F / 160 °C Melting point/ range

Method: dec.

Boiling point/boiling range : No data available

Flash point : Not applicable

: No data available Evaporation rate

Burning rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

SIGALD - B0394



Vapor pressure : < 0.1 hPa (77 °F / 25 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.4

GLP: yes

Relative vapor density : No data available

Relative density : 1.49 (73 °F / 23 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.3

GLP: yes

Density : 1.48 g/cm3 (73 °F / 23 °C)

Method: OECD Test Guideline 109

GLP: yes

Solubility(ies)

Water solubility : 49.2 g/l completely soluble (68 °F / 20 °C)

pH: 3.7

Method: Regulation (EC) No. 440/2008, Annex, A.6

GLP: yes

Partition coefficient: n-

octanol/water

: log Pow: -1.09 (72 °F / 22 °C)

pH: 7.5

Method: Regulation (EC) No. 440/2008, Annex, A.8

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : not combustible

Decomposition

temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 61.83 g/mol

Particle characteristics

Particle size : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

SIGALD - B0394

Page 7 of 14



Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Risk of explosion with: Acetic anhydride

Violent reactions possible with:

strong oxidising agents

Bases

Conditions to avoid : Exposure to moisture.

no information available

Incompatible materials : No data available

products

Hazardous decomposition : In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male and female - 3,450 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 2.12 mg/l - dust/mist

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

Remarks: (ECHA)

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA) Test Type: Ames test

Test system: S. typhimurium

SIGALD - B0394

*A*illiPOR*e* 

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative **Carcinogenicity** 

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

May damage fertility.

May damage the unborn child.

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

# 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 2 yr - NOAEL (No observed adverse effect level) - 17.5 mg/kg - LOAEL (Lowest observed adverse effect level) - 58.5 mg/kg Remarks: (ECHA)

RTECS: ED4550000

Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes. Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma. Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams.

SIGALD - B0394

Aillipore

Page 9 of 14

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

Vomiting Nausea Diarrhea

agitation, spasms

**Tiredness** 

ataxia (impaired locomotor coordination)

drop in temperature

This substance should be handled with particular care.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Components:**

## boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79.7

mg/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes

Method: US-EPA

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 133 mg/l

Exposure time: 48 h Test Type: static test

Remarks: (ECOTOX Database)

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)):

52.4 mg/l

Exposure time: 74.5 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

# **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

SIGALD - B0394

Page 10 of 14



# Persistence and degradability

## **Components:**

boric acid:

Biodegradability : Remarks: The methods for determining

biodegradability are not applicable to inorganic

substances.

# **Bioaccumulative potential**

## **Components:**

boric acid:

Partition coefficient: n- : log Pow

octanol/water

: log Pow: -1.09 (72 °F / 22 °C)

pH: 7.5

Method: Regulation (EC) No. 440/2008, Annex, A.8

GLP: yes

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

## Other adverse effects

## **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

## **Components:**

boric acid:

Additional ecological

information

: Discharge into the environment must be avoided.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SIGALD - B0394

## **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National regulation**

#### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

# **Special precautions for user**

Remarks : Not classified as dangerous in the meaning of

transport regulations.

## **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

**Hazards** 

: Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

SIGALD - B0394

Page 12 of 14



#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

# **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

# Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

SIGALD - B0394 Page 13 of 14



Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD - B0394



Page 14 of 14