

# SAFETY DATA SHEET

Version 7.0 Revision Date 09/30/2024 Print Date 10/01/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Triethyloxonium tetrafluoroborate

Product Number : 90520

Brand : Sigma-Aldrich CAS-No. : 368-39-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 90520

Page 1 of 11



## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

**Hazard Statements** 

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser Reacts violently with water. May form explosive peroxides.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula :  $C_6H_{15}BF_4O$ Molecular weight : 189.99 g/molCAS-No. : 368-39-8EC-No. : 206-705-1

Component	Classification	Concentration
triethyloxonium tetrafluoroborate (1-)		
	Skin Corr. 1B; Eye Dam.	<= 100 %
	1; H314, H318	

Diethyl ether				
	Flam. Liq. 1; Acute Tox. 4;	>= 1 - < 5 %		
	STOT SE 3; H224, H302,			
	H336			
	Concentration limits:			

Sigma-Aldrich - 90520

HDDDD

> = 20 % , STOT SE 2	
>= 20 %: STOT SE 3,	
П336.	
П330,	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available



#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

Water Foam

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen fluoride

Borane/boron oxides

Combustible.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4** Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

## Hygiene measures

Sigma-Aldrich - 90520

Page 4 of 11



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry.

Never allow product to get in contact with water during storage.

**Storage stability**Recommended storage temperature

2 - 8 °C

Hygroscopic. Store under inert gas. Moisture sensitive. Handle and store under inert gas. Test for peroxide formation periodically and before distillation.

#### Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

	Ingredients with workplace control parameters				
Component	CAS-No.	Value	Control	Basis	
			parameters		
Diethyl ether	60-29-7	TWA	400 ppm	USA. ACGIH Threshold Limit	
,				Values (TLV)	
		STEL	500 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
		TWA	400 ppm	USA. Occupational Exposure	
			1,200 mg/m3	Limits (OSHA) - Table Z-1	
				Limits for Air Contaminants	
		STEL	500 ppm	California permissible exposure	
			1,500 mg/m3	limits for chemical	
				contaminants (Title 8, Article	
				107)	
		PEL	400 ppm	California permissible exposure	
			1,200 mg/m3	limits for chemical	
				contaminants (Title 8, Article	
				107)	

# 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.



#### Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.



# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Form: crystalline Appearance Color: white b) Odor No data available c) Odor Threshold No data available No data available d) pH No data available e) Melting point/freezing point Initial boiling point No data available f) and boiling range g) Flash point ()No data available h) Evaporation rate No data available Flammability (solid, No data available i) gas) Upper/lower No data available j) flammability or explosive limits k) Vapor pressure No data available Vapor density No data available m) Density No data available No data available Relative density No data available n) Water solubility o) Partition coefficient: No data available n-octanol/water p) Autoignition No data available temperature No data available q) Decomposition temperature Viscosity No data available r) Explosive properties No data available No data available Oxidizing properties

#### 9.2 Other safety information

No data available



## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Formation of peroxides possible.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## 10.2 Chemical stability

sensitive to moisture Contains the following stabilizer(s): Diethyl ether (>1 - <32 %)

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Moisture.

#### 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Peroxides

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)
Oral: No data available
Inhalation: No data available
Dermal: No data available

No data available

**Skin corrosion/irritation** Remarks: No data available

#### Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

Sigma-Aldrich - 90520

Page 8 of 11



identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

# **Specific target organ toxicity - single exposure**

No data available

# **Specific target organ toxicity - repeated exposure**

No data available

# Aspiration hazard

No data available (triethyloxonium tetrafluoroborate (1-))

## 11.2 Additional Information

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (triethyloxonium tetrafluoroborate (1-))

Liver - Ingestion may provoke the following symptoms:, Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available (triethyloxonium tetrafluoroborate (1-))

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

# 12.7 Other adverse effects

No data available



## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

# DOT (US)

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s.

Reportable Quantity (RQ): 5000 lbs Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

#### **IMDG**

UN number: 3261 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

#### **IATA**

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s.

## **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Diethyl ether	60-29-7	100	5000
Diethyl ether	60-29-7	100	100 (F003)

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.



# **US State Regulations**

## **Massachusetts Right To Know**

Diethyl ether 60-29-7

## Pennsylvania Right To Know

Diethyl ether 60-29-7

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16: Other information**

## Relevant changes since previous version

5. Fire-fighting measures

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 7.0 Revision Date: 09/30/2024 Print Date: 10/01/2024

