

SAFETY DATA SHEET

Version 7.2 Revision Date 04/30/2025 Print Date 05/01/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Dimethylamine solution

Product Number : 426458 Brand : Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Acute toxicity : Category 4

(Inhalation)

Aldrich - 426458

Page 1 of 17



Skin corrosion : Category 1B

Serious eye damage : Category 1

Specific target organ

toxicity - single exposure

: Category 3 (Respiratory system)

Short-term (acute) aquatic hazard

: Category 2

Long-term (chronic) aquatic hazard

: Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

Aldrich - 426458 Page 2 of 17

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
dimethylamine in solution	124-40-3*	>= 30 - < 50	-

^{*} Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

Aldrich - 426458 Page 3 of 17



In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important

symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Mixture with combustible ingredients.

Pay attention to flashback.

Vapors are heavier than air and may spread along

floors.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Forms explosive mixtures with air at ambient

temperatures.

Hazardous combustion : Carbon oxides

Aldrich - 426458

Page 4 of 17



products

Nitrogen oxides (NOx)

Specific extinguishing

methods

: No data available

Further information

: Remove container from danger zone and cool with

water.

Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact.
Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Aldrich - 426458

Page 5 of 17



Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on

storage conditions

: Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Storage class : 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dimethylamine in solution	124-40-3	TWA	5 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 18 mg/m3	NIOSH REL
		TWA	10 ppm 18 mg/m3	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber

Aldrich - 426458 Page 6 of 17

Millipore Sigma Break through time : 480 min
Glove thickness : 0.3 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 897 / Aldrich Z677647, Size M)

Material : Nitrile rubber

Break through time : 30 min Glove thickness : 0.2 mm

Protective index : Splash contact

Manufacturer : Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be

evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear, liquid

Color : colorless

Odor : No data available

Aldrich - 426458

Millipore SigMa

Page 7 of 17

Odor Threshold : No data available pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : 61 °F / 16 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: Upper flammability limit

14.4 %(V)

Lower explosion limit / Lower flammability limit : Lower flammability limit

2.8 %(V)

Vapor pressure : 1,170 hPa (131 °F / 55 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 0.890 g/cm3

Solubility(ies)

Water solubility : soluble (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 754 °F / 401 °C

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Aldrich - 426458

Oxidizing properties : none

Molecular weight : 45.08 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Vapors may form explosive mixture with air.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Exothermic reaction with:

Risk of ignition or formation of inflammable gases or

vapours with: Oxidizing agents

Metals Halogens

Acid anhydrides Aldehydes **Alcohols** Acids

Risk of explosion with:

Mercury

Caution! In contact with nitrites, nitrates, nitrous acid

possible liberation of nitrosamines!

Conditions to avoid : Warming.

Incompatible materials : Copper

Zinc Tin

products

Hazardous decomposition: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Inhalation: No data available

Aldrich - 426458

Acute toxicity estimate Dermal - > 5,000 mg/kg (Calculation method)

Skin corrosion/irritation

Remarks: Mixture causes burns.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Components

dimethylamine in solution

Acute toxicity

LD50 Oral - Rat - male and female - 1,000 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - 4 h - 2645 ppm - gas

Remarks: The value is calculated

(ECHA)

Aldrich - 426458

4illiPDR*e*

Page 10 of 17

LD50 Dermal - Rat - male and female - 3,900 mg/kg

Remarks: Aqueous solution

(ECHA)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 3 min - 4 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (Draize Test) Remarks: (ECHA)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative Remarks: (ECHA)

Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster ovary cells

Result: negative Remarks: (ECHA)

Species: Rat - male - Bone marrow

Result: negative Remarks: (ECHA)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract, Lungs

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

dimethylamine in solution:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 17 mg/l

Aldrich - 426458

Page 11 of 17



End point: mortality Exposure time: 96 h Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 46 mg/l

End point: Immobilization Exposure time: 48 h

Remarks: (ECOTOX Database)

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata): 6.2 mg/l

Exposure time: 96 h Test Type: static test

Remarks: (ECOTOX Database)

Toxicity to fish (Chronic

toxicity)

: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.6

mg/l

End point: mortality Exposure time: 50 d

Test Type: flow-through test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 4.2 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

GLP: yes

Toxicity to

microorganisms

: EC10 (activated sludge): > 1,000 mg/l

Exposure time: 30 min Test Type: static test Method: ISO 8192

Remarks: Aqueous solution

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Components:

dimethylamine in solution:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable.

Biodegradation: 88 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Aldrich - 426458

4illiPORE

Bioaccumulative potential

Components:

dimethylamine in solution:

Partition coefficient: n- : log Pow: -0.274 (77 °F / 25 °C)

octanol/water pH: 10.8 - 11.1

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1160

Proper shipping name : Dimethylamine aqueous solution

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

Packing instruction (cargo: 363

aircraft)

Packing instruction : 352

(passenger aircraft)

IMDG-Code

UN number : UN 1160

Aldrich - 426458

Page 13 of 17



Proper shipping name : DIMETHYLAMINE AQUEOUS SOLUTION

Class : 3
Subsidiary risk : 8
Packing group : II
Labels : 3 (8)
EmS Code : F-E, S-C
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number : UN 1160

Proper shipping name : Dimethylamine solution

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

ERG Code : 132 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product	
		RQ (lbs)	RQ (lbs)	
dimethylamine in solution	124-40-3	1000	2500	

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard

Chronic Health Hazard

Aldrich - 426458



Page 14 of 17

SARA 313

: The following components are subject to reporting levels established by SARA Title III, Section 313:

dimethylamine 124-40-3 >= 30 - < 50 %

in solution

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

dimethylamine in 124-40-3 >= 30 - < 50 %

solution

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

dimethylamine in 124-40-3 >= 30 - < 50 %

solution

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

dimethylamine in 124-40-3 >= 30 - < 50 %

solution

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

dimethylamine in 124-40-3 >= 30 - < 50 %

solution

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

water 7732-18-5 dimethylamine in solution 124-40-3

Pennsylvania Right To Know

dimethylamine in solution 124-40-3

Maine Chemicals of High Concern

water 7732-18-5

Vermont Chemicals of High Concern

water 7732-18-5

Washington Chemicals of High Concern

water 7732-18-5

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Aldrich - 426458

Page 15 of 17



TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants8-hour, time-weighted average

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA Superfund Amendments

Aldrich - 426458 Page 16 of 17



Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/30/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 426458

