

# **SAFETY DATA SHEET**

Version 6.13 Revision Date 05/01/2025 Print Date 05/02/2025

### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Ethylenediaminetetraacetic acid

Product Number : E9884

Brand : Sigma-Aldrich Index-No. : 607-429-00-8 CAS-No. : 60-00-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity : Category 4

(Inhalation)

Sigma-Aldrich - E9884

Page 1 of 14



Eye irritation : Category 2A

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Respiratory Tract)

Short-term (acute) aguatic hazard

: Category 3

# Other hazards

None known.

# **GHS label elements**

Hazard pictograms





Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell. P337 + P313 If eye irritation persists: Get medical

advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Sigma-Aldrich - E9884

Page 2 of 14



### **Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Ethylenediaminetetraace tic acid	60-00-4*	>= 80 - <= 100	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important

symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

Carbon dioxide (CO2)

Foam

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

TSC- the actual concentration or concentration range is withheld as a trade secret

Specific hazards during fire fighting

: Combustible.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Sigma-Aldrich - E9884

Page 4 of 14



Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on

storage conditions

: Tightly closed.

Dry.

Storage class : 11, Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

Sigma-Aldrich - E9884

Page 5 of 14



stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

: Change contaminated clothing. Preventive skin Hygiene measures

protection recommended. Wash hands after working

with substance.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : odorless

Odor Threshold : Not applicable

рΗ : 2.5 (73 °F / 23 °C)

Concentration: 10 g/l

Melting point/ range : 482 °F / 250 °C

Method: dec.

Boiling point/boiling range : No data available

Flash point : Not applicable

: No data available Evaporation rate

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit /

Lower flammability limit

: No data available



Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.46 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : 0.4 g/l (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : > 392 °F / > 200 °C

Method: DIN 51794

Decomposition temperature

:  $> 428 \, ^{\circ}\text{F} / > 220 \, ^{\circ}\text{C}$ 

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 292.24 g/mol

Particle characteristics

Particle size : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : The following applies in general to flammable organic

substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

Strong oxidizing agents

Strong bases

Copper

Sigma-Aldrich - E9884

Millipore

Copper alloys

Nickel

Conditions to avoid : no information available

Incompatible materials : No data available

Hazardous decomposition: In the event of fire: see section 5

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 4,500 mg/kg

(OECD Test Guideline 401)

Lowest Observed Effect Concentration Inhalation - Rat - male - 6 h - 0.03 mg/l - Aerosol

(OECD Test Guideline 412)

Remarks: (ECHA)

Dermal: No data available

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 20 h

Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation Remarks: (ECHA)

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid

disodium salt

Maximization Test - Rabbit

Result: Does not cause skin sensitization.

# Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is OSHA:

on OSHA's list of regulated carcinogens.

Sigma-Aldrich - E9884

Page 8 of 14



# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.

- Respiratory Tract

# **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: AH4025000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

### **Components:**

# Ethylenediaminetetraacetic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 41

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 625 mg/l

End point: Immobilization Exposure time: 24 h Test Type: static test Method: DIN 38412

Toxicity to fish (Chronic

toxicity)

: NOEC (Danio rerio (zebra fish)): >= 25.7 mg/l

Exposure time: 35 d

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 25 mg/l

End point: reproduction rate

Exposure time: 21 d

Test Type: semi-static test Analytical monitoring: yes

GLP: yes

# **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

# Persistence and degradability

# **Components:**

# **Ethylenediaminetetraacetic acid:**

Biodegradability : aerobic

Result: Not readily biodegradable.

Biodegradation: 0 - 20 % Exposure time: 20 d Remarks: (ECHA)

BOD/ThOD : < 1 %

Remarks: (IUCLID)

# **Bioaccumulative potential**

# **Components:**

# **Ethylenediaminetetraacetic acid:**

Bioaccumulation : Species: Lepomis macrochirus

Bioconcentration factor (BCF): 1.8

Exposure time: 28 d

Temperature: 70 °F / 21 °C Concentration: ca. 80 µg/l

The value is given in analogy to the following

substances: Tetrasodium ethylenediaminetetraacetate

tetrahydrate

# Mobility in soil

No data available

### Other adverse effects

### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

# **Components:**

# **Ethylenediaminetetraacetic acid:**

Additional ecological

: May be harmful to aquatic organisms due to the shift

information of the pH.

Avoid release to the environment.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National regulation**

#### 49 CFR Road

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Ethylenediaminetetraacetic acid)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and

articles

ERG Code : 171 Marine pollutant : no

Poison Inhalation Hazard : No

# Special precautions for user

Remarks : Not classified as dangerous in the meaning of

transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)

Sigma-Aldrich - E9884

1illiPDRe

Page 11 of 14

Ethylenediaminetetraacetic	60-00-4	5000	5000
acid			

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

: Acute Health Hazard

**Hazards** 

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ethylenediaminetetraa 60-00-4

>= 90 - <= 100 %

cetic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ethylenediaminetetraa 60-00-4

>= 90 - <= 100 %

cetic acid

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

# **Massachusetts Right To Know**

Ethylenediaminetetraacetic acid 60-00-4

### Pennsylvania Right To Know

Ethylenediaminetetraacetic acid 60-00-4

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

Sigma-Aldrich - E9884

illipore

Page 12 of 14

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

# **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Temperature; Decomposition SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma-Aldrich - E9884 Page 13 of 14



The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/01/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

