

# **SAFETY DATA SHEET**

Version 6.15 Revision Date 05/05/2025 Print Date 05/06/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Chlorotrimethylsilane

Product Number : 92361 Brand : Aldrich CAS-No. : 75-77-4

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 3

Aldrich - 92361

Page 1 of 17



Acute toxicity : Category 3

(Inhalation)

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1A

Serious eye damage : Category 1

#### Other hazards

Reacts violently with water.

#### **GHS label elements**

Hazard pictograms







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H301 + H331 Toxic if swallowed or if inhaled.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call

a POISON CENTER/ doctor. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with

water/ shower.

Aldrich - 92361 Page 2 of 17

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

# Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
chlorotrimethylsilane	75-77-4*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.
Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Aldrich - 92361 Page 3 of 17



Remove contact lenses.

If swallowed : If swallowed: give water to drink (two glasses at

most). Seek medical advice immediately. In

exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and

consult a doctor as quickly as possible.

Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

Foam Water

Specific hazards during

fire fighting

: Flash back possible over considerable distance.

Container explosion may occur under fire conditions.

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along

floors.

May not get in touch with: Water

Development of hazardous combustion gases or

vapours possible in the event of fire.

Aldrich - 92361 Page 4 of 17

Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion

products

: Carbon oxides

Hydrogen chloride gas

silicon oxides

Specific extinguishing

methods

: No data available

Further information : Water hydrolyzes material liberating acidic gas which

in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

Remove container from danger zone and cool with

water.

Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Avoid substance contact.

Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials

: Cover drains. Collect, bind, and pump off spills.

Aldrich - 92361

Page 5 of 17

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada  $\,$ 



for containment and cleaning up

Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Keep workplace dry. Do not allow product to come

into contact with water.

Further information on

storage conditions

Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to

qualified or authorized persons.

Materials to avoid : Never allow product to get in contact with water

during storage.

Storage class : 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

Store under inert gas. Moisture sensitive.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
chlorotrimethylsilane	75-77-4	CEIL	5 ppm	US WEEL

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

Aldrich - 92361 Page 6 of 17

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Viton®
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Material : Chloroprene
Break through time : 120 min
Glove thickness : 0.65 mm
Protective index : Splash contact

Manufacturer : KCL 720 Camapren®

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Aldrich - 92361

Page 7 of 17



Color : No data available

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point/ range : -40 °F / -40 °C

Boiling point/boiling range : 135 °F / 57 °C

Flash point :  $-18 \, ^{\circ}\text{F} / -28 \, ^{\circ}\text{C}$ 

(3.33 hPa)

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 765 °F / 407 °C

1,013 hPa

Method: ASTM E-659

Upper explosion limit / : Upper explosion limit

Upper flammability limit

Lower explosion limit /

Lower flammability limit

46 %(V)

: Lower explosion limit 1.5 %(V)

Vapor pressure : 278.6 hPa (68 °F / 20 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 0.856 g/mL (77 °F / 25 °C)

Solubility(ies)

Water solubility : 0.995 g/l (75 °F / 24 °C)

pH: 7

Method: OECD Test Guideline 105

GLP: yes

Partition coefficient: n- : log Pow: 1.19 (77 °F / 25 °C)

Aldrich - 92361

octanol/water pH: 6.8 - 7.1

Method: OECD Test Guideline 107

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : 788 °F / 420 °C

Method: DIN 51794

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Method: Regulation (EC) No. 440/2008, Annex, A.14

GLP: yes

Not classified as explosive.

Oxidizing properties : none

Refractive index : 1.44 (68 °F / 20 °C)

589.3 nm

Molecular weight : 108.64 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Vapors may form explosive mixture with air.

Reactivity : Reacts violently with water.

Chemical stability : sensitive to moisture

Possibility of hazardous

reactions

: Violent reactions possible with:

Alcohols Ammonia Bases

Oxidizing agents

Acetone Esters Ketones Aldehydes Strong acids Amines

Aldrich - 92361 Page 9 of 17

Water

Possible formation of: Hydrogen chloride gas

Conditions to avoid : Water hydrolyzes material liberating acidic gas which

> in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

Humid air

Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Exposure to moisture.

Warming.

Moisture.

Incompatible materials : Metals

with water

(generation of hydrogen)

products

Hazardous decomposition : In the event of fire: see section 5

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute toxicity estimate Oral - 100 mg/kg

(Expert judgment)

LC50 Inhalation - Rat - male and female - 4 h - 9.4 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - 1,513 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

(Draize Test)

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Aldrich - 92361

*Aillipore* 

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test

Species: Rat

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 475

Result: negative Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

# 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Inhalation - 10 d

Remarks: Subacute toxicity

(ECHA)

RTECS: VV2710000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich - 92361

Page 11 of 17



Nerves. - Irregularities - Based on Human Evidence

Nerves. - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Components:**

# chlorotrimethylsilane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 271

mg/l

End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 124 mg/l

End point: mortality Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata): 566 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms

: EC50 (activated sludge): 6,670 mg/l Method: OECD Test Guideline 209

GLP: yes

## Persistence and degradability

#### **Components:**

# chlorotrimethylsilane:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 20 mg/l

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Aldrich - 92361

Page 12 of 17



Method: OECD Test Guideline 310

GLP: yes

# **Bioaccumulative potential**

#### **Components:**

## chlorotrimethylsilane:

Partition coefficient: n- : log Pow: 1.19 (77 °F / 25 °C)

octanol/water pH: 6.8 - 7.1

Method: OECD Test Guideline 107

GLP: yes

Remarks: Bioaccumulation is not expected. The value is given in analogy to the following

substances: hydroxytrimethylsilane

# Mobility in soil

No data available

#### Other adverse effects

# **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

## **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

IATA-DGR

UN/ID No. : UN 1298

Proper shipping name : Trimethylchlorosilane

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

Aldrich - 92361 Page 13 of 17



Packing instruction (cargo: 377

aircraft)

Packing instruction : Not permitted for transport

(passenger aircraft)

IMDG-Code

UN number : UN 1298

Proper shipping name : TRIMETHYLCHLOROSILANE

Class : 3
Subsidiary risk : 8
Packing group : II
Labels : 3 (8)
EmS Code : F-E, S-C
Marine pollutant : no

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National regulation**

49 CFR Road

UN/ID/NA number : UN 1298

Proper shipping name : Trimethylchlorosilane

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

ERG Code : 155 Marine pollutant : no

Poison Inhalation Hazard : No

# **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component Calculated produ	
		RQ (lbs)	RQ (lbs)
chlorotrimethylsilane	75-77-4	1000	1000

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

Aldrich - 92361

4illiPORE

Page 14 of 17

chlorotrimethylsilane 75-77-4 1000

SARA 311/312 : Fire Hazard

**Hazards** Acute Health Hazard Chronic Health Hazard

: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### Clean Air Act

**SARA 313** 

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

chlorotrimethylsilane 75-77-4

>= 90 - <= 100 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

# **Massachusetts Right To Know**

chlorotrimethylsilane 75-77-4

Pennsylvania Right To Know

chlorotrimethylsilane 75-77-4

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

Aldrich - 92361 Page 15 of 17



#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels

(WEEL)

US WEEL / CEIL : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above

Aldrich - 92361 Page 16 of 17



product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/05/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 92361



Page 17 of 17