

# SAFETY DATA SHEET

Version 6.11 Revision Date 09/08/2024 Print Date 09/09/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Thiophenol

Product Number : T32808 Brand : Aldrich CAS-No. : 108-98-5

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 2), H310

Aldrich - T32808

Page 1 of 13



Skin irritation (Category 2), H315
Serious eye damage (Category 1), H318
Reproductive toxicity (Category 2), H361
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word

Danger

**Hazard Statements** 

H226 Flammable liquid and vapor.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child. H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smokina.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist or vapors.

P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Rinse mouth.

P302 + P350 + P310 IF ON SKIN: Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

P310 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Aldrich - T32808

Page 2 of 13



P308 + P313 P332 + P313 P362	IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# **2.3** Hazards not otherwise classified (HNOC) or not covered by GHS Stench.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : Phenyl mercaptan

Benzenethiol

Formula : C6H6S

Molecular weight : 110.18 g/mol CAS-No. : 108-98-5 EC-No. : 203-635-3

Component	Classification	Concentration
thiophenol		
	Flam. Liq. 3; Acute Tox. 2;	<= 100 %
	Acute Tox. 1; Acute Tox.	
	2; Skin Irrit. 2; Eye Dam.	
	1; Repr. 2; Aquatic Acute	
	1; Aquatic Chronic 1;	
	H226, H300, H330, H310,	
	H315, H318, H361, H400,	
	H410	
	M-Factor - Aquatic Acute:	
	100 - Aquatic Chronic: 10	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

Aldrich - T32808

Aillipore igMa

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **5.4** Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich - T32808

4illiPORE

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Air sensitive.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - T32808

....

Page 5 of 13

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
thiophenol	108-98-5	TWA	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Danger of cutaneous absorption		
		С	0.1 ppm 0.5 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	0.5 ppm 2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 10 min

Material tested:Butoject® (KCL 898)

#### **Body Protection**

Flame retardant antistatic protective clothing.

Aldrich - T32808



Page 6 of 13

# Respiratory protection

Recommended Filter type: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor unpleasant

c) Odor Threshold No data available No data available d) pH

e) Melting Melting point/ range: -15 °C (5 °F) - lit.

point/freezing point

Initial boiling point and boiling range

169 °C 336 °F - lit.

g) Flash point 50 °C (122 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, No data available

gas)

No data available Upper/lower j)

flammability or explosive limits

4.5 hPa at 40 °C (104 °F) k) Vapor pressure 1.9 hPa at 20 °C(68 °F)

Vapor density 3.8 - (Air = 1.0)1)

m) Density 1.073 g/mL at 25 °C (77 °F) - lit.

Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available n-octanol/water

No data available p) Autoignition temperature

No data available q) Decomposition

Aldrich - T32808



temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Relative vapor density

3.8 - (Air = 1.0)

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Strong acids

hydrogen sulphide

increased reactivity with:

Strong oxidizing agents

Strong bases

bases

acids

## 10.4 Conditions to avoid

Air

Heating.

# 10.5 Incompatible materials

Metals

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 46.2 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity).

Behavioral:Coma.
Respiratory disorder

(RTECS)

Aldrich - T32808



## LC50 Inhalation - Rat - 4 h - 0.15 mg/l - vapor

Remarks: Lungs, Thorax, or Respiration: Respiratory stimulation.

Behavioral: Somnolence (general depressed activity).

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation.

(RTECS)

LD50 Dermal - Rabbit - 134 mg/kg Remarks: Behavioral:Muscle weakness.

Behavioral: Ataxia.

Cyanosis (RTECS)

No data available

# **Skin corrosion/irritation** Remarks: No data available

# Serious eye damage/eye irritation

Remarks: No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available Test Type: Ames test Result: negative Remarks: (Lit.)

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

## 11.2 Additional Information

RTECS: DC0525000

Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

Aldrich - T32808

Page 9 of 13



Dizziness Headache

Shortness of breath Unconsciousness

agitation Convulsions Diarrhea

muscular weakness

Cyanosis

ataxia (impaired locomotor coordination)

**Tremors** 

The following applies to mercaptans in general: offensive odour.

depressed respiration

Drowsiness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes (Japanese medaka) - 0.009

mq/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

semi-static test EC50 - Daphnia magna (Water flea) - 0.004 mg/l -

and other aquatic

48 h

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) -

0.211 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to daphnia and other aquatic

invertebrates(Chronic

NOEC - Daphnia magna (Water flea) - 0.002 mg/l - 21 d

(OECD Test Guideline 211)

toxicity)

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

Aldrich - T32808

4illiPORE

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 2337 Class: 6.1I (3) Packing group: I

Proper shipping name: Phenyl mercaptan

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: Hazard Zone B

**IMDG** 

UN number: 2337 Class: 6.1 (3) Packing group: I EMS-No: F-

E, S-D

Proper shipping name: PHENYL MERCAPTAN

**IATA** 

UN number: 2337 Class: 6.1 (3) Proper shipping name: Phenyl mercaptan IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

# **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
thiophenol	108-98-5	100	100

Aldrich - T32808

Page 11 of 13



# SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
thiophenol	108-98-5	100	100

# **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
thiophenol	108-98-5	500

SARA 311/312 : Fire Hazard

**Hazards** Acute Health Hazard

Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# **US State Regulations**

**Massachusetts Right To Know** 

thiophenol 108-98-5

Pennsylvania Right To Know

thiophenol 108-98-5

**Maine Chemicals of High Concern** 

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern** 

Product does not contain any listed chemicals

**Washington Chemicals of High Concern** 

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Aldrich - T32808

Page 12 of 13

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.11 Revision Date: 09/08/2024 Print Date: 09/09/2024

Aldrich - T32808

Millipore SigMa

Page 13 of 13