

SAFETY DATA SHEET

Version 6.13 Revision Date 05/06/2025 Print Date 05/07/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Ethanolamine

Product Number : 15014 Brand : Aldrich

Index-No. : 603-030-00-8 CAS-No. : 141-43-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Aldrich - 15014

Page 1 of 17



Acute toxicity (Inhalation)

: Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Specific target organ toxicity - single exposure

: Category 3 (Respiratory system)

Short-term (acute) aquatic hazard

: Category 2

Long-term (chronic) aquatic hazard

: Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H227 Combustible liquid.

H302 + H312 + H332 Harmful if swallowed, in contact

with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

Aldrich - 15014 Page 2 of 17

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
ethanolamine	141-43-5*	>= 90 - <= 100	-

 $[\]ensuremath{^{*}}$ Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

Aldrich - 15014 Page 3 of 17



In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Water

Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion : Carbon oxides

Aldrich - 15014

Page 4 of 17

products

Nitrogen oxides (NOx)

Specific extinguishing

methods

: No data available

Further information

: Remove container from danger zone and cool with

water.

Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact.
Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Aldrich - 15014

Page 5 of 17



Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

: Tightly closed.

Storage class : 8A, Combustible, corrosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: hygroscopic

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Aldrich - 15014



Hand protection

Material : Latex gloves
Break through time : 480 min
Glove thickness : 0.6 mm
Protective index : Full contact

Manufacturer : Lapren® (KCL 706 / Aldrich Z677558, Size M)

Material : Nitrile rubber
Break through time : 10 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, clear

Color : colorless

Odor : amine-like

Odor Threshold : No data available pH : 12.1 (68 °F / 20 °C)

Concentration: 100 q/l

Melting point/ range : $50 - 52 \, ^{\circ}\text{F} / 10 - 11 \, ^{\circ}\text{C}$

Aldrich - 15014 Page 7 of 17

Boiling point/boiling range : 338 °F / 170 °C

Flash point : 196 °F / 91 °C

(ca. 1,013 hPa)

Method: ISO 2719, Pensky-Martens closed cup

Evaporation rate : No data available

Burning rate : No data available

: 795 °F / 424 °C Self-ignition

ca. 1,013 hPa

Method: ASTM E-659

Upper explosion limit /

Upper flammability limit

: 17 %(V)

Lower explosion limit / Lower flammability limit : 2.5 %(V)

: 0.5 hPa (68 °F / 20 °C) Vapor pressure

(calculated)

Relative vapor density : 2.11

(Air = 1.0)

Relative density : No data available

Density : 1.012 g/mL (77 °F / 25 °C)

Solubility(ies)

Water solubility : 1,000 g/l completely miscible (68 °F / 20 °C)

pH: 12.1

Partition coefficient: n-

octanol/water

: log Pow: -2.3 (77 °F / 25 °C)

pH: 6.8 - 7.3

Method: OECD Test Guideline 107 Bioaccumulation is not expected.

: 795 °F / 424 °C (ca. 1,013 hPa) Autoignition temperature

Method: ASTM E 659

Decomposition

temperature

: No data available

Viscosity

Viscosity, dynamic : 23.86 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : 23.5 mm2/s (68 °F / 20 °C)

9.8 mm2/s (104 °F / 40 °C)

Aldrich - 15014 Page 8 of 17 Flow time : No data available

: Not classified as explosive. Explosive properties

Oxidizing properties : none

Molecular weight : 61.08 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Absorbs carbon dioxide (CO2) from air.

Conditions to avoid : Exposure to moisture.

Strong heating.

: No data available Incompatible materials

products

Hazardous decomposition : In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,089 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 11.1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rabbit - 1,015 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 4 h

Aldrich - 15014

Page 9 of 17



(OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative Remarks: (ECHA)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: rat hepatocytes

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Metabolic activation: without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Aldrich - 15014

AilliPORE

Page 10 of 17

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - > 75 Days - NOAEL (No observed adverse effect level) - 300 mg/kg

Remarks: (ECHA)

RTECS: KJ5775000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ethanolamine:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 349 mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Method: Directive 67/548/EEC, Annex V, C.1.

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 27.04 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green

algae)): 2.8 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

Aldrich - 15014 Page 11 of 17

GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)):

1 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic

toxicity)

: NOEC (Oryzias latipes): 1.24 mg/l

Exposure time: 41 d

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 210

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 0.85 mg/l

End point: reproduction rate

Exposure time: 21 d

Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 202

Toxicity to microorganisms

: EC10 (activated sludge): > 1,000 mg/l

Exposure time: 30 min Test Type: static test

Method: OECD Test Guideline 209

Persistence and degradability

Components:

ethanolamine:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Concentration: 20 mg/l Result: Readily biodegradable.

Biodegradation: 90 % Exposure time: 21 d

Method: OECD Test Guideline 301A

Biochemical Oxygen

Demand (BOD)

: 800 mg/g

Incubation time: 5 d Remarks: (IUCLID)

ThOD : 1,310 mg/g

Remarks: (IUCLID)

Aldrich - 15014

Bioaccumulative potential

Components:

ethanolamine:

Partition coefficient: n- : log Pow: -2.3 (77 °F / 25 °C)

octanol/water pH: 6.8 - 7.3

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Components:

ethanolamine:

Results of PBT and vPvB

assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2491 Proper shipping name : Ethanolamine

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 856

Aldrich - 15014

Page 13 of 17



aircraft)

Packing instruction : 852

(passenger aircraft)

IMDG-Code

UN number : UN 2491

Proper shipping name : ETHANOLAMINE

Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number : UN 2491 Proper shipping name : Ethanolamine

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

ERG Code : 153 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Aldrich - 15014

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPO.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard Chronic Health Hazard



Page 14 of 17

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ethanolamine 141-43-5 >= 90 - <= 100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

ethanolamine 141-43-5

Pennsylvania Right To Know

ethanolamine 141-43-5

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Aldrich - 15014



SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be

exceeded at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Temperature; SARA Accelerating Decomposition Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Aldrich - 15014 Page 16 of 17



The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 15014 Page 17 of 17

