

SAFETY DATA SHEET

Version 6.9 Revision Date 06/27/2025 Print Date 06/28/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Cyclopentanone

Product Number : W391018 Brand : Aldrich

Index-No. : 606-025-00-9 CAS-No. : 120-92-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

Skin irritation : Category 2

Aldrich - W391018

Page 1 of 15



Eye irritation : Category 2A

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving

equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical

advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Aldrich - W391018 Page 2 of 15

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|----------------|----------------------|-----------------------|-----------------|
| Cyclopentanone | 120-92-3* | >= 80 - <= 100 | TSC |

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important

symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are $% \left(1\right) =\left(1\right) \left(1\right) \left$

described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Aldrich - W391018

Page 3 of 15



Specific hazards during fire fighting

: Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Remove container from danger zone and cool with

water.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials : Cover drains. Collect, bind, and pump off spills.

Aldrich - W391018

Page 4 of 15



for containment and cleaning up

Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

: Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Further information on storage conditions

: Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Storage class : 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on storage stability

: Handle and store under inert gas.

Packaging material : S

: Suitable material: Mild Steel Drum

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be

Aldrich - W391018

lilliPOR**e**

Page 5 of 15

properly documented.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 898)

Material : Viton® Break through time : 120 min Glove thickness : 0.7 mm

Protective index : Splash contact

Manufacturer : Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear, liquid

Color : colourless

Odor : characteristic

Odor Threshold : No data available pH : No data available

Melting point/ range : $-60 \, ^{\circ}\text{F} / -51 \, ^{\circ}\text{C}$

Aldrich - W391018

Page 6 of 15



Method: lit.

Boiling point/boiling range : 266 - 268 °F / 130 - 131 °C

Method: lit.

Flash point : $81.5 \, ^{\circ}\text{F} / 27.5 \, ^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 806 °F / 430 °C

1,025 hPa GLP: yes

Upper explosion limit / Upper flammability limit

: Upper explosion limit

10.8 %(V)

Lower explosion limit / Lower flammability limit : Lower explosion limit

1.6 %(V)

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.951 g/cm3 (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility : 301 g/l completely soluble (68 °F / 20 °C)

pH: 5.9 - 6

Method: OECD Test Guideline 105

GLP: yes

Partition coefficient: n-

octanol/water

: log Pow: 0.7 (77 °F / 25 °C)

pH: 7

Method: OECD Test Guideline 117

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : 833 °F / 445 °C

Decomposition temperature

: No data available

Aldrich - W391018

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 1.32 mm2/s (77 °F / 25 °C)

Method: OECD Test Guideline 114

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 84.12 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Vapour/air-mixtures are explosive at intense warming.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Exothermic reaction with:

Oxidizing agents

polymerisation initiators

Strong bases

acids

Risk of explosion with:

Nitric acid

hydrogen peroxide

hydrazine and derivatives

hydroxylamine

Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid : Heating.

: No data available Incompatible materials

products

Hazardous decomposition : In the event of fire: see section 5

Aldrich - W391018

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - > 19.5 mg/l - vapour

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. (OECD Test Guideline 405)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

Aldrich - W391018

Page 9 of 15



on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 25 Weeks - No observed adverse effect level - 723 mg/kg - Lowest observed adverse effect level - 1,000 mg/kg Remarks: (ECHA)

RTECS: GY4725000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption:

Dizziness Drowsiness Convulsions

Damage to:

Liver Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cyclopentanone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100

mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test

Aldrich - W391018 Page 10 of 15



Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): >

100 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms

: EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Persistence and degradability

Components:

Cyclopentanone:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: > 99 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Bioaccumulative potential

Components:

Cyclopentanone:

Partition coefficient: n-octanol/water

: log Pow: 0.7 (77 °F / 25 °C)

pH: 7

Method: OECD Test Guideline 117

GLP: yes

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available Aldrich - W391018

> Millipore SigMa

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Components:

Cyclopentanone:

Additional ecological

information

: When discharged properly, no impairments in the function of adapted biological wastewater treatment

plants are to be expected.

Discharge into the environment must be avoided.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2245

Proper shipping name : Cyclopentanone

Class : 3 Packing group : III

Labels : Class 3 - Flammable liquids

Packing instruction (cargo: 366

aircraft)

Packing instruction : 355

(passenger aircraft)

IMDG-Code

UN number : UN 2245

Proper shipping name : CYCLOPENTANONE

Class : 3 Packing group : III Labels : 3

Aldrich - W391018

Millipore

EmS Code : F-E, S-D Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number : UN 2245

Proper shipping name : Cyclopentanone

Class : 3 Packing group : III

Labels : Class 3 - Flammable liquids

ERG Code : 128 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

Hazards

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Aldrich - W391018

Page 13 of 15



This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Cyclopentanone 120-92-3

Pennsylvania Right To Know

Cyclopentanone 120-92-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -

Aldrich - W391018 Page 14 of 15



International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 06/27/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - W391018

Page 15 of 15

