

SAFETY DATA SHEET

Version 6.13 Revision Date 04/24/2025 Print Date 04/24/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Diethyl phthalate

Product Number : 524972 Brand : Aldrich CAS-No. : 84-66-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Short-term (acute) aquatic hazard

: Category 3

Aldrich - 524972

Page 1 of 14



Other hazards

None known.

GHS label elements

Hazard Statements : H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Diethyl phtalate	84-66-2*	>= 80 - <= 100	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Remove contact lenses.

If swallowed : After swallowing: caution if victim vomits. Risk of

aspiration! Keep airways free.

Pulmonary failure possible after aspiration of vomit.

Call a physician immediately.

Most important symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

Aldrich - 524972

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Prev

: Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective

equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Aldrich - 524972

Page 3 of 14

Millipore SigMa Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Storage class : 10, Combustible liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diethyl phtalate	84-66-2	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

: Filter A (acc. to DIN 3181) for vapours of organic

type:

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be

Aldrich - 524972



properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid (68 °F / 20 °C, 1,013 hPa)

Color : light yellow

Odor : slight

Odor Threshold : No data available pH : No data available

Melting point/ range : $27 \, ^{\circ}\text{F} \, / \, -3 \, ^{\circ}\text{C}$

Method: lit.

Boiling point/boiling range : 568 - 570 °F / 298 - 299 °C

Aldrich - 524972

Millipore Sigma Method: lit.

Flash point : $338 \, ^{\circ}\text{F} / 170 \, ^{\circ}\text{C}$

(1,013 hPa)

Method: Regulation (EC) No. 440/2008, Annex, A.9,

closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 824 °F / 440 °C

984 hPa

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit /

: Lower explosion limit

Lower flammability limit 0.75 %(V)

(369 °F / 187 °C)

Vapor pressure : 19 hPa (325 °F / 163 °C)

Relative vapor density : 7.7

(Air = 1.0)

Relative density : No data available

Density : 1.12 g/cm3 (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility : 0.932 g/l slightly soluble (68 °F / 20 °C)

pH: 7.2

Method: OECD Test Guideline 105

Partition coefficient: n-

octanol/water

: log Pow: 2.2 (104 °F / 40 °C)

pH: 7.5

Method: OECD Test Guideline 117 Bioaccumulation is not expected.

Autoignition temperature : 855 °F / 457 °C

Decomposition : temperature

: No data available

Viscosity

Viscosity, dynamic : 9.500 Pas (77.00 °F / 25.00 °C)

Aldrich - 524972 Page 6 of 14

: 11.53 mm2/s (68 °F / 20 °C) Viscosity, kinematic

Method: OECD Test Guideline 114

5.73 mm2/s (104 °F / 40 °C) Method: OECD Test Guideline 114

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 0.03 N/m, 68 °F / 20 °C

Molecular weight : 222.24 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

: The product is chemically stable under standard Chemical stability

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

Strong oxidizing agents

Acids

various plastics

rubber

Conditions to avoid : Strong heating.

Incompatible materials : No data available

products

Hazardous decomposition: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 5,591 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 6 h - \geq 4.64 mg/l - vapor

Aldrich - 524972

Page 7 of 14

Remarks: (ECHA)

LD50 Dermal - Rat - male and female - > 11,181 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 48 h

Remarks: (ECHA)

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Aldrich - 524972

Millipore Sigma

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect

level) - 150 mg/kg Remarks: (ECHA)

RTECS: TI1050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Nonphototoxic.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Cannot be excluded:

After uptake:

Vomiting Diarrhea gastric pain

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Diethyl phtalate:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)):

29 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: US-EPA

GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 12 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: US-EPA

GLP: yes

Toxicity to daphnia and : LC50 (Daphnia magna (Water flea)): 90 mg/l

Aldrich - 524972



Page 9 of 14

other aquatic End point: mortality invertebrates Exposure time: 48 h

Test Type: static test Analytical monitoring: yes

Method: US-EPA

GLP: yes

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 45

mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC (Cyprinus carpio (Carp)): 5 mg/l

End point: Swimming behavior

Exposure time: 28 d Test Type: semi-static test

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 25 mg/l

End point: mortality Exposure time: 21 d

Test Type: flow-through test Analytical monitoring: yes

GLP: yes

Remarks: (ECHA)

LOEC (Daphnia magna (Water flea)): 59 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Diethyl phtalate:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 20 mg/l Result: Readily biodegradable. Biodegradation: 94.6 % Exposure time: 28 d Remarks: (ECHA)

Bioaccumulative potential

Components:

Diethyl phtalate:

Partition coefficient: n- : log Pow: 2.2 (104 °F / 40 °C)

octanol/water pH: 7.5

Method: OECD Test Guideline 117

Aldrich - 524972 Page 10 of 14

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Diethyl phtalate)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and

articles

ERG Code : 171 Marine pollutant : no

Poison Inhalation Hazard : No

Aldrich - 524972

Page 11 of 14



Special precautions for user

Remarks : Not classified as dangerous in the meaning of

transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Diethyl phtalate	84-66-2	1000	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

Hazards

: No SARA Hazards

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Diethyl phtalate 84-66-2

>= 90 - <= 100 %

This product contains the following priority pollutants related to the U.S. Clean Water Act:

Diethyl phtalate

84-66-2

>= 90 - <= 100 %

Aldrich - 524972

Page 12 of 14

US State Regulations

Massachusetts Right To Know

Diethyl phtalate 84-66-2

Pennsylvania Right To Know

Diethyl phtalate 84-66-2

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Diethyl phtalate 84-66-2

Washington Chemicals of High Concern

Diethyl phtalate 84-66-2

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a

Aldrich - 524972 Page 13 of 14



test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/24/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 524972

