

SAFETY DATA SHEET

Version 7.4 Revision Date 04/28/2025 Print Date 04/29/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Trifluoroacetic anhydride

Product Number : 106232 Brand : Sigma-Aldrich CAS-No. : 407-25-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity

: Category 4

(Inhalation)

Skin corrosion : Category 1A

Sigma-Aldrich - 106232

Page 1 of 16



Serious eye damage : Category 1

Short-term (acute)

aquatic hazard

: Category 3

Long-term (chronic)

aquatic hazard

: Category 3

Other hazards

Reacts violently with water.

GHS label elements

Hazard pictograms





Signal Word

Hazard Statements : H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements: **Prevention:**

> P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

Sigma-Aldrich - 106232

1illiPDRE

Page 2 of 16

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
trifluoroacetic anhydride	407-25-0*	>= 90 - <= 100	-

^{*} Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

: After eye contact: rinse out with plenty of water. In case of eye contact

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important

symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing Sigma-Aldrich - 106232

: Use extinguishing measures that are appropriate to

Page 3 of 16

media local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: Water Foam

Specific hazards during

fire fighting

: Not combustible.

May not get in touch with: Water

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Carbon oxides

Hydrogen fluoride

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Avoid substance contact.
Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Sigma-Aldrich - 106232

Millipore

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Keep workplace dry. Do not allow product to come

into contact with water.

Further information on

storage conditions

: Tightly closed.

Materials to avoid : Never allow product to get in contact with water

during storage.

Storage class : 8B, Non-combustible, corrosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Hygroscopic.

Store under inert gas.

Packaging material : Suitable material: Poly Drum, Amber Glass Bottle/Jar

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : No data available

Personal protective equipment

Respiratory protection required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection


system.

type:

Recommended Filter : Filter B-(P3)

Sigma-Aldrich - 106232

Page 5 of 16





The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nature latex/chloroprene

Break through time : 480 min
Glove thickness : 0.6 mm
Protective index : Full contact

Manufacturer : Lapren® (KCL 706 / Aldrich Z677558, Size M)

Material : Nitrile rubber
Break through time : 38 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be

evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

Sigma-Aldrich - 106232

Aillipore

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear, liquid

Color : colorless, to, light yellow

Odor : pungent

Odor Threshold : No data available : No data available рH

Melting point/ range : -85 °F / -65 °C

Method: lit.

Boiling point/boiling range : 103.1 - 104 °F / 39.5 - 40 °C

Method: lit.

: No data available Flash point

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : The product is not flammable.

Burning rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

: 433 hPa (68 °F / 20 °C) Vapor pressure

Method: Regulation (EC) No. 440/2008, Annex, A.4

Relative vapor density : No data available

Relative density : No data available

Density : 1.511 g/cm3 (68 °F / 20 °C)

Method: lit.

Solubility(ies)

Water solubility : 10,000 g/l completely soluble

Method: US-EPA

GLP: yes

Partition coefficient: n-

Sigma-Aldrich - 106232

: No data available



octanol/water

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity

Viscosity, dynamic : 1.8 mPa.s (68 °F / 20 °C)

Method: OECD Test Guideline 114

GLP: yes

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 72.5 mN/m, 1 g/l, 68 °F / 20 °C, OECD Test Guideline

115, GLP: yes

Molecular weight : 210.03 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No data available

Reactivity : Reacts violently with water.

Chemical stability : sensitive to moisture

Possibility of hazardous

reactions

: Violent reactions possible with:

Water

Alkali metals alkalines

Strong oxidizing agents

Strong acids Alcohols

Conditions to avoid : Do not allow water to enter container.

Moisture.

Incompatible materials : No data available

Sigma-Aldrich - 106232

Hazardous decomposition : In the event of fire: see section 5

products

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 11.1 mg/l - vapor

(Expert judgment)

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of

respiratory tract Inhalation: Corrosive to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Skin - In vitro study

Result: Extremely corrosive and destructive to tissue.

(OECD Test Guideline 435)

Remarks: Tendency of poor wound-healing after penetration of the substance.

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Ethyl trifluoroacetate

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Sodium

trifluoroacetate **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Sigma-Aldrich - 106232

Millipore SigMa

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: AJ9800000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory

tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

Decomposition of the substance with tissue moisture.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

trifluoroacetic anhydride:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 999 mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetate

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 999 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Sigma-Aldrich - 106232

AilliPORE

Page 10 of 16

Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetate

Toxicity to algae/aquatic

plants

: NOEC (Phaeodactylum tricornutum): 97 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetateThe value is given in analogy to the following substances: trifluoroacetic

acid

EC50 (Phaeodactylum tricornutum): > 97 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: (in analogy to similar products) The value is given in analogy to the following

substances: Sodium trifluoroacetateThe value is given in analogy to the following substances: trifluoroacetic

acid

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): >= 25 mg/l

End point: reproduction rate

Exposure time: 21 d

Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

The value is given in analogy to the following

substances: Sodium trifluoroacetate

EC50 (Daphnia magna (Water flea)): > 25 mg/l

End point: reproduction rate

Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

The value is given in analogy to the following

substances: Sodium trifluoroacetate

Toxicity to microorganisms

: NOEC (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Sigma-Aldrich - 106232

Page 11 of 16



Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetate

EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetate

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Components:

trifluoroacetic anhydride:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 20 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: (in analogy to similar products)
The value is given in analogy to the following

substances: Sodium trifluoroacetate

Bioaccumulative potential

Components:

trifluoroacetic anhydride:

Bioaccumulation : Remarks: No data available

Mobility in soilNo data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Sigma-Aldrich - 106232 Page 12 of 16



Components:

trifluoroacetic anhydride:

Additional ecological

information

Biological effects:

Harmful effect due to pH shift.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3265

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.

(trifluoroacetic anhydride)

Class : 8 Packing group : I

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 854

aircraft)

Packing instruction : 850

(passenger aircraft)

IMDG-Code

UN number : UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(trifluoroacetic anhydride)

Class : 8
Packing group : I
Labels : 8
EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Sigma-Aldrich - 106232

esocibil

National regulation

49 CFR Road

UN/ID/NA number : UN 3265

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.

(trifluoroacetic anhydride)

Class : 8 Packing group : I

Labels : Class 8 - Corrosive substances

ERG Code : 153 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

Sigma-Aldrich - 106232

Page 14 of 16



This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not

Sigma-Aldrich - 106232 Page 15 of 16



Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Accelerating Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/28/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich - 106232

