

# SAFETY DATA SHEET

Version 6.12 Revision Date 11/07/2024 Print Date 11/08/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : (±)-Epichlorohydrin

Product Number : 45340

Brand : Sigma-Aldrich Index-No. : 603-026-00-6 CAS-No. : 106-89-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 3), H301

Sigma-Aldrich - 45340

Page 1 of 14



Acute toxicity, Inhalation (Category 3), H331
Acute toxicity, Dermal (Category 3), H311
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318
Skin sensitization (Category 1), H317
Carcinogenicity (Category 1B), H350
Reproductive toxicity (Category 2), H361
Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Signal Word	Danger
Hazard Statements H226 H301 + H311 + H331 H314 H317 H350 H361 H402	Flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility or the unborn child. Harmful to aquatic life.

Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

Avoid release to the environment.

Sigma-Aldrich - 45340

P273

Pictogram



P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : 1-Chloro-2,3-epoxypropane

(±)-2-(Chloromethyl)oxirane

Component	Classification	Concentration		
1-chloro-2,3-epoxypropane				
	Flam. Liq. 3; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Carc. 1B; Repr. 2; Aquatic Acute 3; H226, H301, H331, H311,	<= 100 %		
	H314, H318, H317, H350, H361, H402			

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

## **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich - 45340

Aillipore

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 45340



#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 45340



# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
Component	CAS-NO.	value		Dasis
			parameters	
1-chloro-2,3-	106-89-8	TWA	0.1 ppm	USA. ACGIH Threshold Limit
epoxypropane			pp	Values (TLV)
ерохургорапе				values (TEV)
	Remarks	Dermal Sensitization		
		Suspected human carcinogen		
		Danger of cutaneous absorption		
		Potential Occupational Carcinogen		
		TWA	5 ppm	USA. Occupational Exposure
			19 mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		Skin designation		
		PEL	0.05 ppm	California permissible exposure
			0.19 mg/m3	limits for chemical
			<i>Si</i> -	contaminants (Title 8, Article
				107)
		Skin		

# 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Sigma-Aldrich - 45340

Splash contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 60 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

# **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# 0.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor stinging

c) Odor Threshold No data availabled) pH No data available

e) Melting point/ range: -57 °C (-71 °F)

point/freezing point

f) Initial boiling point 115 - 117 °C 239 - 243 °F and boiling range

g) Flash point 28 °C (82 °F) - DIN 51755 Part 1

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

k) Vapor pressure 16.5 hPa at 20 °C (68 °F) 22.8 hPa at 25 °C(77 °F)

I) Vapor density 3.2 - (Air = 1.0)

m) Density 1.183 g/mL at 25 °C (77 °F)

Relative density 1.1820 °C

Sigma-Aldrich - 45340

n) Water solubility ca.65.9 g/l at 25 °C (77 °F) - completely soluble

o) Partition coefficient: log Pow: 0.45 at 25 °C (77 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition 385 °C (725 °F) at 1,013 hPa

temperature

q) Decomposition 225 °C (437 °F) -

temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

Surface tension 72.3 mN/m at 1.01g/l at 21.5 °C (70.7 °F) - OECD Test

Guideline 115

Relative vapor

density

3.2 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Risk of explosion with:

aluminium chloride

**Amines** 

anilines

metallic chlorides

Chlorites

Tin

Zinc

Exothermic reaction with:

Alkali metals

Alcohols

alkalines

Water

Zinc

Tin

acids

Ethyleneimine

aromatic amines

Nitric acid

sulfuric acid

trichloroethene

Sigma-Aldrich - 45340

#### 10.4 Conditions to avoid

Heat, flames and sparks. Heating.

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - female - 175 mg/kg

(US-EPA)

LC50 Inhalation - Rat - female - 4 h - 2.05 mg/l - vapor

Remarks: (ECHA)

Inhalation: Corrosive to respiratory system.

LD50 Dermal - Rabbit - male and female - 515 mg/kg

Remarks: (ECHA) No data available

# Skin corrosion/irritation

Skin - Rabbit Result: Corrosive (Draize Test)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Skin - Rabbit

Result: Open irritation test - 24 h

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 24 h Remarks: (ECHA)

Remarks: Causes serious eye damage.

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

May cause sensitization by skin contact.

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Sigma-Aldrich - 45340

Test system: Mouse lymphoma test

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: positive

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapor) Method: OECD Test Guideline 475

Result: Positive results were obtained in some in vivo tests.

# Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2A - Group 2A: Probably carcinogenic to humans (1-chloro-2,3-epoxypropane)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (1-chloro-2,3-

epoxypropane)

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

Suspected of damaging fertility.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 1 mg/kg

Remarks: Subchronic toxicity

Repeated dose toxicity - Rat - male and female - Inhalation - 88 d

Remarks: Subchronic toxicity

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Sigma-Aldrich - 45340

Page 10 of 14



# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 10.6 -

> 13.2 mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 24 mg/l - 48 h Remarks: (ECHA)

invertebrates

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 15

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test NOEC - microorganisms - 35 mg/l - 72 h

Remarks: (ECHA)

# 12.2 Persistence and degradability

aerobic - Exposure time 14 d Biodegradability

Result: 92.5 % - Readily biodegradable.

(OECD Test Guideline 301C)

Remarks: The value is given in analogy to the following substances:

3-chloro-1,2-propanediol

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available



# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 2023 Class: 6.1 (3) Packing group: II

Proper shipping name: Epichlorohydrin Reportable Quantity (RQ): 100 lbs

Marine pollutant: yes Poison Inhalation Hazard: No

**IMDG** 

UN number: 2023 Class: 6.1 (3) Packing group: II EMS-No: F-E, S-D

Proper shipping name: EPICHLOROHYDRIN

Marine pollutant : yes Marine pollutant : yes

**IATA** 

UN number: 2023 Class: 6.1 (3) Packing group: II

Proper shipping name: Epichlorohydrin

# **SECTION 15: Regulatory information**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	100	100

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	100	100

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	1000

SARA 311/312 : Fire Hazard

**Hazards** Acute Health Hazard Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Sigma-Aldrich - 45340

AilliPORC

1-chloro-2,3- 106-89-8 >= 90 - <= 100 % epoxypropane

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

1-chloro-2,3- 106-89-8 >= 90 - <= 100 %

epoxypropane

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

1-chloro-2,3- 106-89-8 >= 90 - <= 100 %

epoxypropane

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

1-chloro-2,3- 106-89-8 >= 90 - <= 100 %

epoxypropane

# **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1-chloro-2,3- 106-89-8 >= 90 - <= 100 %

epoxypropane

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1-chloro-2,3- 106-89-8 >= 90 - <= 100 %

epoxypropane

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

## **Massachusetts Right To Know**

1-chloro-2,3-epoxypropane 106-89-8

Pennsylvania Right To Know

1-chloro-2,3-epoxypropane 106-89-8

**Maine Chemicals of High Concern** 

1-chloro-2,3-epoxypropane 106-89-8

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# California Prop. 65

WARNING: This product can expose you to chemicals including 1-chloro-2,3-epoxypropane, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Sigma-Aldrich - 45340

Page 13 of 14



## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.12 Revision Date: 11/07/2024 Print Date: 11/08/2024

Sigma-Aldrich - 45340

