### A Topography of Climate Change Research

### Max Callaghan

with Jan Minx, Piers Forster





September 26, 2019






Figure: Portrait of map-makers, Gerardus Mercator and Jodocus Hondius (Jodocus Hondius) source: Wikipedia Commons










• The IPCC has a cartographic role at the science policy interface (Edenhofer and Minx, 2014; Edenhofer and Kowarsch, 2015)









- The IPCC has a cartographic role at the science policy interface (Edenhofer and Minx, 2014; Edenhofer and Kowarsch, 2015)
- It is much studied in STS (Hulme and Mahony, 2010)





Figure: Portrait of map-makers, Gerardus Mercator and Jodocus Hondius (Jodocus Hondius) source: Wikipedia Commons



- The IPCC has a cartographic role at the science policy interface (Edenhofer and Minx, 2014; Edenhofer and Kowarsch, 2015)
- It is much studied in STS (Hulme and Mahony, 2010)
- A topography is a description of a landscape





Figure: Portrait of map-makers, Gerardus Mercator and Jodocus Hondius (Jodocus Hondius) source: Wikipedia Commons



- The IPCC has a cartographic role at the science policy interface (Edenhofer and Minx, 2014; Edenhofer and Kowarsch, 2015)
- It is much studied in STS (Hulme and Mahony, 2010)
- A topography is a description of a landscape
- Topics (from the Greek "topos", place) can describe the features of a body of text

# Outline



Motivation

Methods


Results

Motivation

Methods

Results





#### A challenge for

- Global environmental assessments
- Our understanding of global environmental assessments
- Evidence synthesis more generally

Figure: Articles on climate change in the Web of Science

### The IPCC in the age of Big Literature




 We entrust the IPCC with providing a comprehensive and transparent assessment of the literature

# The IPCC in the age of Big Literature



- We entrust the IPCC with providing a comprehensive and transparent assessment of the literature
- Although IPCC reports cite ever greater numbers of papers, this number decreases in proportion to the number of papers in literature



Assessment Period

Figure: (Minx et al., 2017)







• The social sciences are seen as under-represented in IPCC reports



Embed the social sciences in climate policy

insights into controversial social and behavioural issues.

Figure: (David G. Victor, 2015)



- The social sciences are seen as under-represented in IPCC reports
- (Bjurström and Polk, 2011) are often cited as evidence of this under-representation, e.g. as demonstrating "a powerful bias to the natural sicences in the construction of 'IPCC knowledge' " Hulme and Mahony (2010)



Embed the social sciences in climate policy

insights into controversial social and behavioural issues

Figure: (David G. Victor, 2015)



- The social sciences are seen as under-represented in IPCC reports
- (Bjurström and Polk, 2011) are often cited as evidence of this under-representation, e.g. as demonstrating "a powerful bias to the natural sicences in the construction of 'IPCC knowledge'" Hulme and Mahony (2010)
- The evidence is simply the relative shares of the different disciplines in IPCC citations




Embed the social sciences in climate policy

David G. Victor calls for the IPGC process to be extended to include insights into controversial social and behavioural issues.

Figure: (David G. Victor, 2015)

## The Age of Climate Solutions?





• Demand for solutions is increasing

Figure: (Kowarsch et al., 2017)

## The Age of Climate Solutions?






Figure: (Kowarsch et al., 2017)

- Demand for solutions is increasing
- We know little about the supply of solutions in the literature

Motivatio

Methods

Results



To understand the representation of social science and solutions relevant knowledge in IPCC reports, we look at journal classification and document abstracts

#### Data:

400,000 papers on climate change from the Web of Science (query following Grieneisen and Zhang (2011)), matched with 70,000 IPCC citations (Using Doc2Vec)

#### Topic modelling:

We use topic modelling (with NMF (Lee and Seung, 1999)) to understand the thematic content of papers

### **Topographic mapping:**

We project the documents' topical locations into 2 dimensions using t-SNE (van der Maaten and Hinton, 2008)

#### Measuring representation:

We compare the proportions of categories of documents in the whole of the literature with the subset of the literature that is cited by the IPCC



11/21

	AR1	AR2	AR3	AR4	AR5	AR6
Years	1986-1989	1990-1994	1995-2000	2001-2006	2007-2013	2014-
Documents	1,167	8,539	21,716	38,750	134,413	201,606
Unique words	2,000	12,480	23,346	34,637	71,867	94,746
New words	change (560)	oil (287)	downscaling (217)	sres (234)	biochar (1,791)	mmms (313)
	climate (428)	deltac (283)	degreesc (187)	petm (95)	redd (1,113)	cop21 (234)
	co2 (318)	whole (256)	ncep (130)	amf (88)	cmip5 (679)	c3n4 (214)
	climatic (289)	tax (254)	fco (107)	sf5cf3 (86)	cmip3 (587)	sdg (187)
	model (288)	landscape (249)	pfc (98)	clc (81)	mofs (299)	zika (182)
	atmospheric (281)	alternative (243)	otcs (98)	embankment (81)	sdm (297)	ndcs (168)
	effect (280)	availability (242)	dtr (95)	cwd (79)	mof (275)	indc (164)
	global (224)	life (239)	nee (89)	etm (75)	biochars (252)	indcs (134)

Table: Growth in climate change literature

Data from WoS Core Collection, query following Grieneisen and Zhang (2011)

### Approach - What is the matter?



 Topic modelling (Blei et al., 2012) describes a suite of algorithms to discover the latent semantic content of documents



 $V_{i\mu}$  is a term frequency-inverse document frequency matrix of stemmed terms

$$V_{i\mu} \approx (WH)_{i\mu} = \sum_{a=1}^{r} W_{ia} H_{a\mu}$$

V is approximated by the product of W and H

V: 8769 x 3495



W: 8769 x 50

- Topic modelling (Blei et al., 2012) describes a suite of algorithms to discover the latent semantic content of documents
- NMF (Lee and Seung, 1999) is a dimensionality reduction technique that can be used for topic modelling



 Topic modelling (Blei et al., 2012) describes a suite of algorithms to discover the latent semantic content of documents

- NMF (Lee and Seung, 1999) is a dimensionality reduction technique that can be used for topic modelling
- Topics are distributions of words. They describe documents.

 $V_{i\mu}$  is a term frequency-inverse document frequency matrix of stemmed terms

$$V_{i\mu} \approx (WH)_{i\mu} = \sum_{a=1}^{r} W_{ia} H_{a\mu}$$

V is approximated by the product of W and H



W: 8769 x 50

 Topic modelling (Blei et al., 2012) describes a suite of algorithms to

of documents

discover the latent semantic content




 $V_{iu}$  is a term frequency-inverse document frequency matrix of stemmed terms

$$V_{i\mu} \approx (WH)_{i\mu} = \sum_{a=1}^{r} W_{ia} H_{a\mu}$$

V is approximated by the product of W and H

V: 8769 x 3495



 Topics are distributions of words. They describe documents.

NMF (Lee and Seung, 1999) is a

• A document's topic scores describe its association with each topic




W: 8769 x 50

Max Callaghan (MCC) September 26, 2019 12/21

### Doc Topic Example






Motivation

2 Methods

Results

## A Topography of Climate Change Literature






 We use t-distributed stochastic neighbour embedding (van der Maaten and Hinton, 2008) to reduce documents' topic vectors to 2 dimensions

### A Topography of Climate Change Literature






- We use t-distributed stochastic neighbour embedding (van der Maaten and Hinton, 2008) to reduce documents' topic vectors to 2 dimensions
- Each dot is a document, and documents with similar topic vectors are close together in the 2-dimensional space


### A Topography of Climate Change Literature





- We use t-distributed stochastic neighbour embedding (van der Maaten and Hinton, 2008) to reduce documents' topic vectors to 2 dimensions
- Each dot is a document, and documents with similar topic vectors are close together in the 2-dimensional space
- We can see the preponderance of natural sciences, and the greater or lesser clustering of disciplines in certain topic areas










17 / 21


 The social sciences were under-represented in AR3, but by AR5 are over-represented



# The Social Sciences are No Longer Under-Represented in IPCC reports



- The social sciences were under-represented in AR3, but by AR5 are over-represented
- The share of natural science documents in IPCC citations is similar to the share in the wider literature




Discipline


# The Social Sciences are No Longer Under-Represented in IPCC reports



- The social sciences were under-represented in AR3, but by AR5 are over-represented
- The share of natural science documents in IPCC citations is similar to the share in the wider literature
- Agricultural sciences and engineering & technology are under-represented









 The physical science of climate change is older and better covered






- The physical science of climate change is older and better covered
- Topics on "solutions" (although rather technical than policy) are newer and under-represented





- The physical science of climate change is older and better covered
- Topics on "solutions" (although rather technical than policy) are newer and under-represented
- Newer WGII topics are better covered than newer WGIII topics





 Technical solutions topics in WGIII contain little social science research and are under-represented



 $\bullet$  Lack of social science knowledge in IPCC  $\neq$  IPCC natural science bias



- ullet Lack of social science knowledge in IPCC eq IPCC natural science bias
- If there is a lack, we need to produce more social science knowledge, particularly on technical solutions



- ullet Lack of social science knowledge in IPCC eq IPCC natural science bias
- If there is a lack, we need to produce more social science knowledge, particularly on technical solutions
- There is a vast technical literature on solutions which is relatively untapped

bias



# ullet Lack of social science knowledge in IPCC eq IPCC natural science

- If there is a lack, we need to produce more social science knowledge, particularly on technical solutions
- There is a vast technical literature on solutions which is relatively untapped

#### But,

 Literature here is not all relevant climate knowledge (only WoS, only directly on climate change)



- ullet Lack of social science knowledge in IPCC eq IPCC natural science bias
- If there is a lack, we need to produce more social science knowledge, particularly on technical solutions
- There is a vast technical literature on solutions which is relatively untapped

#### But,

- Literature here is not all relevant climate knowledge (only WoS, only directly on climate change)
- Relative representation of different parts of the literature is job of IPCC to decide, not a computer



- Lack of social science knowledge in IPCC  $\neq$  IPCC natural science bias
- If there is a lack, we need to produce more social science knowledge, particularly on technical solutions
- There is a vast technical literature on solutions which is relatively untapped

#### But.

- Literature here is not all relevant climate knowledge (only WoS, only directly on climate change)
- Relative representation of different parts of the literature is job of IPCC to decide, not a computer

#### Nevertheless.

 Computer assisted methods can help the IPCC make its decisions on how to represent the literature from a more solid basis, and efficiently point to areas of growth or of under-representation

### **Bibliography**



- Bjurström, A. and Polk, M. (2011). Physical and economic bias in climate change research: A scientometric study of IPCC Third Assessment Report. Climatic Change, 108(1):1–22.
- Blei, D., Carin, L., and Dunson, D. (2012). Probabilistic topic models. Communications of the ACM, 55(4):77-84.
- David G. Victor (2015). Embed the social sciences in climate policy David Victor. Nature, 520:7–9.
- Edenhofer, O. and Kowarsch, M. (2015). Cartography of pathways: A new model for environmental policy assessments. Environmental Science and Policy, 51:56–64.
- Edenhofer, O. and Minx, J. (2014). Mapmakers and navigators, facts and values. Science, 345(6192):37-38.
- Grieneisen, M. and Zhang, M. (2011). The Current Status of Climate Change Research. Nature Climate Change, 1:72-73.
- Hulme, M. and Mahony, M. (2010). Climate change: What do we know about the IPCC? Progress in Physical Geography, 34(5):705-718.
- Kowarsch, M., Jabbour, J., Flachsland, C., Kok, M. T. J., Watson, R., Haas, P. M., Minx, J. C., Alcamo, J., Garard, J., Riousset, P., Pintér, L., Langford, C., Yamineva, Y., von Stechow, C., O'Reilly, J., and Edenhofer, O. (2017). A road map for global environmental assessments. *Nature Climate Change*, 7(6):379–382.
- Lee, D. D. and Seung, H. S. (1999). Learning the parts of objects by non-negative matrix factorization. Nature, 401(6755):788-91.
- Minx, J. C., Callaghan, M., Lamb, W. F., Garard, J., and Edenhofer, O. (2017). Learning about climate change solutions in the IPCC and beyond. *Environmental Science & Policy*.
- van der Maaten, L. and Hinton, G. (2008). Visualizing Data using t-SNE. Journal of Machine Learning Research, 9:2579-2605.

### n Topics



