

Global Hantavirus Case Analysis

10 COUNTRIES | JANUARY 2025 - MAY 2026

Countries

All

virus_strain

All

patient_age (...)

☐ 18 - 35

☐ 36 - 50

☐ 51 - 65

☐ 65+

☐ Below 18

Gender

☐ Female

☐ Male

2000

Total cases

10

Countries

155


Total Deaths

50.35%

Hospitalization rate

45.20

Avg. Patient age






KEY INSIGHTS

Argentina (10.9%) and Chile (10%) are the highest risk countries

Seoul (8.7% fatality rate) and Dobrava (8.53% fatality rate) strains are the most lethal.

Middle-aged adults (36-50) are the highest risk demographic (9.19% fatality rate)



Global Hantavirus Case Analysis

10 COUNTRIES | JANUARY 2025 - MAY 2026

Countries

All

virus_strain

All

patient_age (...)

☐ 18 - 35

☐ 36 - 50

☐ 51 - 65

☐ 65+


☐ Below 18

Gender


☐ Female

☐ Male


Transmission types




Common symptoms




Exposure sources



Monthly Case Trend



Detected Virus Strains



Global Hantavirus Case Analysis

10 COUNTRIES | JANUARY 2025 - MAY 2026

Countries

All

virus_strain

All

patient_age (...)

☐ 18 - 35

☐ 36 - 50

☐ 51 - 65

☐ 65+


☐ Below 18

Gender

☐ Female

☐ Male


Monthly Fatality Rate Trend



Strain Fatality and Hospitalization rate

virus_strain	Count of case_id	hospitalization_rate	Fatality_rate
Andes	394	51.78%	7.61%
Dobrava	387	50.90%	8.53%
Puumala	374	46.52%	6.68%
Seoul	414	52.66%	8.70%
Sin Nombre	431	49.65%	7.19%
Total	2000	50.35%	7.75%

Case Volume Trend by Virus Strain over time



Hospitalization rate vs. Fatality rate by country

