cmp Software Architecture

ClientUX

<<manifest>>

<<artifact>>
banking.js

<<use>>

ICustomer

<<interface>>
IAccount

<<use>>

Customers

<<manifest>>

<<artifact>>
banking.jar

<<manifest>>

Accounts

<<use>>

<<use>>

<<interface>>
IStorage

Storage

<<manifest>>

<<artifact>>
bStoraged.exe

pkg System Architecture

<<device>>
PixelBook

<<exec env>>
ChromeOS

<<artifact>>
banking.js

<<https>>

<<device>>
Linux Server

<<exec env>>
ApacheTomcat

0..*   1

1

1

<<SCRAM-SHA-256>>

<<deploy>>

<<device>>
WindowsServer

<<exec env>>
WindowsServerOS

<<exec env>>
dotNET

<<sockets>>

<<exec env>>
JRE

1   1

<<deploy>>

<<artifact>>
banking.jar

<<deploy>>

<<artifact>>
bStoraged.exe

pkg System Architecture

PixelXX : PixelBook

: ChromeOS

: banking.js

10 Copies

Taurus : Linux Server

: banking.jar

: ApacheTomcat

The system will be deployed to Randall, MB

Leo : WindowsServer

: WindowsServerOS

: dotNET

: JRE

: bStoraged.exe