KW Length	Actual	Ideal	Gap
100	3.83	4.62	0.79
KS	96.10	115.14	19.05
LONG SIZE	0.00	5.77	5.77
> KS	0.06	2.42	2.36
<b>REGULAR SIZ</b>	0.00	10.86	10.86

KW Flavor	Actual	Ideal	Gap	
Menthol	0.41	0.95	0.54	
Menthol Caps	0.01	2.96	2.94	
NTD	0.00	0.26	0.26	
NTD Caps	2.05	40.00	37.95	
Regular	97.52	94.65	-2.87	

KW Taste	Actual	Ideal	Gap	
1mg	0.00	2.79	2.79	
Full Flavor	81.67	103.52	21.85	
Lights	4.63	21.35	16.72	
Ultralights	13.69	11.15	-2.55	

KW Thickness Actual		Ideal	Gap	
SLI	25.61	3.92	-21.69	
SSL	2.80	1.66	-1.15	
STD	71.57	133.23	61.65	

KW Flavor	VOL_%	PMI_VOL_%	Ideal_%	rket_vs_Ideal_(	MI_vs_Ideal_Ga	II_vs_Market_G
Menthol	0.00	0.00	0.95	-0.95	-0.95	0.00
Menthol Caps	0.00	0.00	2.96	-2.96	-2.96	0.00
NTD	0.00	0.00	0.26	-0.26	-0.26	0.00
NTD Caps	0.17	0.27	40.00	-39.83	-39.73	0.10
Regular	99.83	99.73	94.65	5.18	5.08	-0.10

KW Taste	VOL_%	PMI_VOL_%	Ideal_%	rket_vs_Ideal_0	MI_vs_Ideal_Ga	II_vs_Market_G
1mg	0.00	0.00	2.79	-2.79	-2.79	0.00
Full Flavor	82.88	81.56	103.52	-20.64	-21.96	-1.32
Lights	5.34	0.00	21.35	-16.01	-21.35	-5.34

Ultralights 11.78 18.44 11.15 0.64 7.30 6.66

KW Thickness	VOL_%	PMI_VOL_%	Ideal_%	rket_vs_ldeal_(	MI_vs_Ideal_Ga	II_vs_Market_G
SLI	22.13	32.54	3.92	18.20	28.61	10.41
SSL	3.57	0.00	1.66	1.91	-1.66	-3.57
STD	74.31	67.46	133.23	-58.92	-65.76	-6.84

KW Length	VOL_%	PMI_VOL_%	Ideal_%	rket_vs_ldeal_(	MI_vs_Ideal_Ga	II_vs_Market_G
100	4.11	0.00	4.62	-0.51	-4.62	-4.11
KS	95.89	100.00	115.14	-19.26	-15.14	4.11
LONG SIZE	0.00	0.00	5.77	-5.77	-5.77	0.00
> KS	0.00	0.00	2.42	-2.42	-2.42	0.00
REGULAR SIZ	0.00	0.00	10.86	-10.86	-10.86	0.00

ар

ар