

TBXT Hit Identification - Top 4 Picks

Multi-signal consensus pipeline for chordoma's master regulator


TBXT Hackathon, Pillar VC Boston · 2026-05-09

Target: TBXT G177D (Brachyury) · PDB 6F59 chain A · Site F (Y88 / D177 / L42)

What we built

570-compound novelty-filtered pool scored on **6 orthogonal signals**:

Signal	What it catches
Vina ensemble (6 receptor confs)	Geometric fit; receptor flexibility
GNINA CNN pose + pKd	Vina-trap detection; ML affinity
TBXT QSAR (RF + XGBoost on 650 Naar SPR Kd)	Target-specific affinity
Boltz-2 co-folding (Jack + SCC dual engine)	Independent affinity + binder classifier
MMGBSA single-snapshot (top 30)	Free-energy refinement
T-box paralog selectivity (16 paralogs)	Off-target risk



Final hard gate (T-0): 100% onepot.ai exact match · strictly non-covalent · Tanimoto < 0.85 to organizer DBs

Why this filter chain (judging axis: scientific rationale)

7-criterion filter applied to every compound:

C1 onepot 100% catalog match · C2 non-covalent · C3 Chordoma rule ($MW \leq 600$, $\text{LogP} \leq 6$, $\text{HBD} \leq 6$, $\text{HBA} \leq 12$) · C4 lead-like ideal (10–30 HA, $\text{HBD} + \text{HBA} \leq 11$, < 5 rings, ≤ 2 fused) · C5 PAINS-clean + no acid halides / aldehydes / diazo / imines / polycyclic > 2 fused / long alkyl · C6 Tanimoto < 0.85 to Naar / TEP / prior_art · C7 ESOL log S > -5

Of 570 pool compounds → 137 pass all 7 criteria → 4 picks (ranks 1, 2, 11, 22)

Tiered (T1 GOLD: 0 — empty by design, honest finding · T2 SILVER: 16 · T3 BRONZE: 89 · T4 RELAXED: 32)

The 4 picks (all 100% onepot, all non-covalent, all site F)


#	ID	Boltz Kd	Jack/SCC gnina Vina/pKd	onepot \$	risks
1	FM002150_analog_0083	3.2 / 3.26 μ M	-5.01 / 3.94	\$125	low/low
2	FM001452_analog_0104	3.7 / 4.97 μ M	-5.77 / 4.03	\$250	med/med
3	FM001452_analog_0201	8.16 / 8.76 μ M	-6.07 / 4.69	\$375	high/med
4	FM001452_analog_0171	8.32 / 8.17 μ M	-6.19 / 4.44	\$250	med/med

Total cost to source: \$875 · **Site F coverage:** 4/4 · **Dual-engine Boltz agreement:** 1.01-1.34× across all picks

Pick 1: FM002150_analog_0083

SMILES: O=C(O)COCc1ccc(-c2ccsc2)cc1


- **Strongest predicted Boltz Kd** (3.2 μM) of any 100%-onepot non-covalent compound; dual-engine 1.02 $\times$ agreement
- Phenoxyacetic acid + thiophene; carboxylate H-bonds Y88 / D177 (variant residue)
- **Cheapest + lowest-risk** of the 4: \$125, low/low
- MW 248.3, logP 3.02, HBD 1, HBA 4 — clean lead-like profile



Pick 2: FM001452_analog_0104

SMILES: Cc1ccccc1C0c1cccc(N)c1


- **Cleanest medchem in the pool** — minimal heteroatom decoration
- Methyl-phenyl-CH₂-O-aniline; aniline-N H-bonds D177
- Mass-efficient (MW 213.3) — best fragment-like starting point for SAR
- Boltz Kd 3.7 / 4.97 μ M (1.34 $\times$); \$250 medium-risk



Pick 3: FM001452_analog_0201 — urea / benzyl ether for R174 + D177

SMILES: NC(=O)Nc1cccc(OCc2ccccc2)c1


- N-aryl urea + benzyl ether: H-bond-donor / acceptor pair targeting R174 + D177 specifically
- **Deepest Vina pose** (-6.07) + **highest gnina CNN-pKd** (4.69) of the 4
- Adds urea-linker chemotype diversity to pick set
- \$375, high chem risk (urea synthesis), medium supplier risk



Pick 4: FM001452_analog_0171 — pyridyl selectivity probe

SMILES: Nc1cccc(OCc2ccc(-c3ccncc3)cc2)c1

- Pyridyl introduces basic-N for selectivity probing — may differentiate TBXT from T-box paralogs
- **Highest prob_binder (0.46)** of the 4
- **Tightest dual-engine Boltz agreement (1.02x)** — most reproducible K_d prediction
- \$250, medium / medium risks; logP 3.91



Cross-validation (judging axis: rigor)

- **Two independent Boltz runs** (Jack local + SCC re-run): 4/4 picks agree within 1.34×
- **Rowan ADMET** (49 properties × 4): all 4 ADMET-profiled
- **Rowan pose-analysis MD** (explicit-solvent, 5 ns × 1 traj + 1 ns equil): protein-ligand RMSD trajectories for the 4 picks (results in evidence/rowan_pose_md_<id>.json)
- **Onepot.ai catalog** (muni onepot tool): all 4 at similarity = 1.000 with price + chemistry_risk + supplier_risk

Tradeoffs we made (judging axis: hit ID judgment)

- **All 4 site F** — gives up site-A diversity. Defensible: the 100%-onepot non-covalent constraint dominated; the FM_* family (only catalog-resident chemotype with strong binding) is site-F by structural heritage. Site-A backups documented in `top5to24_rationale.md` and `all_candidates_tiered.csv`.
- **T1 GOLD tier intentionally empty** — no compound simultaneously hits $K_d \leq 5 \mu\text{M}$ AND low/low risk. We surface this honestly rather than overclaim.
- **Chemotype dominance** (FM001452 family in 3/4 picks): not artificially diversified. The catalog $\times$ binding-evidence intersection naturally selects this family. The 20 additional submissions (`top5to24.csv`) widen to FM002150 + opv1 chemotypes.

Honest expectations

- Public methods over-predict K_d by **6-25×** at μM regime $\rightarrow$ realistic SPR for these 4: **18-200 μM range**
- Hackathon judging prize (\$250 muni credits): **strong shot** — multi-signal + filter chain + tier methodology directly maps the 3 judging axes
- **Experimental \$100K @ $K_d \leq 1 \mu\text{M}$:** plausible long-shot — best Boltz prediction is 3.2 μM
- **Experimental \$250K @ $K_d \leq 300 \text{ nM}$:** unlikely without further hit-to-lead optimization

Reproducibility + bundle

- GitHub: public repository for this release
- **All 24 team picks** (top 4 + 20 additional): TBXT/final/top4.csv + TBXT/final/top5to24.csv
- **Full 137-candidate pool with every per-criterion flag:** TBXT/final/all_candidates_tiered.csv
- **Rationale + tier explanations:** TBXT/final/top4_rationale.md + TBXT/final/tiered/TIERED_CANDIDATES_RATIONALE.md

Q&A

(See [TBXT/dashboard/ON_DAY_TALKING_POINTS.md](#) — lead-only)