

[Edit](#)**Guided**

Collaborate Remotely and Use Pull Requests

Challenge Overview

Understand the scenario

You are a Developer for Hexelo, an organization that needs to collaborate with others using GitHub by branching, pushing changes, and opening Pull Requests (PRs).

In this Challenge Lab, you will collaborate remotely and use pull requests. First, you will set up a remote collaboration by forking a repository and cloning it locally. Next, you will work on a separate branch for your changes, and then you will push your branch and open a pull request on GitHub. Finally, you will review and close a pull request.

Navigating the Challenge Lab

Unable to process content from <https://raw.githubusercontent.com/LODSContent/Challenge-V3-Framework/main/Templates/Environments/None.md>

🔗 ► Quick tips for navigating the Challenge Lab instructions.

[New to Challenge Labs? Click here to learn more.](#)

Fork and clone a repository

Hints Enabled

No Yes

- Sign in to the virtual machine as **LabUser** using T **Passw0rd!** as the password.
- Enter your GitHub Username, Email Address, Password, and GitHub Account URL into the following associated textboxes:

GitHub Username

GitHub Email Address

GitHub Password

GitHub URL

- Open **Microsoft Edge**, go to T <https://github.com> and then sign in as T **<GitHubEmail>** using T **<GitHubPW>** as the password.



Expand this hint for guidance on signing in to a GitHub account.



- On the Windows taskbar, select the **Microsoft Edge** button.
- In the Address bar, enter T <https://github.com>, and then press **Enter**.
- On the GitHub home page, in the upper right-hand corner, select **Sign in**.
- On the *Sign in to GitHub* page, in Username or email address, sign in as T **<GitHubEmail>** using T **<GitHubPW>** as the password.
- If presented with the *Save password* dialog, select **Never**.
- On the *Device verification* page, enter the **Device Verification Code** sent to the email address used to register the account.


Leave the **GitHub** browser window open.

Want to learn more? Review the documentation on [GitHub](#).

- Set up a remote collaboration by forking the <https://github.com/octocat/Spoon-Knife> repository.

Expand this hint for guidance on forking a repository.

- In Microsoft Edge, open a new tab, enter <https://github.com/octocat/Spoon-Knife>, and then press **Enter** on your keyboard.
- On the *Spoon-Knife* GitHub page, select **Fork**, and then select **+ Create a new fork**.



- On the *Create a new fork* page, in Repository name, enter [Spoon-Knife](#), and then select **Create fork**.



- After the fork completes, review the forked version in your browser.

⚠ If you have previously taken this Challenge Lab, you may need to delete the **<Name> / Spoon-Knife** repository first before completing the step above. Expand this drop-down menu for more information on how to delete a repository in GitHub.

- On the *<Name> / Spoon-Knife* GitHub page, select **Settings**.
- On the *General settings* page, in the *Danger Zone* section, select **Delete this repository**
- On the *Delete <Name> / Spoon-Knife* pop-up window, select **I want to delete this repository**.
- Review the warnings, select **I have read and understand these effects**, and then in the textbox, type the name of the repository you want to delete, and then select **Delete this repository**.

Want to learn more? Review the documentation on [deleting a repository](#).



Want to learn more? Review the documentation on [forking a repository](#).


- Obtain the **HTTPS** URL that will be used to clone the forked version of **<https://github.com/octocat/Spoon-Knife>** locally, and then enter it in the following **Spoon-Knife HTTPS URL** textbox:

Spoon-Knife HTTPS URL




Expand this hint for guidance on obtaining the URL to use when cloning a repository locally. ^

- On the forked <Name> / *Spoon-Knife* GitHub page, select <> **Code**.




- On the *Local* tab, in HTTPS, select the *Copy URL to clipboard* button to the right of the URL.



- Enter the URL into the **Spoon-Knife HTTPS URL** textbox in the Challenge Lab instructions.
- Open **T** **Command Prompt** as an administrator and change to the **T** **D:\LabFiles** folder by using the **T** **cd** command.

💡 Expand this hint for guidance on changing directories in a terminal. ^

- On the Windows taskbar, in *Search*, enter **T** CMD, right-click *Command Prompt*, and then select **Run as administrator**.



- In the Command Prompt, run the following command to change directories to the **D:\LabFiles** folder:

```
cd /d D:\LabFiles
```

- Clone the forked version of **Spoon-Knife** from your repository by using the **T** <SKURL> URL and the **T** git clone command.

💡 Expand this hint for guidance on cloning a repository locally. ^

- Run the following command to clone the repository locally:

```
git clone <SKURL>
```

💡 Want to learn more? Review the documentation on [cloning a repository locally](#).

- Change to the **T** Spoon-Knife directory by using the **T** cd command.

 Expand this hint for guidance on changing directories.

- Run the following command to change directories:

```
cd Spoon-Knife
```

- Review the current log by using the  `git log` command.

 When you run the command `git log` in this repository, you will see a list of the most recent commits displayed in the terminal, starting with the newest one at the top.

These commits are all authored by GitHub's mascot, The Octocat, and represent the early history of a simple demonstration repository. You can scroll further down (or use `git log --oneline` for a more compact view).

 Want to learn more? Review the documentation on [viewing the commit history](#).

- Confirm that the origin URL is set to your GitHub repository by using the  `git remote` command.

 Expand this hint for guidance on confirming the origin URLs.

- Run the following command to confirm the origin URLs:

```
git remote -v
```

 The `-v` (verbose) flag displays the fetch and push URLs for the remote repository.

- Set your Git Identity by using the  `git config` command and your GitHub **username** and **email address**.

 Expand this hint for guidance on setting your Git identity.

- Run the following commands to set your Git identity:

```
git config --global user.name "<Name>"
```

```
git config --global user.email "<GitHubEmail>"
```



Want to learn more? Review the documentation on [setting your Git Identity](#).



The `--global` Git identity can be changed as many times as you like (each change overwrites the previous one), and you can always override it for individual repositories using `--local`.

Check your work

Verify

Work on a separate branch for your changes

Hints Enabled

No Yes

- Create a feature branch named `update-readme` inside your project by using the `git switch` command.

 Expand this hint for guidance on creating a feature branch. 

- Run the following command to create a feature branch inside your project:

```
git switch -c update-readme
```


 Want to learn more? Review the documentation on [creating a feature branch](#).

- Update `README.md` by using **File Manager** and **Notepad** to add the following text to the end of the file:

```
## Contributors  
- <Name>
```


💡 Expand this hint for guidance on updating the README.md file.

- On the Windows taskbar, select the **File Manager** button.
- In File Manager, browse to **D:\LabFiles\Spoon-Knife**, and then open **README.md** by using **Notepad**.



- Enter the following to add your name to the end of the file:

```
## Contributors  
- <Name>
```

```
### Well hello there!  
  
This repository is meant to provide an example for *forking* a repository on GitHub.  
  
Creating a *fork* is producing a personal copy of someone else's project. Forks act as a  
sort of bridge between the original repository and your personal copy. You can submit *Pull  
Requests* to help make other people's projects better by offering your changes up to the  
original project. Forking is at the core of social coding at GitHub.  
  
After forking this repository, you can make some changes to the project, and submit [a Pull  
Request](https://github.com/octocat/Spoon-Knife/pulls) as practice.  
  
For some more information on how to fork a repository, [check out our guide, "Forking  
Projects"](http://guides.github.com/overviews/forking/). Thanks! :sparkling_heart:  
  
## Contributors  
- damian  
|
```

- **Save** the file.

- Stage the **README.md** file change by using the **git add** command.

💡 Expand this hint for guidance on staging your change. ^

- Run the following command to stage the change:

```
git add README.md
```

💡 Want to learn more? Review the documentation on the [git add](#) command.

- Commit changes by using the `git commit` command with `Updated README.md, added my name to contributors list` as the message.

💡 Expand this hint for guidance on committing staged changes with a message. ^

- Run the following command to commit changes with a message:

```
git commit -m "Updated README.md, added my name to contributors list"
```

💡 Want to learn more? Review the documentation on the [git commit](#) command.

Check your work

Verify

Push feature branch and open a pull request

Hints Enabled

No Yes

- Push the `update-readme` feature branch to GitHub by using the `git push` command.

 Expand this hint for guidance on pushing a feature branch. 

- Run the following command to push the feature branch to GitHub:

```
git push origin update-readme
```


- On the *Connect to GitHub* Sign in page, select **Sign in with your browser**.
- Close the *Authentication Succeeded* browser tab.

 Want to learn more? Review the documentation on the [git push](#) command.

- Switch to the **update-readme** branch on GitHub.

💡 Expand this hint for guidance on changing branches.


- In Microsoft Edge, on the <Name> / *Spoon-Knife* GitHub page, select *main*, and in the *Switch branches/tags* pop up, select the **update-readme** branch.



- Create a new pull request titled T Add <Name> to contributors that has T This pull request adds my name to the list of contributors in the README. as the description.

💡 Expand this hint for guidance on creating a pull request.


- On the <Name> / *Spoon-Knife* GitHub page, select the **Pull requests** tab, and then select **New pull request**.



- On the *Comparing changes* page, in *base repository*, select <Name>/*Spoon-Knife*. It will now say *base: main*.
- On the *Comparing changes* page, in *compare*, select the **update-readme** branch, and then select **Create pull request**.



- In *Add a title*, enter **T** Add <Name> to contributors.
- In *Add a description*, enter **T** This pull request adds my name to the list of contributors in the README., and then select **Create pull request**.



Add a title

Add damian to contributors

Add a description

Write Preview H B I [list icons] [code icon] [link icon] [image icon]

This pull request adds my name to the list of contributors in the README.



Want to learn more? Review the documentation on [creating a pull request](#).

- Enter the pull request number in the following **Pull Request Number** textbox:

Pull Request Number



The pull request number will be located after the pull request title and before the # sign.

For example:

Add <Name> to contributors #<PullRequestNumber>

Check your work

Verify

Review and close the pull request

Hints Enabled

No Yes

- Review the open pull request.




Expand this hint for guidance on reviewing a pull request.



- If necessary, select the **Pull requests** tab or navigate to `<GitHubURL>/Spoon-Knife/pull/<PullRequestNumber>`.
 - Review the pull request. You will see the title, description, and your commit message.
- Add `<Name>` This is a test from `<Name>` as a comment to the pull request, and then close the pull request.

💡 Expand this hint for guidance on closing a pull request.

- Once reviewed, scroll down and in *Add a comment*, enter **T** This is a test from <Name>, and then select **Close with comment**.



- You will see **Closed with unmerged commits**.

Check your work

Verify

Sync your local repository with the original

Hints Enabled

No Yes

- Add the `https://github.com/octocat/Spoon-Knife.git` original repository as an `upstream` remote by using the `git remote` command.

 Expand this hint for guidance on adding the original repository to an upstream remote. ^

- Run the following command to add the original repository to an upstream remote:

```
git remote add upstream https://github.com/octocat/Spoon-Knife.git
```

- Fetch the latest `upstream` changes by using the `git fetch` command.

 Expand this hint for guidance on fetching upstream changes. ^

- Run the following command to fetch upstream changes:

```
git fetch upstream
```

 Want to learn more? Review the documentation on the `git fetch` command.

- Merge the `upstream` changes into your `main` branch by using the `git switch` and `git merge` commands.

💡 Expand this hint for guidance on merging the upstream changes. ^

- Run the following commands to merge upstream changes into the main branch:

```
git switch main
```

```
git merge upstream/main
```

💡 Want to learn more? Review the following command documentation:

- [git switch](#)
- [git merge](#)

- Push the updated main branch to your fork by running the following command:

```
git push origin main
```

Check your work

Verify

Summary

Congratulations, you have completed the **Collaborate Remotely and Use Pull Requests** Challenge Lab.

You have accomplished the following:

- Forked and cloned a repository.
- Worked on a separate branch for your changes.
- Pushed feature branch and opened a pull request.
- Reviewed and closed the pull request.
- Synced your local repository with the original.

Ending your lab

To ensure your lab is recorded as complete, select **Submit** or **End** below. Exiting [X] the lab will result in an incomplete status.

 Once you select **Submit** or **End**, you will not be able to return to this Challenge Lab.

Your feedback is important!

As you end your Challenge Lab, please take a few minutes to complete the short survey that will appear in the next window. Alternatively, you may provide your feedback directly to [Challenge Labs feedback](#).

Looking for your next Challenge Lab?

Below are recommended Challenge Labs to try next.

- Set Up Git and Connect to GitHub [Prerequisite Lab]
- Track Local Changes and Manage Commits [Guided]
- Create Branches and Merge Changes Safely [Guided]
- Collaborate Remotely and Use Pull Requests [Guided]
- Build a Real Project by Using Git Workflows [Advanced]

- Write Code with GitHub Copilot Suggestions [Guided]
- Control Git Behavior with Config and Ignore Files [Guided]
- Rebase, Stash, and Apply Commits Precisely [Guided]
- Manage Tasks by Using GitHub Issues and Boards [Guided]
- Automate Testing and CI with GitHub Actions [Guided]
- Review and Refactor Code with Copilot [Guided]
- Implement Release Management and Versioning in GitHub [Expert]

