# **POSTNET**

# **Table of contents**

| 1 Example        | 2 |
|------------------|---|
| 2 Structure      |   |
| 2 Structure      | 4 |
| 3 Message format | 2 |

## 1. Example

#### **Example POSTNET symbol**

#### 2. Structure

The configuration for the default implementation is:

```
<barcode>
        <postnet>
                        <height>{length:15mm}</height>
                        <module-width>{length:0.02in}</module-width>
                        <quiet-zone enabled="{boolean:true}">{length:10mw}</quiet-zone>
                        <checksum>{checksum-mode:auto=ignore}</checksum>
                        <interchar-gap-width>{length:0.026in}</interchar-gap-width>
                        <tall-bar-height>{length:0.125in}</tall-bar-height>
                        <short-bar-height>{length:0.050in}</short-bar-height>
                        <baseline-alignment>{baseline-alignment:bottom}/baseline-alignment>
                        <human-readable>
                                <placement>{human-readable-placement:none}</placement>
                                font-name > {font-name : Helvetica} < / font-name : Helv
                                <font-size>{length:8pt}</font-size>
                                <display-checksum>{boolean:false}</display-checksum>
                        </human-readable>
        </postnet>
</barcode>
```

### 3. Message format

- Valid characters are 0-9
- display-checksum controls whether the calculated checksum should be included in the human-readable part.