Important information for Krysalis Barcode users

by Jeremias Märki

Table of contents

1 Krysalis Barcode becomes Barcode4J!	2
2 Why?	2
3 What has been changed?	
4 What do I have to change?	
4.1 Xalan extension.	
4.2 SAXON extension	3
4.3 FOP extension	

1. Krysalis Barcode becomes Barcode4J!

Krysalis Barcode has been renamed to **Barcode4J** and moved to its own SourceForge project.

2. Why?

We wanted to make this barcode package more visible and give it a more distinct name. Many people also called this package simply "Krysalis" but "Krysalis" is actually the name of the Community where this project lives in.

We know that this move may be a nuisance for those who already use Krysalis Barcode in production. We apologize for any inconvenience caused.

3. What has been changed?

- The project name (Krysalis Barcode to Barcode4J)
- The new project website can be found under http://barcode4j.krysalis.org
- The Java packages were renamed from org.krysalis.barcode to org.krysalis.barcode4j.
- The main XML namespace declaration has changed from http://www.krysalis.org/barcode/ns to http://barcode4j.krysalis.org/ns.
- The JAR filenames are now "barcode4j*.jar" instead of "krysalis-barcode*.jar".

4. What do I have to change?

Note:

If you run into any trouble please don't hesitate to ask for help on the Barcode4J user mailing list.

4.1. Xalan extension

Change the namespace declaration in your stylesheets from xmlns:barcode="org.krysalis.barcode.xalan.BarcodeExt" to xmlns:barcode="org.krysalis.barcode4j.xalan.BarcodeExt"

4.2. SAXON extension

Change the namespace declaration in your stylesheets from

xmlns:barcode="http://www.krysalis.org/barcode/org.krysalis.barcode.saxor
to

xmlns:barcode="http://barcode4j.krysalis.org/org.krysalis.barcode4j.saxor

4.3. FOP extension

Change the namespace declaration in your stylesheets from

xmlns:barcode="http://www.krysalis.org/barcode/ns" to

xmlns:barcode="http://barcode4j.krysalis.org/ns"