Barcode4J examples

by Jeremias Märki

Table of contents

The directory `examples/` in the distribution contains some example files that show what **Barcode4J** can do.

1. Example PDF

The directory `examples/xsl-fo/` contains an XML file with barcode instructions (`barcodes.xml`) and an associated stylesheet (`barcodes2xsl-fo.xsl`) that converts the XML file to XSL-FO.

The resulting PDF generated by Apache FOP:
PDF document view (around 196KB)

2. Example Web Application

The directory `examples/webapp/` contains an sample web application that provides an interactive demo for barcode generation with the Barcode Servlet. It is written using JSP. The build generates the web application by default. To play with it just drop the `build/barcode4j.war` file in your favourite web container.

3. Preview of all supported barcode symbologies

Barcode type	PNG graphic
Interleaved 2 of 5	Sample Interleaved 2 of 5 barcode (PNG)
Code 39	Sample Code 39 barcode (PNG)
Code 128	Sample Code 128 barcode (PNG)
Codabar	Sample Codabar barcode (PNG)
UPC-A	Sample UPC-A barcode (PNG)
UPC-E	Sample UPC-E barcode (PNG)
EAN-13	Sample EAN-13 barcode (PNG)
EAN-8	Sample EAN-8 barcode (PNG)
POSTNET	Sample POSTNET barcode (PNG)
Royal Mail Customer Barcode	Sample Royal Mail Customer barcode (PNG)

PDF417	Sample PDF417 symbol (PNG)
DataMatrix (square)	Sample DataMatrix symbol (PNG)
DataMatrix (rectangular)	Sample DataMatrix symbol (PNG)

Table 1: PNG and SVG versions