

2	Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics
2	using Machine Learning
3	using Machine Learning
4	
5	A Thesis
6	Presented to the Faculty of the
7	Department of Electronics and Computer Engineering
	Gokongwei College of Engineering
8	
9	De La Salle University
10	
11	In Partial Fulfillment of the
12	Requirements for the Degree of
13	Bachelor of Science in Computer Engineering
14	
15	by
15	бу
16	BANAL Kenan A.
17	BAUTISTA Francis Robert Miguel F.
18	HERMOSURA Don Humphrey L.
19	SALAZAR Daniel G.
.0	or Daniel G.
20	February, 2025
	♥ <sup>*</sup>



#### ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled **Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics using Machine Learning**, prepared and submitted by thesis group, AISL-1-2425-C5, composed of:

BANAL, Kenan A.
BAUTISTA, Francis Robert Miguel F.
HERMOSURA, Don Humphrey L.
SALAZAR, Daniel G.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Dr. Reggie C. Gustilo

Adviser

February 6, 2025



### **ABSTRACT**

38

39

40

41

42

43

45

46

47

48

49

50

51

52

53

54

Carabao Mangoes are one of the sweetest mangoes in the world and one of the major producers of this is the Philippines. However, mangoes go through many screening processes, one of them being sorting and grading during post harvesting which is labor intensive, prone to human error, and can be inefficient if done manually. Previous researchers have taken steps to automate the process, however, their works often focus on only specific traits, and do not try to encapsulate all the physical traits of the mangoes altogether. Furthermore, previous researchers made the grading system static or unchangeable to the user. In this study, the researchers will develop an automated Carabao mango grader and sorter based on ripeness, size, and bruises with an interchangeable mango attribute priority through non-destructive means. Using machine vision, image processing, Machine Learning, microcontrollers and sensors the mangoes will be physically sorted into designated bins via a conveyor belt system which can be controlled and monitored via a graphical user interface. The approach will streamline the post-harvest process and cut down on human errors and labor costs, helping maintain the high quality of Carabao mango exports. *Index* Terms—Machine Learning, Carabao Mangoes, Sorting and Grading Mangoes, Machine Vision, Microcontroller.



# **TABLE OF CONTENTS**

56	Oral Defense Recommendation Sheet	ii
57	Abstract	iii
58	Table of Contents	iv
59	List of Figures	vii
60	List of Tables	viii
61	Abbreviations and Acronyms	ix
62	Notations	X
63	Glossary	xi
64	Listings	xii
65	Chapter 1 INTRODUCTION	1
66	1.1 Background of the Study	2
67	1.2 Prior Studies	4
68	1.3 Problem Statement	5
69	1.4 Objectives and Deliverables	6
70	1.4.1 General Objective (GO)	6
71	1.4.2 Specific Objectives (SOs)	7
72	1.4.3 Expected Deliverables	7
73	1.5 Significance of the Study	9
74	1.5.1 Technical Benefit	10
75	1.5.2 Social Impact	10
76	1.5.3 Environmental Welfare	11
77	1.6 Assumptions, Scope, and Delimitations	11
78	1.6.1 Assumptions	11
79	1.6.2 Scope	12
80	1.6.3 Delimitations	12
81	1.7 Description and Methodology of the Thesis	13
82	1.8 Estimated Work Schedule and Budget	13



83	1.9 Overview of the Thesis	14
84	Chapter 2 LITERATURE REVIEW	16
85	2.1 Existing Work	17
86	2.1.1 Sorting Algorithms	20
87	2.2 Lacking in the Approaches	21
88	2.3 Summary	22
89	Chapter 3 THEORETICAL CONSIDERATIONS	24
90	3.1 Summary	25
91	Chapter 4 DESIGN CONSIDERATIONS	27
92	4.1 Standards	28
93	4.2 Summary	29
94	Chapter 5 METHODOLOGY	30
95	5.1 Implementation	33
96	5.2 Evaluation	36
97	5.3 Summary	38
98	Chapter 6 RESULTS AND DISCUSSIONS	39
99	6.1 Summary	44
100 101	Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DI- RECTIVES	45
102	7.1 Concluding Remarks	46
103	7.2 Contributions	46
104	7.3 Recommendations	46
105	7.4 Future Prospects	48
106	References	50
107	Appendix A STUDENT RESEARCH ETHICS CLEARANCE	52
108	Appendix B ANSWERS TO QUESTIONS TO THIS THESIS	54
109	Appendix C REVISIONS TO THE PROPOSAL	63
110	Appendix D REVISIONS TO THE FINAL	69
111	Appendix E LIST OF LIMITS AND DESIGN CONSTRAINTS	73
	1	

vi



LIST OF FIGUR	ES
---------------	----

1.1	Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)	2
1.2	Gantt Chart	14
3.1	Conceptual Framework	26



# **LIST OF TABLES**

119 120		Expected Deliverables per Objective	
121 122		Comparison of Existing Studies	
123	5.1	Summary of methods for reaching the objectives	31
124	6.1	Summary of results for achieving the objectives	40
125	D.1	Summary of Revisions to the Thesis	70

	De La Salle University	
126	ABBREVIATIONS	
127 128	AC Alternating Current	



### **NOTATION**

Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g., variable names are printed in italics, the only exception being acronyms like, e.g., SNR, which are printed in regular font. Constants are also set in regular font like j. Standard functions and operators are also set in regular font, e.g., in  $\sin(\cdot)$ ,  $\max\{\cdot\}$ . Commonly used notations are t, f,  $j = \sqrt{-1}$ , n and  $\exp(\cdot)$ , which refer to the time variable, frequency variable, imaginary unit, nth variable, and exponential function, respectively.



136	GL	_OS	SA	RY

137	bruises	The black or brown area of the mango that is visible on the skin of
		the mango.
138	Carabao mango	A popular variety of mango grown in the Philippines, known for its
		sweet and juicy flesh.
139	accuracy score	A performance metric that measures the overall proportion of cor-
		rect predictions made by a machine learning model.
140	CNN	A type of deep neural network that is highly effective in analyzing
		and processing visual data, such as images. CNNs mimic the human
		brain's approach to processing visual information through the use
		of neurons to learn patterns and identify them in images.
141	microcontroller	A small computing device that controls other parts of a system such
		as sensors

	De La Salle University	
142	LISTINGS	
	xii	

I

I

	De La Salle University	
143	Chapter 1	
144	INTRODUCTION	
	1	



### 1.1 Background of the Study

Mangoes, also known as the Mangifera indica, are a member of the cashew family. This fruit can often be seen being farmed by countries such as Myanmar, the Philippines, and India as they have a tropical dry season. Being in a tropical country is an important aspect for mango cultivation as it ensures proper growth for mangoes. If aspects such as temperature and rainfall are not ideal, it may affect the quality of the mango (Britannica, nd). Carabao mangoes is a variety of a mango that is found and cultivated in the Philippines.



Fig. 1.1 Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)

It is known for its sweet signature taste that was recognized sweetest in the world in the Guinness Book of World Records in 1995. The mango was named after the national animal of the Philippines, a native breed of buffalo. On average, it is 12.5 cm in length and 8.5 cm in diameter, having a bright yellow color when ripe as seen in Figure 1.1. It is often cultivated during late May to early July (DBpedia, nd).

As the Philippines is a tropical country, mangoes are a highly valued fruit as it is not only the country's national fruit but also amongst the leading agricultural exports of the country, ranking only third below bananas and pineapples. This gives the country the 9th slot amongst the leading exporters of Mangoes across the world. Attributed to this ranking



is the country's export of both fresh and dried mangoes, as well as low tariff rates. This allows the country to export a large quantity of the fruit in countries such as Singapore, Japan, and the USA as they can enter duty free markets provided by the World Trade Organization and Japan. Due to this, the mangoes have become a major source of income to an estimated 2.5 million farmers in the country (Centino et al., 2020).

Before mangoes are sold in markets, they first undergo multiple post-harvest processes. This is to ensure that the mangoes that arrive in markets are utmost quality before being sold to consumers. Moreover, it ensures that mangoes are contained and preserved properly such that they do not incur damages and/or get spoiled on its transportation to the market. Processing of the mango involves pre-cooling, cleaning, waxing, classification, grading, ripening, packaging, preservation, storage, packing, and transportation (Patel et al., 2019) (Rizwan Iqbal and Hakim, 2022).

Among the processes that mangoes undergo, classification and grading is important as it allows the manufacturer to separate mangoes with good qualities versus mangoes with poor qualities. According to a study by (Lacap et al., 2021), size, length, width, volume, density, indention, and grooves are aspects that determine the maturity of mangoes. These traits are being checked along with the ripeness of the mango, sightings of bruise injury, and cracks on the fruit (Lacap et al., 2021) as these aspects affect the sellability of the fruit as well as the chances of it getting spoiled sooner.

Previous studies have been made to automate the sortation process of the mangoes. Among these is a research done by Abbas et al. (2018), which focuses on classification of mangoes using their texture and shape features. They do this by, first, acquiring an image of the mango using a digital camera. Then, these images are fed to the MaZda package, which is a software originally developed for magnetic resonance imaging. Within



the MaZda package is the B11 program, which uses Principal Component Analysis, Linear Discriminant Analysis, Nonlinear Discriminant Analysis, and texture classification to extract features from the mango, which in this case are the length, width, and texture. This data is then compared to a database in order to classify any given mango (Abbas et al., 2018).

Another study is done by Rizwan Iqbal and Hakim (2022), which classifies mangoes based on their color, volume, size, and shape This is done by making use of Charge Coupled Devices, Complementary Metal-Oxide Semiconductor sensors, and 3-layer Convolutional Neural Network. To classify the mangoes, images are first captured and preprocessed to be used as a data set (Rizwan Iqbal and Hakim, 2022). This data set is then augmented to be used as a model for the 3-layer Convolutional Neural Network. After extracting the features of the mango, the 3-layer Convolutional Neural Network is used as a method for their classification as it can mimic the human brain in pattern recognition, and process data for decision making. This is important as some mangoes have very subtle differences which make it difficult to differentiate them.

### 1.2 Prior Studies

A paper written by Amna et al. (2023), designed an automated fruit sorting machine based on the quality through an image acquisition system and CNN. Furthermore, the results of the paper show that the image processing detection score was 89% while that of the tomatoes was 92% while the CNN model had higher validity of 95% for mangoes and 93% for tomatoes. 15%, while the percentage of distinction between the two groups was reported to be 5% respectively (Amna et al., 2023). Despite the high accuracy score in



detecting mango defects, the fruit sorting system only sorts based on the mango defects and not on ripeness, and weight.

Furthermore, the research paper presented by Guillergan et al. (2024) designed an Automated Carabao mango classifier, in which the mango image database is used to extract the features like size, area along with the ratio of the spots for grading using Naïve Bayes Model. For the results, the Naïve Bayes' model recognized large and rejected mangoes with 95% accuracy and the large and small/medium difference with a 7% error, suggesting an application for quality differentiation and sorting in the mango business industry. Despite the high accuracy of classifying Carabao mangoes, the researchers used a high quality DSLR camera for the image acquisition system without any microcontroller to control the mangoes (Guillergan et al., 2024).

### 1.3 Problem Statement

As mangoes are among the top exports of the Philippines (Centino et al., 2020), assessing the physical deformities is a necessity. The physical deformities of the Carabao mango can determine the global competitiveness of the country. Having higher quality exports can often lead to gaining competitive edge, increase in demand, increase export revenues, and becoming less susceptible to low-wage competition (D'Adamo, 2018). In order to increase the quality of mango fruit exports, a key post-harvest process is done, which is sorting and grading. Mango sorting and grading then becomes important to determine which batches are of high quality and can be sold for a higher price, and which batches are of low quality and can only be sold for a low price (Co., nd). Traditionally, fruit sorting and grading is inefficient as it is done manually by hand. Some tools are used such as



porous ruler to determine fruit size and color palette for color grading (Co., nd). However, among the problems encountered in the process of manually sorting and grading mangoes are susceptibility to human error and requiring a number of laborers to do the task.

With the current advancements in technology, some researchers have already taken steps to automate the process of sorting and grading mangoes. However, these attempts would often only consider some of the aspects pertaining to size, ripeness, and bruises but not all of them at the same time. Lastly, not all research approaches were able to implement a hardware for their algorithm, limiting their output to only a software implementation and not an embedded system. As such the proposed system would assess the export quality of the Carabao mango based on all the mentioned mango traits, namely size, bruises, and ripeness while also taking into consideration being non-destructive. These aspects are important because, as was previously mentioned, there is a need to develop a Carabao mango sorter that takes into account all these aspects at the same time while being non-destructive.

### 1.4 Objectives and Deliverables

### 1.4.1 General Objective (GO)

 GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.;



#### **Specific Objectives (SOs)** 1.4.2 247 248 • SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.; • SO2: To get the precision, recall, F1 score, confusion matrix, and train and test 250 accuracy metrics for classifying the ripeness and bruises with an accuracy score of at 251 least 90%.; 252 • SO3: To create a microcontroller-based system to operate the image acquisition 253 system, control the conveyor belt, and process the mango images through machine 254 learning.; 255 • SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.; 256 SO5: To classify mango ripeness based on image data using machine learning 257 algorithms such as kNN, k-mean, and Naïve Bayes.; 258 • SO6: To classify mango size based on image data by getting its length and width 259 using OpenCV, geometry, and image processing techniques.; 260 • SO7: To classify mango bruises based on image data by employing machine learning 261 algorithms. 262 **Expected Deliverables** 1.4.3 263 Table 1.1 and 1.2 shows the outputs, products, results, achievements, gains, realizations, 264 and/or yields of the Thesis. 265



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
GO: To develop a user-priority- based grading and sorting system for Carabao mangoes, using machine learning and computer vision tech- niques to assess ripeness, size, and bruises.	<ul> <li>To develop a Carabao mango grading and sorting system</li> <li>To grade Carabao mangoes into three categories based on ripeness, size, and bruises of the Carabao mangoes using machine learning.</li> <li>To integrate sensors and actuators to control the conveyor belt and image acquisition system.</li> </ul>
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.  SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ul> <li>To make an image acquisition system with a camera and LED light source.</li> <li>To build a flat belt conveyor for moving the mangoes.</li> <li>To use a publicly available dataset of at least 10,000 mango images for classification of ripeness, and bruises.</li> </ul>
SO3: To create a microcontroller- based system to operate the image acquisition system, control the con- veyor belt, and process the mango images through machine learning.	<ul> <li>To develop an intuitive UI where users can start and stop the system.</li> <li>To implement a priority-based grading system with sliders for ripeness, bruises, and size.</li> </ul>
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ul> <li>To utilize a linear combination formula as the overall mango score, where each classification level contributes a grade, weighted by the priority assigned to the three properties.</li> <li>To assign score values for each classification level of the mango.</li> </ul>
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, kmean, and Naïve Bayes.	<ul> <li>To train a machine learning model such as kNN, k-mean, naive Bayes capable of classifying mango ripeness based on the image color</li> <li>To gather a dataset of annotated images with ripeness labels</li> <li>To obtain an evaluation report of performance metrics of the model</li> </ul>



TABLE 1.2 EXPECTED DELIVERABLES PER OBJECTIVE CONTINUED

Objectives	Expected Deliverables
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ul> <li>To develop an image processing algorithm capable of determining mango size using OpenCV, NumPy, and imutils</li> <li>To classify mangoes based on size and categories into small, medium, and large based on those measures</li> </ul>
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ul> <li>To train a machine learning model such as CNN capable of distinguishing bruised and non-bruised mangoes</li> <li>To train a machine learning model such as kNN, k-mean, and Naïve Bayes capable of assessing the extent of bruising on the mangoes if it is significant or partial</li> <li>To gather a dataset of annotated images based on bruises</li> <li>To obtain an evaluation report of performance metrics of both CNN and machine learning models</li> </ul>

### 1.5 Significance of the Study

Automating the process of sorting and grading mangoes increases efficiency and productivity for the user which would in effect remove human error in sorting and grading and decrease the human labor and time taken to sort and grade the mangoes. This is especially important for farmers with a large amount of fruit such as mangoes and a lesser labor force. A recent study showed that their automated citrus sorter and grader using computer vision can reduce the human labor cost and time to sort and grade when comparing the automated citrus sorter and grader to manual human labor Chakraborty et al. (2023).

Another benefit to automating sorting and grading mangoes is the improvement in quality control. This implies that compared to human labor, automating sorting and grading mangoes can uniformly assess the quality of mangoes based on size, color, and bruises, ensuring that the expected grade and high-quality mangoes reach the consumer. By accurately identifying substandard mangoes, the system helps in reducing waste and

\_00



ensuring that only marketable fruits are processed further.

Likewise, the scalability of automating sorting and grading mangoes is simpler, especially for lower labor force farmers with large volumes of mangoes. Because of the possibility of large-scale operations by automating sorting and grading mangoes, farmers can now handle large volumes of mangoes, making them suitable for commercial farms and processing plants. Moreover, it can be adapted to different varieties of mangoes and potentially other fruits with minor modifications.

#### 1.5.1 Technical Benefit

- 1. The development of an automated Carabao mango sorter would increase the quality control of classifying Carabao mango based on ripeness, size, and bruising.
- 2. The accuracy in sorting Carabao mangoes will be significantly improved while reducing the errors due to human factors in manual sorting.
- 3. The automated Carabao mango sorter carefully sorts the mangoes while ensuring that they remain free from bruising or further damage during the process

### 1.5.2 Social Impact

- 1. The reduction in manual labor creates opportunities in maintenance and technologies in the automated Carabao mango sorter.
- The automated Carabao mango sorter system improves Carabao mango standards and enhances the satisfaction of the buyers and the customers through guaranteeing consistent Carabao mango grade.



3. Opportunity to increase sales and profit for the farmers through consistent quality and grade Carabao mangoes while reducing the physical labor to sort it.

301

#### 1.5.3 Environmental Welfare

302

303

304

305 306 1. With the utilization of non-destruction methods of classifying Carabao mangoes together with an accurate sorting system, overall waste from Carabao mangoes is reduced and the likelihood of improperly sorted mangoes is decreased.

Automation of sorting and grading Carabao mangoes promotes sustainable farming practices.

307

## 1.6 Assumptions, Scope, and Delimitations

308

### 1.6.1 Assumptions

309

1. The Carabao mangoes are from the same source together with the same variation

310

2. The Carabao mangoes do not have any fruit borer and diseases

311

3. All the components do not have any form of defects

312

4. The prototype would have access to constant electricity/power source.

313

5. The Carabao mangoes to be tested would be in the post-harvesting stage and in the grading stage.

314

6. The image-capturing system would only capture the two sides of the mango which are the two largest surface areas of the skin.

316

315



	De La Salle University
317	1.6.2 Scope
318	1. The prototype would be specifically designed to grade and sort Carabao Mangoes
319	based on only ripeness, size, and visible skin bruises.
320	2. The mangoes used as the subject will be solely sourced from markets in the Philip-
321	pines.
322	3. The Carabao mangoes would be graded into three levels.
323	4. The prototype will be using a microcontroller-based system locally stored on the
324	device itself to handle user interaction.
325	5. Computer vision algorithms to be used will include image classification.
326	1.6.3 Delimitations
327	1. The project would only be able to perform sorting and grading on one specific fruit
328	which is the Carabao mango and will not be able to sort other types of mangoes.
329	2. Additionally, the project prototype will only be able to capture, sort, and grade one
330	mango subject at a time which means the mangoes have to be placed in the conveyor
331	belt in a single file line for accurate sorting.
332	3. For the bruises, the system will only be able to detect external bruises and may not
333	identify the non-visible and internal bruises.
334	4. The system does not load the mangoes onto the conveyor belt itself. Assistance is
335	required to put mangoes into the conveyor belt to start the sorting process



5. The prototype will be powered using alternating current (ac) power and will be plugged into a wall socket which is only suitable for indoor use.

#### 338

### 1.7 Description and Methodology of the Thesis

339 340 A purpose of the description here is to re-steer/remind the panelist/reader again by tersely describing what your thesis is about (i.e. the problem and the main goal you want to

341

Your methodology is your means of achieving your stated objectives. What you put

343

here is the summary of your methodology chapter.

achieve) in another way without sounding repetitive.

344 345

Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.

346

ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

347

placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

348

Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla

349

tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

350

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

351

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

352

amet ipsum. Nunc quis urna dictum turpis accumsan semper.

353

### 1.8 Estimated Work Schedule and Budget

354 355 As seen above, Table 1.2 shows the Gantt Chart together with the assigned task. For the first part of the THSCP4A, the group would primarily revise and fine tune Chapters 1 and 2 while



	THSCP4A			THSCP4B				THSCP4C				
TASKS	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13
Topic Proposal and Defense	BANAL, BAUTISTA, HERMOSURA, SALAZAR											
Buying and Collecting of Materials					HERMOSURA AND SALAZAR							
Training and Testing the CNN model					BANAL AND B	AUTISTA						
Integrating the sensors and actuators to the Arduino Uno						HERMOSURA	AND SALAZAR					
Coding of the Application with CNN model to the Raspberry Pi and connecting it to the Arduino Uno						BANAL AND B	AUTISTA					
Polishing and Revising the UI App							BANAL AND B	AUTISTA				
Testing and Surveying of the System with the Carabao Mangoes							BANAL, BAUT HERMOSURA,					
Data Gathering									BANAL, BAUT	ISTA, HERMOSI	JRA, SALAZAR	

Fig. 1.2 Gantt Chart

also preparing for the defense. After that for THSCP4B, the yellow team which consists of two members, Hermosura and Salazar, would start buying and collecting the materials needed for assembling the prototype. While team yellow is doing that, team purple which consists of Banal and Baustista would start training and validating the convolution neural network (cnn) model based on the Carabao mango image dataset. After that integration of the sensors and actuators together with the integration of the cnn model and beginning of coding of the Application to the Raspberry Pi would be done. Once that cnn model is deployed and the Application works testing of the Carabao mangoes to the prototype would be done. During THSCP4C, data gathering would be done together with polishing and revising of the final paper.

#### 1.9 Overview of the Thesis

There are seven succeeding chapters. To recall, chapter 1 involves the introduction of the thesis topic containing the background of the study, previous studies, objectives and deliverables, assumptions, scope, and delimitation, significance of the study, description of the project together with the methodology, and Gantt chart and budget. Chapter 2 involves the existing articles, the lacking in their approaches, and the summary of chapter 2.



Chapter 3 involves the theoretical considerations of the thesis topic while chapter 4 would consist of the design consideration involving the thesis topic. Chapter 5 would involve the research methodology containing the testing procedure and setup. Chapter 6 would involve the results and discussion based on the methodology while Chapter 7 would involve the conclusion, recommendations, and future suggestions.

	De La Salle University	
377	Chapter 2	
378	LITERATURE REVIEW	
	16	



### 2.1 Existing Work

The research paper written by Adam et al. (2022) developed a ripeness grader for Carabao mangoes. The Carabao mango ripeness grade calculated based on object and color detection which were written in microcontroller. These are the systems designed by the researchers that consists of Raspberry Pi 4, Arduino Uno, camera, touch screen LCD, MQ3 gas sensor, ventilation system. The proposed system was able to ascertain an overall reliability of 95%: therefore, the specified objective of ascertaining the ripeness level of the mangoes was met with success. However, accuracy and reliability of the software system are there since the hardware design does not seem to be workable when one must deal with the scores of mangoes (Adam et al., 2022). In addition, the design of the hardware does not integrate any form of physical automating, say like the conveyor belt. Besides, the hardware system only works efficiently when deciding the ripeness grade of mangoes separately.

A study done by Samaniego et al. (2023) is another research paper that supports and has relevant information concerning the topic. The researchers proposed a fully-perovskite photonic system which has the capability to identify and sort or grade mango based on features such as color, weight and, conversely, signs of damages (Samaniego et al., 2023). Some of the techniques in image processing that the researchers used included image enhancement, image deblurring, edge detection using MATLAB and Arduino as well as color image segmentation. By carrying out the multiple trials on the device they achieved a classification speed of 8.132 seconds and an accuracy of 91.2%. The proponents' metrics used for the ratings were speed wherein the results were rated "excellent" while the accuracy rating given was "good". One of the limitations of the paper is that the researchers were only limited to the color, texture, and size of the Carabao mango



403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

Furthermore, the research paper presented by Guillergan et al. (2024) designed an Automated Carabao mango classifier, in which the mango image database is used to extract the features like weight, size, area along with the ratio of the spots for grading using Naïve Bayes Model. Concerning the quantitative test design, one had to control and experiment with various methods of image processing that would improve the likelihood of improved classification. The paper methodology entailed sample collection from 300 Carabao mangoes, picture taking using a DSLR camera, and feature deconstruction for categorization (Guillergan et al., 2024). The system prototype and the software were designed with the programming language C# with integration of Aforge. NET routines. The performance of this model was checked with the help of the dataset containing 250 images, precision, recall, F-score key indicators were used. The investigation discovered that the Naïve Bayes' model recognized large and rejected mangoes with 95% accuracy and the large and small/medium difference with a 7% error, suggesting an application for quality differentiation and sorting in the mango business industry. The limitations in the researchers' paper include the researchers were able to achieve high accuracy after using a high quality DSLR camera and the fact that the researchers were not able to incorporate the use of microcontrollers.

Another study by Tomas et al. (2022) proposed SVM-based system for classifying the maturity stages of bananas, mangoes, and calamansi. With the use of 1729 images of bananas together with 711 mango images and 589 calamansi, the researchers were able to achieve a high accuracy score of above 90% for all fruits. Some pre-processing techniques used to get this high accuracy are the change in hue, saturation, and value channels in the mango image (Tomas et al., 2022). To better understand the harvest time of mangoes, the paper by Abu et al. (2021) examined the association of the harvest season with seasonal



heat units, rainfall, and physical fruit attributes for Haden, Kent, Palmer, and Keitt mango varieties to establish export and domestic market maturity standards. For the results of the paper, it shows that temperature, rainfall, and physical characteristics have a reliable, non-destructive indicators for determining mango maturity (Abu et al., 2021). This shows that physical characteristics and temperature are important when exporting fruits such as mangoes.

TABLE 2.1 COMPARISON OF EXISTING STUDIES

<b>Existing Study</b>	Limitations	Accuracy Rating
Adam et al. (2022)	No physical automation, not suitable for large amounts of mangoes, only classifies ripeness and only a sample size of 10 mangoes.	95%
Samaniego et al. (2023)	Focuses only on color and size.	91.2%
Guillergan et al. (2024)	Relies on high-quality DSLR cameras, and limited automation due to not integrating microcontrollers.	95%
Supekar and Wakode (2020)	No physical automation implemented. Ripeness, size, and shape-based classification achieved 100%, 98.19%, and 99.20% accuracy respectively on their own. However, errors occurred when taking into account all these aspects together for grading mangoes, causing an accuracy rating deduction.	88.88%

433

435

434

432

426

427

428

429

430

431

436 437

than, existing studies that used larger sample sizes or assessed multiple mango traits at the

Previous studies on mango grading have achieved an accuracy rating of up to 95%, as

shown in Table 2.1. However, these studies either relied on a small sample size, which

limits statistical significance, or utilized expensive equipment, which may be impractical.

In light of this, the researchers have set a target accuracy rating of greater than or equal

to 90%. This target ensures that the system being developed is comparable to, or better



same time. Furthermore, this research aims to distinguish itself by not only maintaining or exceeding the 90% accuracy rating but also incorporating a graphical user interface (GUI) for selective priority-based mango classification. The system will integrate both software and hardware components, and it will evaluate a greater number of mango traits for grading purposes.

#### 2.1.1 Sorting Algorithms

In previous studies, researchers have implemented various artificial intelligence algorithms in order to determine the optimal and most effective method for sorting mangoes. One of the algorithms that was used in the classification of mangoes was the CNN. A study done by Zheng and Huang (2021) explored the effectiveness of CNN, specifically in classifying mangoes through image processing. The system that the researchers developed graded mangoes into four groups which was based on the Chinese National Standard (Zheng and Huang, 2021). These mangoes were examined by their shape, color uniformity, and external defects. The system that was developed had an impressive accuracy of 97.37% in correctly classifying the mangoes into these grading categories Support Vector Machine was also one of the classification algorithms that was implemented to detect flaws in mangoes. In that study by Veling (2019), SVM was used in the classification of diseases from mangoes. The study used 4 different diseases/defects for testing (Veling, 2019). The diseases were Anthracnose, Powdery Mildew, Black Banded, and Red Rust. and provided 90% accuracy for both the leaves and the fruit

In the study done by Schulze et al. (2015), Simple Linear Regression, Multiple Linear Regression, and Artificial Neural Network models were all studied and compared for the purpose of size-mass estimation for mango fruits. The researchers found that the



Artificial Neural Network yielded a high accuracy rating for mass estimation and for mango classification based on size with a success rate of 96.7% (Schulze et al., 2015). This is attributed to the Artificial Neural Network model's ability to learn both linear and nonlinear relationships between the inputs and the outputs. However, a problem can occur with the use of the model, which is overfitting. This issue occurs when the model is overtrained with the data set such that it will start to recognize unnecessary details such as image noise which results in poor generalization when fed with new data. With this in mind, additional steps will be necessary to mitigate the issue. Another research article written by Alejandro et al. (2018) implements a method for sorting and grading Carabao mangoes. This research focuses on the use of Probabilistic Neural Network, which is another algorithm that is used for pattern recognition and classification of objects. For this study, the researchers focused on the area, color, and the black spots of the mango for their Probabilistic Neural Network model (Alejandro et al., 2018). Their research using the model yielded an accuracy rating of 87.5% for classification of the mangoes which means it is quite accurate for classifying mangoes within the predefined categories. However, problems were encountered with the use of the model when trying to identify mangoes that did not fit the predefined size categories of small, medium, and large. This means that the PNN model may become challenged when presented with a mango with outlying traits or traits that were very different from the data set.

## 2.2 Lacking in the Approaches

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

The majority of past researchers such as Amna et al. (2023) and Guillermo et al. (2019) were able to implement a fruit and mango sorter together with an accurate AI algorithm



TABLE 2.2 COMPARISON OF SORTING ALGORITHM MODELS

Sorting Algorithm Model	Accuracy Rating	Criteria	<b>Problems Encountered</b>
Convolution Neural Network	97.37%	shape, color, defects	Minor blemishes affected the accuracy.
Support Vector Machine	90%	mango defects and diseases	The model is sensitive to noise, which requires intensive image preprocessing.
Artificial Neural Network	96.7%	for mango size and mass	Overfitting
Probabilistic Neural Network	87.5%	for mango area, color, and black spots	Difficulty in identifying mangoes that have outlying features or did not fit the predefined categories

to detect the ripeness defects. This means that none of the previous research papers were able to integrate an interchangeable user-priority-based grading together with size, ripeness, and bruises using machine learning for Carabao mango sorter and grader. Our research however would implement an automated Carabao mango sorter in terms of size, ripeness, and bruises with its own UI, conveyor belt, stepper motors, and bins for collecting the different ripeness and defect grade of the Carabao mango.

### 2.3 Summary

To reiterate, there is an innovative gap that needs to be filled with regards to the process of sorting and grading Carabao mangoes. The traditional methods for conducting this process manually by hand, by a porous ruler, by a sugar meter, and by a color palette can be prone to human error and expensive costs due to the number of laborers required to do the task.



495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

514

On the other hand, although researchers have already taken steps to automate the process of mango sorting and grading, there is still a need for an implementation that takes into account size, ripeness, and bruises altogether whilst being non-destructive and having its own embedded system. The research articles shown above show the different computer vision and CNN approaches for sorting and classifying mangoes. For example, a system created by Adam et al. (2022) was more focused on ripeness detection. Samaniego et al. (2023) considered photonic systems for grading mango fruit based on color and weight. On the other hand, Guillermo et al. (2019) implemented the Naïve Bayes classification model on mangoes with high accuracy, which thereby did not include any microcontroller. There was an attempt to study each of those parameters separately and that is why the multifactorial approach was not used. With this in mind, the system being proposed does exactly what was mentioned, to implement a non-destructive and automated sorting and grading system for Carabao mangoes that takes into account size, ripeness, and bruises altogether using machine learning, as well as having its own embedded system. This system will be mainly composed of a conveyor belt, servo motors, a camera, microcontrollers, and an LCD display for the user interface. By doing so, the system should be able to improve the efficiency and productivity of mango sorting and grading, remove the effect of human error and reduce time consumption. The studies also provided critical insights regarding the effective algorithms that can be used in classification stages in image processing. The use of CNN had the most accuracy with manageable potential challenges. Lastly, by scaling the implementation, the overall export quality of the Carabao mangoes can be improved.

	De La Salle University	
515	Chapter 3	
516	THEORETICAL CONSIDERATIONS	
	24	



To start, computer vision plays an important and pivotal role in machine learning as it equips machines and other systems with the ability to perceive, interpret and understand visual information from our physical environment. Equipping computer systems with this human-like vision capability can be very helpful in many applications such as autonomous driving, advanced medical image analysis and many more. One of the most basic yet very critical functions of computer vision is to process and analyze images to detect and classify objects. This is one of the most important attributes of vision as it can be very useful once computers can correctly recognize and identify different objects. This is where machine learning algorithms further improve its significance. As these computer vision models are exposed to more visual data and information, it can improve in terms of its accuracy and correctness when it comes to identifications and even predictions. This adaptability can be very critical on the performance of these machine vision models in different settings with different lighting conditions which can effectively alter image quality.

### 3.1 Summary

Provide the gist of this chapter such that it reflects the contents and the message.






Fig. 3.1 Conceptual Framework

	De La Salle University	
532	Chapter 4	
533	DESIGN CONSIDERATIONS	
	27	



Before starting the first section, provide an overview of the purpose of this chapter and its contents, and how they are relevant to your methodology.

Your primary goal in the Design Considerations chapter is to describe to your panelist/readers the key topics that fall further under Theoretical Considerations, but should be placed here instead since they are geared towards your Methodology. These key topics are those that you have directly adopted in making your solution/methodology. You can think of the connection of the Design Considerations chapter to the Theoretical Considerations chapter in this way: if your Theoretical Considerations chapter serves as the main foundation of a building, then the Design Considerations chapter functions as the columns.

The Design Considerations chapter is an avenue for explaining why you considered the topics here for your proposed methodology. This chapter is different from your methodology, because topics you discuss here are already accepted as part of the body of knowledge, and may have not been developed by you.

### 4.1 Standards

Standards are essential for successful projects and impactful research. They provide a common framework and ensure consistency, quality, and safety across various disciplines. By adhering to established standards, your work becomes more reliable, interoperable, and valuable in real-world applications. Standards also demonstrate your understanding of industry best practices and enhance the credibility of your research.

To effectively integrate standards into your project, begin by identifying relevant standards related to your specific field. Thoroughly research and understand the requirements and guidelines outlined within these standards. Align your project objectives and method-



ologies to meet or exceed these standards. Document your use of standards in this section, including how and why specific standards were chosen. Finally, evaluate your results against the established standards, justifying any deviations from the norm with sound reasoning and evidence.

### 4.2 Summary

Provide the gist of this chapter such that it reflects the contents and message.

	De La Salle University	
562	Chapter 5	
563	METHODOLOGY	
	30	



Put an overview of the contents of chapter. Mention here your methodology flow through a figure and provide an overview of it and how your methodology achieves your objectives. How your methodology achieves each of your specific objectives is what your panelists/examiners will be looking for. Specify how your methodology achieves your general objective and specific objectives. A point-by-point comparison how your methodology achieves each of your specific objectives is expected in the final Thesis.

Also make sure that you refer clearly to the chapters on the Literature Review, Theoretical Considerations, and Design Considerations showing how your methodology ties with those that you have discussed in those chapters.

Make an overview of the contents of the chapter. Put here your methodology flow through a figure and provide an overview of it.

In summative form, Table 5.1 indicates the approaches, designs, modes, processes, programs, techniques, and/or ways that the Thesisreaches the objectives.

TABLE 5.1 SUMMARY OF METHODS FOR REACHING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-	1. First itemtext	Sec. 5.1 on
priority-based grading	1. This remext	p. 33
and sorting system	2. Second itemtext	
for Carabao mangoes,		
using machine learning	3. Last itemtext	
and computer vision	4. First itemtext	
techniques to assess		
ripeness, size, and	5. Second itemtext	
bruises.		

Continued on next page



#### Continued from previous page

Objectives	Methods	Locations
SO1: To make an image acquisition system with	First itemtext	Sec. 5.1 on p. 33
a conveyor belt for auto-	2. Second itemtext	
matic sorting and grading mangoes.	3. Last itemtext	
	4. First itemtext	
	5. Second itemtext	
SO2: To get the precision, recall, F1 score,	First itemtext	Sec. 5.1 on p. 33
confusion matrix, and	2. Second itemtext	
train and test accuracy metrics for classifying	3. Last itemtext	
the ripeness and bruises	4. First itemtext	
with an accuracy score of at least 90%.	5. Second itemtext	
SO3: To create a microcontroller-based	First itemtext	Sec. 5.1 on p. 33
system to operate	2. Second itemtext	
the image acquisition system, control the	3. Last itemtext	
conveyor belt, and	4. First itemtext	
process the mango images through machine learning.	5. Second itemtext	

Continued on next page



#### Continued from previous page

Objectives	Methods	Locations
SO4: To grade mangoes	First itemtext	Sec. 5.1 on
based on user priorities	1. This remext	p. 33
for size, ripeness, and	2. Second itemtext	
bruises.	3. Last itemtext	
	4. First itemtext	
	5. Second itemtext	
SO5: To classify mango	First itemtext	Sec. 5.1 on
ripeness based on image		p. 33
data using machine	2. Second itemtext	
learning algorithms such as kNN, k-mean,	3. Last itemtext	
and Naïve Bayes.	4. First itemtext	
	5. Second itemtext	

### 5.1 Implementation

Summarize the process used to create/set-up the work with an explanation of such process, instruments, and materials that you used if any. If the description is lengthy, use condensed bullet points.

*Rule of thumb*: Implementation is how you made your work; (keywords: implemented, created, made, soldered, programmed, etc.).

If you wrote a program or made a simulation, you must state how the program or simulation functions in this section. An algorithm or a pseudocode as shown in Table ?? is a good example.

# De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

606



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

613

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



### 5.2 Evaluation

631

632

633

634

635

Describe the procedures for evaluating the correct behavior and outcome of your work, including what information you need to gather and how you will obtain or measure it.

*Rule of thumb*: Evaluation is how you tested your work; (keywords: measured, tested, compared, simulated, etc.).

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 5.3 Summary

681

682

Provide the gist of this chapter such that it reflects the contents and the message.

	De La Salle University	
683	Chapter 6	
684	RESULTS AND DISCUSSIONS	
	39	



Show in this chapter proofs why your proposed solution works. However, presenting results ("It worked") without an appropriate explanation does not show thorough understanding. Aside from the data and results that you have obtained, and their explanation, the discussion includes why components of your proposed solution work did or did not work in accordance to what you described in the evaluation process, and how the proposed solution performed and faired. Interpret the results and the reasons why they were obtained. If your results are incorrect, apparent discrepancies from theory should be pointed out and explained. In essence, what do the results mean? Citing existing publication can help you compare your results and your explanations.

The next items below is not related to the description of this results and discussions chapter, but serves as an opener for the LATEX portion of this template.

In aggregate form, Table 6.1 shows the outcomes and completions in applying the methodology of the Thesisper objective.

TABLE 6.1 SUMMARY OF RESULTS FOR ACHIEVING THE OBJECTIVES

Objectives	Results	Locations
GO: To develop a user-	First itemtext	Sec. 5.1 on
priority-based grading	1. The hemox	p. 33
and sorting system	2. Second itemtext	
for Carabao mangoes,	2. 1	
using machine learning	3. Last itemtext	
and computer vision	4. First itemtext	
techniques to assess		
ripeness, size, and	5. Second itemtext	
bruises.		

Continued on next page



#### Continued from previous page

Objectives	Results	Locations
SO1: To make an image acquisition system with	First itemtext	Sec. 5.1 on p. 33
a conveyor belt for auto-	2. Second itemtext	
matic sorting and grading mangoes.	3. Last itemtext	
	4. First itemtext	
	5. Second itemtext	
SO2: To get the preci-	First itemtext	Sec. 5.1 on
sion, recall, F1 score,		p. 33
confusion matrix, and	2. Second itemtext	
train and test accuracy metrics for classifying	3. Last itemtext	
the ripeness and bruises	4. First itemtext	
with an accuracy score of at least 90%.	5. Second itemtext	
SO3: To create a microcontroller-based	First itemtext	Sec. 5.1 on p. 33
system to operate	2. Second itemtext	
the image acquisition system, control the	3. Last itemtext	
conveyor belt, and	4. First itemtext	
process the mango images through machine	5. Second itemtext	
learning.		

Continued on next page



#### Continued from previous page

Objectives	Results	Locations
SO4: To grade mangoes	First itemtext	Sec. 5.1 on
based on user priorities		p. 33
for size, ripeness, and	2. Second itemtext	
bruises.	3. Last itemtext	
	4. First itemtext	
	5. Second itemtext	
SO5: To classify mango	First itemtext	Sec. 5.1 on
ripeness based on image	1. This remext	p. 33
data using machine	2. Second itemtext	
learning algorithms such as kNN, k-mean,	3. Last itemtext	
and Naïve Bayes.	4. First itemtext	
	5. Second itemtext	

98

700

702

704

706

708

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec



ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

714

715

716

718

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 6.1 Summary

734

740

741

743

744

Provide the gist of this chapter such that it reflects the contents and the message.

	De La Salle University	
745	Chapter 7	
746	CONCLUSIONS, RECOMMENDATIONS, AND	
747	FUTURE DIRECTIVES	
	45	
	T-J	



### 7.1 Concluding Remarks

In this Thesis, ...

748

749

750

751

752

753

754

755

756

757

760

Put here the main points that should be known and learned about the work topic. Summarize or give the gist of the essential principles and inferences drawn from your results.

#### 7.2 Contributions

The interrelated contributions and supplements that have been developed by the author(s) in this Thesis are listed as follows. Only those that are unique to the authors' work are included.

- the ;
- the ;
- 759 the ;

#### 7.3 Recommendations

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

## De La Salle University

a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

778

781

787

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

## De La Salle University

placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 7.4 Future Prospects

There are several prospects that may be extended for further studies. ... So the suggested topics are listed in the following.

- 1. the ....
- 810 2. the ....

794

805

806

807

809

811 3. the ....



Note that for ECE undergraduate theses, as per the directions of the thesis adviser,

Recommendations and Future Directives will be removed for the hardbound copy but will

be retained for database storage.



#### REFERENCES

815

Abbas, Q., Niazi, S., Iqbal, M., and Noureen, M. (2018). Mango Classification Using Texture & 816 Shape Features. IJCSNS International Journal of Computer Science and Network Security, 18(8). 817 Abu, M., Olympio, N. S., and Darko, J. O. (2021). Determination of Harvest Maturity for Mango 818 (<i&gt;Mangifera indica&lt;/i&gt; L.) Fruit by Non-Destructive Criteria. Agricultural Sciences, 819 12(10):1103-1118. 820 Adam, J. A. P., Dato, K. S., Impelido, M. C. D., Tobias, R. G., and Pilueta, N. U. (2022). Non-821 destructive microcontroller-based carabao mango ripeness grader. 822 Alejandro, A. B., Gonzales, J. P., Yap, J. P. C., and Linsangan, N. B. (2018). Grading and sorting of 823 Carabao mangoes using probabilistic neural network. page 020065, Bandung, Indonesia. 824 Amna, M. W. A., Guiqiang, L., and Muhammad Zuhaib AKRAM, M. F. (2023). Machine vision-825 based automatic fruit quality detection and grading. Frontiers of Agricultural Science and 826 Engineering, 0(0):0. 827 Britannica (n.d.). Mango history cultivation and facts. 828 Centino, M. F., Castano, M. C. N., and Ebo, J. B. F. (2020). The Current Status of Philippine Mango 829 in the Global Value Chain. 830 Chakraborty, S. K., Subeesh, A., Dubey, K., Jat, D., Chandel, N. S., Potdar, R., Rao, N. G., and 831 Kumar, D. (2023). Development of an optimally designed real time automatic citrus fruit grading-832 sorting machine leveraging computer vision-based adaptive deep learning model. Engineering 833 Applications of Artificial Intelligence, 120:105826. Co., Z. F. I. (n.d.). What is fruit sorting. 835 836 D'Adamo, G. (2018). The determinants of export quality in the euro area. Quarterly Report on the Euro Area (OREA), 17(1):23-31. Publisher: Directorate General Economic and Financial Affairs 837 (DG ECFIN), European Commission. 838 DBpedia (n.d.). About: Carabao. 839 Guillergan, G., Sabay, R., Madrigal, D., and Bual, J. (2024). Naive Bayes Classifier in Grading 840 Carabao Mangoes. Technium: Romanian Journal of Applied Sciences and Technology, 22:14–32. 841 Guillermo, M. C. S., Naciongayo, D. S., and Galela, M. G. C. (2019). Determining 'Carabao' 842 Mango Ripeness Stages Using Three Image Processing Algorithms. 843 Lacap, A., Bayogan, E. R., Secretaria, L., Joyce, D., Ekman, J., and Goldwater, A. (2021). Bruise 844 Injury and Its Effect on 'Carabao' Mango Fruit Quality. Philippine Journal of Science, 150(6B). 845 Patel, K. K., Khan, M. A., Kumar, Y., and Yadav, A. K. (2019). Novel Techniques in Post Harvest 846 Management of Mango- An Overview. South Asian Journal of Food Technology and Environment, 847 05(02):821-835. 848



Rizwan Iqbal, H. M. and Hakim, A. (2022). Classification and Grading of Harvested Mangoes 849 Using Convolutional Neural Network. International Journal of Fruit Science, 22(1):95-109. 850 851 Samaniego, L. A., De Jesus, L. C. M., Apostol, J. D., Betonio, D. C., Medalla, J. D. B., Peruda Jr, S. R., Brucal, S. G. E., and Yong, E. D. (2023). Carabao mango export quality checker using 852 matlab image processing. International Journal of Computing Sciences Research, 7:2080–2094. 853 854 Schulze, K., Nagle, M., Spreer, W., Mahayothee, B., and Müller, J. (2015). Development and assessment of different modeling approaches for size-mass estimation of mango fruits (Mangifera 855 indica L., cv. 'Nam Dokmai'). Computers and Electronics in Agriculture, 114:269–276. 856 Supekar, A. D. and Wakode, M. (2020). Multi-Parameter Based Mango Grading Using Image 857 Processing and Machine Learning Techniques. INFOCOMP Journal of Computer Science, 858 19(2):175–187. Number: 2. 859 Tomas, M. C., Celino, J. P. L., Escalambre, I. E., and Secreto, B. P. (2022). Detection of Overall 860 Fruit Maturity of Local Fruits Using Support Vector Machine through Image Processing. In 2022 861 12th International Conference on Software Technology and Engineering (ICSTE), pages 96–102. 862 Veling, P. S. (2019). Mango Disease Detection by using Image Processing. *International Journal* 863 for Research in Applied Science and Engineering Technology, 7(4):3717–3726. 864 Zheng, B. and Huang, T. (2021). Mango Grading System Based on Optimized Convolutional Neural 865 Network. Mathematical Problems in Engineering, 2021:1–11. 866

	De La Salle University	
868 869	Appendix A STUDENT RESEARCH ETHICS CLEARANCE	
	52	



870

## RESEARCH ETHICS CLEARANCE FORM<sup>1</sup> For Thesis Proposals

Names of Student Researcher(s):

BANAL, Kenan A. BAUTISTA, Francis Robert Miguel F. HERMOSURA, Don Humphrey L.

SALAZAR, Daniel G

College:GCOE

Department:ECE

Course:Computer Engineering

**Expected Duration of the Project**: from: January 4 2025 to: January 4 2026

**Ethical considerations** 

(The Ethics Checklists may be used as guides in determining areas for ethical concern/consideration)

To the best of my knowledge, the ethical issues listed above have been addressed in the research.

D. Reggie C. Gustilo

Name and Signature of Adviser/Mentor:

Date: February 5, 2025

Date: Noted by:

Dr. Argel Bandala

Name and Signature of the Department Chairperson:

Date: February 6, 2025

 $<sup>^{1}</sup>$  The same form can be used for the reports of completed projects. The appropriate heading need only be used.

	De La Salle University	
871 872	Appendix B ANSWERS TO QUESTIONS TO THIS THESIS	
	54	



### B1 How important is the problem to practice?

A possible answer to this question is the summary of your Significance of the Study, and that portion of the Problem Statement where you describe the ideal scenario for your intended audience.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# B2 How will you know if the solution/s that you will achieve would be better than existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### B2.1 How will you measure the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### B2.1.1 What is/are your basis/bases for the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### B2.1.2 Why did you choose that/those basis/bases?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### B2.1.3 How significant are your measure/s of the improvement/s?



# B3 What is the difference of the solution/s from existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### **B3.1** How is it different from previous and existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# B4 What are the assumptions made (that are behind for your proposed solution to work)?



## B4.1 Will your proposed solution/s be sensitive to these assumptions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B4.2 Can your proposed solution/s be applied to more general cases when some assumptions are eliminated? If so, how?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# B5 What is the necessity of your approach / proposed solution/s?



## B5.1 What will be the limits of applicability of your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# B5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and busines people?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B6 How will you know if your proposed solution/s is/are correct?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B7 Is/are there an/\_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B7.1 Can you come up with illustrating examples, or even better, counterexamples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### B7.2 Is there an approximation that can arrive at essentially the same proposed solution/s more easily?

1071 Lo
1072 Nu
1073 ull
1074 pla
1075 Pr
1076 tri
1077 a l
1078 Pr

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

# B8 If you were the examiner of your Thesis, how would you present the Thesis in another way? Give your remarks, especially for your methodology and the results and discussions.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## B8.1 What are the weaknesses of your Thesis, specifically your methodology and the results and discussions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec



ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

	De La Salle University	
1104 1105	Appendix C REVISIONS TO THE PROPOSAL	
	63	



### PRO1 Panel Comments and Revisions – Appendix Z

### **PRO1 Panel Comments and Revisions**

Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0lDxXBHiK\_xzdicEb.MzbHGzrD7rL3tVgJ?startTime=1731326444000

Passcode: +?qL6DZE

Panelist's Comments and Revisions	Action Taken	Page Number
Capture both two sides of the mango and not just one to remove error	The image capturing system would only capture the two sides of the mango which are the two largest surface areas of the skin.	18
How will you get large dataset with sweetness and how will you classify it?	Remove Sweetness in the SO	13
Size and weight are not the same.	Remove Weight in objectives but retained size in the SO4 and SO6	
Specify in the specific objectives that it will be automatic sorting	SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	13
Add what process will be used to get the size classification	SO6: To classify mango size by gettings its length and width using OpenCV, geometry, and image processing techniques	13
Add what process the ripeness classification will be	SO5: To classify mango ripeness using kNN or nearest neighbors algorithm	13
Get rid of texture in the general objectives	Texture is removed in the SOs	13
Get rid of CNN in general objectives and replace with machine learning	CNN is removed and replaced with machine learning GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning to assess ripeness, size, and bruises.	13
Remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"	SO3: To create a microcontroller application to operate and control the prototype.	13
Remove SO4. No need for user testing	Removed user test and the new SO4 is SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	13
Fig. IDO and house and and	Input: Two side image of the Carabao Mango and the User Priority Attributes Process: Machine Learning Algorithm, Grading Formula, and CNN model using a microcontroller	20
Fix IPO to the correct input and output	Output: Size, Ripeness, and Bruises	20



### PRO1 Panel Comments and Revisions – Appendix Z

	Classification with its Overall Grade	
Define bruises	The black or brown area of the mango that is visible on the skin of the mango.	6
Dataset should use at least 10,000 images	Added to expected deliverables SO2: To use a publicly available dataset of at least 10,000 mango images for classification of ripeness, and bruises.	14
Add to specific objectives the percentage accuracy	SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	14
Weight sensor just adds complexity	removed all mention of load sensor, load cell. removed load cell methodology	39,40,41, 42,43,44 previousl y



### PRO1 Panel Comments and Revisions - Appendix Z

### **PRO1 Panel Comments and Revisions**

### Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-

 $iBno8A6fBRgOCacMrhmzLPCNO0lDxXBHiK\_xzdicEb.MzbHGzrD7rL3tVgJ?startTim~e=1731326444000$ 

Passcode: +?qL6DZE

#### Summary:

- Specific Objectives
- Add:
- what process will be used to get the sweetness classification
- what process the ripeness classification will be
- what process will be used to get the size classification
- Specify in the specific objectives that it will be automatic sorting
- Remove:
- get rid of texture in the general objectives
- get rid of cnn in general objectives and replace with machine learning
- remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"
- remove SO4. No need for user testing

### Comments:

\*[00-00] time stamps from recording

- o [15:00] Why only the top side of the mango? Isn't the point of automation to reduce human error? Then what about the bottom side wouldn't that just introduce another error if the mango happens to have defects on the bottom?
- [16:09] What is the load cell for? Size is not the same as weight, if size is taken from the weight wouldn't size be also taken from the image, if size then adding a load cell would just introduce more complexity, if weight then load cell is fine, reminder that size is not the same as weight.
- [17:36] When computer vision, state input and output parameters. Output parameters in this case would be sweetness, ripeness, size and bruising. Input parameters would be images.
- [18:12] No mention of how the dataset would be gathered. Would you be gather your own dataset or using a publicly available dataset
- [21:38] Fix IPO based on mention input and output parameters.
- [21:50] Dataset is lacking. Usually in machine learning at least 10,000 images. can
  take more than one image per mango. after taking an image of mango can make more out
  of the image using data augmentations.
- o [22:48] Add to specific Objectives the mentioned 80%
- [23:09] Consultant that would grade the mangoes as a third party to remove biases.
   For both the testing and the training
- o [24:55] How do you detect the sweetness of mangoes? Add these to the specific objectives. What are the categories of sweetness? Add these to specific objectives. How do



### PRO1 Panel Comments and Revisions – Appendix Z

you detect the correct categorization of sweetness? How to automate the classification of the sweetness.

- $\circ$  [33:10] Why is the dataset destructive but the testing non destructive? Clarify this further to avoid confusion.
- [35:09] What is the basis of sweetness using images? Clarify this further.
- [35:35] How would you know if the classifier is correct or not? What is your ground truth (for the sweetness)?
- [38:55] When can you say you are getting the top side of the mango? How would you know if the mango images showing the top side or the bottom side of both cheeks of the mango can be captured? If it doesn't matter then any side can be captured so why is it in the limitations that only the top side can be captured. Clarify the limitations.
- $\circ$  [48:10] What classifier would you use here? What features would you extract from the images?
- o [52:07] Does it explain what process will be used to get the sweetness classification? Add it to the specific objectives
- o [54:00] How will ripeness be classified? Will it use the same dataset as the sweetness classification did? How was ground truth obtained?
- o [55:44] Why not the nearest neighbor? it is more fit in this scenario. Do not specify CNN in the objectives. The embedded systems as well, do not specify the Raspberry pi unless truly sure
- o [57:30] Table is just image processing. Is there a specific objective that would describe how ripeness classification will be done? Add this to the specific objectives.
- o [59:10] How is the weight obtained? Add it to the specific objectives. Remember that size is not proportional to weight. Size could be obtained from the image as the camera is from a fixed distance. Add to specific objectives how to get the size
- [1:00:00] get rid of texture in the general objectives. get rid of cnn in general objectives and replace with machine learning. as each parameter will use a different method.
- o [1:04:00] remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"
- o [1:04:37] remove SO4. no more user testing
- [1:05:00] The formula used for grading the mangoes, is this used as industry standard? How do they measure the export quality of mango
- [1:07:00] Specify in the specific objectives that it will be automatic sorting

Here are my comments on my end:)

- 1. Ensure seamless integration between hardware (sensors, motors, etc.) and software (CNNs, Raspberry Pi). You can consider using a modular approach for easier troubleshooting.
- 2. How do you gather a comprehensive and diverse dataset for training your CNN. This will enhance the model's robustness and accuracy.
- 3. Make sure that the weight sensors are calibrated correctly to avoid measurement errors.



### PRO1 Panel Comments and Revisions – Appendix Z

- 4. Implement data augmentation techniques to enhance your image dataset, which can improve model generalization and accuracy.
- 5. Design an intuitive user interface for the Raspberry Pi application.
- 6. Besides precision, recall, and F1 score, consider incorporating confusion matrices to better understand model performance and error types.
- 7. Conduct user testing of the application to gather feedback on usability and functionality. This can lead to improvements in design and user experience. Consider how the system can be scaled or adapted for different fruits or larger processing volumes in the future.

Noted by:

Stolenson Dr. Donabel de Veas Abuan

Chair of Panel

Date: November 11 2024

Note: Keep a copy of this Appendix. It is a requirement that has to be submitted in order to qualify for PRO3 Defense.

	De La Salle University	
1111	Appendix D REVISIONS TO THE FINAL	
	69	



Make a table with the following columns for showing the summary of revisions to the proposal based on the comments of the panel of examiners.

1. Examiner

1113

1114

1115

1116

1117

1118

- 2. Comment
- 3. Summary of how the comment has been addressed
- 4. Locations in the document where the changes have been reflected

TABLE D.1 SUMMARY OF REVISIONS TO THE THESIS

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Reggie C. Gustilo			Sec. 5.1 on p. 33,
	1. First itemtext	First itemtext	Sec. 5.2
	2. Second itemtext	2. Second itemtext	on p. 36, Fig. ?? on p. ??
	3. Last itemtext	3. Last itemtext	p
	4. First itemtext	4. First itemtext	
	5. Second itemtext	5. Second itemtext	
		First itemtext	
		Second itemtext	
		Last itemtext	
		First itemtext	
		Second itemtext	
			d on next need

Continued on next page



Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Donable de Veas			Sec. 5. on p. 33
Abuan	1. First itemtext	First itemtext	Sec. 5.
	2. Second itemtext	2. Second itemtext	on p. 3 Fig. ?? o
	3. Last itemtext	3. Last itemtext	p. ??
	4. First itemtext	4. First itemtext	
	5. Second itemtext	5. Second itemtext	
		First itemtext	
		Second itemtext	
		Last itemtext	
		First itemtext	
		Second itemtext	
Engr. Jose			Sec. 5
Martin Maningo	1. First itemtext	First itemtext	on p. 3 Sec. 5
	2. Second itemtext	2. Second itemtext	on p. 3 Fig. ??
	3. Last itemtext	3. Last itemtext	p. ??
	4. First itemtext	4. First itemtext	
	5. Second itemtext	5. Second itemtext	
		First itemtext	
		Second itemtext	
		Last itemtext	
		First itemtext	

Continued on next page



a	c		
Continued	trom	previous	nage

	Communication previous page		
Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Alexan- der Co			Sec. 5.1 on p. 33,
Abad	1. First itemtext	First itemtext	Sec. 5.2
	2. Second itemtext	2. Second itemtext	Fig. ?? on
	3. Last itemtext	3. Last itemtext	p. <b>??</b>
	4. First itemtext	4. First itemtext	
	5. Second itemtext	5. Second itemtext	
Dr. Rafael W. Sison			Sec. 5.1
W. SISOII	1. First itemtext	1. First itemtext	on p. 33, Sec. 5.2
	2. Second itemtext	2. Second itemtext	on p. 36, Fig. ?? on
	3. Last itemtext	3. Last itemtext	p. ??
	4. First itemtext	4. First itemtext	
	5. Second itemtext	5. Second itemtext	

	De La Salle University	
1119 1120 1121	Appendix E LIST OF LIMITS AND DESIGN CONSTRAINTS	
	73	



# Appendix F VITA

Kenan A. Banal is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

Francis Robert Miguel F. Bautista is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

Don Humphrey L. Hermosura is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

Daniel G. Salazar is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

	De La Salle University	
1136 1137	Appendix G ARTICLE PAPER(S)	
	75	

# Article/Forum Paper Format (IEEE LaTeX format)

Michael Shell, Member, IEEE, John Doe, Fellow, OSA, and Jane Doe, Life Fellow, IEEE

1138

Abstract—The abstract goes here. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Index Terms—Computer Society, IEEE, IEEEtran, journal, LaTeX, paper, template.

### I. Introduction

HIS demo file is intended to serve as a "starter file" for IEEE article papers produced under LATEX using IEEEtran.cls version 1.8b and later. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### A. Subsection Heading Here

Subsection text here. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis

M. Shell was with the Department of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, 30332. E-mail: see http://www.michaelshell.org/contact.html




Fig. 1. Simulation results for the network.

#### TABLE I AN EXAMPLE OF A TABLE

One	Two
Three	Four

sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 1) Subsubsection Heading Here: Subsubsection text here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### II. CONCLUSION

### The conclusion goes here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra

J. Doe and J. Doe are with Anonymous University.




Fig. 2. Simulation results for the network.

sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### APPENDIX A PROOF OF THE FIRST ZONKLAR EQUATION


### Appendix one text goes here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut portitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### APPENDIX B

### Appendix two text goes here. [?].

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent



in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### ACKNOWLEDGMENT

The authors would like to thank...