



1

# Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics using Machine Learning

4

A Thesis  
Presented to the Faculty of the  
Department of Electronics and Computer Engineering  
Gokongwei College of Engineering  
De La Salle University

10

In Partial Fulfillment of the  
Requirements for the Degree of  
Bachelor of Science in Computer Engineering

14

15

BANAL Kenan A.  
BAUTISTA Francis Robert Miguel F.  
HERMOSURA Don Humphrey L.  
SALAZAR Daniel G.

20



21

## ORAL DEFENSE RECOMMENDATION SHEET

22

23

24

25

26

27

28

29

This thesis, entitled **Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics using Machine Learning**, prepared and submitted by thesis group, AISL-1-2425-C5, composed of:

BANAL, Kenan A.

BAUTISTA, Francis Robert Miguel F.

HERMOSURA, Don Humphrey L.

SALAZAR, Daniel G.

30

31

32

33

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering (BS-CPE)** has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

34

35

36

---

**Dr. Reggie C. Gustillo**  
*Adviser*

37

March 28, 2025



38

## ABSTRACT

39

Carabao Mangoes are one of the sweetest mangoes in the world and one of the major producers of this is the Philippines. However, mangoes go through many screening processes, one of them being sorting and grading during post harvesting which is labor intensive, prone to human error, and can be inefficient if done manually. Previous researchers have taken steps to automate the process, however, their works often focus on only specific traits, and do not try to encapsulate all the physical traits of the mangoes altogether. Furthermore, previous researchers made the grading system static or unchangeable to the user. In this study, the researchers will develop an automated Carabao mango grader and sorter based on ripeness, size, and bruises with an interchangeable mango attribute priority through non-destructive means. Using machine vision, image processing, Machine Learning, microcontrollers and sensors the mangoes will be physically sorted into designated bins via a conveyor belt system which can be controlled and monitored via a graphical user interface. The approach will streamline the post-harvest process and cut down on human errors and labor costs, helping maintain the high quality of Carabao mango exports.

53

54 *Index Terms*—Machine Learning, Carabao Mangoes, Sorting and Grading Mangoes, Machine Vision, Microcontroller.



## TABLE OF CONTENTS

55	<b>Oral Defense Recommendation Sheet</b>	ii
56	<b>Abstract</b>	iii
57	<b>Table of Contents</b>	iv
58	<b>List of Figures</b>	v
59	<b>List of Tables</b>	vi
60	<b>Abbreviations and Acronyms</b>	vii
61	<b>Notations</b>	viii
62	<b>Glossary</b>	ix
63	<b>Listings</b>	x
64	<b>Chapter 1 INTRODUCTION</b>	1
65	1.1 Background of the Study . . . . .	2
66	1.2 Prior Studies . . . . .	4
67	1.3 Problem Statement . . . . .	5
68	1.4 Objectives and Deliverables . . . . .	6
69	1.4.1 General Objective (GO) . . . . .	6
70	1.4.2 Specific Objectives (SOs) . . . . .	6
71	1.4.3 Expected Deliverables . . . . .	7
72	1.5 Significance of the Study . . . . .	9
73	1.5.1 Technical Benefit . . . . .	10
74	1.5.2 Social Impact . . . . .	10
75	1.5.3 Environmental Welfare . . . . .	11
76	1.6 Assumptions, Scope, and Delimitations . . . . .	11
77	1.6.1 Assumptions . . . . .	11
78	1.6.2 Scope . . . . .	12
79	1.6.3 Delimitations . . . . .	12
80	1.7 Estimated Work Schedule and Budget . . . . .	13
81	1.8 Overview of the Thesis . . . . .	14



83	<b>Chapter 2 LITERATURE REVIEW</b>	<b>15</b>
84	2.1 Existing Work . . . . .	16
85	2.1.1 Sorting Algorithms . . . . .	19
86	2.2 Lacking in the Approaches . . . . .	20
87	2.3 Summary . . . . .	21
88	<b>Chapter 3 THEORETICAL CONSIDERATIONS</b>	<b>23</b>
89	3.1 Introduction . . . . .	24
90	3.2 Relevant Theories and Models . . . . .	24
91	3.3 Technical Background . . . . .	25
92	3.4 Conceptual Framework Background . . . . .	25
93	3.5 Software Concepts . . . . .	26
94	3.5.1 Thresholding . . . . .	26
95	3.5.2 Object Size Calculation . . . . .	26
96	3.5.3 Convolutional Neural Network . . . . .	26
97	3.6 Hardware Concepts . . . . .	26
98	3.6.1 DC Motor . . . . .	26
99	3.6.2 4 Channel Relay . . . . .	26
100	3.6.3 1:3 Pulley Belt . . . . .	26
101	3.7 Summary . . . . .	26
102	<b>Chapter 4 DESIGN CONSIDERATIONS</b>	<b>27</b>
103	4.1 Introduction . . . . .	28
104	4.2 System Architecture . . . . .	28
105	4.3 Hardware Considerations . . . . .	29
106	4.3.1 General Prototype Framework . . . . .	29
107	4.3.2 Prototype Block Diagram . . . . .	29
108	4.3.3 Prototype Flowchart . . . . .	29
109	4.3.4 Hardware Specifications . . . . .	29
110	4.3.4.1 Raspberry Pi . . . . .	29
111	4.3.4.2 Raspberry Pi Camera . . . . .	31
112	4.3.4.3 DC Motor . . . . .	32
113	4.3.4.4 MicroSD Card . . . . .	33
114	4.3.4.5 LED Lights . . . . .	34
115	4.3.4.6 Power Supply . . . . .	34
116	4.3.4.7 4 Channel Relay Module . . . . .	36
117	4.4 Software Considerations . . . . .	37
118	4.4.1 PyTorch . . . . .	38
119	4.4.2 OpenCV . . . . .	38
120	4.4.3 Tkinter . . . . .	38



121	4.4.4 CustomTkinter . . . . .	38
122	4.5 Security and Reliability Considerations . . . . .	38
123	4.6 Scalability and Efficiency Considerations . . . . .	38
124	4.7 User Interface . . . . .	38
125	4.8 Constraints and Limitations . . . . .	39
126	4.9 Technical Standards . . . . .	39
127	4.10 Prototyping and Simulation . . . . .	39
128	4.11 Design Validation . . . . .	39
129	4.12 Summary . . . . .	40
130	<b>Chapter 5 METHODOLOGY</b>	<b>41</b>
131	5.1 Introduction . . . . .	44
132	5.2 Research Approach . . . . .	44
133	5.3 Hardware Design . . . . .	44
134	5.4 Software Design . . . . .	45
135	5.5 Data Collection Methods . . . . .	46
136	5.6 Testing and Evaluation Methods . . . . .	46
137	5.6.1 Ripeness Training and Testing . . . . .	48
138	5.6.2 Bruises Training and Testing . . . . .	48
139	5.6.3 Size Determination . . . . .	48
140	5.7 Formula for User Priority . . . . .	48
141	5.8 Ethical Considerations . . . . .	48
142	5.9 Summary . . . . .	48
143	<b>Chapter 6 RESULTS AND DISCUSSIONS</b>	<b>50</b>
144	6.1 Training and Testing Results of the Model . . . . .	55
145	6.1.1 Ripeness Classification Results . . . . .	55
146	6.1.2 Bruises Classification Results . . . . .	56
147	6.2 Size Determination Results . . . . .	56
148	6.3 User Priority Formula . . . . .	56
149	6.4 Physical Prototype . . . . .	56
150	6.5 Software Application . . . . .	56
151	6.6 Summary . . . . .	56
152	<b>Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES</b>	<b>57</b>
153	7.1 Concluding Remarks . . . . .	58
154	7.2 Contributions . . . . .	58
155	7.3 Recommendations . . . . .	58
156	7.4 Future Prospects . . . . .	58



# De La Salle University

158	<b>References</b>	<b>60</b>
159	<b>Appendix A STUDENT RESEARCH ETHICS CLEARANCE</b>	<b>62</b>
160	<b>Appendix B ANSWERS TO QUESTIONS TO THIS THESIS</b>	<b>64</b>
161	<b>Appendix C REVISIONS TO THE PROPOSAL</b>	<b>73</b>
162	<b>Appendix D REVISIONS TO THE FINAL</b>	<b>79</b>
163	<b>Appendix E VITA</b>	<b>83</b>
164	<b>Appendix F ARTICLE PAPER(S)</b>	<b>84</b>



## LIST OF FIGURES

166	1.1	Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019) . . . . .	2
167	1.2	Gantt Chart . . . . .	13
168	3.1	Theoretical Framework Diagram. . . . .	24
169	3.2	Conceptual Framework Diagram. . . . .	25
170	4.1	Raspberry Pi 4 Model B . . . . .	30
171	4.2	Raspberry Pi Camera Module Version 2 . . . . .	31
172	4.3	12 Volt DC Gear Motor . . . . .	32
173	4.4	SanDisk Ultra MicroSD Card . . . . .	34
174	4.5	Bench Power Supply . . . . .	35
175	4.6	4 Channel Relay Module . . . . .	36



176

## LIST OF TABLES

177	1.1 Expected Deliverables per Objective . . . . .	7
178	1.1 Expected Deliverables per Objective . . . . .	8
179	1.1 Expected Deliverables per Objective . . . . .	9
180	2.1 Comparison of Existing Studies . . . . .	18
181	2.2 Comparison of Sorting Algorithm Models . . . . .	21
182	5.1 Summary of methods for reaching the objectives . . . . .	42
183	6.1 Summary of methods for achieving the objectives . . . . .	51
184	D.1 Summary of Revisions to the Thesis . . . . .	80



## 185 ABBREVIATIONS

186	AC	Alternating Current .....	13
187	DC	Direct Current .....	24
188	CNN	Convolution Neural Network .....	13
189	GUI	Graphical User Interface .....	38
190	LED	Light Emitting Diode .....	34
191	UI	User Interface .....	38



192

## NOTATION

193	$B(P)$	Bruises Priority .....	56
194	$b(p)$	Bruises Prediction .....	56
195	$R(P)$	Ripeness Priority .....	56
196	$r(p)$	Ripeness Prediction .....	56
197	$S(P)$	Size Priority .....	56
198	$s(p)$	Size Prediction .....	56



## 199 GLOSSARY

200	bruises	The black or brown area of the mango that is visible on the skin of the mango.
201	Carabao mango	A popular variety of mango grown in the Philippines, known for its sweet and juicy flesh.
202	accuracy score	A performance metric that measures the overall proportion of correct predictions made by a machine learning model.
203	confusion matrix	A table that summarizes the performance of a classification model, showing the number of true positives, true negatives, false positives, and false negatives.
204	CNN	A type of deep neural network that is highly effective in analyzing and processing visual data, such as images.
205	F1-Score	A balanced performance metric that is the harmonic mean of precision and recall, taking both into account.
206	machine learning	A subset of Artificial Intelligence that enables systems to learn and improve from data.
207	computer vision	The use of cameras and algorithms to provide imaging-based inspection and analysis.
208	microcontroller	A small computing device that controls other parts of a system such as sensors.
209	Precision	A performance metric that reflects the percentage of instances classified as positive that are truly positive.
210	recall	A performance metric that measures the proportion of actual positive instances that the model correctly identified.



# De La Salle University

211

User Priority-Based Grading

A customizable grading system where users can assign weights to grading factors.



De La Salle University

212

## LISTINGS



De La Salle University

213

## **Chapter 1**

214

# **INTRODUCTION**



## 215      **1.1 Background of the Study**

216      Mangoes, also known as the *Mangifera indica*, are a member of the cashew family. This  
217      fruit can often be seen being farmed by countries such as Myanmar, the Philippines, and  
218      India as they have a tropical dry season. Being in a tropical country is an important  
219      aspect for mango cultivation as it ensures proper growth for mangoes. If aspects such as  
220      temperature and rainfall are not ideal, it may affect the quality of the mango (Britannica,  
nd). Carabao mangoes is a variety of a mango that is found and cultivated in the Philippines.



Fig. 1.1 Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)

221  
222      It is known for its sweet signature taste that was recognized sweetest in the world in the  
223      Guinness Book of World Records in 1995. The mango was named after the national animal  
224      of the Philippines, a native breed of buffalo. On average, it is 12.5 cm in length and 8.5  
225      cm in diameter, having a bright yellow color when ripe as seen in Figure 1.1. It is often  
226      cultivated during late May to early July (DBpedia, nd).

227      As the Philippines is a tropical country, mangoes are a highly valued fruit as it is not  
228      only the country's national fruit but also amongst the leading agricultural exports of the  
229      country, ranking only third below bananas and pineapples. This gives the country the 9th  
230      slot amongst the leading exporters of Mangoes across the world. Attributed to this ranking



# De La Salle University

231 is the country's export of both fresh and dried mangoes, as well as low tariff rates. This  
232 allows the country to export a large quantity of the fruit in countries such as Singapore,  
233 Japan, and the USA as they can enter duty free markets provided by the World Trade  
234 Organization and Japan. Due to this, the mangoes have become a major source of income  
235 to an estimated 2.5 million farmers in the country (Centino et al., 2020).

236 Before mangoes are sold in markets, they first undergo multiple post-harvest processes.  
237 This is to ensure that the mangoes that arrive in markets are utmost quality before being  
238 sold to consumers. Moreover, it ensures that mangoes are contained and preserved properly  
239 such that they do not incur damages and/or get spoiled on its transportation to the market.  
240 Processing of the mango involves pre-cooling, cleaning, waxing, classification, grading,  
241 ripening, packaging, preservation, storage, packing, and transportation (Patel et al., 2019)  
242 (Rizwan Iqbal and Hakim, 2022).

243 Among the processes that mangoes undergo, classification and grading is important as  
244 it allows the manufacturer to separate mangoes with good qualities versus mangoes with  
245 poor qualities. According to a study by (Lacap et al., 2021), size, length, width, volume,  
246 density, indentation, and grooves are aspects that determine the maturity of mangoes. These  
247 traits are being checked along with the ripeness of the mango, sightings of bruise injury,  
248 and cracks on the fruit (Lacap et al., 2021) as these aspects affect the sellability of the fruit  
249 as well as the chances of it getting spoiled sooner.

250 Previous studies have been made to automate the sortation process of the mangoes.  
251 Among these is a research done by Abbas et al. (2018), which focuses on classification  
252 of mangoes using their texture and shape features. They do this by, first, acquiring an  
253 image of the mango using a digital camera. Then, these images are fed to the MaZda  
254 package, which is a software originally developed for magnetic resonance imaging. Within



255 the MaZda package is the B11 program, which uses Principal Component Analysis, Linear  
256 Discriminant Analysis, Nonlinear Discriminant Analysis, and texture classification to  
257 extract features from the mango, which in this case are the length, width, and texture. This  
258 data is then compared to a database in order to classify any given mango (Abbas et al.,  
259 2018).

260 Another study is done by Rizwan Iqbal and Hakim (2022), which classifies mangoes  
261 based on their color, volume, size, and shape. This is done by making use of Charge Coupled  
262 Devices, Complementary Metal-Oxide Semiconductor sensors, and 3-layer Convolutional  
263 Neural Network. To classify the mangoes, images are first captured and preprocessed to  
264 be used as a data set (Rizwan Iqbal and Hakim, 2022). This data set is then augmented  
265 to be used as a model for the 3-layer Convolutional Neural Network. After extracting the  
266 features of the mango, the 3-layer Convolutional Neural Network is used as a method for  
267 their classification as it can mimic the human brain in pattern recognition, and process  
268 data for decision making. This is important as some mangoes have very subtle differences  
269 which make it difficult to differentiate them.

## 270 1.2 Prior Studies

271 A paper written by Amna et al. (2023), designed an automated fruit sorting machine based  
272 on the quality through an image acquisition system and CNN. Furthermore, the results  
273 of the paper show that the image processing detection score was 89% while that of the  
274 tomatoes was 92% while the CNN model had higher validity of 95% for mangoes and  
275 93% for tomatoes. 15%, while the percentage of distinction between the two groups was  
276 reported to be 5% respectively (Amna et al., 2023). Despite the high accuracy score in



277 detecting mango defects, the fruit sorting system only sorts based on the mango defects  
278 and not on ripeness, and weight.

279 Furthermore, the research paper presented by Guillergan et al. (2024) designed an  
280 Automated Carabao mango classifier, in which the mango image database is used to extract  
281 the features like size, area along with the ratio of the spots for grading using Naïve Bayes  
282 Model. For the results, the Naïve Bayes' model recognized large and rejected mangoes with  
283 95% accuracy and the large and small/medium difference with a 7% error, suggesting an  
284 application for quality differentiation and sorting in the mango business industry. Despite  
285 the high accuracy of classifying Carabao mangoes, the researchers used a high quality  
286 DSLR camera for the image acquisition system without any microcontroller to control the  
287 mangoes (Guillergan et al., 2024).

### 288 **1.3 Problem Statement**

289 As mangoes are among the top exports of the Philippines (Centino et al., 2020), assessing  
290 the physical deformities is a necessity. The physical deformities of the Carabao mango  
291 can determine the global competitiveness of the country. Having higher quality exports  
292 can often lead to gaining competitive edge, increase in demand, increase export revenues,  
293 and becoming less susceptible to low-wage competition (D'Adamo, 2018). In order to  
294 increase the quality of mango fruit exports, a key post-harvest process is done, which is  
295 sorting and grading. Mango sorting and grading then becomes important to determine  
296 which batches are of high quality and can be sold for a higher price, and which batches are  
297 of low quality and can only be sold for a low price (Co., nd). Traditionally, fruit sorting  
298 and grading is inefficient as it is done manually by hand. Some tools are used such as



299 porous ruler to determine fruit size and color palette for color grading (Co., nd). However,  
300 among the problems encountered in the process of manually sorting and grading mangoes  
301 are susceptibility to human error and requiring a number of laborers to do the task.

302 With the current advancements in technology, some researchers have already taken steps  
303 to automate the process of sorting and grading mangoes. However, these attempts would  
304 often only consider some of the aspects pertaining to size, ripeness, and bruises but not all  
305 of them at the same time. Lastly, not all research approaches were able to implement a  
306 hardware for their algorithm, limiting their output to only a software implementation and not  
307 an embedded system. As such the proposed system would assess the export quality of the  
308 Carabao mango based on all the mentioned mango traits, namely size, bruises, and ripeness  
309 while also taking into consideration being non-destructive. These aspects are important  
310 because, as was previously mentioned, there is a need to develop a Carabao mango sorter  
311 that takes into account all these aspects at the same time while being non-destructive.

## 312 **1.4 Objectives and Deliverables**

### 313 **1.4.1 General Objective (GO)**

- 314 • GO: To develop a user-priority-based grading and sorting system for Carabao man-  
315 goes, using machine learning and computer vision techniques to assess ripeness, size,  
316 and bruises. ;



### 317      **1.4.2 Specific Objectives (SOs)**

- 318      • SO1: To make an image acquisition system with a conveyor belt for automatic sorting  
319      and grading mangoes. ;
- 320      • SO2: To get the precision, recall, F1 score, confusion matrix, and train and test  
321      accuracy metrics for classifying the ripeness and bruises with an accuracy score of at  
322      least 90%.;
- 323      • SO3: To create a microcontroller-based system to operate the image acquisition  
324      system, control the conveyor belt, and process the mango images through machine  
325      learning. ;
- 326      • SO4: To grade mangoes based on user priorities for size, ripeness, and bruises. ;
- 327      • SO5: To classify mango ripeness based on image data using machine learning  
328      algorithms such as kNN, k-mean, and Naïve Bayes. ;
- 329      • SO6: To classify mango size based on image data by getting its length and width  
330      using OpenCV, geometry, and image processing techniques. ;
- 331      • SO7: To classify mango bruises based on image data by employing machine learning  
332      algorithms.

### 333      **1.4.3 Expected Deliverables**

334      Table 1.1 shows the outputs, products, results, achievements, gains, realizations, and/or  
335      yields of the Thesis.



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ul style="list-style-type: none"> <li>• To develop a Carabao mango grading and sorting system.</li> <li>• To grade Carabao mangoes into three categories based on ripeness, size, and bruises using machine learning.</li> <li>• To integrate sensors and actuators to control the conveyor belt and image acquisition system.</li> </ul>
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ul style="list-style-type: none"> <li>• To make an image acquisition system with a camera and LED light source.</li> <li>• To build a flat belt conveyor for moving the mangoes.</li> </ul>
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ul style="list-style-type: none"> <li>• To use a publicly available dataset of at least 10,000 mango images for classification of ripeness and bruises.</li> </ul>
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	<ul style="list-style-type: none"> <li>• To develop an intuitive UI where users can start and stop the system.</li> <li>• To implement a priority-based grading system with sliders for ripeness, bruises, and size.</li> </ul>
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ul style="list-style-type: none"> <li>• To utilize a linear combination formula as the overall mango score, where each classification level contributes a grade, weighted by the priority assigned to the three properties.</li> <li>• To assign score values for each classification level of the mango.</li> </ul>

*Continued on next page*



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	<ul style="list-style-type: none"> <li>To train a machine learning model such as kNN, k-means, or Naïve Bayes capable of classifying mango ripeness based on the image color.</li> <li>To gather a dataset of annotated images with ripeness labels.</li> <li>To obtain an evaluation report of performance metrics of the model.</li> </ul>
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ul style="list-style-type: none"> <li>To develop an image processing algorithm capable of determining mango size using OpenCV, NumPy, and imutils.</li> <li>To classify mangoes based on size into small, medium, and large based on measurements.</li> </ul>
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ul style="list-style-type: none"> <li>To train a machine learning model such as CNN capable of distinguishing bruised and non-bruised mangoes.</li> <li>To train a machine learning model such as kNN, k-means, and Naïve Bayes capable of assessing the extent of bruising on the mangoes if it is significant or partial.</li> <li>To gather a dataset of annotated images based on bruises.</li> <li>To obtain an evaluation report of performance metrics of both CNN and other machine learning models.</li> </ul>

336

## 1.5 Significance of the Study

337

Automating the process of sorting and grading mangoes increases efficiency and productivity for the user which would in effect remove human error in sorting and grading and decrease the human labor and time taken to sort and grade the mangoes. This is especially important for farmers with a large amount of fruit such as mangoes and a lesser labor force.

338

339

340



341 A recent study showed that their automated citrus sorter and grader using computer vision  
342 can reduce the human labor cost and time to sort and grade when comparing the automated  
343 citrus sorter and grader to manual human labor Chakraborty et al. (2023).

344 Another benefit to automating sorting and grading mangoes is the improvement in  
345 quality control. This implies that compared to human labor, automating sorting and  
346 grading mangoes can uniformly assess the quality of mangoes based on size, color, and  
347 bruises, ensuring that the expected grade and high-quality mangoes reach the consumer.  
348 By accurately identifying substandard mangoes, the system helps in reducing waste and  
349 ensuring that only marketable fruits are processed further.

350 Likewise, the scalability of automating sorting and grading mangoes is simpler, es-  
351 pecially for lower labor force farmers with large volumes of mangoes. Because of the  
352 possibility of large-scale operations by automating sorting and grading mangoes, farmers  
353 can now handle large volumes of mangoes, making them suitable for commercial farms  
354 and processing plants. Moreover, it can be adapted to different varieties of mangoes and  
355 potentially other fruits with minor modifications.

### 356 1.5.1 Technical Benefit

- 357 1. The development of an automated Carabao mango sorter would increase the quality  
358 control of classifying Carabao mango based on ripeness, size, and bruising.
- 359 2. The accuracy in sorting Carabao mangoes will be significantly improved while  
360 reducing the errors due to human factors in manual sorting.
- 361 3. The automated Carabao mango sorter carefully sorts the mangoes while ensuring  
362 that they remain free from bruising or further damage during the process



363 **1.5.2 Social Impact**

- 364 1. The reduction in manual labor creates opportunities in maintenance and technologies  
365 in the automated Carabao mango sorter.
- 366 2. The automated Carabao mango sorter system improves Carabao mango standards  
367 and enhances the satisfaction of the buyers and the customers through guaranteeing  
368 consistent Carabao mango grade.
- 369 3. Opportunity to increase sales and profit for the farmers through consistent quality  
370 and grade Carabao mangoes while reducing the physical labor to sort it.

371 **1.5.3 Environmental Welfare**

- 372 1. With the utilization of non-destruction methods of classifying Carabao mangoes  
373 together with an accurate sorting system, overall waste from Carabao mangoes is  
374 reduced and the likelihood of improperly sorted mangoes is decreased.
- 375 2. Automation of sorting and grading Carabao mangoes promotes sustainable farming  
376 practices.

377 **1.6 Assumptions, Scope, and Delimitations**

378 **1.6.1 Assumptions**

- 379 1. The Carabao mangoes are from the same source together with the same variation
- 380 2. The Carabao mangoes do not have any fruit borer and diseases



- 381        3. All the components do not have any form of defects
- 382        4. The prototype would have access to constant electricity/power source.
- 383        5. The Carabao mangoes to be tested would be in the post-harvesting stage and in the  
384              grading stage.
- 385        6. The image-capturing system would only capture the two sides of the mango which  
386              are the two largest surface areas of the skin.

387        **1.6.2 Scope**

- 388        1. The prototype would be specifically designed to grade and sort Carabao Mangoes  
389              based on only ripeness, size, and visible skin bruises.
- 390        2. The mangoes used as the subject will be solely sourced from markets in the Philip-  
391              pines.
- 392        3. The Carabao mangoes would be graded into three levels.
- 393        4. The prototype will be using a microcontroller-based system locally stored on the  
394              device itself to handle user interaction.
- 395        5. Computer vision algorithms to be used will include image classification.

396        **1.6.3 Delimitations**

- 397        1. The project would only be able to perform sorting and grading on one specific fruit  
398              which is the Carabao mango and will not be able to sort other types of mangoes.



- 399        2. Additionally, the project prototype will only be able to capture, sort, and grade one  
 400        mango subject at a time which means the mangoes have to be placed in the conveyor  
 401        belt in a single file line for accurate sorting.
- 402        3. For the bruises, the system will only be able to detect external bruises and may not  
 403        identify the non-visible and internal bruises.
- 404        4. The system does not load the mangoes onto the conveyor belt itself. Assistance is  
 405        required to put mangoes into the conveyor belt to start the sorting process
- 406        5. The prototype will be powered using alternating current (ac) power and will be  
 407        plugged into a wall socket which is only suitable for indoor use.

## 408        1.7 Estimated Work Schedule and Budget

TASKS	THSCP4A				THSCP4B				THSCP4C			
	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13
Topic Proposal and Defense	BANAL, BAUTISTA, HERMOSURA, SALAZAR				HERMOSURA AND SALAZAR							
Buying and Collecting of Materials					BANAL AND BAUTISTA							
Training and Testing the CNN model						HERMOSURA AND SALAZAR						
Integrating the sensors and actuators to the Arduino Uno						BANAL AND BAUTISTA						
Coding of the Application with CNN model to the Raspberry Pi and connecting it to the Arduino Uno							BANAL AND BAUTISTA					
Polishing and Revising the UI App							BANAL AND BAUTISTA					
Testing and Surviving of the System with the Carabao Mangoes							BANAL, BAUTISTA, HERMOSURA, SALAZAR					
Data Gathering								BANAL, BAUTISTA, HERMOSURA, SALAZAR				

Fig. 1.2 Gantt Chart

409        As seen above, Table 1.2 shows the Gantt Chart together with the assigned task. For  
 410        the first part of the THSCP4A, the group would primarily revise and fine tune Chapters  
 411        1 and 2 while also preparing for the defense. After that for THSCP4B, the yellow team  
 412        which consists of two members, Hermosura and Salazar, would start buying and collecting



413 the materials needed for assembling the prototype. While team yellow is doing that,  
414 team purple which consists of Banal and Baustista would start training and validating the  
415 convolution neural network (cnn) model based on the Carabao mango image dataset. After  
416 that integration of the sensors and actuators together with the integration of the cnn model  
417 and beginning of coding of the Application to the Raspberry Pi would be done. Once that  
418 cnn model is deployed and the Application works testing of the Carabao mangoes to the  
419 prototype would be done. During THSCP4C, data gathering would be done together with  
420 polishing and revising of the final paper.

## 421 **1.8 Overview of the Thesis**

422 There are seven succeeding chapters. To recall, chapter 1 involves the introduction of  
423 the thesis topic containing the background of the study, previous studies, objectives and  
424 deliverables, assumptions, scope, and delimitation, significance of the study, description  
425 of the project together with the methodology, and Gantt chart and budget. Chapter 2  
426 involves the existing articles, the lacking in their approaches, and the summary of chapter 2.  
427 Chapter 3 involves the theoretical considerations of the thesis topic while chapter 4 would  
428 consist of the design consideration involving the thesis topic. Chapter 5 would involve the  
429 research methodology containing the testing procedure and setup. Chapter 6 would involve  
430 the results and discussion based on the methodology while Chapter 7 would involve the  
431 conclusion, recommendations, and future suggestions.



De La Salle University

432

## Chapter 2

433

## LITERATURE REVIEW



## 434 2.1 Existing Work

435 The research paper written by Adam et al. (2022) developed a ripeness grader for Carabao  
436 mangoes. The Carabao mango ripeness grade calculated based on object and color detection  
437 which were written in microcontroller. These are the systems designed by the researchers  
438 that consists of Raspberry Pi 4, Arduino Uno, camera, touch screen LCD, MQ3 gas sensor,  
439 ventilation system. The proposed system was able to ascertain an overall reliability of 95%:  
440 therefore, the specified objective of ascertaining the ripeness level of the mangoes was  
441 met with success. However, accuracy and reliability of the software system are there since  
442 the hardware design does not seem to be workable when one must deal with the scores of  
443 mangoes (Adam et al., 2022). In addition, the design of the hardware does not integrate  
444 any form of physical automating, say like the conveyor belt. Besides, the hardware system  
445 only works efficiently when deciding the ripeness grade of mangoes separately.

446 A study done by Samaniego et al. (2023) is another research paper that supports and  
447 has relevant information concerning the topic. The researchers proposed a fully-perovskite  
448 photonic system which has the capability to identify and sort or grade mango based on  
449 features such as color, weight and, conversely, signs of damages (Samaniego et al., 2023).  
450 Some of the techniques in image processing that the researchers used included image  
451 enhancement, image deblurring, edge detection using MATLAB and Arduino as well as  
452 color image segmentation. By carrying out the multiple trials on the device they achieved a  
453 classification speed of 8.132 seconds and an accuracy of 91.2%. The proponents' metrics  
454 used for the ratings were speed wherein the results were rated "excellent" while the accuracy  
455 rating given was "good". One of the limitations of the paper is that the researchers were  
456 only limited to the color, texture, and size of the Carabao mango



457 Furthermore, the research paper presented by Guillergan et al. (2024) designed an  
458 Automated Carabao mango classifier, in which the mango image database is used to extract  
459 the features like weight, size, area along with the ratio of the spots for grading using  
460 Naïve Bayes Model. Concerning the quantitative test design, one had to control and  
461 experiment with various methods of image processing that would improve the likelihood  
462 of improved classification. The paper methodology entailed sample collection from 300  
463 Carabao mangoes, picture taking using a DSLR camera, and feature deconstruction for  
464 categorization (Guillergan et al., 2024). The system prototype and the software were  
465 designed with the programming language C# with integration of Aforge. NET routines.  
466 The performance of this model was checked with the help of the dataset containing 250  
467 images, precision, recall, F-score key indicators were used. The investigation discovered  
468 that the Naïve Bayes' model recognized large and rejected mangoes with 95% accuracy  
469 and the large and small/medium difference with a 7% error, suggesting an application for  
470 quality differentiation and sorting in the mango business industry. The limitations in the  
471 researchers' paper include the researchers were able to achieve high accuracy after using a  
472 high quality DSLR camera and the fact that the researchers were not able to incorporate the  
473 use of microcontrollers.

474 Another study by Tomas et al. (2022) proposed SVM-based system for classifying  
475 the maturity stages of bananas, mangoes, and calamansi. With the use of 1729 images of  
476 bananas together with 711 mango images and 589 calamansi, the researchers were able to  
477 achieve a high accuracy score of above 90% for all fruits. Some pre-processing techniques  
478 used to get this high accuracy are the change in hue, saturation, and value channels in the  
479 mango image (Tomas et al., 2022). To better understand the harvest time of mangoes, the  
480 paper by Abu et al. (2021) examined the association of the harvest season with seasonal



# De La Salle University

481 heat units, rainfall, and physical fruit attributes for Haden, Kent, Palmer, and Keitt mango  
 482 varieties to establish export and domestic market maturity standards. For the results of  
 483 the paper, it shows that temperature, rainfall, and physical characteristics have a reliable,  
 484 non-destructive indicators for determining mango maturity (Abu et al., 2021). This shows  
 485 that physical characteristics and temperature are important when exporting fruits such as  
 486 mangoes.

TABLE 2.1 COMPARISON OF EXISTING STUDIES

Existing Study	Limitations	Accuracy Rating
Adam et al. (2022)	No physical automation, not suitable for large amounts of mangoes, only classifies ripeness and only a sample size of 10 mangoes.	95%
Samaniego et al. (2023)	Focuses only on color and size.	91.2%
Guillergan et al. (2024)	Relies on high-quality DSLR cameras, and limited automation due to not integrating microcontrollers.	95%
Supekar and Wakode (2020)	No physical automation implemented. Ripeness, size, and shape-based classification achieved 100%, 98.19%, and 99.20% accuracy respectively on their own. However, errors occurred when taking into account all these aspects together for grading mangoes, causing an accuracy rating deduction.	88.88%

487 Previous studies on mango grading have achieved an accuracy rating of up to 95%, as  
 488 shown in Table 2.1. However, these studies either relied on a small sample size, which  
 489 limits statistical significance, or utilized expensive equipment, which may be impractical.  
 490 In light of this, the researchers have set a target accuracy rating of greater than or equal  
 491 to 90%. This target ensures that the system being developed is comparable to, or better  
 492 than, existing studies that used larger sample sizes or assessed multiple mango traits at the



493 same time. Furthermore, this research aims to distinguish itself by not only maintaining or  
494 exceeding the 90% accuracy rating but also incorporating a graphical user interface (GUI)  
495 for selective priority-based mango classification. The system will integrate both software  
496 and hardware components, and it will evaluate a greater number of mango traits for grading  
497 purposes.

498 **2.1.1 Sorting Algorithms**

499 In previous studies, researchers have implemented various artificial intelligence algorithms  
500 in order to determine the optimal and most effective method for sorting mangoes. One of  
501 the algorithms that was used in the classification of mangoes was the CNN or Convolutional  
502 Neural Networks. A study done by Zheng and Huang (2021) explored the effectiveness of  
503 CNN, specifically in classifying mangoes through image processing. The system that the  
504 researchers developed graded mangoes into four groups which was based on the Chinese  
505 National Standard (Zheng and Huang, 2021). These mangoes were examined by their  
506 shape, color uniformity, and external defects. The system that was developed had an  
507 impressive accuracy of 97.37% in correctly classifying the mangoes into these grading  
508 categories Support Vector Machine was also one of the classification algorithms that was  
509 implemented to detect flaws in mangoes. In that study by Veling (2019), SVM was used in  
510 the classification of diseases from mangoes. The study used 4 different diseases/defects for  
511 testing (Veling, 2019). The diseases were Anthracnose, Powdery Mildew, Black Banded,  
512 and Red Rust. and provided 90% accuracy for both the leaves and the fruit

513 In the study done by Schulze et al. (2015), Simple Linear Regression, Multiple Linear  
514 Regression, and Artificial Neural Network models were all studied and compared for  
515 the purpose of size-mass estimation for mango fruits. The researchers found that the



516 Artificial Neural Network yielded a high accuracy rating for mass estimation and for mango  
517 classification based on size with a success rate of 96.7% (Schulze et al., 2015). This is  
518 attributed to the Artificial Neural Network model's ability to learn both linear and nonlinear  
519 relationships between the inputs and the outputs. However, a problem can occur with the  
520 use of the model, which is overfitting. This issue occurs when the model is overtrained  
521 with the data set such that it will start to recognize unnecessary details such as image noise  
522 which results in poor generalization when fed with new data. With this in mind, additional  
523 steps will be necessary to mitigate the issue. Another research article written by Alejandro  
524 et al. (2018) implements a method for sorting and grading Carabao mangoes. This research  
525 focuses on the use of Probabilistic Neural Network, which is another algorithm that is used  
526 for pattern recognition and classification of objects. For this study, the researchers focused  
527 on the area, color, and the black spots of the mango for their Probabilistic Neural Network  
528 model (Alejandro et al., 2018). Their research using the model yielded an accuracy rating  
529 of 87.5% for classification of the mangoes which means it is quite accurate for classifying  
530 mangoes within the predefined categories. However, problems were encountered with  
531 the use of the model when trying to identify mangoes that did not fit the predefined size  
532 categories of small, medium, and large. This means that the PNN model may become  
533 challenged when presented with a mango with outlying traits or traits that were very  
534 different from the data set.

## 535 **2.2 Lacking in the Approaches**

536 The majority of past researchers such as Amna et al. (2023) and Guillermo et al. (2019)  
537 were able to implement a fruit and mango sorter together with an accurate AI algorithm



TABLE 2.2 COMPARISON OF SORTING ALGORITHM MODELS

Sorting Algorithm Model	Accuracy Rating	Criteria	Problems Encountered
Convolution Neural Network	97.37%	shape, color, defects	Minor blemishes affected the accuracy.
Support Vector Machine	90%	mango defects and diseases	The model is sensitive to noise, which requires intensive image preprocessing.
Artificial Neural Network	96.7%	for mango size and mass	Overfitting
Probabilistic Neural Network	87.5%	for mango area, color, and black spots	Difficulty in identifying mangoes that have outlying features or did not fit the predefined categories

538 to detect the ripeness defects. This means that none of the previous research papers were  
 539 able to integrate an interchangeable user-priority-based grading together with size, ripeness,  
 540 and bruises using machine learning for Carabao mango sorter and grader. Our research  
 541 however would implement an automated Carabao mango sorter in terms of size, ripeness,  
 542 and bruises with its own UI, conveyor belt, stepper motors, and bins for collecting the  
 543 different ripeness and defect grade of the Carabao mango.

## 544 2.3 Summary

545 To reiterate, there is an innovative gap that needs to be filled with regards to the process of  
 546 sorting and grading Carabao mangoes. The traditional methods for conducting this process  
 547 manually by hand, by a porous ruler, by a sugar meter, and by a color palette can be prone  
 548 to human error and expensive costs due to the number of laborers required to do the task.



549 On the other hand, although researchers have already taken steps to automate the process  
550 of mango sorting and grading, there is still a need for an implementation that takes into  
551 account size, ripeness, and bruises altogether whilst being non-destructive and having its  
552 own embedded system. The research articles shown above show the different computer  
553 vision and CNN approaches for sorting and classifying mangoes. For example, a system  
554 created by Adam et al. (2022) was more focused on ripeness detection. Samaniego et al.  
555 (2023) considered photonic systems for grading mango fruit based on color and weight.  
556 On the other hand, Guillermo et al. (2019) implemented the Naïve Bayes classification  
557 model on mangoes with high accuracy, which thereby did not include any microcontroller.  
558 There was an attempt to study each of those parameters separately and that is why the  
559 multifactorial approach was not used. With this in mind, the system being proposed does  
560 exactly what was mentioned, to implement a non-destructive and automated sorting and  
561 grading system for Carabao mangoes that takes into account size, ripeness, and bruises  
562 altogether using machine learning, as well as having its own embedded system. This system  
563 will be mainly composed of a conveyor belt, servo motors, a camera, microcontrollers, and  
564 an LCD display for the user interface. By doing so, the system should be able to improve  
565 the efficiency and productivity of mango sorting and grading, remove the effect of human  
566 error and reduce time consumption. The studies also provided critical insights regarding the  
567 effective algorithms that can be used in classification stages in image processing. The use  
568 of CNN had the most accuracy with manageable potential challenges. Lastly, by scaling  
569 the implementation, the overall export quality of the Carabao mangoes can be improved.



570

## Chapter 3

571

# THEORETICAL CONSIDERATIONS



### 572    3.1 Introduction

573    Likewise, the purpose of this chapter is to go through the important theories in developing  
 574    the prototype together with training and testing the machine learning model.

### 575    3.2 Relevant Theories and Models




Fig. 3.1 Theoretical Framework Diagram.

576    The theoretical framework seen in figure x revolves around the concepts that revolve  
 577    around the research topic. Embedded systems include the Raspberry Pi, which is the  
 578    microcontroller that will be the brain of the system, direct current (dc) motors, 4 channel  
 579    relays, and the conveyor belt. The machine learning portion includes a neural network  
 580    model, namely the Convolutional Neural Network, which will use computer vision as a  
 581    method of seeing and classifying the mangoes based on their physical traits. The image  
 582    processing will include methods such as size calculation and background removal using  
 583    OpenCV. Lastly, the Carabao mango will be the test subject of the system.



### 584    3.3 Technical Background

585    At its core, the system will be using machine learning concepts pertaining to CNN and  
 586    OpenCV, and may use other algorithms such as Naive Bayes and k-Nearest Neighbors  
 587    to supplement the classification tasks, particularly for assessing mango ripeness, bruise  
 588    detection, and size determination. The system will be built on an embedded framework,  
 589    integrating a Raspberry Pi microcontroller to control the RaspberryPi camera, actuators,  
 590    LED lights, and motors. A user-friendly GUI will also be utilized to ensure users can  
 591    customize the prioritization of the mango sorting system.

### 592    3.4 Conceptual Framework Background




Fig. 3.2 Conceptual Framework Diagram.



593 **3.5 Software Concepts**

594 **3.5.1 Thresholding**

595 **3.5.2 Object Size Calculation**

596 **3.5.3 Convolutional Neural Network**

597 **3.6 Hardware Concepts**

598 **3.6.1 DC Motor**

599 **3.6.2 4 Channel Relay**

600 **3.6.3 1:3 Pulley Belt**

601 **3.7 Summary**

602 Overall, chapter 3 establishes key concepts and theoretical considerations that form the  
603 foundation of the Carabao mango sorter and grading system. It discusses and connects  
604 each component together, explaining how each component such as the RaspberryPi and  
605 DC motors work together to create a system that utilizes machine learning and computer  
606 vision techniques to classify mangoes based on user priority.



607

## Chapter 4

608

# DESIGN CONSIDERATIONS



609 Likewise, the objective of chapter 4 is to describe the researcher's design consideration  
610 when developing and testing the prototype. For an overview of the design of the prototype,  
611 the researchers considered different computer vision models in classifying the ripeness  
612 and bruises together with other algorithms to determine the size of the mango. Likewise,  
613 the hardware design was also taken into consideration where the physical design of the  
614 conveyor belt was taken into account.

## 615 **4.1 Introduction**

616 This chapter discusses the design considerations for the mango sorting and grading system,  
617 focusing on the technical and engineering decisions required for its development. The  
618 design process aims to create a scalable, efficient, and user-friendly system that leverages  
619 machine learning for accurate mango classification.

## 620 **4.2 System Architecture**

621 The system architecture is represented through a block diagram, showcasing modules  
622 such as image acquisition, preprocessing, feature extraction, machine learning model, and  
623 grading output. Each module is described in detail, emphasizing its role in the overall  
624 system. For instance, the image acquisition module uses high-resolution cameras to capture  
625 mango images, while the preprocessing module enhances image quality for better feature  
626 extraction.



## 627     **4.3 Hardware Considerations**

628     The hardware components include high-resolution cameras, lighting systems for consistent  
629     image capture, and microcontrollers like Raspberry Pi or Arduino for system control,  
630     actuators like motors and servo motors to move the mangoes. The choice of hardware is  
631     justified based on cost, performance, and compatibility with the software framework.

### 632     **4.3.1 General Prototype Framework**

### 633     **4.3.2 Prototype Block Diagram**

### 634     **4.3.3 Prototype Flowchart**

### 635     **4.3.4 Hardware Specifications**

#### 636       **4.3.4.1 Raspberry Pi**

637       The Raspberry Pi 4 Model B is a compact, low-cost computer that serves as the system's  
638       main processing unit. It is chosen for its balance of performance and affordability, making  
639       it suitable for real-time image processing tasks.

#### 641       **Specifications:**

- 642           • SoC: Broadcom BCM2711
- 643           • CPU: Quad-core ARM Cortex-A72 (64-bit)
- 644           • Clock Speed: 1.5 GHz (base, overclockable)
- 645           • RAM: 8GB LPDDR4-3200 SDRAM




Fig. 4.1 Raspberry Pi 4 Model B

- 646 • Wireless: Dual-band 2.4 GHz / 5 GHz Wi-Fi (802.11ac)
- 647 • Bluetooth: Bluetooth 5.0 (BLE support)
- 648 • Ethernet: Gigabit Ethernet (full throughput)
- 649 • USB: 2 x USB 3.0 ports and 2 x USB 2.0 ports
- 650 • Video Output: 2 x micro-HDMI ports (supports 4K @ 60Hz, dual 4K display capability)
- 651 • Audio: 3.5mm audio/video composite jack
- 652 • Storage: MicroSD card slot (supports booting via SD card or USB)
- 653 • GPIO: 40-pin GPIO header (backward-compatible with older models)
- 654 • Camera/Display: CSI (camera) and DSI (display) ports



- 656     • Power Input: USB-C (5V/3A recommended)  
657     • Power Consumption: 3W idle, up to 7.5W under load

658     **4.3.4.2 Raspberry Pi Camera**




Fig. 4.2 Raspberry Pi Camera Module Version 2

659     This is the description of the raspberry pi camera.  
660  
661     **Specifications:**

- 662     • Sensor: Sony IMX219PQ 8-megapixel CMOS sensor.  
663     • Still Images Resolution: 8 MP (3280 x 2464 pixels).  
664     • Video Resolution: Supports up to 1080p @ 30fps, 720p @ 60fps, and 480p @ 90fps.



- 665 • Focus: Fixed-focus lens (manual focus adjustment not supported without physical  
666 modification).
- 667 • Lens Size: 1/4-inch optical format.
- 668 • Field of View (FoV): Diagonal 62.2 degrees.
- 669 • Interface: Connected via 15-pin ribbon cable to the Raspberry Pi's CSI (Camera  
670 Serial Interface) port.
- 671 • APIs/Libraries: Supports Python libraries such as Picamera and OpenCV for image  
672 capture and processing.
- 673 • Dimensions: 25 mm x 24 mm x 9 mm.

674 **4.3.4.3 DC Motor**



Fig. 4.3 12 Volt DC Gear Motor



675 This is the description of the dc motor.

676

677 **Specifications:**

- 678 • Gearbox Type: Spur gear design
- 679 • Operating Voltage: 12V (operational range: 6-12V)
- 680 • No-load Current Consumption: 0.8A
- 681 • Rated Current Draw: 3A (under standard load)
- 682 • No-load Speed: 282 RPM (maximum)
- 683 • Operating Speed: 248 RPM (under rated load)
- 684 • Torque Output: 18 kg-cm (rated)
- 685 • Stall Torque: 60 kg-cm (maximum)
- 686 • Power Rating: 50W (maximum)
- 687 • Unit Weight: 350 grams

688 **4.3.4.4 MicroSD Card**

689 This is the description of the sd card.

690

691 **Specifications:**

- 692 • Capacity: 256GB



Fig. 4.4 SanDisk Ultra MicroSD Card

- 693 • Type: MicroSDXC (Secure Digital eXtended Capacity)  
694  
695 • Form Factor: MicroSD (11mm x 15mm x 1mm)  
• File System: Pre-formatted exFAT (supports large files >4GB).

696 **4.3.4.5 LED Lights**

697 light emitting diode (led) lights are used to provide consistent lighting for image capture,  
698 ensuring accurate color representation and feature extraction.

699 **4.3.4.6 Power Supply**

700 This is the description of the bench power supply.  
701

702 **Specifications:**

- 703 • Type: SMPS (Switch-Mode Power Supply)



Fig. 4.5 Bench Power Supply

- 704 • Input: 110V AC, 50/60Hz (U.S. Standard)
- 705 • Output Range: 0-30V DC / 0-5A DC
- 706 • Voltage Precision:  $\pm 0.010V$  (10 mV) resolution
- 707 • Current Precision:  $\pm 0.001A$  (1 mA) resolution
- 708 • Power Precision:  $\pm 0.1W$  resolution
- 709 • Weight: 5 lbs (2.27 kg)
- 710 • Dimensions: 11.1" x 4.92" x 6.14" (28.2 cm x 12.5 cm x 15.6 cm)
- 711 • Maximum Power: 195W
- 712 • Power Source: AC input only



713      **4.3.4.7 4 Channel Relay Module**




Fig. 4.6 4 Channel Relay Module

714      This is the description of the 4 channel relay module.

715

716      **Specifications:**

- 717      • Operating Voltage: 5V DC (compatible with Arduino, Raspberry Pi, and other  
718      microcontrollers).
- 719      • Number of Relays: 4 independent channels.
- 720      • Relay Type: Electromechanical (mechanical switching).
- 721      • Max AC Load: 10A @ 250V AC (resistive).
- 722      • Max DC Load: 10A @ 30V DC (resistive).



- 723 • Contact Type: SPDT (Single Pole Double Throw) - NO (Normally Open), NC  
724 (Normally Closed), COM (Common).
- 725 • Dimensions: 50mm x 70mm x 20mm
- 726 • Weight: 50-80 grams.
- 727 • Status LEDs: Individual LEDs for each relay (indicates ON/OFF state).
- 728 • Input Pins: 4 digital control pins (one per relay).
- 729 • Output Terminals: Screw terminals for connecting loads (NO/NC/COM).

## 730 **4.4 Software Considerations**

731 The software stack includes Python for programming PyTorch for machine learning and  
732 OpenCV for image processing. These tools are selected for their robustness, ease of use,  
733 and extensive community support, ensuring efficient system development.



734 **4.4.1 PyTorch**

735 **4.4.2 OpenCV**

736 **4.4.3 Tkinter**

737 **4.4.4 CustomTkinter**

738 **4.5 Security and Reliability Considerations**

739 Potential vulnerabilities, such as data corruption during image capture, are addressed  
740 through redundancy and error-checking mechanisms. Reliability is ensured by implement-  
741 ing fault-tolerant designs and rigorous testing protocols.

742 **4.6 Scalability and Efficiency Considerations**

743 The system is designed to handle large volumes of mangoes by optimizing the machine  
744 learning model and using parallel processing techniques. Efficiency is improved through  
745 techniques like model quantization and hardware acceleration.

746 **4.7 User Interface**

747 A user interface (ui) is designed to display grading results, system status. Wireframes  
748 illustrate the layout, ensuring usability and accessibility for operators. Likewise, a graphical  
749 user interface (gui) is also used to allow users to customize the system's grading priorities.



## 4.8 Constraints and Limitations

Challenges include variations in mango appearance due to lighting and environmental factors. Trade-offs are made between model complexity and real-time performance to balance accuracy and speed.

## 4.9 Technical Standards

The system adheres to industry standards for image processing and machine learning, ensuring compatibility and interoperability with other systems.

## 4.10 Prototyping and Simulation

Prototypes are developed using tools like MATLAB and Simulink to simulate the system's performance. These simulations help identify design flaws and optimize the system before deployment.,,

## 4.11 Design Validation

The design is validated through testing, including unit testing of individual modules and integration testing of the entire system. Peer reviews and iterative improvements ensure the system meets the desired performance metrics.



765

## 4.12 Summary

766

This chapter outlined the key design considerations, including system architecture, hardware and software choices, and validation methods. These decisions are critical for developing a reliable and efficient mango sorting and grading system.

767

768



769

## Chapter 5

770

# METHODOLOGY



TABLE 5.1 SUMMARY OF METHODS FOR REACHING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ol style="list-style-type: none"> <li>1. Hardware design: Build an image acquisition system with a conveyor belt, LED lights, and Raspberry Pi Camera</li> <li>2. Software design: Coded a Raspberry Pi application to grade and sort the Carabao mangoes</li> </ol>	Sec. 5.2 on p. 44
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ol style="list-style-type: none"> <li>1. Hardware implementation: Design and build an image acquisition system prototype</li> </ol>	Sec. 5.3 on p. 44
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ol style="list-style-type: none"> <li>1. Performance testing: Train and test the machine learning algorithm for classifying bruises and ripeness</li> <li>2. Data collection: Gather our own Carabao mango dataset together with an online dataset</li> </ol>	Sec. 5.5 on p. 46

*Continued on next page*



*Continued from previous page*

Objectives	Methods	Locations
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	<ol style="list-style-type: none"> <li>1. Algorithm development: To develop a code for the image acquisition system</li> <li>2. Hardware design: To design a schematic for the microcontroller based system</li> </ol>	Sec. 5.3 on p. 44
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ol style="list-style-type: none"> <li>1. Formula development: Formulated an equation based on the inputted user priority and the predicted mango classification</li> </ol>	Sec. 5.7 on p. 48
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	<ol style="list-style-type: none"> <li>1. Performance testing: Train and test the machine learning algorithm for classifying bruises</li> </ol>	Sec. 5.6.2 on p. 48
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ol style="list-style-type: none"> <li>1. Performance testing: Train and test the machine learning algorithm for classifying ripeness</li> </ol>	Sec. 5.6.1 on p. 48
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ol style="list-style-type: none"> <li>1. Accuracy testing: Get the percent accuracy testing for getting the length and width of the Carabao mango</li> </ol>	Sec. 5.6.3 on p. 48



## 771 5.1 Introduction

772 The methodology for this research outlines the development of the Carabao Mango sorter  
773 using machine learning and computer vision. The sorting system uses a conveyor belt  
774 system which delivers the mangoes into the image acquisition system. This system captures  
775 the image of the mangoes which will then be going through the various stages of image  
776 processing and classification into grades which will depend on the priority of the user.  
777 This methodology ensures that the grading of the mangoes will be accurate while being  
778 non-destructive.

## 779 5.2 Research Approach

780 This study applies the experimental approach for research in order to develop and properly  
781 test the proposed system. The experimental approach of the methodology will allow the  
782 researchers to fine-tune the parameters and other factors in the classification of mangoes in  
783 order to get optimal results with high accuracy scores while maintaining the quality of the  
784 mangoes. This approach will also allow for real-time data processing and classification  
785 which will improve the previous static grading systems.

## 786 5.3 Hardware Design

787 The prototype consists of hardware and software components for automated mango sorting  
788 and grading purposes. The hardware includes the conveyor belt system used to transfer  
789 mangoes from scanning to sorting smoothly. A camera and lighting system are able  
790 to collect high-resolution images for analysis. The DC motors and stepper motors are



791 responsible for driving the conveyor belt and sorting actuators. The entire system is  
792 controlled by a microcontroller (Raspberry Pi 4b), coordinating actions of all components.  
793 Sorting actuators then direct mangoes into selected bins based on their classification to  
794 make sorting efficient.

## 795 **5.4 Software Design**

796 For the programming language used for the prototype and training and testing the CNN  
797 model, Python was used for training and testing the CNN model and it was also used in the  
798 microcontroller to run the application containing the UI and CNN model. PyTorch was the  
799 main library used in using the EfficientNet model that is used in classifying the ripeness  
800 and bruises of the mango. Likewise, tkinter is the used library when designing the UI in  
801 Python.

802 Furthermore, the rest of the software components are of utmost importance to mango  
803 classification. Image processing algorithms in OpenCV and CNN models extract features  
804 such as color, size, and bruises that are known to determine quality parameters of mangoes.  
805 Mangoes are classified based on ripeness and defects by using machine learning algorithms,  
806 which further enhances accuracy using deep learning techniques. A user interface (UI) is  
807 designed for users to control and observe the system in real time. Finally, the interface  
808 programming of the microcontroller provides the necessary synchronization between  
809 sensors, actuators, and motors throughout the sorting operation scenario.



## 810    **5.5 Data Collection Methods**

811    The system acquires high-resolution images of mangoes under pre-specified lighting conditions through systematic acquisition. Apart from that, this corpus of data is based on the real-time images acquired from the camera system, where classification operations are carried out based on real-time data. Pre-processing image operations such as flipping, rotating, resizing, normalization, and Gaussian blur are also carried out in order to enhance image clarity and feature detection. Then, the feature extraction process is carried out, where the intensity of color, shape, and texture are analyzed for the detection of characteristic features in terms of the mango. All these aspects lead to the creation of a reliable dataset for the machine learning algorithm that will allow the system to classify and grade mangoes more accurately.

## 821    **5.6 Testing and Evaluation Methods**

822    In a bid to ensure the mango sorting and grading system is accurate and reliable, there is intensive testing conducted at different levels. Unit testing is initially conducted on each component separately, for instance, the conveyor belt, sensors, and cameras, to ensure that each of the components works as expected when operating separately. After component testing on an individual basis, integration testing is conducted to ensure communication between hardware and software is correct to ensure the image processing system, motors, and sorting actuators work in concert as required. System testing is conducted to conduct overall system performance testing in real-world conditions to ensure mangoes are accurately and efficiently sorted and graded.



$$\text{Precision} = \frac{TP}{TP + FP} \quad (5.1)$$

$$\text{Recall} = \frac{TP}{TP + FN} \quad (5.2)$$

831 To test system performance, various measures of performance are used to evaluate.  
 832 As seen on equation 5.4, accuracy score is used to measure the percentage of correctly  
 833 classified mangoes to ensure the system maintains high precision levels. Precision as seen  
 834 on equation 5.1 and recall as seen on equation 5.2 are used to measure consistency of  
 835 classification to determine if the system classifies different ripeness levels and defects  
 836 correctly. Furthermore, the F1 score formula as seen on equation 5.3 is used to evaluate the  
 837 performance of the model's classification.

$$F_1 = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}} \quad (5.3)$$

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN} \quad (5.4)$$

838 A confusion matrix is used to measure correct and incorrect classification to ensure the  
 839 machine learning model is optimized and that minimum errors are achieved. Throughput  
 840 analysis is also used to determine the rate and efficiency of sorting to ensure that the  
 841 system maintains high capacity without bottlenecks to sort mangoes. Using these methods  
 842 of testing, the system is constantly optimized to ensure high-quality and reliable mango  
 843 classification.

**844 5.6.1 Ripeness Training and Testing****845 5.6.2 Bruises Training and Testing****846 5.6.3 Size Determination****847 5.7 Formula for User Priority****848 5.8 Ethical Considerations**

849 Ethical considerations ensure that the system is operated safely and responsibly. Data  
850 privacy is ensured by securely storing and anonymizing extracted images and classification  
851 data so that unauthorized access becomes impossible. The system is also eco-friendly  
852 through non-destructive testing, saving mangoes while also ensuring that they are of good  
853 quality. Safety in operations is also ensured by protecting moving parts to prevent mechani-  
854 cal harm and incorporating fail-safes to securely stop operation in case of malfunction.  
855 Addressing these concerns, the system is not only accurate and efficient but also secure,  
856 eco-friendly, and safe for operators, thus a sustainable solution to automated mango sorting  
857 and grading.

**858 5.9 Summary**

859 This chapter explained how to create an automatic Carabao mango sorter and grader using  
860 machine learning and computer vision. The system integrates hardware and software  
861 resources, including a conveyor belt, cameras, sensors, and actuators, to offer accurate,  
862 real-time sorting by ripeness, size, and bruises. Various testing and evaluation processes



863 ensure its performance to offer reliability. Ethical issues are data privacy, environmental  
864 sustainability, and operation safety. With enhanced efficiency, reduced human error, and  
865 enhanced quality, this system provides an affordable, scalable, and non-destructive solution  
866 to post-harvest mango classification in agricultural industries.



867

## Chapter 6

868

# RESULTS AND DISCUSSIONS



TABLE 6.1 SUMMARY OF METHODS FOR ACHIEVING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<p>Expected Results:</p> <ol style="list-style-type: none"> <li>1. Successfully developed a user-priority-based grading and sorting system using machine learning and computer vision which can assess the mangoes' ripeness, size and bruises.</li> </ol> <p>Actual Results:</p> <ol style="list-style-type: none"> <li>1. More work needs to be done to fine tune the software components to achieve higher accuracy such as changing hyperparameters or using a newer version of EfficientNet</li> <li>2. More work needs to be done to make the hardware component more robust such as by fixing the camera and LED lights in place</li> </ol>	Sec. 6.6 on p. 56
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<p>Expected Results:</p> <ol style="list-style-type: none"> <li>1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes.</li> <li>2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes.</li> <li>3. Successfully fixed the hardware components in place</li> </ol> <p>Actual Results:</p> <ol style="list-style-type: none"> <li>1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes.</li> <li>2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes.</li> <li>3. Need to fix the hardware components in place</li> </ol>	Sec. 6.4 on p. 56

Continued on next page

## 6. Results and Discussions



# De La Salle University

*Continued from previous page*

Objectives	Methods	Locations
<p>SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes</li> <li>2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruises classification of Carabao mangoes</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully achieved at least 93% accuracy for ripeness classification of Carabao mangoes</li> <li>2. Successfully achieved at least 73% accuracy for bruise classification of Carabao Mangoes</li> </ul>	<p>Sec. 6.1 on p. 55</p>
<p>SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system</li> <li>2. Successfully mounted the image acquisition system on the prototype</li> <li>3. Successfully made the frame for the conveyor belt and image acquisition system to sit on</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system</li> <li>2. Temporarily mounted the image acquisition system on the prototype</li> <li>3. Successfully made the frame for the conveyor belt and image acquisition system to sit on</li> </ul>	<p>Sec. 6.4 on p. 56</p>

*Continued on next page*

## 6. Results and Discussions



# De La Salle University

*Continued from previous page*

<b>Objectives</b>	<b>Methods</b>	<b>Locations</b>
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango</li> <li>2. Successfully verified with qualified individual the results</li> <li>3. Successfully utilize the weighted equation to evaluate mango grade based on user priorities</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango</li> <li>2. Successfully utilize the weighted equation to evaluate mango grade based on user priorities</li> <li>3. Need to look for a qualified person to evaluate the graded mango for ground truth</li> </ul>	Sec. 6.3 on p. 56

*Continued on next page*

## 6. Results and Discussions



# De La Salle University

*Continued from previous page*

Objectives	Methods	Locations
<p>SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Achieve at least 90% accuracy on performance metrics</li> <li>2. Obtain performance metrics for kNN, k-mean, and Naive Bayes methods for comparison and show the superior performance of using CNN</li> <li>3. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to detect ripeness based on color</li> <li>2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes</li> </ul>	<p>Sec. 6.1.1 on p. 55</p>
<p>SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Successfully classified mango size using computer vision techniques</li> <li>2. Successfully tuned to have an accurate size with an 80 percent accuracy rating</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully classified mango size using computer vision techniques</li> <li>2. Calculation of mango size is somewhat inaccurate and needs more fine tuning</li> </ul>	<p>Sec. 6.2 on p. 56</p>

*Continued on next page*



*Continued from previous page*

Objectives	Methods	Locations
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<p>Expected Results:</p> <ul style="list-style-type: none"> <li>1. Achieve at least 90% accuracy on performance metrics</li> <li>2. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters</li> </ul> <p>Actual Results:</p> <ul style="list-style-type: none"> <li>1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to bruises</li> <li>2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruise classification of Carabao mangoes</li> </ul>	Sec. 6.1.2 on p. 56

869

## 6.1 Training and Testing Results of the Model

870

### 6.1.1 Ripeness Classification Results

871

Add the F1-Score and etc here



872 **6.1.2 Bruises Classification Results**

873 **6.2 Size Determination Results**

874 **6.3 User Priority Formula**

875  $B(P)$  and  $R(P)$  and  $S(P)$  are the User Priority-Based Grading for bruises, ripeness,  
876 and size of the Carabao mango. Furthermore,  $b(p)$  and  $r(p)$  and  $s(p)$  are the machine  
877 learning's predictions for bruises, ripeness, and size of the Carabao mango. The formula  
878 for the user priority is given by:

$$\text{User Priority} = \frac{b(P) + r(P) + s(P)}{3} \quad (6.1)$$

880 **6.4 Physical Prototype**

881 Add pictures of the hardware prototype here with description

882 **6.5 Software Application**

883 Show the raspberry pi app UI and demonstrate it here

884 **6.6 Summary**

885 Provide the gist of this chapter such that it reflects the contents and the message.



886

## **Chapter 7**

887

# **CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES**

888



889 **7.1 Concluding Remarks**

890 In this Thesis, ...

891 Put here the main points that should be known and learned about the work topic.  
892 Summarize or give the gist of the essential principles and inferences drawn from your  
893 results.

894 **7.2 Contributions**

895 The interrelated contributions and supplements that have been developed by the author(s)  
896 in this Thesis are listed as follows. Only those that are unique to the authors' work are  
897 included.

- 898 • the ;  
899 • the ;  
900 • the ;

901 **7.3 Recommendations**

902 The researchers recommend...

903 **7.4 Future Prospects**

904 There are several prospects that may be extended for further studies. ... So the suggested  
905 topics are listed in the following.



906      1. the ....

907      2. the ....

908      3. the ....

909      Note that for ECE undergraduate theses, as per the directions of the thesis adviser,  
910      Recommendations and Future Directives will be removed for the hardbound copy but will  
911      be retained for database storage.



912

## REFERENCES

- 913 Abbas, Q., Niazi, S., Iqbal, M., and Noureen, M. (2018). Mango Classification Using Texture &  
914 Shape Features. *IJCSNS International Journal of Computer Science and Network Security*, 18(8).
- 915 Abu, M., Olympio, N. S., and Darko, J. O. (2021). Determination of Harvest Maturity for Mango  
916 (&lt;i&gt;Mangifera indica&lt;/i&gt; L.) Fruit by Non-Destructive Criteria. *Agricultural Sciences*,  
917 12(10):1103–1118.
- 918 Adam, J. A. P., Dato, K. S., Impelido, M. C. D., Tobias, R. G., and Pilueta, N. U. (2022). Non-  
919 destructive microcontroller-based carabao mango ripeness grader.
- 920 Alejandro, A. B., Gonzales, J. P., Yap, J. P. C., and Linsangan, N. B. (2018). Grading and sorting of  
921 Carabao mangoes using probabilistic neural network. page 020065, Bandung, Indonesia.
- 922 Amna, M. W. A., Guiqiang, L., and Muhammad Zuhair AKRAM, M. F. (2023). Machine vision-  
923 based automatic fruit quality detection and grading. *Frontiers of Agricultural Science and*  
924 *Engineering*, 0(0):0.
- 925 Britannica (n.d.). Mango history cultivation and facts.
- 926 Centino, M. F., Castano, M. C. N., and Ebo, J. B. F. (2020). The Current Status of Philippine Mango  
927 in the Global Value Chain.
- 928 Chakraborty, S. K., Subeesh, A., Dubey, K., Jat, D., Chandel, N. S., Potdar, R., Rao, N. G., and  
929 Kumar, D. (2023). Development of an optimally designed real time automatic citrus fruit grading-  
930 sorting machine leveraging computer vision-based adaptive deep learning model. *Engineering*  
931 *Applications of Artificial Intelligence*, 120:105826.
- 932 Co., Z. F. I. (n.d.). What is fruit sorting.
- 933 D'Adamo, G. (2018). The determinants of export quality in the euro area. *Quarterly Report on the*  
934 *Euro Area (QREA)*, 17(1):23–31. Publisher: Directorate General Economic and Financial Affairs  
935 (DG ECFIN), European Commission.
- 936 DBpedia (n.d.). About: Carabao.
- 937 Guillergan, G., Sabay, R., Madrigal, D., and Bual, J. (2024). Naive Bayes Classifier in Grading  
938 Carabao Mangoes. *Technium: Romanian Journal of Applied Sciences and Technology*, 22:14–32.
- 939 Guillermo, M. C. S., Naciongayo, D. S., and Galela, M. G. C. (2019). Determining ‘Carabao’  
940 Mango Ripeness Stages Using Three Image Processing Algorithms.
- 941 Lacap, A., Bayogan, E. R., Secretaria, L., Joyce, D., Ekman, J., and Goldwater, A. (2021). Bruise  
942 Injury and Its Effect on ‘Carabao’ Mango Fruit Quality. *Philippine Journal of Science*, 150(6B).
- 943 Patel, K. K., Khan, M. A., Kumar, Y., and Yadav, A. K. (2019). Novel Techniques in Post Harvest  
944 Management of Mango- An Overview. *South Asian Journal of Food Technology and Environment*,  
945 05(02):821–835.



# De La Salle University

- 946 Rizwan Iqbal, H. M. and Hakim, A. (2022). Classification and Grading of Harvested Mangoes  
947 Using Convolutional Neural Network. *International Journal of Fruit Science*, 22(1):95–109.
- 948 Samaniego, L. A., De Jesus, L. C. M., Apostol, J. D., Betonio, D. C., Medalla, J. D. B., Peruda Jr,  
949 S. R., Brucal, S. G. E., and Yong, E. D. (2023). Carabao mango export quality checker using  
950 matlab image processing. *International Journal of Computing Sciences Research*, 7:2080–2094.
- 951 Schulze, K., Nagle, M., Spreer, W., Mahayothee, B., and Müller, J. (2015). Development and  
952 assessment of different modeling approaches for size-mass estimation of mango fruits (*Mangifera*  
953 *indica* L., cv. ‘Nam Dokmai’). *Computers and Electronics in Agriculture*, 114:269–276.
- 954 Supekar, A. D. and Wakode, M. (2020). Multi-Parameter Based Mango Grading Using Image  
955 Processing and Machine Learning Techniques. *INFOCOMP Journal of Computer Science*,  
956 19(2):175–187. Number: 2.
- 957 Tomas, M. C., Celino, J. P. L., Escalambre, I. E., and Secreto, B. P. (2022). Detection of Overall  
958 Fruit Maturity of Local Fruits Using Support Vector Machine through Image Processing. In *2022*  
959 *12th International Conference on Software Technology and Engineering (ICSTE)*, pages 96–102.
- 960 Veling, P. S. (2019). Mango Disease Detection by using Image Processing. *International Journal*  
961 *for Research in Applied Science and Engineering Technology*, 7(4):3717–3726.
- 962 Zheng, B. and Huang, T. (2021). Mango Grading System Based on Optimized Convolutional Neural  
963 Network. *Mathematical Problems in Engineering*, 2021:1–11.



De La Salle University

965  
966

## **Appendix A STUDENT RESEARCH ETHICS CLEARANCE**

A. Student Research Ethics Clearance



De La Salle University

967

RESEARCH ETHICS CLEARANCE FORM <sup>1</sup> For Thesis Proposals	
<b>Names of Student Researcher(s):</b> BANAL, Kenan A. BAUTISTA, Francis Robert Miguel F. HERMOSURA, Don Humphrey L. SALAZAR, Daniel G	
<b>College:</b> GCOE	
<b>Department:</b> ECE	
<b>Course:</b> Computer Engineering	
<b>Expected Duration of the Project:</b> from: January 4 2025 to: January 4 2026	
<b>Ethical considerations</b>  (The <a href="#">Ethics Checklists</a> may be used as guides in determining areas for ethical concern/consideration)	
<b>To the best of my knowledge, the ethical issues listed above have been addressed in the research.</b>  Dr. Reggie C. Gustilo	
<b>Name and Signature of Adviser/Mentor:</b> <b>Date:</b> February 5, 2025	
<b>Noted by:</b>  Dr. Argel Bandala	
<b>Name and Signature of the Department Chairperson:</b> <b>Date:</b> February 6, 2025	

<sup>1</sup> The same form can be used for the reports of completed projects. The appropriate heading need only be used.



De La Salle University

968

## **Appendix B ANSWERS TO QUESTIONS TO THIS THESIS**

969



## 970 **B1 How important is the problem to practice?**

971 A possible answer to this question is the summary of your Significance of the Study, and  
 972 that portion of the Problem Statement where you describe the ideal scenario for your  
 973 intended audience.

974 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 975 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 976 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 977 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 978 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 979 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 980 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 981 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 982 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## 983 **B2 How will you know if the solution/s that you will 984 achieve would be better than existing ones?**

985 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 986 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 987 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 988 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 989 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 990 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 991 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 992 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 993 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### 994 **B2.1 How will you measure the improvement/s?**

995 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 996 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 997 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 998 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 999 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1000 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1001 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



1002 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1003 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### **B2.1.1 What is/are your basis/bases for the improvement/s?**

1005 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1006 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1007 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1008 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1009 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1010 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1011 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1012 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1013 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### **B2.1.2 Why did you choose that/those basis/bases?**

1015 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1016 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1017 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1018 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1019 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1020 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1021 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1022 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1023 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### **B2.1.3 How significant are your measure/s of the improvement/s?**

1025 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1026 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1027 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1028 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1029 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1030 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1031 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1032 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1033 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1034 **B3 What is the difference of the solution/s from ex-**  
 1035 **existing ones?**

1036 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1037 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1038 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1039 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1040 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1041 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1042 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1043 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1044 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1045 **B3.1 How is it different from previous and existing ones?**

1046 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1047 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1048 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1049 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1050 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1051 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1052 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1053 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1054 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1055 **B4 What are the assumptions made (that are behind  
 1056 for your proposed solution to work)?**

1057 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1058 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1059 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1060 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1061 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1062 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1063 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1064 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1065 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1066     **B4.1 Will your proposed solution/s be sensitive to these as-**  
 1067     **sump tions?**

1068     Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1069     Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1070     ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1071     placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1072     Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1073     tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1074     a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1075     Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1076     amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1077     **B4.2 Can your proposed solution/s be applied to more general**  
 1078     **cases when some assumptions are eliminated? If so, how?**

1079     Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1080     Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1081     ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1082     placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1083     Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1084     tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1085     a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1086     Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1087     amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1088     **B5 What is the necessity of your approach / pro-**  
 1089     **posed solution/s?**

1090     Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1091     Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1092     ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1093     placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1094     Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1095     tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1096     a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1097     Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1098     amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1099    **B5.1 What will be the limits of applicability of your proposed so-**  
 1100    **solution/s?**

1101    Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1102    Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1103    ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1104    placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1105    Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1106    tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1107    a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1108    Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1109    amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1110    **B5.2 What will be the message of the proposed solution to**  
 1111    **technical people? How about to non-technical managers and**  
 1112    **business people?**

1113    Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1114    Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1115    ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1116    placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1117    Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1118    tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1119    a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1120    Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1121    amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1122    **B6 How will you know if your proposed solution/s**  
 1123    **is/are correct?**

1124    Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1125    Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1126    ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1127    placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1128    Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1129    tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1130    a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



1131 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1132 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1133 **B6.1 Will your results warrant the level of mathematics used  
 1134 (i.e., will the end justify the means)?**

1135 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1136 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec  
 1137 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1138 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1139 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1140 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1141 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1142 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1143 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1144 **B7 Is/are there an/\_ alternative way/s to get to the  
 1145 same solution/s?**

1146 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1147 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec  
 1148 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1149 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1150 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1151 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1152 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1153 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1154 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1155 **B7.1 Can you come up with illustrating examples, or even  
 1156 better, counterexamples to your proposed solution/s?**

1157 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.  
 1158 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec  
 1159 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1160 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1161 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
 1162 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



1163 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1164 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1165 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

**B7.2 Is there an approximation that can arrive at essentially the same proposed solution/s more easily?**

1168 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1169 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1170 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1171 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1172 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1173 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1174 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1175 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1176 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

**B8 If you were the examiner of your Thesis, how would you present the Thesis in another way? Give your remarks, especially for your methodology and the results and discussions.**

1181 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1182 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec  
 1183 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
 1184 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
 1185 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla  
 1186 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
 1187 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
 1188 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
 1189 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

**B8.1 What are the weaknesses of your Thesis, specifically your methodology and the results and discussions?**

1190 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.  
 1191 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec



# De La Salle University

- 1194 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus  
1195 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.  
1196 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla  
1197 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue  
1198 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.  
1199 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit  
1200 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



De La Salle University

1201

## **Appendix C REVISIONS TO THE PROPOSAL**

1202

## C. Revisions to the Proposal



**De La Salle University**

1203

### PRO1 Panel Comments and Revisions – Appendix Z

#### PRO1 Panel Comments and Revisions

Zoom Recording:

[https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK\\_xzdicEb.MzbHGzrD7rL3tVgJ?startTIme=1731326444000](https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTIme=1731326444000)

Passcode: +7qL6DZE

Panelist's Comments and Revisions	Action Taken	Page Number
Capture both two sides of the mango and not just one to remove error	The image capturing system would only capture the two sides of the mango which are the two largest surface areas of the skin.	18
How will you get large dataset with sweetness and how will you classify it?	Remove Sweetness in the SO	13
Size and weight are not the same.	Remove Weight in objectives but retained size in the SO4 and SO6	
Specify in the specific objectives that it will be automatic sorting	SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	13
Add what process will be used to get the size classification	SO6: To classify mango size by getting its length and width using OpenCV, geometry, and image processing techniques	13
Add what process the ripeness classification will be	SO5: To classify mango ripeness using kNN or nearest neighbors algorithm	13
Get rid of texture in the general objectives	Texture is removed in the SOs	13
Get rid of CNN in general objectives and replace with machine learning	CNN is removed and replaced with machine learning GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning to assess ripeness, size, and bruises.	13
Remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"	SO3: To create a microcontroller application to operate and control the prototype.	13
Remove SO4. No need for user testing	Removed user test and the new SO4 is SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	13
Fix IPO to the correct input and output	Input: Two side image of the Carabao Mango and the User Priority Attributes Process: Machine Learning Algorithm, Grading Formula, and CNN model using a microcontroller Output: Size, Ripeness, and Bruises	20

### C. Revisions to the Proposal



# De La Salle University

1204

### PRO1 Panel Comments and Revisions – Appendix Z

	Classification with its Overall Grade	
Define bruises	The black or brown area of the mango that is visible on the skin of the mango.	6
Dataset should use at least 10,000 images	Added to expected deliverables SO2: To use a publicly available dataset of at least 10,000 mango images for classification of ripeness, and bruises.	14
Add to specific objectives the percentage accuracy	SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	14
Weight sensor just adds complexity	removed all mention of load sensor, load cell. removed load cell methodology	39,40,41, 42,43,44 previousl y



1205

## PRO1 Panel Comments and Revisions – Appendix Z

### PRO1 Panel Comments and Revisions

Zoom Recording:

[https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK\\_xzdicEb.MzbHGzrD7rL3tVgJ?startTim=e=1731326444000](https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTim=e=1731326444000)

Passcode: +?qL6DZE

Summary:

- Specific Objectives
- Add:
  - what process will be used to get the sweetness classification
  - what process the ripeness classification will be
  - what process will be used to get the size classification
  - Specify in the specific objectives that it will be automatic sorting
- Remove:
  - get rid of texture in the general objectives
  - get rid of cnn in general objectives and replace with machine learning
  - remove Raspberry Pi on the SO's and generalize to “to create a microcontroller based application”
  - remove SO4. No need for user testing

Comments:

\*[00-00] time stamps from recording

- [15:00] Why only the top side of the mango? Isn't the point of automation to reduce human error? Then what about the bottom side wouldn't that just introduce another error if the mango happens to have defects on the bottom?
- [16:09] What is the load cell for? Size is not the same as weight. If size is taken from the weight wouldn't size be also taken from the image. If size then adding a load cell would just introduce more complexity, if weight then load cell is fine. reminder that size is not the same as weight.
- [17:36] When computer vision, state input and output parameters. Output parameters in this case would be sweetness, ripeness, size and bruising. Input parameters would be images.
- [18:12] No mention of how the dataset would be gathered. Would you be gather your own dataset or using a publicly available dataset
- [21:38] Fix IPO based on mention input and output parameters.
- [21:50] Dataset is lacking. Usually in machine learning at least 10,000 images. can take more than one image per mango. after taking an image of mango can make more out of the image using data augmentations.
- [22:48] Add to specific Objectives the mentioned 80%
- [23:09] Consultant that would grade the mangoes as a third party to remove biases. For both the testing and the training
- [24:55] How do you detect the sweetness of mangoes? Add these to the specific objectives. What are the categories of sweetness? Add these to specific objectives. How do



1206

### PRO1 Panel Comments and Revisions – Appendix Z

you detect the correct categorization of sweetness? How to automate the classification of the sweetness.

- [33:10] Why is the dataset destructive but the testing non destructive? Clarify this further to avoid confusion.
- [35:09] What is the basis of sweetness using images? Clarify this further.
- [35:35] How would you know if the classifier is correct or not? What is your ground truth (for the sweetness)?
- [38:55] When can you say you are getting the top side of the mango? How would you know if the mango images showing the top side or the bottom side of both cheeks of the mango can be captured? If it doesn't matter then any side can be captured so why is it in the limitations that only the top side can be captured. Clarify the limitations.
- [48:10] What classifier would you use here? What features would you extract from the images?
- [52:07] Does it explain what process will be used to get the sweetness classification? Add it to the specific objectives
- [54:00] How will ripeness be classified? Will it use the same dataset as the sweetness classification did? How was ground truth obtained?
- [55:44] Why not the nearest neighbor? It is more fit in this scenario. Do not specify CNN in the objectives. The embedded systems as well, do not specify the Raspberry pi unless truly sure
- [57:30] Table is just image processing. Is there a specific objective that would describe how ripeness classification will be done? Add this to the specific objectives.
- [59:10] How is the weight obtained? Add it to the specific objectives. Remember that size is not proportional to weight. Size could be obtained from the image as the camera is from a fixed distance. Add to specific objectives how to get the size
- [1:00:00] get rid of texture in the general objectives. get rid of cnn in general objectives and replace with machine learning. as each parameter will use a different method.
- [1:04:00] remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"
- [1:04:37] remove SO4. no more user testing
- [1:05:00] The formula used for grading the mangoes, is this used as industry standard? How do they measure the export quality of mango
- [1:07:00] Specify in the specific objectives that it will be automatic sorting

Here are my comments on my end :)

1. Ensure seamless integration between hardware (sensors, motors, etc.) and software (CNNs, Raspberry Pi). You can consider using a modular approach for easier troubleshooting.
2. How do you gather a comprehensive and diverse dataset for training your CNN. This will enhance the model's robustness and accuracy.
3. Make sure that the weight sensors are calibrated correctly to avoid measurement errors.

## C. Revisions to the Proposal



# De La Salle University

1207

### PRO1 Panel Comments and Revisions – Appendix Z

4. Implement data augmentation techniques to enhance your image dataset, which can improve model generalization and accuracy.
5. Design an intuitive user interface for the Raspberry Pi application.
6. Besides precision, recall, and F1 score, consider incorporating confusion matrices to better understand model performance and error types.
7. Conduct user testing of the application to gather feedback on usability and functionality. This can lead to improvements in design and user experience. Consider how the system can be scaled or adapted for different fruits or larger processing volumes in the future.

Noted by:

  
\_\_\_\_\_  
**Dr. Donabel de Veas Abuan**  
*Chair of Panel*

Date: November 11 2024

---

Note: Keep a copy of this Appendix. It is a requirement that has to be submitted in order to qualify for PRO3 Defense.



De La Salle University

1208

## **Appendix D REVISIONS TO THE FINAL**

1209



- 1210      Make a table with the following columns for showing the summary of revisions to the  
 1211      proposal based on the comments of the panel of examiners.
- 1212      1. Examiner
- 1213      2. Comment
- 1214      3. Summary of how the comment has been addressed
- 1215      4. Locations in the document where the changes have been reflected

TABLE D.1 SUMMARY OF REVISIONS TO THE THESIS

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Reggie C. Gustillo	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <p>First itemtext</p> <p>Second itemtext</p> <p>Last itemtext</p> <p>First itemtext</p> <p>Second itemtext</p>	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p>	<p>Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ??</p>

*Continued on next page*

D. Revisions to the Final



# De La Salle University

*Continued from previous page*

<b>Examiner</b>	<b>Comment</b>	<b>Summary of how the comment has been addressed</b>	<b>Locations</b>
Dr. Donable de Veas Abuan	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p>	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <p><b>First</b> itemtext</p> <p><b>Second</b> itemtext</p> <p><b>Last</b> itemtext</p> <p><b>First</b> itemtext</p> <p><b>Second</b> itemtext</p>	<p>Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ??</p>
Engr. Jose Martin Maningo	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p>	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <ul style="list-style-type: none"> <li>• First itemtext</li> <li>• Second itemtext</li> <li>• Last itemtext</li> <li>• First itemtext</li> <li>• Second itemtext</li> </ul>	<p>Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ??</p>

*Continued on next page*



# De La Salle University

*Continued from previous page*


Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Alexander Co Abad	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???
Dr. Rafael W. Sison	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???



1216

## Appendix E VITA

1217




1218

Kenan A. Banal is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1219

1220




Francis Robert Miguel F. BAUTISTA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1221

1222

1223




Don Humphrey L. HERMOSURA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1224

1225

1226



Daniel G. SALAZAR is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1227

1228

1229



De La Salle University

1230

## **Appendix F ARTICLE PAPER(S)**

1231

# Article/Forum Paper Format

## (IEEE LaTeX format)

Michael Shell, *Member, IEEE*, John Doe, *Fellow, OSA*, and Jane Doe, *Life Fellow, IEEE*

1232

**Abstract—The abstract goes here.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

**Index Terms—**Computer Society, IEEE, IEEEtran, journal, L<sup>A</sup>T<sub>E</sub>X, paper, template.

### I. INTRODUCTION

THIS demo file is intended to serve as a “starter file” for IEEE article papers produced under L<sup>A</sup>T<sub>E</sub>X using IEEEtran.cls version 1.8b and later. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### A. Subsection Heading Here

**Subsection text here.** Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis

M. Shell was with the Department of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, 30332.  
E-mail: see <http://www.michaelshell.org/contact.html>

J. Doe and J. Doe are with Anonymous University.



Fig. 1. Simulation results for the network.

TABLE I  
AN EXAMPLE OF A TABLE

One	Two
Three	Four

sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

#### 1) Subsubsection Heading Here: Subsubsection text here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### II. CONCLUSION

#### The conclusion goes here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra



(a) Case I



(b) Case II

Fig. 2. Simulation results for the network.

sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## APPENDIX A PROOF OF THE FIRST ZONKLAR EQUATION

### Appendix one text goes here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## APPENDIX B

### Appendix two text goes here. [?].

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent

in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

## ACKNOWLEDGMENT

The authors would like to thank...