



1

2 Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics
3 using Machine Learning

4

5 A Thesis
6 Presented to the Faculty of the
7 Department of Electronics and Computer Engineering
8 Gokongwei College of Engineering
9 De La Salle University

10

11 In Partial Fulfillment of the
12 Requirements for the Degree of
13 Bachelor of Science in Computer Engineering

14

15 by

16 BANAL Kenan A.
17 BAUTISTA Francis Robert Miguel F.
18 HERMOSURA Don Humphrey L.
19 SALAZAR Daniel G.

20 March, 2025



21

ORAL DEFENSE RECOMMENDATION SHEET

22

23

24

25

26

27

28

29

This thesis, entitled **Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics using Machine Learning**, prepared and submitted by thesis group, AISL-1-2425-C5, composed of:

BANAL, Kenan A.

BAUTISTA, Francis Robert Miguel F.

HERMOSURA, Don Humphrey L.

SALAZAR, Daniel G.

30

31

32

33

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering (BS-CPE)** has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

34

35

36

Dr. Reggie C. Gustillo
Adviser

37

March 28, 2025



38

ABSTRACT

39

Carabao Mangoes are one of the sweetest mangoes in the world and one of the major producers of this is the Philippines. However, mangoes go through many screening processes, one of them being sorting and grading during post harvesting which is labor intensive, prone to human error, and can be inefficient if done manually. Previous researchers have taken steps to automate the process, however, their works often focus on only specific traits, and do not try to encapsulate all the physical traits of the mangoes altogether. Furthermore, previous researchers made the grading system static or unchangeable to the user. In this study, the researchers will develop an automated Carabao mango grader and sorter based on ripeness, size, and bruises with an interchangeable mango attribute priority through non-destructive means. Using machine vision, image processing, Machine Learning, microcontrollers and sensors the mangoes will be physically sorted into designated bins via a conveyor belt system which can be controlled and monitored via a graphical user interface. The approach will streamline the post-harvest process and cut down on human errors and labor costs, helping maintain the high quality of Carabao mango exports.

53

54 *Index Terms*—Machine Learning, Carabao Mangoes, Sorting and Grading Mangoes, Machine Vision, Microcontroller.



TABLE OF CONTENTS

55	Oral Defense Recommendation Sheet	ii
56	Abstract	iii
57	Table of Contents	iv
58	List of Figures	viii
59	List of Tables	ix
60	Abbreviations and Acronyms	x
61	Notations	xi
62	Glossary	xii
63	Listings	xiv
64	Chapter 1 INTRODUCTION	1
65	1.1 Background of the Study	2
66	1.2 Prior Studies	4
67	1.3 Problem Statement	5
68	1.4 Objectives and Deliverables	6
69	1.4.1 General Objective (GO)	6
70	1.4.2 Specific Objectives (SOs)	7
71	1.4.3 Expected Deliverables	7
72	1.5 Significance of the Study	9
73	1.5.1 Technical Benefit	10
74	1.5.2 Social Impact	11
75	1.5.3 Environmental Welfare	11
76	1.6 Assumptions, Scope, and Delimitations	11
77	1.6.1 Assumptions	11
78	1.6.2 Scope	12
79	1.6.3 Delimitations	12
80	1.7 Estimated Work Schedule and Budget	13
81	1.8 Overview of the Thesis	14



83	Chapter 2 LITERATURE REVIEW	15
84	2.1 Existing Work	16
85	2.1.1 Sorting Algorithms	19
86	2.2 Lacking in the Approaches	20
87	2.3 Summary	21
88	Chapter 3 THEORETICAL CONSIDERATIONS	23
89	3.1 Introduction	24
90	3.2 Relevant Theories and Models	24
91	3.3 Technical Background	25
92	3.4 Conceptual Framework Background	25
93	3.5 Software Concepts	26
94	3.5.1 Thresholding	26
95	3.5.2 Object Size Calculation	26
96	3.5.3 Convolutional Neural Network	26
97	3.6 Hardware Concepts	26
98	3.6.1 DC Motor	26
99	3.6.2 4 Channel Relay	26
100	3.6.3 1:3 Pulley Belt	26
101	3.7 Summary	26
102	Chapter 4 DESIGN CONSIDERATIONS	27
103	4.1 Introduction	28
104	4.2 System Architecture	28
105	4.3 Hardware Considerations	29
106	4.3.1 General Prototype Framework	29
107	4.3.2 Prototype Block Diagram	29
108	4.3.3 Prototype Flowchart	29
109	4.3.4 Hardware Specifications	29
110	4.3.4.1 Raspberry Pi	29
111	4.3.4.2 Raspberry Pi Camera	31
112	4.3.4.3 DC Motor	32
113	4.3.4.4 MicroSD Card	34
114	4.3.4.5 LED Lights	35
115	4.3.4.6 Power Supply	36
116	4.3.4.7 4 Channel Relay Module	38
117	4.4 Software Considerations	39
118	4.4.1 PyTorch	40
119	4.4.2 OpenCV	40
120	4.4.3 Tkinter	40



121	4.4.4 CustomTkinter	40
122	4.5 Security and Reliability Considerations	40
123	4.6 Scalability and Efficiency Considerations	40
124	4.7 User Interface	40
125	4.8 Constraints and Limitations	41
126	4.9 Technical Standards	41
127	4.10 Prototyping and Simulation	41
128	4.11 Design Validation	41
129	4.12 Summary	42
130	Chapter 5 METHODOLOGY	43
131	5.1 Introduction	46
132	5.2 Research Approach	46
133	5.3 Hardware Design	46
134	5.4 Software Design	47
135	5.5 Data Collection Methods	48
136	5.6 Testing and Evaluation Methods	48
137	5.6.1 Ripeness Training and Testing	50
138	5.6.2 Bruises Training and Testing	50
139	5.6.3 Size Determination	50
140	5.7 Formula for User Priority	50
141	5.8 Ethical Considerations	50
142	5.9 Summary	50
143	Chapter 6 RESULTS AND DISCUSSIONS	52
144	6.1 Training and Testing Results of the Model	57
145	6.1.1 Ripeness Classification Results	57
146	6.1.2 Bruises Classification Results	58
147	6.2 Size Determination Results	58
148	6.3 User Priority Formula	58
149	6.4 Physical Prototype	58
150	6.5 Software Application	58
151	6.6 Summary	58
152	Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES	59
153	7.1 Concluding Remarks	60
154	7.2 Contributions	60
155	7.3 Recommendations	60
156	7.4 Future Prospects	60



De La Salle University

158	References	62
159	Appendix A STUDENT RESEARCH ETHICS CLEARANCE	64
160	Appendix B ANSWERS TO QUESTIONS TO THIS THESIS	66
161	Appendix C REVISIONS TO THE PROPOSAL	75
162	Appendix D REVISIONS TO THE FINAL	81
163	Appendix E VITA	85
164	Appendix F ARTICLE PAPER(S)	86



LIST OF FIGURES

166	1.1	Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)	2
167	1.2	Gantt Chart	13
168	3.1	Theoretical Framework Diagram.	24
169	3.2	Conceptual Framework Diagram.	25
170	4.1	Raspberry Pi 4 Model B	30
171	4.2	Raspberry Pi Camera Module Version 2	31
172	4.3	12 Volt DC Gear Motor	33
173	4.4	SanDisk Ultra MicroSD Card	34
174	4.5	LED Light Strip	35
175	4.6	Bench Power Supply	37
176	4.7	4 Channel Relay Module	38



177

LIST OF TABLES

178	1.1 Expected Deliverables per Objective	8
179	1.1 Expected Deliverables per Objective	9
180	2.1 Comparison of Existing Studies	18
181	2.2 Comparison of Sorting Algorithm Models	21
182	5.1 Summary of methods for reaching the objectives	44
183	6.1 Summary of methods for achieving the objectives	53
184	D.1 Summary of Revisions to the Thesis	82



185

ABBREVIATIONS

186	AC	Alternating Current	13
187	DC	Direct Current	24
188	CNN	Convolution Neural Network	14
189	GUI	Graphical User Interface	40
190	LED	Light Emitting Diode	35
191	UI	User Interface	40



192

NOTATION

193	$B(P)$	Bruises Priority	58
194	$b(p)$	Bruises Prediction	58
195	$R(P)$	Ripeness Priority	58
196	$r(p)$	Ripeness Prediction	58
197	$S(P)$	Size Priority	58
198	$s(p)$	Size Prediction	58



199 GLOSSARY

200	bruises	The black or brown area of the mango that is visible on the skin of the mango.
201	Carabao mango	A popular variety of mango grown in the Philippines, known for its sweet and juicy flesh.
202	accuracy score	A performance metric that measures the overall proportion of correct predictions made by a machine learning model.
203	confusion matrix	A table that summarizes the performance of a classification model, showing the number of true positives, true negatives, false positives, and false negatives.
204	CNN	A type of deep neural network that is highly effective in analyzing and processing visual data, such as images.
205	F1-Score	A balanced performance metric that is the harmonic mean of precision and recall, taking both into account.
206	machine learning	A subset of Artificial Intelligence that enables systems to learn and improve from data.
207	computer vision	The use of cameras and algorithms to provide imaging-based inspection and analysis.
208	microcontroller	A small computing device that controls other parts of a system such as sensors.
209	Precision	A performance metric that reflects the percentage of instances classified as positive that are truly positive.
210	recall	A performance metric that measures the proportion of actual positive instances that the model correctly identified.



De La Salle University

211

User Priority-Based Grading

A customizable grading system where users can assign weights to grading factors.



De La Salle University

212

LISTINGS



De La Salle University

213

Chapter 1

214

INTRODUCTION



215 **1.1 Background of the Study**

216 Mangoes, also known as the *Mangifera indica*, are a member of the cashew family. This
217 fruit can often be seen being farmed by countries such as Myanmar, the Philippines, and
218 India as they have a tropical dry season. Being in a tropical country is an important
219 aspect for mango cultivation as it ensures proper growth for mangoes. If aspects such as
220 temperature and rainfall are not ideal, it may affect the quality of the mango (Britannica,
nd). Carabao mangoes is a variety of a mango that is found and cultivated in the Philippines.



Fig. 1.1 Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)

221
222 It is known for its sweet signature taste that was recognized sweetest in the world in the
223 Guinness Book of World Records in 1995. The mango was named after the national animal
224 of the Philippines, a native breed of buffalo. On average, it is 12.5 cm in length and 8.5
225 cm in diameter, having a bright yellow color when ripe as seen in Figure 1.1. It is often
226 cultivated during late May to early July (DBpedia, nd).

227 As the Philippines is a tropical country, mangoes are a highly valued fruit as it is not
228 only the country's national fruit but also amongst the leading agricultural exports of the
229 country, ranking only third below bananas and pineapples. This gives the country the 9th
230 slot amongst the leading exporters of Mangoes across the world. Attributed to this ranking



De La Salle University

231 is the country's export of both fresh and dried mangoes, as well as low tariff rates. This
232 allows the country to export a large quantity of the fruit in countries such as Singapore,
233 Japan, and the USA as they can enter duty free markets provided by the World Trade
234 Organization and Japan. Due to this, the mangoes have become a major source of income
235 to an estimated 2.5 million farmers in the country (Centino et al., 2020).

236 Before mangoes are sold in markets, they first undergo multiple post-harvest processes.
237 This is to ensure that the mangoes that arrive in markets are utmost quality before being
238 sold to consumers. Moreover, it ensures that mangoes are contained and preserved properly
239 such that they do not incur damages and/or get spoiled on its transportation to the market.
240 Processing of the mango involves pre-cooling, cleaning, waxing, classification, grading,
241 ripening, packaging, preservation, storage, packing, and transportation (Patel et al., 2019)
242 (Rizwan Iqbal and Hakim, 2022).

243 Among the processes that mangoes undergo, classification and grading is important as
244 it allows the manufacturer to separate mangoes with good qualities versus mangoes with
245 poor qualities. According to a study by (Lacap et al., 2021), size, length, width, volume,
246 density, indentation, and grooves are aspects that determine the maturity of mangoes. These
247 traits are being checked along with the ripeness of the mango, sightings of bruise injury,
248 and cracks on the fruit (Lacap et al., 2021) as these aspects affect the sellability of the fruit
249 as well as the chances of it getting spoiled sooner.

250 Previous studies have been made to automate the sortation process of the mangoes.
251 Among these is a research done by Abbas et al. (2018), which focuses on classification
252 of mangoes using their texture and shape features. They do this by, first, acquiring an
253 image of the mango using a digital camera. Then, these images are fed to the MaZda
254 package, which is a software originally developed for magnetic resonance imaging. Within



255 the MaZda package is the B11 program, which uses Principal Component Analysis, Linear
256 Discriminant Analysis, Nonlinear Discriminant Analysis, and texture classification to
257 extract features from the mango, which in this case are the length, width, and texture. This
258 data is then compared to a database in order to classify any given mango (Abbas et al.,
259 2018).

260 Another study is done by Rizwan Iqbal and Hakim (2022), which classifies mangoes
261 based on their color, volume, size, and shape. This is done by making use of Charge Coupled
262 Devices, Complementary Metal-Oxide Semiconductor sensors, and 3-layer Convolutional
263 Neural Network. To classify the mangoes, images are first captured and preprocessed to
264 be used as a data set (Rizwan Iqbal and Hakim, 2022). This data set is then augmented
265 to be used as a model for the 3-layer Convolutional Neural Network. After extracting the
266 features of the mango, the 3-layer Convolutional Neural Network is used as a method for
267 their classification as it can mimic the human brain in pattern recognition, and process
268 data for decision making. This is important as some mangoes have very subtle differences
269 which make it difficult to differentiate them.

270 1.2 Prior Studies

271 A paper written by Amna et al. (2023), designed an automated fruit sorting machine based
272 on the quality through an image acquisition system and CNN. Furthermore, the results
273 of the paper show that the image processing detection score was 89% while that of the
274 tomatoes was 92% while the CNN model had higher validity of 95% for mangoes and
275 93% for tomatoes. 15%, while the percentage of distinction between the two groups was
276 reported to be 5% respectively (Amna et al., 2023). Despite the high accuracy score in



277 detecting mango defects, the fruit sorting system only sorts based on the mango defects
278 and not on ripeness, and weight.

279 Furthermore, the research paper presented by Guillergan et al. (2024) designed an
280 Automated Carabao mango classifier, in which the mango image database is used to extract
281 the features like size, area along with the ratio of the spots for grading using Naïve Bayes
282 Model. For the results, the Naïve Bayes' model recognized large and rejected mangoes with
283 95% accuracy and the large and small/medium difference with a 7% error, suggesting an
284 application for quality differentiation and sorting in the mango business industry. Despite
285 the high accuracy of classifying Carabao mangoes, the researchers used a high quality
286 DSLR camera for the image acquisition system without any microcontroller to control the
287 mangoes (Guillergan et al., 2024).

288 **1.3 Problem Statement**

289 As mangoes are among the top exports of the Philippines (Centino et al., 2020), assessing
290 the physical deformities is a necessity. The physical deformities of the Carabao mango
291 can determine the global competitiveness of the country. Having higher quality exports
292 can often lead to gaining competitive edge, increase in demand, increase export revenues,
293 and becoming less susceptible to low-wage competition (D'Adamo, 2018). In order to
294 increase the quality of mango fruit exports, a key post-harvest process is done, which is
295 sorting and grading. Mango sorting and grading then becomes important to determine
296 which batches are of high quality and can be sold for a higher price, and which batches are
297 of low quality and can only be sold for a low price (Co., nd). Traditionally, fruit sorting
298 and grading is inefficient as it is done manually by hand. Some tools are used such as



299 porous ruler to determine fruit size and color palette for color grading (Co., nd). However,
300 among the problems encountered in the process of manually sorting and grading mangoes
301 are susceptibility to human error and requiring a number of laborers to do the task.

302 With the current advancements in technology, some researchers have already taken steps
303 to automate the process of sorting and grading mangoes. However, these attempts would
304 often only consider some of the aspects pertaining to size, ripeness, and bruises but not all
305 of them at the same time. Lastly, not all research approaches were able to implement a
306 hardware for their algorithm, limiting their output to only a software implementation and not
307 an embedded system. As such the proposed system would assess the export quality of the
308 Carabao mango based on all the mentioned mango traits, namely size, bruises, and ripeness
309 while also taking into consideration being non-destructive. These aspects are important
310 because, as was previously mentioned, there is a need to develop a Carabao mango sorter
311 that takes into account all these aspects at the same time while being non-destructive.

312 **1.4 Objectives and Deliverables**

313 **1.4.1 General Objective (GO)**

- 314 • GO: To develop a user-priority-based grading and sorting system for Carabao man-
315 goes, using machine learning and computer vision techniques to assess ripeness, size,
316 and bruises. ;



317 **1.4.2 Specific Objectives (SOs)**

- 318 • SO1: To make an image acquisition system with a conveyor belt for automatic sorting
319 and grading mangoes. ;
- 320 • SO2: To get the precision, recall, F1 score, confusion matrix, and train and test
321 accuracy metrics for classifying the ripeness and bruises with an accuracy score of at
322 least 90%.;
- 323 • SO3: To create a microcontroller-based system to operate the image acquisition
324 system, control the conveyor belt, and process the mango images through machine
325 learning. ;
- 326 • SO4: To grade mangoes based on user priorities for size, ripeness, and bruises. ;
- 327 • SO5: To classify mango ripeness based on image data using machine learning
328 algorithms such as kNN, k-mean, and Naïve Bayes. ;
- 329 • SO6: To classify mango size based on image data by getting its length and width
330 using OpenCV, geometry, and image processing techniques. ;
- 331 • SO7: To classify mango bruises based on image data by employing machine learning
332 algorithms.

333 **1.4.3 Expected Deliverables**

334 Table 1.1 shows the outputs, products, results, achievements, gains, realizations, and/or
335 yields of the Thesis.



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ul style="list-style-type: none"> • To develop a Carabao mango grading and sorting system. • To grade Carabao mangoes into three categories based on ripeness, size, and bruises using machine learning. • To integrate sensors and actuators to control the conveyor belt and image acquisition system.
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ul style="list-style-type: none"> • To make an image acquisition system with a camera and LED light source. • To build a flat belt conveyor for moving the mangoes.
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ul style="list-style-type: none"> • To use a publicly available dataset of at least 10,000 mango images for classification of ripeness and bruises.
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	<ul style="list-style-type: none"> • To develop an intuitive UI where users can start and stop the system. • To implement a priority-based grading system with sliders for ripeness, bruises, and size.
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ul style="list-style-type: none"> • To utilize a linear combination formula as the overall mango score, where each classification level contributes a grade, weighted by the priority assigned to the three properties. • To assign score values for each classification level of the mango.

Continued on next page



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	<ul style="list-style-type: none"> To train a machine learning model such as kNN, k-means, or Naïve Bayes capable of classifying mango ripeness based on the image color. To gather a dataset of annotated images with ripeness labels. To obtain an evaluation report of performance metrics of the model.
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ul style="list-style-type: none"> To develop an image processing algorithm capable of determining mango size using OpenCV, NumPy, and imutils. To classify mangoes based on size into small, medium, and large based on measurements.
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ul style="list-style-type: none"> To train a machine learning model such as CNN capable of distinguishing bruised and non-bruised mangoes. To train a machine learning model such as kNN, k-means, and Naïve Bayes capable of assessing the extent of bruising on the mangoes if it is significant or partial. To gather a dataset of annotated images based on bruises. To obtain an evaluation report of performance metrics of both CNN and other machine learning models.

336

1.5 Significance of the Study

337

Automating the process of sorting and grading mangoes increases efficiency and productivity for the user which would in effect remove human error in sorting and grading and decrease the human labor and time taken to sort and grade the mangoes. This is especially important for farmers with a large amount of fruit such as mangoes and a lesser labor force.

338

339

340



341 A recent study showed that their automated citrus sorter and grader using computer vision
342 can reduce the human labor cost and time to sort and grade when comparing the automated
343 citrus sorter and grader to manual human labor Chakraborty et al. (2023).

344 Another benefit to automating sorting and grading mangoes is the improvement in
345 quality control. This implies that compared to human labor, automating sorting and
346 grading mangoes can uniformly assess the quality of mangoes based on size, color, and
347 bruises, ensuring that the expected grade and high-quality mangoes reach the consumer.
348 By accurately identifying substandard mangoes, the system helps in reducing waste and
349 ensuring that only marketable fruits are processed further.

350 Likewise, the scalability of automating sorting and grading mangoes is simpler, es-
351 pecially for lower labor force farmers with large volumes of mangoes. Because of the
352 possibility of large-scale operations by automating sorting and grading mangoes, farmers
353 can now handle large volumes of mangoes, making them suitable for commercial farms
354 and processing plants. Moreover, it can be adapted to different varieties of mangoes and
355 potentially other fruits with minor modifications.

356 **1.5.1 Technical Benefit**

- 357 1. The development of an automated Carabao mango sorter would increase the quality
358 control of classifying Carabao mango based on ripeness, size, and bruising.
- 359 2. The accuracy in sorting Carabao mangoes will be significantly improved while
360 reducing the errors due to human factors in manual sorting.
- 361 3. The automated Carabao mango sorter carefully sorts the mangoes while ensuring
362 that they remain free from bruising or further damage during the process



363 **1.5.2 Social Impact**

- 364 1. The reduction in manual labor creates opportunities in maintenance and technologies
365 in the automated Carabao mango sorter.
- 366 2. The automated Carabao mango sorter system improves Carabao mango standards
367 and enhances the satisfaction of the buyers and the customers through guaranteeing
368 consistent Carabao mango grade.
- 369 3. Opportunity to increase sales and profit for the farmers through consistent quality
370 and grade Carabao mangoes while reducing the physical labor to sort it.

371 **1.5.3 Environmental Welfare**

- 372 1. With the utilization of non-destruction methods of classifying Carabao mangoes
373 together with an accurate sorting system, overall waste from Carabao mangoes is
374 reduced and the likelihood of improperly sorted mangoes is decreased.
- 375 2. Automation of sorting and grading Carabao mangoes promotes sustainable farming
376 practices.

377 **1.6 Assumptions, Scope, and Delimitations**

378 **1.6.1 Assumptions**

- 379 1. The Carabao mangoes are from the same source together with the same variation
- 380 2. The Carabao mangoes do not have any fruit borer and diseases



- 381 3. All the components do not have any form of defects

382 4. The prototype would have access to constant electricity/power source.

383 5. The Carabao mangoes to be tested would be in the post-harvesting stage and in the
grading stage.

384

385 6. The image-capturing system would only capture the two sides of the mango which
are the two largest surface areas of the skin.

386

1.6.2 Scope

- 388 1. The prototype would be specifically designed to grade and sort Carabao Mangoes
389 based on only ripeness, size, and visible skin bruises.

390 2. The mangoes used as the subject will be solely sourced from markets in the Philip-
391 pines.

392 3. The Carabao mangoes would be graded into three levels.

393 4. The prototype will be using a microcontroller-based system locally stored on the
394 device itself to handle user interaction.

395 5. Computer vision algorithms to be used will include image classification.

1.6.3 Delimitations



- 399 2. Additionally, the project prototype will only be able to capture, sort, and grade one
 400 mango subject at a time which means the mangoes have to be placed in the conveyor
 401 belt in a single file line for accurate sorting.
- 402 3. For the bruises, the system will only be able to detect external bruises and may not
 403 identify the non-visible and internal bruises.
- 404 4. The system does not load the mangoes onto the conveyor belt itself. Assistance is
 405 required to put mangoes into the conveyor belt to start the sorting process
- 406 5. The prototype will be powered using Alternating Current (AC) power and will be
 407 plugged into a wall socket which is only suitable for indoor use.

408 1.7 Estimated Work Schedule and Budget

TASKS	THSCP4A				THSCP4B				THSCP4C			
	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13
Topic Proposal and Defense	BANAL, BAUTISTA, HERMOSURA, SALAZAR				HERMOSURA AND SALAZAR							
Buying and Collecting of Materials					BANAL AND BAUTISTA							
Training and Testing the CNN model						HERMOSURA AND SALAZAR						
Integrating the sensors and actuators to the Arduino Uno						BANAL AND BAUTISTA						
Coding of the Application with CNN model to the Raspberry Pi and connecting it to the Arduino Uno							BANAL AND BAUTISTA					
Polishing and Revising the UI App							BANAL AND BAUTISTA					
Testing and Surviving of the System with the Carabao Mangoes							BANAL, BAUTISTA, HERMOSURA, SALAZAR					
Data Gathering								BANAL, BAUTISTA, HERMOSURA, SALAZAR				

Fig. 1.2 Gantt Chart

409 As seen above, Table 1.2 shows the Gantt Chart together with the assigned task. For
 410 the first part of the THSCP4A, the group would primarily revise and fine tune Chapters
 411 1 and 2 while also preparing for the defense. After that for THSCP4B, the yellow team
 412 which consists of two members, Hermosura and Salazar, would start buying and collecting



413 the materials needed for assembling the prototype. While team yellow is doing that,
414 team purple which consists of Banal and Baustista would start training and validating the
415 Convolution Neural Network (cnn) model based on the Carabao mango image dataset.
416 After that integration of the sensors and actuators together with the integration of the cnn
417 model and beginning of coding of the Application to the Raspberry Pi would be done. Once
418 that cnn model is deployed and the Application works testing of the Carabao mangoes to
419 the prototype would be done. During THSCP4C, data gathering would be done together
420 with polishing and revising of the final paper.

421 **1.8 Overview of the Thesis**

422 There are seven succeeding chapters. To recall, chapter 1 involves the introduction of
423 the thesis topic containing the background of the study, previous studies, objectives and
424 deliverables, assumptions, scope, and delimitation, significance of the study, description
425 of the project together with the methodology, and Gantt chart and budget. Chapter 2
426 involves the existing articles, the lacking in their approaches, and the summary of chapter 2.
427 Chapter 3 involves the theoretical considerations of the thesis topic while chapter 4 would
428 consist of the design consideration involving the thesis topic. Chapter 5 would involve the
429 research methodology containing the testing procedure and setup. Chapter 6 would involve
430 the results and discussion based on the methodology while Chapter 7 would involve the
431 conclusion, recommendations, and future suggestions.



De La Salle University

432

Chapter 2

433

LITERATURE REVIEW



434 2.1 Existing Work

435 The research paper written by Adam et al. (2022) developed a ripeness grader for Carabao
436 mangoes. The Carabao mango ripeness grade calculated based on object and color detection
437 which were written in microcontroller. These are the systems designed by the researchers
438 that consists of Raspberry Pi 4, Arduino Uno, camera, touch screen LCD, MQ3 gas sensor,
439 ventilation system. The proposed system was able to ascertain an overall reliability of 95%:
440 therefore, the specified objective of ascertaining the ripeness level of the mangoes was
441 met with success. However, accuracy and reliability of the software system are there since
442 the hardware design does not seem to be workable when one must deal with the scores of
443 mangoes (Adam et al., 2022). In addition, the design of the hardware does not integrate
444 any form of physical automating, say like the conveyor belt. Besides, the hardware system
445 only works efficiently when deciding the ripeness grade of mangoes separately.

446 A study done by Samaniego et al. (2023) is another research paper that supports and
447 has relevant information concerning the topic. The researchers proposed a fully-perovskite
448 photonic system which has the capability to identify and sort or grade mango based on
449 features such as color, weight and, conversely, signs of damages (Samaniego et al., 2023).
450 Some of the techniques in image processing that the researchers used included image
451 enhancement, image deblurring, edge detection using MATLAB and Arduino as well as
452 color image segmentation. By carrying out the multiple trials on the device they achieved a
453 classification speed of 8.132 seconds and an accuracy of 91.2%. The proponents' metrics
454 used for the ratings were speed wherein the results were rated "excellent" while the accuracy
455 rating given was "good". One of the limitations of the paper is that the researchers were
456 only limited to the color, texture, and size of the Carabao mango



457 Furthermore, the research paper presented by Guillergan et al. (2024) designed an
458 Automated Carabao mango classifier, in which the mango image database is used to extract
459 the features like weight, size, area along with the ratio of the spots for grading using
460 Naïve Bayes Model. Concerning the quantitative test design, one had to control and
461 experiment with various methods of image processing that would improve the likelihood
462 of improved classification. The paper methodology entailed sample collection from 300
463 Carabao mangoes, picture taking using a DSLR camera, and feature deconstruction for
464 categorization (Guillergan et al., 2024). The system prototype and the software were
465 designed with the programming language C# with integration of Aforge. NET routines.
466 The performance of this model was checked with the help of the dataset containing 250
467 images, precision, recall, F-score key indicators were used. The investigation discovered
468 that the Naïve Bayes' model recognized large and rejected mangoes with 95% accuracy
469 and the large and small/medium difference with a 7% error, suggesting an application for
470 quality differentiation and sorting in the mango business industry. The limitations in the
471 researchers' paper include the researchers were able to achieve high accuracy after using a
472 high quality DSLR camera and the fact that the researchers were not able to incorporate the
473 use of microcontrollers.

474 Another study by Tomas et al. (2022) proposed SVM-based system for classifying
475 the maturity stages of bananas, mangoes, and calamansi. With the use of 1729 images of
476 bananas together with 711 mango images and 589 calamansi, the researchers were able to
477 achieve a high accuracy score of above 90% for all fruits. Some pre-processing techniques
478 used to get this high accuracy are the change in hue, saturation, and value channels in the
479 mango image (Tomas et al., 2022). To better understand the harvest time of mangoes, the
480 paper by Abu et al. (2021) examined the association of the harvest season with seasonal



De La Salle University

481 heat units, rainfall, and physical fruit attributes for Haden, Kent, Palmer, and Keitt mango
 482 varieties to establish export and domestic market maturity standards. For the results of
 483 the paper, it shows that temperature, rainfall, and physical characteristics have a reliable,
 484 non-destructive indicators for determining mango maturity (Abu et al., 2021). This shows
 485 that physical characteristics and temperature are important when exporting fruits such as
 486 mangoes.

TABLE 2.1 COMPARISON OF EXISTING STUDIES

Existing Study	Limitations	Accuracy Rating
Adam et al. (2022)	No physical automation, not suitable for large amounts of mangoes, only classifies ripeness and only a sample size of 10 mangoes.	95%
Samaniego et al. (2023)	Focuses only on color and size.	91.2%
Guillergan et al. (2024)	Relies on high-quality DSLR cameras, and limited automation due to not integrating microcontrollers.	95%
Supekar and Wakode (2020)	No physical automation implemented. Ripeness, size, and shape-based classification achieved 100%, 98.19%, and 99.20% accuracy respectively on their own. However, errors occurred when taking into account all these aspects together for grading mangoes, causing an accuracy rating deduction.	88.88%

487 Previous studies on mango grading have achieved an accuracy rating of up to 95%, as
 488 shown in Table 2.1. However, these studies either relied on a small sample size, which
 489 limits statistical significance, or utilized expensive equipment, which may be impractical.
 490 In light of this, the researchers have set a target accuracy rating of greater than or equal
 491 to 90%. This target ensures that the system being developed is comparable to, or better
 492 than, existing studies that used larger sample sizes or assessed multiple mango traits at the



493 same time. Furthermore, this research aims to distinguish itself by not only maintaining or
494 exceeding the 90% accuracy rating but also incorporating a graphical user interface (GUI)
495 for selective priority-based mango classification. The system will integrate both software
496 and hardware components, and it will evaluate a greater number of mango traits for grading
497 purposes.

498 **2.1.1 Sorting Algorithms**

499 In previous studies, researchers have implemented various artificial intelligence algorithms
500 in order to determine the optimal and most effective method for sorting mangoes. One of
501 the algorithms that was used in the classification of mangoes was the CNN or Convolutional
502 Neural Networks. A study done by Zheng and Huang (2021) explored the effectiveness of
503 CNN, specifically in classifying mangoes through image processing. The system that the
504 researchers developed graded mangoes into four groups which was based on the Chinese
505 National Standard (Zheng and Huang, 2021). These mangoes were examined by their
506 shape, color uniformity, and external defects. The system that was developed had an
507 impressive accuracy of 97.37% in correctly classifying the mangoes into these grading
508 categories Support Vector Machine was also one of the classification algorithms that was
509 implemented to detect flaws in mangoes. In that study by Veling (2019), SVM was used in
510 the classification of diseases from mangoes. The study used 4 different diseases/defects for
511 testing (Veling, 2019). The diseases were Anthracnose, Powdery Mildew, Black Banded,
512 and Red Rust. and provided 90% accuracy for both the leaves and the fruit

513 In the study done by Schulze et al. (2015), Simple Linear Regression, Multiple Linear
514 Regression, and Artificial Neural Network models were all studied and compared for
515 the purpose of size-mass estimation for mango fruits. The researchers found that the



516 Artificial Neural Network yielded a high accuracy rating for mass estimation and for mango
517 classification based on size with a success rate of 96.7% (Schulze et al., 2015). This is
518 attributed to the Artificial Neural Network model's ability to learn both linear and nonlinear
519 relationships between the inputs and the outputs. However, a problem can occur with the
520 use of the model, which is overfitting. This issue occurs when the model is overtrained
521 with the data set such that it will start to recognize unnecessary details such as image noise
522 which results in poor generalization when fed with new data. With this in mind, additional
523 steps will be necessary to mitigate the issue. Another research article written by Alejandro
524 et al. (2018) implements a method for sorting and grading Carabao mangoes. This research
525 focuses on the use of Probabilistic Neural Network, which is another algorithm that is used
526 for pattern recognition and classification of objects. For this study, the researchers focused
527 on the area, color, and the black spots of the mango for their Probabilistic Neural Network
528 model (Alejandro et al., 2018). Their research using the model yielded an accuracy rating
529 of 87.5% for classification of the mangoes which means it is quite accurate for classifying
530 mangoes within the predefined categories. However, problems were encountered with
531 the use of the model when trying to identify mangoes that did not fit the predefined size
532 categories of small, medium, and large. This means that the PNN model may become
533 challenged when presented with a mango with outlying traits or traits that were very
534 different from the data set.

535 **2.2 Lacking in the Approaches**

536 The majority of past researchers such as Amna et al. (2023) and Guillermo et al. (2019)
537 were able to implement a fruit and mango sorter together with an accurate AI algorithm



TABLE 2.2 COMPARISON OF SORTING ALGORITHM MODELS

Sorting Algorithm Model	Accuracy Rating	Criteria	Problems Encountered
Convolution Neural Network	97.37%	shape, color, defects	Minor blemishes affected the accuracy.
Support Vector Machine	90%	mango defects and diseases	The model is sensitive to noise, which requires intensive image preprocessing.
Artificial Neural Network	96.7%	for mango size and mass	Overfitting
Probabilistic Neural Network	87.5%	for mango area, color, and black spots	Difficulty in identifying mangoes that have outlying features or did not fit the predefined categories

538 to detect the ripeness defects. This means that none of the previous research papers were
 539 able to integrate an interchangeable user-priority-based grading together with size, ripeness,
 540 and bruises using machine learning for Carabao mango sorter and grader. Our research
 541 however would implement an automated Carabao mango sorter in terms of size, ripeness,
 542 and bruises with its own UI, conveyor belt, stepper motors, and bins for collecting the
 543 different ripeness and defect grade of the Carabao mango.

544 2.3 Summary

545 To reiterate, there is an innovative gap that needs to be filled with regards to the process of
 546 sorting and grading Carabao mangoes. The traditional methods for conducting this process
 547 manually by hand, by a porous ruler, by a sugar meter, and by a color palette can be prone
 548 to human error and expensive costs due to the number of laborers required to do the task.



De La Salle University

549 On the other hand, although researchers have already taken steps to automate the process
550 of mango sorting and grading, there is still a need for an implementation that takes into
551 account size, ripeness, and bruises altogether whilst being non-destructive and having its
552 own embedded system. The research articles shown above show the different computer
553 vision and CNN approaches for sorting and classifying mangoes. For example, a system
554 created by Adam et al. (2022) was more focused on ripeness detection. Samaniego et al.
555 (2023) considered photonic systems for grading mango fruit based on color and weight.
556 On the other hand, Guillermo et al. (2019) implemented the Naïve Bayes classification
557 model on mangoes with high accuracy, which thereby did not include any microcontroller.
558 There was an attempt to study each of those parameters separately and that is why the
559 multifactorial approach was not used. With this in mind, the system being proposed does
560 exactly what was mentioned, to implement a non-destructive and automated sorting and
561 grading system for Carabao mangoes that takes into account size, ripeness, and bruises
562 altogether using machine learning, as well as having its own embedded system. This system
563 will be mainly composed of a conveyor belt, servo motors, a camera, microcontrollers, and
564 an LCD display for the user interface. By doing so, the system should be able to improve
565 the efficiency and productivity of mango sorting and grading, remove the effect of human
566 error and reduce time consumption. The studies also provided critical insights regarding the
567 effective algorithms that can be used in classification stages in image processing. The use
568 of CNN had the most accuracy with manageable potential challenges. Lastly, by scaling
569 the implementation, the overall export quality of the Carabao mangoes can be improved.



570

Chapter 3

571

THEORETICAL CONSIDERATIONS



572 3.1 Introduction

573 Likewise, the purpose of this chapter is to go through the important theories in developing
 574 the prototype together with training and testing the machine learning model.

575 3.2 Relevant Theories and Models




Fig. 3.1 Theoretical Framework Diagram.

576 The theoretical framework seen in figure x revolves around the concepts that revolve
 577 around the research topic. Embedded systems include the Raspberry Pi, which is the
 578 microcontroller that will be the brain of the system, Direct Current (DC) motors, 4 channel
 579 relays, and the conveyor belt. The machine learning portion includes a neural network
 580 model, namely the Convolutional Neural Network, which will use computer vision as a
 581 method of seeing and classifying the mangoes based on their physical traits. The image
 582 processing will include methods such as size calculation and background removal using
 583 OpenCV. Lastly, the Carabao mango will be the test subject of the system.



584 3.3 Technical Background

585 At its core, the system will be using machine learning concepts pertaining to CNN and
586 OpenCV, and may use other algorithms such as Naive Bayes and k-Nearest Neighbors
587 to supplement the classification tasks, particularly for assessing mango ripeness, bruise
588 detection, and size determination. The system will be built on an embedded framework,
589 integrating a Raspberry Pi microcontroller to control the RaspberryPi camera, actuators,
590 LED lights, and motors. A user-friendly GUI will also be utilized to ensure users can
591 customize the prioritization of the mango sorting system.

592 3.4 Conceptual Framework Background




Fig. 3.2 Conceptual Framework Diagram.



593 **3.5 Software Concepts**

594 **3.5.1 Thresholding**

595 **3.5.2 Object Size Calculation**

596 **3.5.3 Convolutional Neural Network**

597 **3.6 Hardware Concepts**

598 **3.6.1 DC Motor**

599 **3.6.2 4 Channel Relay**

600 **3.6.3 1:3 Pulley Belt**

601 **3.7 Summary**

602 Overall, chapter 3 establishes key concepts and theoretical considerations that form the
603 foundation of the Carabao mango sorter and grading system. It discusses and connects
604 each component together, explaining how each component such as the RaspberryPi and
605 DC motors work together to create a system that utilizes machine learning and computer
606 vision techniques to classify mangoes based on user priority.



607

Chapter 4

608

DESIGN CONSIDERATIONS



609 Likewise, the objective of chapter 4 is to describe the researcher's design consideration
610 when developing and testing the prototype. For an overview of the design of the prototype,
611 the researchers considered different computer vision models in classifying the ripeness
612 and bruises together with other algorithms to determine the size of the mango. Likewise,
613 the hardware design was also taken into consideration where the physical design of the
614 conveyor belt was taken into account.

615 **4.1 Introduction**

616 This chapter discusses the design considerations for the mango sorting and grading system,
617 focusing on the technical and engineering decisions required for its development. The
618 design process aims to create a scalable, efficient, and user-friendly system that leverages
619 machine learning for accurate mango classification.

620 **4.2 System Architecture**

621 The system architecture is represented through a block diagram, showcasing modules
622 such as image acquisition, preprocessing, feature extraction, machine learning model, and
623 grading output. Each module is described in detail, emphasizing its role in the overall
624 system. For instance, the image acquisition module uses high-resolution cameras to capture
625 mango images, while the preprocessing module enhances image quality for better feature
626 extraction.



627 **4.3 Hardware Considerations**

628 The hardware components include high-resolution cameras, lighting systems for consistent
629 image capture, and microcontrollers like Raspberry Pi or Arduino for system control,
630 actuators like motors and servo motors to move the mangoes. The choice of hardware is
631 justified based on cost, performance, and compatibility with the software framework.

632 **4.3.1 General Prototype Framework**

633 **4.3.2 Prototype Block Diagram**

634 **4.3.3 Prototype Flowchart**

635 **4.3.4 Hardware Specifications**

636 **4.3.4.1 Raspberry Pi**

637 The Raspberry Pi 4 Model B is a compact, low-cost computer that serves as the system's
638 main processing unit. It was chosen for its balance of performance and affordability, making
639 it suitable for image processing tasks. Furthermore, it was selected for its compatibility
640 with various peripherals through the GPIO pins and USB-A ports together with its ease of
641 integration into the prototype.

642

643 **Specifications:**

- 644 • SoC: Broadcom BCM2711
- 645 • CPU: Quad-core ARM Cortex-A72 (64-bit)



De La Salle University



Fig. 4.1 Raspberry Pi 4 Model B

- Clock Speed: 1.5 GHz (base, overclockable)
 - RAM: 8GB LPDDR4-3200 SDRAM
 - Wireless: Dual-band 2.4 GHz / 5 GHz Wi-Fi (802.11ac)
 - Bluetooth: Bluetooth 5.0 (BLE support)
 - Ethernet: Gigabit Ethernet (full throughput)
 - USB: 2 x USB 3.0 ports and 2 x USB 2.0 ports
 - Video Output: 2 x micro-HDMI ports (supports 4K @ 60Hz, dual 4K display capability)
 - Audio: 3.5mm audio/video composite jack
 - Storage: MicroSD card slot (supports booting via SD card or USB)



- 656 • GPIO: 40-pin GPIO header (backward-compatible with older models)
- 657 • Camera/Display: CSI (camera) and DSI (display) ports
- 658 • Power Input: USB-C (5V/3A recommended)
- 659 • Power Consumption: 3W idle, up to 7.5W under load

660 **4.3.4.2 Raspberry Pi Camera**




Fig. 4.2 Raspberry Pi Camera Module Version 2

661 The Raspberry Pi Camera Module Version 2 is a high-quality camera module designed
662 for the Raspberry Pi platform. Likewise, it is capable of capturing still images at 8 megapix-
663 els, and supports video recording at 1080p @ 30fps, 720p @ 60fps, and 480p @ 90fps.
664 Moreover, it has a fixed-focus lens with a diagonal field of view of 62.2 degrees, and
665 an optical format of 1/4 inch. Furthermore, it supports various Python libraries such as
666 Picamera and OpenCV for image capture and processing. As such, it was selected for its



De La Salle University

667 compact size, ease of integration, and ability to capture high-resolution images.

668

669 **Specifications:**

670 • Sensor: Sony IMX219PQ 8-megapixel CMOS sensor.

671 • Still Images Resolution: 8 MP (3280 x 2464 pixels).

672 • Video Resolution: Supports up to 1080p @ 30fps, 720p @ 60fps, and 480p @ 90fps.

673 • Focus: Fixed-focus lens (manual focus adjustment not supported without physical
674 modification).

675 • Lens Size: 1/4-inch optical format.

676 • Field of View (FoV): Diagonal 62.2 degrees.

677 • Interface: Connected via 15-pin ribbon cable to the Raspberry Pi's CSI (Camera
678 Serial Interface) port.

679 • APIs/Libraries: Supports Python libraries such as Picamera and OpenCV for image
680 capture and processing.

681 • Dimensions: 25 mm x 24 mm x 9 mm.

682 **4.3.4.3 DC Motor**

683 The 12 Volt DC Gear Motor is a compact, high-torque, and low-noise motor suitable for a
684 wide range of applications, including robotics, automation, and industrial control systems.

685 It features a spur gear design, which provides a high reduction ratio for increased torque
686 output. The motor is designed for continuous operation and has a low power consumption



Fig. 4.3 12 Volt DC Gear Motor

under standard load conditions. Likewise, it is also capable of withstanding high temperatures and has a high reliability. This motor was selected for its high torque output, low power consumption, and compact size, making it ideal for the conveyor system.

Specifications:

- Gearbox Type: Spur gear design
- Operating Voltage: 12V (operational range: 6-12V)
- No-load Current Consumption: 0.8A
- Rated Current Draw: 3A (under standard load)
- No-load Speed: 282 RPM (maximum)
- Operating Speed: 248 RPM (under rated load)



- 698 • Torque Output: 18 kg-cm (rated)
- 699 • Stall Torque: 60 kg-cm (maximum)
- 700 • Power Rating: 50W (maximum)
- 701 • Unit Weight: 350 grams

702 **4.3.4.4 MicroSD Card**



Fig. 4.4 SanDisk Ultra MicroSD Card

703 The SanDisk Ultra MicroSD Card is a compact, high-capacity, and secure digital
704 memory card that is suitable for a wide range of applications, including digital cameras,
705 smartphones, and tablets. It features a high-speed data transfer rate, making it ideal for
706 storing large files such as images and videos. This card was selected for its high capacity, se-
707 cure data protection, and ease of use, making it ideal for the storage system for the prototype.

708
709 **Specifications:**



- 710 • Capacity: 256GB
711 • Type: MicroSDXC (Secure Digital eXtended Capacity)
712 • Form Factor: MicroSD (11mm x 15mm x 1mm)
713 • File System: Pre-formatted exFAT

714 **4.3.4.5 LED Lights**



Fig. 4.5 LED Light Strip

715 For the Light Emitting Diode (LED), they were used to provide consistent lighting for
716 image capture, ensuring accurate color representation and feature extraction. The LED
717 lights were selected for their energy efficiency, long lifespan, and ability to produce a
718 uniform light output.

719

720 **Specifications:**



- 721 • Power Input: 5V DC (USB-powered, compatible with laptops, power banks, or USB
722 adapters).
- 723 • Waterproof Design: Suitable for indoor/outdoor use.
- 724 • LED Type: SMD 2835 (surface-mount diodes for high brightness and efficiency).
- 725 • Color Type: White (cool white)
- 726 • Length: 1m
- 727 • Beam Angle: 120°
- 728 • Operating Temperature: -25°C to 60°C.
- 729 • Storage Temperature: -40°C to 80°C.

730 **4.3.4.6 Power Supply**

731 The bench power supply is a versatile and adjustable power source used to provide stable
732 voltage and current for various electronic projects. It is designed for testing applications,
733 allowing users to set specific voltage and current levels. This power supply was selected
734 for its versatility, ease of use, and ability to provide accurate voltage and current control for
735 the prototype.

737 **Specifications:**

- 738 • Type: SMPS (Switch-Mode Power Supply)
- 739 • Input: 110V AC, 50/60Hz (U.S. Standard)



Fig. 4.6 Bench Power Supply

- 740 • Output Range: 0-30V DC / 0-5A DC
- 741 • Voltage Precision: $\pm 0.010V$ (10 mV) resolution
- 742 • Current Precision: $\pm 0.001A$ (1 mA) resolution
- 743 • Power Precision: $\pm 0.1W$ resolution
- 744 • Weight: 5 lbs (2.27 kg)
- 745 • Dimensions: 11.1" x 4.92" x 6.14" (28.2 cm x 12.5 cm x 15.6 cm)
- 746 • Maximum Power: 195W
- 747 • Power Source: AC input only



Fig. 4.7 4 Channel Relay Module

748 **4.3.4.7 4 Channel Relay Module**749 The 4 Channel Relay Module is a compact and versatile relay board that allows for the
750 control of multiple devices using a single microcontroller. This module was selected for
751 its compact size, ease of use, and ability to control multiple devices simultaneously. It is
752 designed to be used with microcontrollers such as Arduino and Raspberry Pi, allowing for
753 easy integration into the prototype.

754

755 **Specifications:**

- 756
- Operating Voltage: 5V DC (compatible with Arduino, Raspberry Pi, and other
757 microcontrollers).
 - Number of Relays: 4 independent channels.
 - Relay Type: Electromechanical (mechanical switching).
- 758



- 760 • Max AC Load: 10A @ 250V AC (resistive).
- 761 • Max DC Load: 10A @ 30V DC (resistive).
- 762 • Contact Type: SPDT (Single Pole Double Throw) - NO (Normally Open), NC
763 (Normally Closed), COM (Common).
- 764 • Dimensions: 50mm x 70mm x 20mm
- 765 • Weight: 50-80 grams.
- 766 • Status LEDs: Individual LEDs for each relay (indicates ON/OFF state).
- 767 • Input Pins: 4 digital control pins (one per relay).
- 768 • Output Terminals: Screw terminals for connecting loads (NO/NC/COM).

769 **4.4 Software Considerations**

770 The software stack includes Python for programming PyTorch for machine learning and
771 OpenCV for image processing. These tools are selected for their robustness, ease of use,
772 and extensive community support, ensuring efficient system development.



773 **4.4.1 PyTorch**

774 **4.4.2 OpenCV**

775 **4.4.3 Tkinter**

776 **4.4.4 CustomTkinter**

777 **4.5 Security and Reliability Considerations**

778 Potential vulnerabilities, such as data corruption during image capture, are addressed
779 through redundancy and error-checking mechanisms. Reliability is ensured by implement-
780 ing fault-tolerant designs and rigorous testing protocols.

781 **4.6 Scalability and Efficiency Considerations**

782 The system is designed to handle large volumes of mangoes by optimizing the machine
783 learning model and using parallel processing techniques. Efficiency is improved through
784 techniques like model quantization and hardware acceleration.

785 **4.7 User Interface**

786 A User Interface (UI) is designed to display grading results, system status. Wireframes
787 illustrate the layout, ensuring usability and accessibility for operators. Likewise, a Graphical
788 User Interface (GUI) is also used to allow users to customize the system's grading priorities.



789 4.8 Constraints and Limitations

790 Challenges include variations in mango appearance due to lighting and environmental
791 factors. Trade-offs are made between model complexity and real-time performance to
792 balance accuracy and speed.

793 4.9 Technical Standards

794 The system adheres to industry standards for image processing and machine learning,
795 ensuring compatibility and interoperability with other systems.

796 4.10 Prototyping and Simulation

797 Prototypes are developed using tools like MATLAB and Simulink to simulate the system's
798 performance. These simulations help identify design flaws and optimize the system before
799 deployment.,,

800 4.11 Design Validation

801 The design is validated through testing, including unit testing of individual modules and
802 integration testing of the entire system. Peer reviews and iterative improvements ensure the
803 system meets the desired performance metrics.



804

4.12 Summary

805

This chapter outlined the key design considerations, including system architecture, hardware and software choices, and validation methods. These decisions are critical for developing a reliable and efficient mango sorting and grading system.

806

807



808

Chapter 5

809

METHODOLOGY



TABLE 5.1 SUMMARY OF METHODS FOR REACHING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ol style="list-style-type: none"> 1. Hardware design: Build an image acquisition system with a conveyor belt, LED lights, and Raspberry Pi Camera 2. Software design: Coded a Raspberry Pi application to grade and sort the Carabao mangoes 	Sec. 5.2 on p. 46
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ol style="list-style-type: none"> 1. Hardware implementation: Design and build an image acquisition system prototype 	Sec. 5.3 on p. 46
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ol style="list-style-type: none"> 1. Performance testing: Train and test the machine learning algorithm for classifying bruises and ripeness 2. Data collection: Gather our own Carabao mango dataset together with an online dataset 	Sec. 5.5 on p. 48

Continued on next page



Continued from previous page

Objectives	Methods	Locations
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	<ol style="list-style-type: none"> 1. Algorithm development: To develop a code for the image acquisition system 2. Hardware design: To design a schematic for the microcontroller based system 	Sec. 5.3 on p. 46
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ol style="list-style-type: none"> 1. Formula development: Formulated an equation based on the inputted user priority and the predicted mango classification 	Sec. 5.7 on p. 50
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	<ol style="list-style-type: none"> 1. Performance testing: Train and test the machine learning algorithm for classifying bruises 	Sec. 5.6.2 on p. 50
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ol style="list-style-type: none"> 1. Performance testing: Train and test the machine learning algorithm for classifying ripeness 	Sec. 5.6.1 on p. 50
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ol style="list-style-type: none"> 1. Accuracy testing: Get the percent accuracy testing for getting the length and width of the Carabao mango 	Sec. 5.6.3 on p. 50



810 5.1 Introduction

811 The methodology for this research outlines the development of the Carabao Mango sorter
812 using machine learning and computer vision. The sorting system uses a conveyor belt
813 system which delivers the mangoes into the image acquisition system. This system captures
814 the image of the mangoes which will then be going through the various stages of image
815 processing and classification into grades which will depend on the priority of the user.
816 This methodology ensures that the grading of the mangoes will be accurate while being
817 non-destructive.

818 5.2 Research Approach

819 This study applies the experimental approach for research in order to develop and properly
820 test the proposed system. The experimental approach of the methodology will allow the
821 researchers to fine-tune the parameters and other factors in the classification of mangoes in
822 order to get optimal results with high accuracy scores while maintaining the quality of the
823 mangoes. This approach will also allow for real-time data processing and classification
824 which will improve the previous static grading systems.

825 5.3 Hardware Design

826 The prototype consists of hardware and software components for automated mango sorting
827 and grading purposes. The hardware includes the conveyor belt system used to transfer
828 mangoes from scanning to sorting smoothly. A camera and lighting system are able
829 to collect high-resolution images for analysis. The DC motors and stepper motors are



830 responsible for driving the conveyor belt and sorting actuators. The entire system is
831 controlled by a microcontroller (Raspberry Pi 4b), coordinating actions of all components.
832 Sorting actuators then direct mangoes into selected bins based on their classification to
833 make sorting efficient.

834 **5.4 Software Design**

835 For the programming language used for the prototype and training and testing the CNN
836 model, Python was used for training and testing the CNN model and it was also used in the
837 microcontroller to run the application containing the UI and CNN model. PyTorch was the
838 main library used in using the EfficientNet model that is used in classifying the ripeness
839 and bruises of the mango. Likewise, tkinter is the used library when designing the UI in
840 Python.

841 Furthermore, the rest of the software components are of utmost importance to mango
842 classification. Image processing algorithms in OpenCV and CNN models extract features
843 such as color, size, and bruises that are known to determine quality parameters of mangoes.
844 Mangoes are classified based on ripeness and defects by using machine learning algorithms,
845 which further enhances accuracy using deep learning techniques. A user interface (UI) is
846 designed for users to control and observe the system in real time. Finally, the interface
847 programming of the microcontroller provides the necessary synchronization between
848 sensors, actuators, and motors throughout the sorting operation scenario.



849 **5.5 Data Collection Methods**

850 The system acquires high-resolution images of mangoes under pre-specified lighting conditions through systematic acquisition. Apart from that, this corpus of data is based on the real-time images acquired from the camera system, where classification operations are carried out based on real-time data. Pre-processing image operations such as flipping, rotating, resizing, normalization, and Gaussian blur are also carried out in order to enhance image clarity and feature detection. Then, the feature extraction process is carried out, where the intensity of color, shape, and texture are analyzed for the detection of characteristic features in terms of the mango. All these aspects lead to the creation of a reliable dataset for the machine learning algorithm that will allow the system to classify and grade mangoes more accurately.

860 **5.6 Testing and Evaluation Methods**

861 In a bid to ensure the mango sorting and grading system is accurate and reliable, there is intensive testing conducted at different levels. Unit testing is initially conducted on each component separately, for instance, the conveyor belt, sensors, and cameras, to ensure that each of the components works as expected when operating separately. After component testing on an individual basis, integration testing is conducted to ensure communication between hardware and software is correct to ensure the image processing system, motors, and sorting actuators work in concert as required. System testing is conducted to conduct overall system performance testing in real-world conditions to ensure mangoes are accurately and efficiently sorted and graded.



$$\text{Precision} = \frac{TP}{TP + FP} \quad (5.1)$$

$$\text{Recall} = \frac{TP}{TP + FN} \quad (5.2)$$

870 To test system performance, various measures of performance are used to evaluate.
 871 As seen on equation 5.4, accuracy score is used to measure the percentage of correctly
 872 classified mangoes to ensure the system maintains high precision levels. Precision as seen
 873 on equation 5.1 and recall as seen on equation 5.2 are used to measure consistency of
 874 classification to determine if the system classifies different ripeness levels and defects
 875 correctly. Furthermore, the F1 score formula as seen on equation 5.3 is used to evaluate the
 876 performance of the model's classification.

$$F_1 = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}} \quad (5.3)$$

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN} \quad (5.4)$$

877 A confusion matrix is used to measure correct and incorrect classification to ensure the
 878 machine learning model is optimized and that minimum errors are achieved. Throughput
 879 analysis is also used to determine the rate and efficiency of sorting to ensure that the
 880 system maintains high capacity without bottlenecks to sort mangoes. Using these methods
 881 of testing, the system is constantly optimized to ensure high-quality and reliable mango
 882 classification.

**883 5.6.1 Ripeness Training and Testing****884 5.6.2 Bruises Training and Testing****885 5.6.3 Size Determination****886 5.7 Formula for User Priority****887 5.8 Ethical Considerations**

888 Ethical considerations ensure that the system is operated safely and responsibly. Data
889 privacy is ensured by securely storing and anonymizing extracted images and classification
890 data so that unauthorized access becomes impossible. The system is also eco-friendly
891 through non-destructive testing, saving mangoes while also ensuring that they are of good
892 quality. Safety in operations is also ensured by protecting moving parts to prevent mechani-
893 cal harm and incorporating fail-safes to securely stop operation in case of malfunction.
894 Addressing these concerns, the system is not only accurate and efficient but also secure,
895 eco-friendly, and safe for operators, thus a sustainable solution to automated mango sorting
896 and grading.

897 5.9 Summary

898 This chapter explained how to create an automatic Carabao mango sorter and grader using
899 machine learning and computer vision. The system integrates hardware and software
900 resources, including a conveyor belt, cameras, sensors, and actuators, to offer accurate,
901 real-time sorting by ripeness, size, and bruises. Various testing and evaluation processes



902 ensure its performance to offer reliability. Ethical issues are data privacy, environmental
903 sustainability, and operation safety. With enhanced efficiency, reduced human error, and
904 enhanced quality, this system provides an affordable, scalable, and non-destructive solution
905 to post-harvest mango classification in agricultural industries.



906

Chapter 6

907

RESULTS AND DISCUSSIONS



TABLE 6.1 SUMMARY OF METHODS FOR ACHIEVING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<p>Expected Results:</p> <ol style="list-style-type: none"> 1. Successfully developed a user-priority-based grading and sorting system using machine learning and computer vision which can assess the mangoes' ripeness, size and bruises. <p>Actual Results:</p> <ol style="list-style-type: none"> 1. More work needs to be done to fine tune the software components to achieve higher accuracy such as changing hyperparameters or using a newer version of EfficientNet 2. More work needs to be done to make the hardware component more robust such as by fixing the camera and LED lights in place 	Sec. 6.6 on p. 58
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<p>Expected Results:</p> <ol style="list-style-type: none"> 1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes. 2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes. 3. Successfully fixed the hardware components in place <p>Actual Results:</p> <ol style="list-style-type: none"> 1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes. 2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes. 3. Need to fix the hardware components in place 	Sec. 6.4 on p. 58

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
<p>SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruises classification of Carabao mangoes <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully achieved at least 93% accuracy for ripeness classification of Carabao mangoes 2. Successfully achieved at least 73% accuracy for bruise classification of Carabao Mangoes 	<p>Sec. 6.1 on p. 57</p>
<p>SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system 2. Successfully mounted the image acquisition system on the prototype 3. Successfully made the frame for the conveyor belt and image acquisition system to sit on <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system 2. Temporarily mounted the image acquisition system on the prototype 3. Successfully made the frame for the conveyor belt and image acquisition system to sit on 	<p>Sec. 6.4 on p. 58</p>

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<p>Expected Results:</p> <ol style="list-style-type: none">1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango2. Successfully verified with qualified individual the results3. Successfully utilize the weighted equation to evaluate mango grade based on user priorities <p>Actual Results:</p> <ol style="list-style-type: none">1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango2. Successfully utilize the weighted equation to evaluate mango grade based on user priorities3. Need to look for a qualified person to evaluate the graded mango for ground truth	Sec. 6.3 on p. 58

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
<p>SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Achieve at least 90% accuracy on performance metrics 2. Obtain performance metrics for kNN, k-mean, and Naive Bayes methods for comparison and show the superior performance of using CNN 3. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to detect ripeness based on color 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes 	<p>Sec. 6.1.1 on p. 57</p>
<p>SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully classified mango size using computer vision techniques 2. Successfully tuned to have an accurate size with an 80 percent accuracy rating <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully classified mango size using computer vision techniques 2. Calculation of mango size is somewhat inaccurate and needs more fine tuning 	<p>Sec. 6.2 on p. 58</p>

Continued on next page



Continued from previous page

Objectives	Methods	Locations
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Achieve at least 90% accuracy on performance metrics 2. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to bruises 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruise classification of Carabao mangoes 	Sec. 6.1.2 on p. 58

908

6.1 Training and Testing Results of the Model

909

6.1.1 Ripeness Classification Results

910

Add the F1-Score and etc here

**6.1.2 Bruises Classification Results****6.2 Size Determination Results****6.3 User Priority Formula**

$B(P)$ and $R(P)$ and $S(P)$ are the User Priority-Based Grading for bruises, ripeness, and size of the Carabao mango. Furthermore, $b(p)$ and $r(p)$ and $s(p)$ are the machine learning's predictions for bruises, ripeness, and size of the Carabao mango. The formula for the user priority is given by:

$$\text{User Priority} = \frac{b(P) + r(P) + s(P)}{3} \quad (6.1)$$

6.4 Physical Prototype

Add pictures of the hardware prototype here with description

6.5 Software Application

Show the raspberry pi app UI and demonstrate it here

6.6 Summary

Provide the gist of this chapter such that it reflects the contents and the message.



925

Chapter 7

926

CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES

927



928 **7.1 Concluding Remarks**

929 In this Thesis, ...

930 Put here the main points that should be known and learned about the work topic.
931 Summarize or give the gist of the essential principles and inferences drawn from your
932 results.

933 **7.2 Contributions**

934 The interrelated contributions and supplements that have been developed by the author(s)
935 in this Thesis are listed as follows. Only those that are unique to the authors' work are
936 included.

- 937 • the ;
- 938 • the ;
- 939 • the ;

940 **7.3 Recommendations**

941 The researchers recommend...

942 **7.4 Future Prospects**

943 There are several prospects that may be extended for further studies. ... So the suggested
944 topics are listed in the following.



945 1. the

946 2. the

947 3. the

948 Note that for ECE undergraduate theses, as per the directions of the thesis adviser,
949 Recommendations and Future Directives will be removed for the hardbound copy but will
950 be retained for database storage.



REFERENCES

- Abbas, Q., Niazi, S., Iqbal, M., and Noureen, M. (2018). Mango Classification Using Texture & Shape Features. *IJCSNS International Journal of Computer Science and Network Security*, 18(8).
- Abu, M., Olympio, N. S., and Darko, J. O. (2021). Determination of Harvest Maturity for Mango (*Mangifera indica*). *Agricultural Sciences*, 12(10):1103–1118.
- Adam, J. A. P., Dato, K. S., Impelido, M. C. D., Tobias, R. G., and Pilueta, N. U. (2022). Non-destructive microcontroller-based carabao mango ripeness grader.
- Alejandro, A. B., Gonzales, J. P., Yap, J. P. C., and Linsangan, N. B. (2018). Grading and sorting of Carabao mangoes using probabilistic neural network. page 020065, Bandung, Indonesia.
- Amna, M. W. A., Guiqiang, L., and Muhammad Zuhair AKRAM, M. F. (2023). Machine vision-based automatic fruit quality detection and grading. *Frontiers of Agricultural Science and Engineering*, 0(0):0.
- Britannica (n.d.). Mango history cultivation and facts.
- Centino, M. F., Castano, M. C. N., and Ebo, J. B. F. (2020). The Current Status of Philippine Mango in the Global Value Chain.
- Chakraborty, S. K., Subeesh, A., Dubey, K., Jat, D., Chandel, N. S., Potdar, R., Rao, N. G., and Kumar, D. (2023). Development of an optimally designed real time automatic citrus fruit grading-sorting machine leveraging computer vision-based adaptive deep learning model. *Engineering Applications of Artificial Intelligence*, 120:105826.
- Co., Z. F. I. (n.d.). What is fruit sorting.
- D'Adamo, G. (2018). The determinants of export quality in the euro area. *Quarterly Report on the Euro Area (QREA)*, 17(1):23–31. Publisher: Directorate General Economic and Financial Affairs (DG ECFIN), European Commission.
- DBpedia (n.d.). About: Carabao.
- Guillergan, G., Sabay, R., Madrigal, D., and Bual, J. (2024). Naive Bayes Classifier in Grading Carabao Mangoes. *Technium: Romanian Journal of Applied Sciences and Technology*, 22:14–32.
- Guillermo, M. C. S., Naciongayo, D. S., and Galela, M. G. C. (2019). Determining 'Carabao' Mango Ripeness Stages Using Three Image Processing Algorithms.
- Lacap, A., Bayogan, E. R., Secretaria, L., Joyce, D., Ekman, J., and Goldwater, A. (2021). Bruise Injury and Its Effect on 'Carabao' Mango Fruit Quality. *Philippine Journal of Science*, 150(6B).
- Patel, K. K., Khan, M. A., Kumar, Y., and Yadav, A. K. (2019). Novel Techniques in Post Harvest Management of Mango- An Overview. *South Asian Journal of Food Technology and Environment*, 05(02):821–835.



De La Salle University

- 985 Rizwan Iqbal, H. M. and Hakim, A. (2022). Classification and Grading of Harvested Mangoes
986 Using Convolutional Neural Network. *International Journal of Fruit Science*, 22(1):95–109.
- 987 Samaniego, L. A., De Jesus, L. C. M., Apostol, J. D., Betonio, D. C., Medalla, J. D. B., Peruda Jr,
988 S. R., Brucal, S. G. E., and Yong, E. D. (2023). Carabao mango export quality checker using
989 matlab image processing. *International Journal of Computing Sciences Research*, 7:2080–2094.
- 990 Schulze, K., Nagle, M., Spreer, W., Mahayothee, B., and Müller, J. (2015). Development and
991 assessment of different modeling approaches for size-mass estimation of mango fruits (*Mangifera*
992 *indica* L., cv. ‘Nam Dokmai’). *Computers and Electronics in Agriculture*, 114:269–276.
- 993 Supekar, A. D. and Wakode, M. (2020). Multi-Parameter Based Mango Grading Using Image
994 Processing and Machine Learning Techniques. *INFOCOMP Journal of Computer Science*,
995 19(2):175–187. Number: 2.
- 996 Tomas, M. C., Celino, J. P. L., Escalambre, I. E., and Secreto, B. P. (2022). Detection of Overall
997 Fruit Maturity of Local Fruits Using Support Vector Machine through Image Processing. In *2022*
998 *12th International Conference on Software Technology and Engineering (ICSTE)*, pages 96–102.
- 999 Veling, P. S. (2019). Mango Disease Detection by using Image Processing. *International Journal*
1000 *for Research in Applied Science and Engineering Technology*, 7(4):3717–3726.
- 1001 Zheng, B. and Huang, T. (2021). Mango Grading System Based on Optimized Convolutional Neural
1002 Network. *Mathematical Problems in Engineering*, 2021:1–11.



De La Salle University

1004

Appendix A STUDENT RESEARCH ETHICS CLEARANCE

1005

A. Student Research Ethics Clearance



De La Salle University

1006

RESEARCH ETHICS CLEARANCE FORM ¹ For Thesis Proposals	
Names of Student Researcher(s): BANAL, Kenan A. BAUTISTA, Francis Robert Miguel F. HERMOSURA, Don Humphrey L. SALAZAR, Daniel G	
College: GCOE	
Department: ECE	
Course: Computer Engineering	
Expected Duration of the Project: from: January 4 2025 to: January 4 2026	
Ethical considerations (The Ethics Checklists may be used as guides in determining areas for ethical concern/consideration)	
To the best of my knowledge, the ethical issues listed above have been addressed in the research. Dr. Reggie C. Gustilo	
Name and Signature of Adviser/Mentor: Date: February 5, 2025	
Noted by: Dr. Argel Bandala	
Name and Signature of the Department Chairperson: Date: February 6, 2025	

¹ The same form can be used for the reports of completed projects. The appropriate heading need only be used.



De La Salle University

1007

Appendix B ANSWERS TO QUESTIONS TO THIS THESIS

1008



B1 How important is the problem to practice?

A possible answer to this question is the summary of your Significance of the Study, and that portion of the Problem Statement where you describe the ideal scenario for your intended audience.

1009
 1010
 1011
 1012
 1013
 1014
 1015
 1016
 1017
 1018
 1019
 1020
 1021
 1022
 1023
 1024
 1025
 1026
 1027
 1028
 1029
 1030
 1031
 1032
 1033
 1034
 1035
 1036
 1037
 1038
 1039
 1040
 1041
 1042
 1043
 1044
 1045
 1046
 1047
 1048
 1049
 1050
 1051
 1052
 1053
 1054
 1055
 1056
 1057
 1058
 1059
 1060
 1061
 1062
 1063
 1064
 1065
 1066
 1067
 1068
 1069
 1070
 1071
 1072
 1073
 1074
 1075
 1076
 1077
 1078
 1079
 1080
 1081
 1082
 1083
 1084
 1085
 1086
 1087
 1088
 1089
 1090
 1091
 1092
 1093
 1094
 1095
 1096
 1097
 1098
 1099
 1100
 1101
 1102
 1103
 1104
 1105
 1106
 1107
 1108
 1109
 1110
 1111
 1112
 1113
 1114
 1115
 1116
 1117
 1118
 1119
 1120
 1121
 1122
 1123
 1124
 1125
 1126
 1127
 1128
 1129
 1130
 1131
 1132
 1133
 1134
 1135
 1136
 1137
 1138
 1139
 1140
 1141
 1142
 1143
 1144
 1145
 1146
 1147
 1148
 1149
 1150
 1151
 1152
 1153
 1154
 1155
 1156
 1157
 1158
 1159
 1160
 1161
 1162
 1163
 1164
 1165
 1166
 1167
 1168
 1169
 1170
 1171
 1172
 1173
 1174
 1175
 1176
 1177
 1178
 1179
 1180
 1181
 1182
 1183
 1184
 1185
 1186
 1187
 1188
 1189
 1190
 1191
 1192
 1193
 1194
 1195
 1196
 1197
 1198
 1199
 1200
 1201
 1202
 1203
 1204
 1205
 1206
 1207
 1208
 1209
 1210
 1211
 1212
 1213
 1214
 1215
 1216
 1217
 1218
 1219
 1220
 1221
 1222
 1223
 1224
 1225
 1226
 1227
 1228
 1229
 1230
 1231
 1232
 1233
 1234
 1235
 1236
 1237
 1238
 1239
 1240
 1241
 1242
 1243
 1244
 1245
 1246
 1247
 1248
 1249
 1250
 1251
 1252
 1253
 1254
 1255
 1256
 1257
 1258
 1259
 1260
 1261
 1262
 1263
 1264
 1265
 1266
 1267
 1268
 1269
 1270
 1271
 1272
 1273
 1274
 1275
 1276
 1277
 1278
 1279
 1280
 1281
 1282
 1283
 1284
 1285
 1286
 1287
 1288
 1289
 1290
 1291
 1292
 1293
 1294
 1295
 1296
 1297
 1298
 1299
 1300
 1301
 1302
 1303
 1304
 1305
 1306
 1307
 1308
 1309
 1310
 1311
 1312
 1313
 1314
 1315
 1316
 1317
 1318
 1319
 1320
 1321
 1322
 1323
 1324
 1325
 1326
 1327
 1328
 1329
 1330
 1331
 1332
 1333
 1334
 1335
 1336
 1337
 1338
 1339
 1340
 1341
 1342
 1343
 1344
 1345
 1346
 1347
 1348
 1349
 1350
 1351
 1352
 1353
 1354
 1355
 1356
 1357
 1358
 1359
 1360
 1361
 1362
 1363
 1364
 1365
 1366
 1367
 1368
 1369
 1370
 1371
 1372
 1373
 1374
 1375
 1376
 1377
 1378
 1379
 1380
 1381
 1382
 1383
 1384
 1385
 1386
 1387
 1388
 1389
 1390
 1391
 1392
 1393
 1394
 1395
 1396
 1397
 1398
 1399
 1400
 1401
 1402
 1403
 1404
 1405
 1406
 1407
 1408
 1409
 1410
 1411
 1412
 1413
 1414
 1415
 1416
 1417
 1418
 1419
 1420
 1421
 1422
 1423
 1424
 1425
 1426
 1427
 1428
 1429
 1430
 1431
 1432
 1433
 1434
 1435
 1436
 1437
 1438
 1439
 1440
 1441
 1442
 1443
 1444
 1445
 1446
 1447
 1448
 1449
 1450
 1451
 1452
 1453
 1454
 1455
 1456
 1457
 1458
 1459
 1460
 1461
 1462
 1463
 1464
 1465
 1466
 1467
 1468
 1469
 1470
 1471
 1472
 1473
 1474
 1475
 1476
 1477
 1478
 1479
 1480
 1481
 1482
 1483
 1484
 1485
 1486
 1487
 1488
 1489
 1490
 1491
 1492
 1493
 1494
 1495
 1496
 1497
 1498
 1499
 1500
 1501
 1502
 1503
 1504
 1505
 1506
 1507
 1508
 1509
 1510
 1511
 1512
 1513
 1514
 1515
 1516
 1517
 1518
 1519
 1520
 1521
 1522
 1523
 1524
 1525
 1526
 1527
 1528
 1529
 1530
 1531
 1532
 1533
 1534
 1535
 1536
 1537
 1538
 1539
 1540
 1541
 1542
 1543
 1544
 1545
 1546
 1547
 1548
 1549
 1550
 1551
 1552
 1553
 1554
 1555
 1556
 1557
 1558
 1559
 1560
 1561
 1562
 1563
 1564
 1565
 1566
 1567
 1568
 1569
 1570
 1571
 1572
 1573
 1574
 1575
 1576
 1577
 1578
 1579
 1580
 1581
 1582
 1583
 1584
 1585
 1586
 1587
 1588
 1589
 1590
 1591
 1592
 1593
 1594
 1595
 1596
 1597
 1598
 1599
 1600
 1601
 1602
 1603
 1604
 1605
 1606
 1607
 1608
 1609
 1610
 1611
 1612
 1613
 1614
 1615
 1616
 1617
 1618
 1619
 1620
 1621
 1622
 1623
 1624
 1625
 1626
 1627
 1628
 1629
 1630
 1631
 1632
 1633
 1634
 1635
 1636
 1637
 1638
 1639
 1640
 1641
 1642
 1643
 1644
 1645
 1646
 1647
 1648
 1649
 1650
 1651
 1652
 1653
 1654
 1655
 1656
 1657
 1658
 1659
 1660
 1661
 1662
 1663
 1664
 1665
 1666
 1667
 1668
 1669
 1670
 1671
 1672
 1673
 1674
 1675
 1676
 1677
 1678
 1679
 1680
 1681
 1682
 1683
 1684
 1685
 1686
 1687
 1688
 1689
 1690
 1691
 1692
 1693
 1694
 1695
 1696
 1697
 1698
 1699
 1700
 1701
 1702
 1703
 1704
 1705
 1706
 1707
 1708
 1709
 1710
 1711
 1712
 1713
 1714
 1715
 1716
 1717
 1718
 1719
 1720
 1721
 1722
 1723
 1724
 1725
 1726
 1727
 1728
 1729
 1730
 1731
 1732
 1733
 1734
 1735
 1736
 1737
 1738
 1739
 1740
 1741
 1742
 1743
 1744
 1745
 1746
 1747
 1748
 1749
 1750
 1751
 1752
 1753
 1754
 1755
 1756
 1757
 1758
 1759
 1760
 1761
 1762
 1763
 1764
 1765
 1766
 1767
 1768
 1769
 1770
 1771
 1772
 1773
 1774
 1775
 1776
 1777
 1778
 1779
 1780
 1781
 1782
 1783
 1784
 1785
 1786
 1787
 1788
 1789
 1790
 1791
 1792
 1793
 1794
 1795
 1796
 1797
 1798
 1799
 1800
 1801
 1802
 1803
 1804
 1805
 1806
 1807
 1808
 1809
 1810
 1811
 1812
 1813
 1814
 1815
 1816
 1817
 1818
 1819
 1820
 1821
 1822
 1823
 1824
 1825
 1826
 1827
 1828
 1829
 1830
 1831
 1832
 1833
 1834
 1835
 1836
 1837
 1838
 1839
 1840
 1841
 1842
 1843
 1844
 1845
 1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900
 1901
 1902
 1903
 1904
 1905
 1906
 1907
 1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050
 2051
 2052
 2053
 2054
 2055
 2056
 2057
 2058
 2059
 2060
 2061
 2062
 2063
 2064
 2065
 2066
 2067
 2068
 2069
 2070
 2071
 2072
 2073
 2074
 2075
 2076
 2077
 2078
 2079
 2080
 2081
 2082
 2083
 2084
 2085
 2086
 2087
 2088
 2089
 2090
 2091
 2092
 2093
 2094
 2095
 2096
 2097
 2098
 2099
 2100
 2101
 2102
 2103
 2104
 2105
 2106
 2107
 2108
 2109
 2110
 2111
 2112
 2113
 2114
 2115
 2116
 2117
 2118
 2119
 2120
 2121
 2122
 2123
 2124
 2125
 2126
 2127
 2128
 2129
 2130
 2131
 2132
 2133
 2134
 2135
 2136
 2137
 2138
 2139
 2140
 2141
 2142
 2143
 2144
 2145
 2146
 2147
 2148
 2149
 2150
 2151
 2152
 2153
 2154
 2155
 2156
 2157
 2158
 2159
 2160
 2161
 2162
 2163
 2164
 2165
 2166
 2167
 2168
 2169
 2170
 2171
 2172
 2173
 2174
 2175
 2176
 2177
 2178
 2179
 2180
 2181
 2182
 2183
 2184
 2185
 2186
 2187
 2188
 2189
 2190
 2191
 2192
 2193
 2194
 2195
 2196
 2197
 2198
 2199
 2200
 2201
 2202
 2203
 2204
 2205
 2206
 2207
 2208
 2209
 2210
 2211
 2212
 2213
 2214
 2215
 2216
 2217
 2218
 2219
 2220
 2221
 2222
 2223
 2224
 2225
 2226
 2227
 2228
 2229
 2230
 2231
 2232
 2233
 2234
 2235
 2236
 2237
 2238
 2239
 2240
 2241
 2242
 2243
 2244
 2245
 2246
 2247
 2248
 2249
 2250
 2251
 2252
 2253
 2254
 2255
 2256
 2257
 2258
 2259
 2260
 2261
 2262
 2263
 2264
 2265
 2266
 2267
 2268
 2269
 2270
 2271
 2272
 2273
 2274
 2275
 2276
 2277
 2278
 2279
 2280
 2281
 2282
 2283
 2284
 2285
 2286
 2287
 2288
 2289
 2290
 2291
 2292
 2293
 2294
 2295
 2296
 2297
 2298
 2299
 2300
 2301
 2302
 2303
 2304
 2305
 2306
 2307
 2308
 2309
 2310
 2311
 2312
 2313
 2314
 2315
 2316
 2317
 2318
 2319
 2320
 2321
 2322
 2323
 2324
 2325
 2326
 2327
 2328
 2329
 2330
 2331
 2332
 2333
 2334
 2335
 2336
 2337
 2338
 2339
 2340
 2341
 2342
 2343
 2344
 2345
 2346
 2347
 2348
 2349
 2350
 2351
 2352
 2353
 2354
 2355
 2356
 2357
 2358
 2359
 2360
 2361
 2362
 2363
 2364
 2365
 2366
 2367
 2368
 2369
 2370
 2371
 2372
 2373
 2374
 2375
 2376
 2377
 2378
 2379
 2380
 2381
 2382
 2383
 2384
 2385
 2386
 2387
 2388
 2389
 2390
 2391
 2392
 2393
 2394



1041 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1042 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.1 What is/are your basis/bases for the improvement/s?

1044 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1045 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1046 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1047 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1048 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1049 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1050 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1051 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1052 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.2 Why did you choose that/those basis/bases?

1054 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1055 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1056 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1057 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1058 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1059 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1060 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1061 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1062 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.3 How significant are your measure/s of the improvement/s?

1064 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1065 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1066 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1067 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1068 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1069 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1070 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1071 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1072 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1073 **B3 What is the difference of the solution/s from ex-**

1074 **existing ones?**

1075 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.

1076 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

1077 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

1078 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

1079 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla

1080 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

1081 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

1082 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

1083 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1084 **B3.1 How is it different from previous and existing ones?**

1085 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.

1086 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

1087 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

1088 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

1089 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla

1090 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

1091 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

1092 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

1093 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1094 **B4 What are the assumptions made (that are behind**

1095 **for your proposed solution to work)?**

1096 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.

1097 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec

1098 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus

1099 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.

1100 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla

1101 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue

1102 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.

1103 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit

1104 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B4.1 Will your proposed solution/s be sensitive to these assumptions?

1105 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1106 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1107 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1108 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1109 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1110 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1111 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1112 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1113 amet ipsum. Nunc quis urna dictum turpis accumsan semper.
 1114
 1115

B4.2 Can your proposed solution/s be applied to more general cases when some assumptions are eliminated? If so, how?

1116 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1117 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1118 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1119 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1120 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1121 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1122 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1123 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1124 amet ipsum. Nunc quis urna dictum turpis accumsan semper.
 1125
 1126

B5 What is the necessity of your approach / proposed solution/s?

1127 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1128 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1129 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1130 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1131 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1132 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1133 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1134 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1135 amet ipsum. Nunc quis urna dictum turpis accumsan semper.
 1136
 1137



B5.1 What will be the limits of applicability of your proposed solution/s?

1138 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1139 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1140 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1141 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1142 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1143 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1144 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1145 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1146 amet ipsum. Nunc quis urna dictum turpis accumsan semper.
 1147
 1148

B5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and business people?

1149 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1150 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1151 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1152 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1153 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1154 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1155 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1156 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1157 amet ipsum. Nunc quis urna dictum turpis accumsan semper.
 1158
 1159
 1160

B6 How will you know if your proposed solution/s is/are correct?

1161 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1162 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1163 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1164 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1165 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1166 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1167 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1168
 1169



1170 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1171 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1172 **B6.1 Will your results warrant the level of mathematics used
 1173 (i.e., will the end justify the means)?**

1174 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1175 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1176 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1177 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1178 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1179 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1180 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1181 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1182 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1183 **B7 Is/are there an/_ alternative way/s to get to the
 1184 same solution/s?**

1185 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1186 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1187 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1188 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1189 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1190 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1191 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1192 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1193 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1194 **B7.1 Can you come up with illustrating examples, or even
 1195 better, counterexamples to your proposed solution/s?**

1196 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1197 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1198 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1199 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1200 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1201 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



1202 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1203 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1204 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B7.2 Is there an approximation that can arrive at essentially the same proposed solution/s more easily?

1207 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1208 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1209 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1210 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1211 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1212 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1213 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1214 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1215 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B8 If you were the examiner of your Thesis, how would you present the Thesis in another way? Give your remarks, especially for your methodology and the results and discussions.

1220 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1221 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1222 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1223 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1224 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1225 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1226 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1227 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1228 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B8.1 What are the weaknesses of your Thesis, specifically your methodology and the results and discussions?

1229 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1230 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec



De La Salle University

- 1233 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1234 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1235 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1236 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1237 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1238 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1239 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



De La Salle University

1240

Appendix C REVISIONS TO THE PROPOSAL

1241

C. Revisions to the Proposal



De La Salle University

1242

PRO1 Panel Comments and Revisions – Appendix Z

PRO1 Panel Comments and Revisions

Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTIme=1731326444000

Passcode: +7qL6DZE

Panelist's Comments and Revisions	Action Taken	Page Number
Capture both two sides of the mango and not just one to remove error	The image capturing system would only capture the two sides of the mango which are the two largest surface areas of the skin.	18
How will you get large dataset with sweetness and how will you classify it?	Remove Sweetness in the SO	13
Size and weight are not the same.	Remove Weight in objectives but retained size in the SO4 and SO6	
Specify in the specific objectives that it will be automatic sorting	SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	13
Add what process will be used to get the size classification	SO6: To classify mango size by getting its length and width using OpenCV, geometry, and image processing techniques	13
Add what process the ripeness classification will be	SO5: To classify mango ripeness using kNN or nearest neighbors algorithm	13
Get rid of texture in the general objectives	Texture is removed in the SOs	13
Get rid of CNN in general objectives and replace with machine learning	CNN is removed and replaced with machine learning GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning to assess ripeness, size, and bruises.	13
Remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"	SO3: To create a microcontroller application to operate and control the prototype.	13
Remove SO4. No need for user testing	Removed user test and the new SO4 is SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	13
Fix IPO to the correct input and output	Input: Two side image of the Carabao Mango and the User Priority Attributes Process: Machine Learning Algorithm, Grading Formula, and CNN model using a microcontroller Output: Size, Ripeness, and Bruises	20

C. Revisions to the Proposal



De La Salle University

1243

PRO1 Panel Comments and Revisions – Appendix Z

	Classification with its Overall Grade	
Define bruises	The black or brown area of the mango that is visible on the skin of the mango.	6
Dataset should use at least 10,000 images	Added to expected deliverables SO2: To use a publicly available dataset of at least 10,000 mango images for classification of ripeness, and bruises.	14
Add to specific objectives the percentage accuracy	SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	14
Weight sensor just adds complexity	removed all mention of load sensor, load cell. removed load cell methodology	39,40,41, 42,43,44 previousl y



1244

PRO1 Panel Comments and Revisions – Appendix Z

PRO1 Panel Comments and Revisions

Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTim=e=1731326444000
 Passcode: +?qL6DZE

Summary:

- Specific Objectives
- Add:
 - what process will be used to get the sweetness classification
 - what process the ripeness classification will be
 - what process will be used to get the size classification
 - Specify in the specific objectives that it will be automatic sorting
- Remove:
 - get rid of texture in the general objectives
 - get rid of cnn in general objectives and replace with machine learning
 - remove Raspberry Pi on the SO's and generalize to “to create a microcontroller based application”
 - remove SO4. No need for user testing

Comments:

*[00-00] time stamps from recording

- [15:00] Why only the top side of the mango? Isn't the point of automation to reduce human error? Then what about the bottom side wouldn't that just introduce another error if the mango happens to have defects on the bottom?
- [16:09] What is the load cell for? Size is not the same as weight. If size is taken from the weight wouldn't size be also taken from the image. If size then adding a load cell would just introduce more complexity, if weight then load cell is fine. reminder that size is not the same as weight.
- [17:36] When computer vision, state input and output parameters. Output parameters in this case would be sweetness, ripeness, size and bruising. Input parameters would be images.
- [18:12] No mention of how the dataset would be gathered. Would you be gather your own dataset or using a publicly available dataset
- [21:38] Fix IPO based on mention input and output parameters.
- [21:50] Dataset is lacking. Usually in machine learning at least 10,000 images. can take more than one image per mango. after taking an image of mango can make more out of the image using data augmentations.
- [22:48] Add to specific Objectives the mentioned 80%
- [23:09] Consultant that would grade the mangoes as a third party to remove biases. For both the testing and the training
- [24:55] How do you detect the sweetness of mangoes? Add these to the specific objectives. What are the categories of sweetness? Add these to specific objectives. How do



1245

PRO1 Panel Comments and Revisions – Appendix Z

you detect the correct categorization of sweetness? How to automate the classification of the sweetness.

- [33:10] Why is the dataset destructive but the testing non destructive? Clarify this further to avoid confusion.
- [35:09] What is the basis of sweetness using images? Clarify this further.
- [35:35] How would you know if the classifier is correct or not? What is your ground truth (for the sweetness)?
- [38:55] When can you say you are getting the top side of the mango? How would you know if the mango images showing the top side or the bottom side of both cheeks of the mango can be captured? If it doesn't matter then any side can be captured so why is it in the limitations that only the top side can be captured. Clarify the limitations.
- [48:10] What classifier would you use here? What features would you extract from the images?
- [52:07] Does it explain what process will be used to get the sweetness classification? Add it to the specific objectives
- [54:00] How will ripeness be classified? Will it use the same dataset as the sweetness classification did? How was ground truth obtained?
- [55:44] Why not the nearest neighbor? It is more fit in this scenario. Do not specify CNN in the objectives. The embedded systems as well, do not specify the Raspberry pi unless truly sure
- [57:30] Table is just image processing. Is there a specific objective that would describe how ripeness classification will be done? Add this to the specific objectives.
- [59:10] How is the weight obtained? Add it to the specific objectives. Remember that size is not proportional to weight. Size could be obtained from the image as the camera is from a fixed distance. Add to specific objectives how to get the size
- [1:00:00] get rid of texture in the general objectives. get rid of cnn in general objectives and replace with machine learning. as each parameter will use a different method.
- [1:04:00] remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"
- [1:04:37] remove SO4. no more user testing
- [1:05:00] The formula used for grading the mangoes, is this used as industry standard? How do they measure the export quality of mango
- [1:07:00] Specify in the specific objectives that it will be automatic sorting

Here are my comments on my end :)

1. Ensure seamless integration between hardware (sensors, motors, etc.) and software (CNNs, Raspberry Pi). You can consider using a modular approach for easier troubleshooting.
2. How do you gather a comprehensive and diverse dataset for training your CNN. This will enhance the model's robustness and accuracy.
3. Make sure that the weight sensors are calibrated correctly to avoid measurement errors.

C. Revisions to the Proposal



De La Salle University

1246

PRO1 Panel Comments and Revisions – Appendix Z

4. Implement data augmentation techniques to enhance your image dataset, which can improve model generalization and accuracy.
5. Design an intuitive user interface for the Raspberry Pi application.
6. Besides precision, recall, and F1 score, consider incorporating confusion matrices to better understand model performance and error types.
7. Conduct user testing of the application to gather feedback on usability and functionality. This can lead to improvements in design and user experience. Consider how the system can be scaled or adapted for different fruits or larger processing volumes in the future.

Noted by:



Dr. Donabel de Veas Abuan
Chair of Panel

Date: November 11 2024

Note: Keep a copy of this Appendix. It is a requirement that has to be submitted in order to qualify for PRO3 Defense.



De La Salle University

1247

Appendix D REVISIONS TO THE FINAL

1248



- 1249 Make a table with the following columns for showing the summary of revisions to the
 1250 proposal based on the comments of the panel of examiners.
- 1251 1. Examiner
- 1252 2. Comment
- 1253 3. Summary of how the comment has been addressed
- 1254 4. Locations in the document where the changes have been reflected

TABLE D.1 SUMMARY OF REVISIONS TO THE THESIS

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Reggie C. Gustillo	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <p>First itemtext</p> <p>Second itemtext</p> <p>Last itemtext</p> <p>First itemtext</p> <p>Second itemtext</p>	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <p>First itemtext</p> <p>Second itemtext</p> <p>Last itemtext</p> <p>First itemtext</p> <p>Second itemtext</p>	<p>Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ??</p>

Continued on next page



De La Salle University

Continued from previous page

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Donable de Veas Abuan	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext First itemtext Second itemtext Last itemtext First itemtext Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???
Engr. Jose Martin Maningo	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext • First itemtext • Second itemtext • Last itemtext • First itemtext • Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???

Continued on next page



De La Salle University

Continued from previous page


Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Alexander Co Abad	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???
Dr. Rafael W. Sison	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???




1255

Appendix E VITA


1256




1257
1258
1259 Kenan A. Banal is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.



1260
1261
1262 Francis Robert Miguel F. BAUTISTA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.



1263
1264
1265 Don Humphrey L. HERMOSURA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.



1266
1267
1268 Daniel G. SALAZAR is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.



De La Salle University

1269

Appendix F ARTICLE PAPER(S)

1270

Article/Forum Paper Format

(IEEE LaTeX format)

Michael Shell, *Member, IEEE*, John Doe, *Fellow, OSA*, and Jane Doe, *Life Fellow, IEEE*

1271

Abstract—The abstract goes here. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Index Terms—Computer Society, IEEE, IEEEtran, journal, L^AT_EX, paper, template.

I. INTRODUCTION

THIS demo file is intended to serve as a “starter file” for IEEE article papers produced under L^AT_EX using IEEEtran.cls version 1.8b and later. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A. Subsection Heading Here

Subsection text here. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis

M. Shell was with the Department of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, 30332.
E-mail: see <http://www.michaelshell.org/contact.html>

J. Doe and J. Doe are with Anonymous University.



Fig. 1. Simulation results for the network.

TABLE I
AN EXAMPLE OF A TABLE

One	Two
Three	Four

sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1) Subsubsection Heading Here: Subsubsection text here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

II. CONCLUSION

The conclusion goes here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra

1272




Fig. 2. Simulation results for the network.

sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

APPENDIX A PROOF OF THE FIRST ZONKLAR EQUATION

Appendix one text goes here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

APPENDIX B

Appendix two text goes here. [?].

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent

in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

ACKNOWLEDGMENT

The authors would like to thank...