



1

2 Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics
3 using Machine Learning

4

5 A Thesis
6 Presented to the Faculty of the
7 Department of Electronics and Computer Engineering
8 Gokongwei College of Engineering
9 De La Salle University

10

11 In Partial Fulfillment of the
12 Requirements for the Degree of
13 Bachelor of Science in Computer Engineering

14

15 by

16 BANAL Kenan A.
17 BAUTISTA Francis Robert Miguel F.
18 HERMOSURA Don Humphrey L.
19 SALAZAR Daniel G.

20 March, 2025



21

ORAL DEFENSE RECOMMENDATION SHEET

22

23

24

25

26

27

28

29

This thesis, entitled **Non-Destructive Carabao Mango Sorter and Grader based on Physical Characteristics using Machine Learning**, prepared and submitted by thesis group, AISL-1-2425-C5, composed of:

BANAL, Kenan A.

BAUTISTA, Francis Robert Miguel F.

HERMOSURA, Don Humphrey L.

SALAZAR, Daniel G.

30

31

32

33

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering (BS-CPE)** has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

34

35

36

Dr. Reggie C. Gustillo
Adviser

37

March 31, 2025



38

ABSTRACT

39 Carabao Mangoes are one of the sweetest mangoes in the world and one of the major pro-
40 ducers of this is the Philippines. However, mangoes go through many screening processes,
41 one of them being sorting and grading during post harvesting which is labor intensive,
42 prone to human error, and can be inefficient if done manually. Previous researchers have
43 taken steps to automate the process, however, their works often focus on only specific traits,
44 and do not try to encapsulate all the physical traits of the mangoes altogether. Furthermore,
45 previous researchers made the grading system static or unchangeable to the user. In this
46 study, the researchers will develop an automated Carabao mango grader and sorter based
47 on ripeness, size, and bruises with an interchangeable mango attribute priority through
48 non-destructive means. Using machine vision, image processing, Machine Learning, mi-
49 crocontrollers and sensors the mangoes will be physically sorted into designated bins via a
50 conveyor belt system which can be controlled and monitored via a graphical user interface.
51 The approach will streamline the post-harvest process and cut down on human errors and
52 labor costs, helping maintain the high quality of Carabao mango exports.

53
54

Index Terms—Machine Learning, Carabao Mangoes, Sorting and Grading Mangoes, Ma-
chine Vision, Microcontroller.



TABLE OF CONTENTS

55	Oral Defense Recommendation Sheet	ii
56	Abstract	iii
57	Table of Contents	iv
58	List of Figures	viii
59	List of Tables	ix
60	Abbreviations and Acronyms	x
61	Notations	xi
62	Glossary	xii
63	Listings	xiv
64	Chapter 1 INTRODUCTION	1
65	1.1 Background of the Study	2
66	1.2 Prior Studies	4
67	1.3 Problem Statement	5
68	1.4 Objectives and Deliverables	6
69	1.4.1 General Objective (GO)	6
70	1.4.2 Specific Objectives (SOs)	7
71	1.4.3 Expected Deliverables	7
72	1.5 Significance of the Study	9
73	1.5.1 Technical Benefit	10
74	1.5.2 Social Impact	11
75	1.5.3 Environmental Welfare	11
76	1.6 Assumptions, Scope, and Delimitations	11
77	1.6.1 Assumptions	11
78	1.6.2 Scope	12
79	1.6.3 Delimitations	12
80	1.7 Estimated Work Schedule and Budget	13
81	1.8 Overview of the Thesis	14



83	Chapter 2 LITERATURE REVIEW	15
84	2.1 Existing Work	16
85	2.1.1 Sorting Algorithms	19
86	2.2 Lacking in the Approaches	20
87	2.3 Summary	21
88	Chapter 3 THEORETICAL CONSIDERATIONS	23
89	3.1 Introduction	24
90	3.2 Relevant Theories and Models	24
91	3.3 Technical Background	25
92	3.4 Conceptual Framework Background	25
93	3.5 Software Concepts	26
94	3.5.1 Thresholding	26
95	3.5.2 Object Size Calculation	26
96	3.5.3 Convolutional Neural Network	27
97	3.5.4 Classification Report	27
98	3.5.4.1 Confusion Matrix	27
99	3.5.4.2 Precision	27
100	3.5.4.3 Recall	28
101	3.5.4.4 F1 Score	28
102	3.5.4.5 Accuracy	28
103	3.6 Hardware Concepts	29
104	3.6.1 Camera Module	29
105	3.6.2 4 Channel Relay	29
106	3.6.3 1:3 Pulley Belt	29
107	3.7 Summary	29
108	Chapter 4 DESIGN CONSIDERATIONS	30
109	4.1 Introduction	31
110	4.2 System Architecture	31
111	4.3 Hardware Considerations	32
112	4.3.1 General Prototype Framework	33
113	4.3.2 Prototype Flowchart	33
114	4.3.3 Prototype 3D Model	33
115	4.3.4 Hardware Specifications	33
116	4.3.4.1 Raspberry Pi	33
117	4.3.4.2 Raspberry Pi Camera	37
118	4.3.4.3 DC Motor	39
119	4.3.4.4 MicroSD Card	40
120	4.3.4.5 LED Lights	41



121	4.3.4.6 Power Supply	42
122	4.3.4.7 4 Channel Relay Module	44
123	4.4 Software Considerations	45
124	4.4.1 PyTorch	46
125	4.4.2 OpenCV	46
126	4.4.3 Tkinter	46
127	4.4.4 CustomTkinter	46
128	4.5 Security and Reliability Considerations	46
129	4.6 Scalability and Efficiency Considerations	46
130	4.7 User Interface	46
131	4.8 Constraints and Limitations	47
132	4.9 Technical Standards	47
133	4.10 Prototyping and Simulation	47
134	4.11 Design Validation	47
135	4.12 Summary	48
136	Chapter 5 METHODOLOGY	49
137	5.1 Introduction	52
138	5.2 Research Approach	52
139	5.3 Hardware Design	52
140	5.4 Software Design	53
141	5.5 Data Collection Methods	54
142	5.6 Testing and Evaluation Methods	54
143	5.6.1 Ripeness Training and Testing	55
144	5.6.2 Bruises Training and Testing	55
145	5.6.3 Size Determination	55
146	5.7 Formula for User Priority	55
147	5.8 Ethical Considerations	55
148	5.9 Summary	56
149	Chapter 6 RESULTS AND DISCUSSIONS	57
150	6.1 Training and Testing Results of the Model	62
151	6.1.1 Ripeness Classification Results	62
152	6.1.2 Bruises Classification Results	63
153	6.2 Size Determination Results	63
154	6.3 User Priority Formula	63
155	6.4 Physical Prototype	63
156	6.5 Software Application	63
157	6.6 Summary	63



De La Salle University

158	Chapter 7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES	64
159	7.1 Concluding Remarks	65
160	7.2 Contributions	65
161	7.3 Recommendations	65
162	7.4 Future Prospects	65
164	References	67
165	Appendix A STUDENT RESEARCH ETHICS CLEARANCE	69
166	Appendix B ANSWERS TO QUESTIONS TO THIS THESIS	71
167	Appendix C REVISIONS TO THE PROPOSAL	80
168	Appendix D REVISIONS TO THE FINAL	86
169	Appendix E VITA	90
170	Appendix F ARTICLE PAPER(S)	91



171

LIST OF FIGURES

172	1.1	Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)	2
173	1.2	Gantt Chart	13
174	3.1	Theoretical Framework Diagram.	24
175	3.2	Conceptual Framework Diagram.	25
176	4.1	Hardware Schematic	32
177	4.2	Prototype Framework	33
178	4.3	Prototype Main Flowchart	34
179	4.4	Initial 3D Model of the Prototype	35
180	4.5	Raspberry Pi 4 Model B	36
181	4.6	Raspberry Pi Camera Module Version 2	37
182	4.7	12 Volt DC Gear Motor	39
183	4.8	SanDisk Ultra MicroSD Card	40
184	4.9	LED Light Strip	41
185	4.10	Bench Power Supply	43
186	4.11	4 Channel Relay Module	44



187 LIST OF TABLES

188	1.1 Expected Deliverables per Objective	8
189	1.1 Expected Deliverables per Objective	9
190	2.1 Comparison of Existing Studies	18
191	2.2 Comparison of Sorting Algorithm Models	21
192	3.1 Confusion Matrix Example	27
193	5.1 Summary of methods for reaching the objectives	50
194	6.1 Summary of methods for achieving the objectives	58
195	6.2 Performance Metrics for different EfficientNet versions	62
196	D.1 Summary of Revisions to the Thesis	87



197

ABBREVIATIONS

198	AC	Alternating Current	13
199	CNN	Convolution Neural Network	14
200	GUI	Graphical User Interface	46
201	LED	Light Emitting Diode	42
202	UI	User Interface	46



203

NOTATION

204	$B(P)$	Bruises Priority	63
205	$b(p)$	Bruises Prediction	63
206	$R(P)$	Ripeness Priority	63
207	$r(p)$	Ripeness Prediction	63
208	$S(P)$	Size Priority	63
209	$s(p)$	Size Prediction	63
210	$D(p, d, f)$	Real World Dimension	26
211	p	Pixel Dimension	26
212	d	Distance from Camera to Object	26
213	f	Focal Length	26



214 GLOSSARY

215	bruises	The black or brown area of the mango that is visible on the skin of the mango.
216	Carabao mango	A popular variety of mango grown in the Philippines, known for its sweet and juicy flesh.
217	accuracy score	A performance metric that measures the overall proportion of correct predictions made by a machine learning model.
218	confusion matrix	A table that summarizes the performance of a classification model, showing the number of true positives, true negatives, false positives, and false negatives.
219	CNN	A type of deep neural network that is highly effective in analyzing and processing visual data, such as images.
220	F1-Score	A balanced performance metric that is the harmonic mean of precision and recall, taking both into account.
221	machine learning	A subset of Artificial Intelligence that enables systems to learn and improve from data.
222	computer vision	The use of cameras and algorithms to provide imaging-based inspection and analysis.
223	microcontroller	A small computing device that controls other parts of a system such as sensors.
224	Precision	A performance metric that reflects the percentage of instances classified as positive that are truly positive.
225	recall	A performance metric that measures the proportion of actual positive instances that the model correctly identified.



De La Salle University

226

User Priority-Based Grading

A customizable grading system where users can assign weights to grading factors.



De La Salle University

227

LISTINGS



De La Salle University

228

Chapter 1

229

INTRODUCTION



230 1.1 Background of the Study

231 Mangoes, also known as the *Mangifera indica*, are a member of the cashew family. This
232 fruit can often be seen being farmed by countries such as Myanmar, the Philippines, and
233 India as they have a tropical dry season. Being in a tropical country is an important
234 aspect for mango cultivation as it ensures proper growth for mangoes. If aspects such as
235 temperature and rainfall are not ideal, it may affect the quality of the mango (Britannica,
nd). Carabao mangoes is a variety of a mango that is found and cultivated in the Philippines.



Fig. 1.1 Carabao Mangoes at Different Ripeness Stages (Guillermo et al., 2019)

236
237 It is known for its sweet signature taste that was recognized sweetest in the world in the
238 Guinness Book of World Records in 1995. The mango was named after the national animal
239 of the Philippines, a native breed of buffalo. On average, it is 12.5 cm in length and 8.5
240 cm in diameter, having a bright yellow color when ripe as seen in Figure 1.1. It is often
241 cultivated during late May to early July (DBpedia, nd).

242 As the Philippines is a tropical country, mangoes are a highly valued fruit as it is not
243 only the country's national fruit but also amongst the leading agricultural exports of the
244 country, ranking only third below bananas and pineapples. This gives the country the 9th
245 slot amongst the leading exporters of Mangoes across the world. Attributed to this ranking



De La Salle University

246 is the country's export of both fresh and dried mangoes, as well as low tariff rates. This
247 allows the country to export a large quantity of the fruit in countries such as Singapore,
248 Japan, and the USA as they can enter duty free markets provided by the World Trade
249 Organization and Japan. Due to this, the mangoes have become a major source of income
250 to an estimated 2.5 million farmers in the country (Centino et al., 2020).

251 Before mangoes are sold in markets, they first undergo multiple post-harvest processes.
252 This is to ensure that the mangoes that arrive in markets are utmost quality before being
253 sold to consumers. Moreover, it ensures that mangoes are contained and preserved properly
254 such that they do not incur damages and/or get spoiled on its transportation to the market.
255 Processing of the mango involves pre-cooling, cleaning, waxing, classification, grading,
256 ripening, packaging, preservation, storage, packing, and transportation (Patel et al., 2019)
257 (Rizwan Iqbal and Hakim, 2022).

258 Among the processes that mangoes undergo, classification and grading is important as
259 it allows the manufacturer to separate mangoes with good qualities versus mangoes with
260 poor qualities. According to a study by (Lacap et al., 2021), size, length, width, volume,
261 density, indentation, and grooves are aspects that determine the maturity of mangoes. These
262 traits are being checked along with the ripeness of the mango, sightings of bruise injury,
263 and cracks on the fruit (Lacap et al., 2021) as these aspects affect the sellability of the fruit
264 as well as the chances of it getting spoiled sooner.

265 Previous studies have been made to automate the sortation process of the mangoes.
266 Among these is a research done by Abbas et al. (2018), which focuses on classification
267 of mangoes using their texture and shape features. They do this by, first, acquiring an
268 image of the mango using a digital camera. Then, these images are fed to the MaZda
269 package, which is a software originally developed for magnetic resonance imaging. Within



270 the MaZda package is the B11 program, which uses Principal Component Analysis, Linear
271 Discriminant Analysis, Nonlinear Discriminant Analysis, and texture classification to
272 extract features from the mango, which in this case are the length, width, and texture. This
273 data is then compared to a database in order to classify any given mango (Abbas et al.,
274 2018).

275 Another study is done by Rizwan Iqbal and Hakim (2022), which classifies mangoes
276 based on their color, volume, size, and shape. This is done by making use of Charge Coupled
277 Devices, Complementary Metal-Oxide Semiconductor sensors, and 3-layer Convolutional
278 Neural Network. To classify the mangoes, images are first captured and preprocessed to
279 be used as a data set (Rizwan Iqbal and Hakim, 2022). This data set is then augmented
280 to be used as a model for the 3-layer Convolutional Neural Network. After extracting the
281 features of the mango, the 3-layer Convolutional Neural Network is used as a method for
282 their classification as it can mimic the human brain in pattern recognition, and process
283 data for decision making. This is important as some mangoes have very subtle differences
284 which make it difficult to differentiate them.

285 1.2 Prior Studies

286 A paper written by Amna et al. (2023), designed an automated fruit sorting machine based
287 on the quality through an image acquisition system and CNN. Furthermore, the results
288 of the paper show that the image processing detection score was 89% while that of the
289 tomatoes was 92% while the CNN model had higher validity of 95% for mangoes and
290 93% for tomatoes. 15%, while the percentage of distinction between the two groups was
291 reported to be 5% respectively (Amna et al., 2023). Despite the high accuracy score in



292 detecting mango defects, the fruit sorting system only sorts based on the mango defects
293 and not on ripeness, and weight.

294 Furthermore, the research paper presented by Guillergan et al. (2024) designed an
295 Automated Carabao mango classifier, in which the mango image database is used to extract
296 the features like size, area along with the ratio of the spots for grading using Naïve Bayes
297 Model. For the results, the Naïve Bayes' model recognized large and rejected mangoes with
298 95% accuracy and the large and small/medium difference with a 7% error, suggesting an
299 application for quality differentiation and sorting in the mango business industry. Despite
300 the high accuracy of classifying Carabao mangoes, the researchers used a high quality
301 DSLR camera for the image acquisition system without any microcontroller to control the
302 mangoes (Guillergan et al., 2024).

303 1.3 Problem Statement

304 As mangoes are among the top exports of the Philippines (Centino et al., 2020), assessing
305 the physical deformities is a necessity. The physical deformities of the Carabao mango
306 can determine the global competitiveness of the country. Having higher quality exports
307 can often lead to gaining competitive edge, increase in demand, increase export revenues,
308 and becoming less susceptible to low-wage competition (D'Adamo, 2018). In order to
309 increase the quality of mango fruit exports, a key post-harvest process is done, which is
310 sorting and grading. Mango sorting and grading then becomes important to determine
311 which batches are of high quality and can be sold for a higher price, and which batches are
312 of low quality and can only be sold for a low price (Co., nd). Traditionally, fruit sorting
313 and grading is inefficient as it is done manually by hand. Some tools are used such as



314 porous ruler to determine fruit size and color palette for color grading (Co., nd). However,
315 among the problems encountered in the process of manually sorting and grading mangoes
316 are susceptibility to human error and requiring a number of laborers to do the task.

317 With the current advancements in technology, some researchers have already taken steps
318 to automate the process of sorting and grading mangoes. However, these attempts would
319 often only consider some of the aspects pertaining to size, ripeness, and bruises but not all
320 of them at the same time. Lastly, not all research approaches were able to implement a
321 hardware for their algorithm, limiting their output to only a software implementation and not
322 an embedded system. As such the proposed system would assess the export quality of the
323 Carabao mango based on all the mentioned mango traits, namely size, bruises, and ripeness
324 while also taking into consideration being non-destructive. These aspects are important
325 because, as was previously mentioned, there is a need to develop a Carabao mango sorter
326 that takes into account all these aspects at the same time while being non-destructive.

327 **1.4 Objectives and Deliverables**

328 **1.4.1 General Objective (GO)**

- 329 • GO: To develop a user-priority-based grading and sorting system for Carabao man-
330 goes, using machine learning and computer vision techniques to assess ripeness, size,
331 and bruises. ;



332 **1.4.2 Specific Objectives (SOs)**

- 333 • SO1: To make an image acquisition system with a conveyor belt for automatic sorting
334 and grading mangoes. ;
- 335 • SO2: To get the precision, recall, F1 score, confusion matrix, and train and test
336 accuracy metrics for classifying the ripeness and bruises with an accuracy score of at
337 least 90%.;
- 338 • SO3: To create a microcontroller-based system to operate the image acquisition
339 system, control the conveyor belt, and process the mango images through machine
340 learning. ;
- 341 • SO4: To grade mangoes based on user priorities for size, ripeness, and bruises. ;
- 342 • SO5: To classify mango ripeness based on image data using machine learning
343 algorithms such as kNN, k-mean, and Naïve Bayes. ;
- 344 • SO6: To classify mango size based on image data by getting its length and width
345 using OpenCV, geometry, and image processing techniques. ;
- 346 • SO7: To classify mango bruises based on image data by employing machine learning
347 algorithms.

348 **1.4.3 Expected Deliverables**

349 Table 1.1 shows the outputs, products, results, achievements, gains, realizations, and/or
350 yields of the Thesis.



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ul style="list-style-type: none"> • To develop a Carabao mango grading and sorting system. • To grade Carabao mangoes into three categories based on ripeness, size, and bruises using machine learning. • To integrate sensors and actuators to control the conveyor belt and image acquisition system.
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ul style="list-style-type: none"> • To make an image acquisition system with a camera and LED light source. • To build a flat belt conveyor for moving the mangoes.
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ul style="list-style-type: none"> • To use a publicly available dataset of at least 10,000 mango images for classification of ripeness and bruises.
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	<ul style="list-style-type: none"> • To develop an intuitive UI where users can start and stop the system. • To implement a priority-based grading system with sliders for ripeness, bruises, and size.
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<ul style="list-style-type: none"> • To utilize a linear combination formula as the overall mango score, where each classification level contributes a grade, weighted by the priority assigned to the three properties. • To assign score values for each classification level of the mango.

Continued on next page



TABLE 1.1 EXPECTED DELIVERABLES PER OBJECTIVE

Objectives	Expected Deliverables
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	<ul style="list-style-type: none"> To train a machine learning model such as kNN, k-means, or Naïve Bayes capable of classifying mango ripeness based on the image color. To gather a dataset of annotated images with ripeness labels. To obtain an evaluation report of performance metrics of the model.
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	<ul style="list-style-type: none"> To develop an image processing algorithm capable of determining mango size using OpenCV, NumPy, and imutils. To classify mangoes based on size into small, medium, and large based on measurements.
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<ul style="list-style-type: none"> To train a machine learning model such as CNN capable of distinguishing bruised and non-bruised mangoes. To train a machine learning model such as kNN, k-means, and Naïve Bayes capable of assessing the extent of bruising on the mangoes if it is significant or partial. To gather a dataset of annotated images based on bruises. To obtain an evaluation report of performance metrics of both CNN and other machine learning models.

351

1.5 Significance of the Study

352

Automating the process of sorting and grading mangoes increases efficiency and productivity for the user which would in effect remove human error in sorting and grading and decrease the human labor and time taken to sort and grade the mangoes. This is especially important for farmers with a large amount of fruit such as mangoes and a lesser labor force.

353

354

355



356 A recent study showed that their automated citrus sorter and grader using computer vision
357 can reduce the human labor cost and time to sort and grade when comparing the automated
358 citrus sorter and grader to manual human labor Chakraborty et al. (2023).

359 Another benefit to automating sorting and grading mangoes is the improvement in
360 quality control. This implies that compared to human labor, automating sorting and
361 grading mangoes can uniformly assess the quality of mangoes based on size, color, and
362 bruises, ensuring that the expected grade and high-quality mangoes reach the consumer.
363 By accurately identifying substandard mangoes, the system helps in reducing waste and
364 ensuring that only marketable fruits are processed further.

365 Likewise, the scalability of automating sorting and grading mangoes is simpler, es-
366 pecially for lower labor force farmers with large volumes of mangoes. Because of the
367 possibility of large-scale operations by automating sorting and grading mangoes, farmers
368 can now handle large volumes of mangoes, making them suitable for commercial farms
369 and processing plants. Moreover, it can be adapted to different varieties of mangoes and
370 potentially other fruits with minor modifications.

371 **1.5.1 Technical Benefit**

- 372 1. The development of an automated Carabao mango sorter would increase the quality
373 control of classifying Carabao mango based on ripeness, size, and bruising.
- 374 2. The accuracy in sorting Carabao mangoes will be significantly improved while
375 reducing the errors due to human factors in manual sorting.
- 376 3. The automated Carabao mango sorter carefully sorts the mangoes while ensuring
377 that they remain free from bruising or further damage during the process



	1.5.2 Social Impact
378	<ol style="list-style-type: none">1. The reduction in manual labor creates opportunities in maintenance and technologies in the automated Carabao mango sorter.
379	
380	
381	<ol style="list-style-type: none">2. The automated Carabao mango sorter system improves Carabao mango standards and enhances the satisfaction of the buyers and the customers through guaranteeing consistent Carabao mango grade.
382	
383	
384	<ol style="list-style-type: none">3. Opportunity to increase sales and profit for the farmers through consistent quality and grade Carabao mangoes while reducing the physical labor to sort it.
385	
386	1.5.3 Environmental Welfare
387	<ol style="list-style-type: none">1. With the utilization of non-destruction methods of classifying Carabao mangoes together with an accurate sorting system, overall waste from Carabao mangoes is reduced and the likelihood of improperly sorted mangoes is decreased.
388	
389	
390	<ol style="list-style-type: none">2. Automation of sorting and grading Carabao mangoes promotes sustainable farming practices.
391	
392	1.6 Assumptions, Scope, and Delimitations
393	1.6.1 Assumptions
394	<ol style="list-style-type: none">1. The Carabao mangoes are from the same source together with the same variation
395	<ol style="list-style-type: none">2. The Carabao mangoes do not have any fruit borer and diseases



- 396 3. All the components do not have any form of defects

397 4. The prototype would have access to constant electricity/power source.

398 5. The Carabao mangoes to be tested would be in the post-harvesting stage and in the
grading stage.

400 6. The image-capturing system would only capture the two sides of the mango which
are the two largest surface areas of the skin.

1.6.2 Scope

- 403 1. The prototype would be specifically designed to grade and sort Carabao Mangoes
404 based on only ripeness, size, and visible skin bruises.

405 2. The mangoes used as the subject will be solely sourced from markets in the Philip-
406 pines.

407 3. The Carabao mangoes would be graded into three levels.

408 4. The prototype will be using a microcontroller-based system locally stored on the
409 device itself to handle user interaction.

410 5. Computer vision algorithms to be used will include image classification.

1.6.3 Delimitations



- 414 2. Additionally, the project prototype will only be able to capture, sort, and grade one
 415 mango subject at a time which means the mangoes have to be placed in the conveyor
 416 belt in a single file line for accurate sorting.
- 417 3. For the bruises, the system will only be able to detect external bruises and may not
 418 identify the non-visible and internal bruises.
- 419 4. The system does not load the mangoes onto the conveyor belt itself. Assistance is
 420 required to put mangoes into the conveyor belt to start the sorting process
- 421 5. The prototype will be powered using Alternating Current (AC) power and will be
 422 plugged into a wall socket which is only suitable for indoor use.

423 1.7 Estimated Work Schedule and Budget

TASKS	THSCP4A				THSCP4B				THSCP4C			
	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13	Week 1-3	Week 4-6	Week 7-9	Week 10-13
Topic Proposal and Defense	BANAL, BAUTISTA, HERMOSURA, SALAZAR				HERMOSURA AND SALAZAR							
Buying and Collecting of Materials					BANAL AND BAUTISTA							
Training and Testing the CNN model						HERMOSURA AND SALAZAR						
Integrating the sensors and actuators to the Arduino Uno						BANAL AND BAUTISTA						
Coding of the Application with CNN model to the Raspberry Pi and connecting it to the Arduino Uno							BANAL AND BAUTISTA					
Polishing and Revising the UI App							BANAL AND BAUTISTA					
Testing and Surviving of the System with the Carabao Mangoes							BANAL, BAUTISTA, HERMOSURA, SALAZAR					
Data Gathering								BANAL, BAUTISTA, HERMOSURA, SALAZAR				

Fig. 1.2 Gantt Chart

424 As seen above, Table 1.2 shows the Gantt Chart together with the assigned task. For
 425 the first part of the THSCP4A, the group would primarily revise and fine tune Chapters
 426 1 and 2 while also preparing for the defense. After that for THSCP4B, the yellow team
 427 which consists of two members, Hermosura and Salazar, would start buying and collecting



428 the materials needed for assembling the prototype. While team yellow is doing that,
429 team purple which consists of Banal and Baustista would start training and validating the
430 Convolution Neural Network (cnn) model based on the Carabao mango image dataset.
431 After that integration of the sensors and actuators together with the integration of the cnn
432 model and beginning of coding of the Application to the Raspberry Pi would be done. Once
433 that cnn model is deployed and the Application works testing of the Carabao mangoes to
434 the prototype would be done. During THSCP4C, data gathering would be done together
435 with polishing and revising of the final paper.

436 **1.8 Overview of the Thesis**

437 There are seven succeeding chapters. To recall, chapter 1 involves the introduction of
438 the thesis topic containing the background of the study, previous studies, objectives and
439 deliverables, assumptions, scope, and delimitation, significance of the study, description
440 of the project together with the methodology, and Gantt chart and budget. Chapter 2
441 involves the existing articles, the lacking in their approaches, and the summary of chapter 2.
442 Chapter 3 involves the theoretical considerations of the thesis topic while chapter 4 would
443 consist of the design consideration involving the thesis topic. Chapter 5 would involve the
444 research methodology containing the testing procedure and setup. Chapter 6 would involve
445 the results and discussion based on the methodology while Chapter 7 would involve the
446 conclusion, recommendations, and future suggestions.



De La Salle University

447

Chapter 2

448

LITERATURE REVIEW



449 2.1 Existing Work

450 The research paper written by Adam et al. (2022) developed a ripeness grader for Carabao
451 mangoes. The Carabao mango ripeness grade calculated based on object and color detection
452 which were written in microcontroller. These are the systems designed by the researchers
453 that consists of Raspberry Pi 4, Arduino Uno, camera, touch screen LCD, MQ3 gas sensor,
454 ventilation system. The proposed system was able to ascertain an overall reliability of 95%:
455 therefore, the specified objective of ascertaining the ripeness level of the mangoes was
456 met with success. However, accuracy and reliability of the software system are there since
457 the hardware design does not seem to be workable when one must deal with the scores of
458 mangoes (Adam et al., 2022). In addition, the design of the hardware does not integrate
459 any form of physical automating, say like the conveyor belt. Besides, the hardware system
460 only works efficiently when deciding the ripeness grade of mangoes separately.

461 A study done by Samaniego et al. (2023) is another research paper that supports and
462 has relevant information concerning the topic. The researchers proposed a fully-perovskite
463 photonic system which has the capability to identify and sort or grade mango based on
464 features such as color, weight and, conversely, signs of damages (Samaniego et al., 2023).
465 Some of the techniques in image processing that the researchers used included image
466 enhancement, image deblurring, edge detection using MATLAB and Arduino as well as
467 color image segmentation. By carrying out the multiple trials on the device they achieved a
468 classification speed of 8.132 seconds and an accuracy of 91.2%. The proponents' metrics
469 used for the ratings were speed wherein the results were rated "excellent" while the accuracy
470 rating given was "good". One of the limitations of the paper is that the researchers were
471 only limited to the color, texture, and size of the Carabao mango



472 Furthermore, the research paper presented by Guillergan et al. (2024) designed an
473 Automated Carabao mango classifier, in which the mango image database is used to extract
474 the features like weight, size, area along with the ratio of the spots for grading using
475 Naïve Bayes Model. Concerning the quantitative test design, one had to control and
476 experiment with various methods of image processing that would improve the likelihood
477 of improved classification. The paper methodology entailed sample collection from 300
478 Carabao mangoes, picture taking using a DSLR camera, and feature deconstruction for
479 categorization (Guillergan et al., 2024). The system prototype and the software were
480 designed with the programming language C# with integration of Aforge. NET routines.
481 The performance of this model was checked with the help of the dataset containing 250
482 images, precision, recall, F-score key indicators were used. The investigation discovered
483 that the Naïve Bayes' model recognized large and rejected mangoes with 95% accuracy
484 and the large and small/medium difference with a 7% error, suggesting an application for
485 quality differentiation and sorting in the mango business industry. The limitations in the
486 researchers' paper include the researchers were able to achieve high accuracy after using a
487 high quality DSLR camera and the fact that the researchers were not able to incorporate the
488 use of microcontrollers.

489 Another study by Tomas et al. (2022) proposed SVM-based system for classifying
490 the maturity stages of bananas, mangoes, and calamansi. With the use of 1729 images of
491 bananas together with 711 mango images and 589 calamansi, the researchers were able to
492 achieve a high accuracy score of above 90% for all fruits. Some pre-processing techniques
493 used to get this high accuracy are the change in hue, saturation, and value channels in the
494 mango image (Tomas et al., 2022). To better understand the harvest time of mangoes, the
495 paper by Abu et al. (2021) examined the association of the harvest season with seasonal



496 heat units, rainfall, and physical fruit attributes for Haden, Kent, Palmer, and Keitt mango
 497 varieties to establish export and domestic market maturity standards. For the results of
 498 the paper, it shows that temperature, rainfall, and physical characteristics have a reliable,
 499 non-destructive indicators for determining mango maturity (Abu et al., 2021). This shows
 500 that physical characteristics and temperature are important when exporting fruits such as
 501 mangoes.

TABLE 2.1 COMPARISON OF EXISTING STUDIES

Existing Study	Limitations	Accuracy Rating
Adam et al. (2022)	No physical automation, not suitable for large amounts of mangoes, only classifies ripeness and only a sample size of 10 mangoes.	95%
Samaniego et al. (2023)	Focuses only on color and size.	91.2%
Guillergan et al. (2024)	Relies on high-quality DSLR cameras, and limited automation due to not integrating microcontrollers.	95%
Supekar and Wakode (2020)	No physical automation implemented. Ripeness, size, and shape-based classification achieved 100%, 98.19%, and 99.20% accuracy respectively on their own. However, errors occurred when taking into account all these aspects together for grading mangoes, causing an accuracy rating deduction.	88.88%

502 Previous studies on mango grading have achieved an accuracy rating of up to 95%, as
 503 shown in Table 2.1. However, these studies either relied on a small sample size, which
 504 limits statistical significance, or utilized expensive equipment, which may be impractical.
 505 In light of this, the researchers have set a target accuracy rating of greater than or equal
 506 to 90%. This target ensures that the system being developed is comparable to, or better
 507 than, existing studies that used larger sample sizes or assessed multiple mango traits at the



508 same time. Furthermore, this research aims to distinguish itself by not only maintaining or
509 exceeding the 90% accuracy rating but also incorporating a graphical user interface (GUI)
510 for selective priority-based mango classification. The system will integrate both software
511 and hardware components, and it will evaluate a greater number of mango traits for grading
512 purposes.

513 **2.1.1 Sorting Algorithms**

514 In previous studies, researchers have implemented various artificial intelligence algorithms
515 in order to determine the optimal and most effective method for sorting mangoes. One of
516 the algorithms that was used in the classification of mangoes was the CNN or Convolutional
517 Neural Networks. A study done by Zheng and Huang (2021) explored the effectiveness of
518 CNN, specifically in classifying mangoes through image processing. The system that the
519 researchers developed graded mangoes into four groups which was based on the Chinese
520 National Standard (Zheng and Huang, 2021). These mangoes were examined by their
521 shape, color uniformity, and external defects. The system that was developed had an
522 impressive accuracy of 97.37% in correctly classifying the mangoes into these grading
523 categories Support Vector Machine was also one of the classification algorithms that was
524 implemented to detect flaws in mangoes. In that study by Veling (2019), SVM was used in
525 the classification of diseases from mangoes. The study used 4 different diseases/defects for
526 testing (Veling, 2019). The diseases were Anthracnose, Powdery Mildew, Black Banded,
527 and Red Rust. and provided 90% accuracy for both the leaves and the fruit

528 In the study done by Schulze et al. (2015), Simple Linear Regression, Multiple Linear
529 Regression, and Artificial Neural Network models were all studied and compared for
530 the purpose of size-mass estimation for mango fruits. The researchers found that the



531 Artificial Neural Network yielded a high accuracy rating for mass estimation and for mango
532 classification based on size with a success rate of 96.7% (Schulze et al., 2015). This is
533 attributed to the Artificial Neural Network model's ability to learn both linear and nonlinear
534 relationships between the inputs and the outputs. However, a problem can occur with the
535 use of the model, which is overfitting. This issue occurs when the model is overtrained
536 with the data set such that it will start to recognize unnecessary details such as image noise
537 which results in poor generalization when fed with new data. With this in mind, additional
538 steps will be necessary to mitigate the issue. Another research article written by Alejandro
539 et al. (2018) implements a method for sorting and grading Carabao mangoes. This research
540 focuses on the use of Probabilistic Neural Network, which is another algorithm that is used
541 for pattern recognition and classification of objects. For this study, the researchers focused
542 on the area, color, and the black spots of the mango for their Probabilistic Neural Network
543 model (Alejandro et al., 2018). Their research using the model yielded an accuracy rating
544 of 87.5% for classification of the mangoes which means it is quite accurate for classifying
545 mangoes within the predefined categories. However, problems were encountered with
546 the use of the model when trying to identify mangoes that did not fit the predefined size
547 categories of small, medium, and large. This means that the PNN model may become
548 challenged when presented with a mango with outlying traits or traits that were very
549 different from the data set.

550 2.2 Lacking in the Approaches

551 The majority of past researchers such as Amna et al. (2023) and Guillermo et al. (2019)
552 were able to implement a fruit and mango sorter together with an accurate AI algorithm



TABLE 2.2 COMPARISON OF SORTING ALGORITHM MODELS

Sorting Algorithm Model	Accuracy Rating	Criteria	Problems Encountered
Convolution Neural Network	97.37%	shape, color, defects	Minor blemishes affected the accuracy.
Support Vector Machine	90%	mango defects and diseases	The model is sensitive to noise, which requires intensive image preprocessing.
Artificial Neural Network	96.7%	for mango size and mass	Overfitting
Probabilistic Neural Network	87.5%	for mango area, color, and black spots	Difficulty in identifying mangoes that have outlying features or did not fit the predefined categories

553 to detect the ripeness defects. This means that none of the previous research papers were
 554 able to integrate an interchangeable user-priority-based grading together with size, ripeness,
 555 and bruises using machine learning for Carabao mango sorter and grader. Our research
 556 however would implement an automated Carabao mango sorter in terms of size, ripeness,
 557 and bruises with its own UI, conveyor belt, stepper motors, and bins for collecting the
 558 different ripeness and defect grade of the Carabao mango.

559 2.3 Summary

560 To reiterate, there is an innovative gap that needs to be filled with regards to the process of
 561 sorting and grading Carabao mangoes. The traditional methods for conducting this process
 562 manually by hand, by a porous ruler, by a sugar meter, and by a color palette can be prone
 563 to human error and expensive costs due to the number of laborers required to do the task.



De La Salle University

564 On the other hand, although researchers have already taken steps to automate the process
565 of mango sorting and grading, there is still a need for an implementation that takes into
566 account size, ripeness, and bruises altogether whilst being non-destructive and having its
567 own embedded system. The research articles shown above show the different computer
568 vision and CNN approaches for sorting and classifying mangoes. For example, a system
569 created by Adam et al. (2022) was more focused on ripeness detection. Samaniego et al.
570 (2023) considered photonic systems for grading mango fruit based on color and weight.
571 On the other hand, Guillermo et al. (2019) implemented the Naïve Bayes classification
572 model on mangoes with high accuracy, which thereby did not include any microcontroller.
573 There was an attempt to study each of those parameters separately and that is why the
574 multifactorial approach was not used. With this in mind, the system being proposed does
575 exactly what was mentioned, to implement a non-destructive and automated sorting and
576 grading system for Carabao mangoes that takes into account size, ripeness, and bruises
577 altogether using machine learning, as well as having its own embedded system. This system
578 will be mainly composed of a conveyor belt, servo motors, a camera, microcontrollers, and
579 an LCD display for the user interface. By doing so, the system should be able to improve
580 the efficiency and productivity of mango sorting and grading, remove the effect of human
581 error and reduce time consumption. The studies also provided critical insights regarding the
582 effective algorithms that can be used in classification stages in image processing. The use
583 of CNN had the most accuracy with manageable potential challenges. Lastly, by scaling
584 the implementation, the overall export quality of the Carabao mangoes can be improved.



585

Chapter 3

586

THEORETICAL CONSIDERATIONS



587 3.1 Introduction

588 Likewise, the purpose of this chapter is to go through the important theories in developing
 589 the prototype together with training and testing the machine learning model.

590 3.2 Relevant Theories and Models




Fig. 3.1 Theoretical Framework Diagram.

591 The theoretical framework seen in figure 3.1 follows the IPO (Input-Process-Output)
 592 Model for a Carabao Mango Sorting System. The Input section includes user-defined
 593 priority values for size, ripeness, and bruises, along with a single mango for analysis. The
 594 Process section highlights the use of a machine learning algorithm and a user-priority-based
 595 formula to classify the mango. The Output consists of the mango's grade, predicted size,
 596 ripeness, and bruises. Below the IPO model, the diagram categorizes variables into three
 597 groups: Independent (mango's size, ripeness, and bruises), Dependent (classification report
 598 with accuracy, precision, recall, and confusion matrix), and Controlled (image dataset,
 599 microcontroller, camera, and LED lights).



3.3 Technical Background

At its core, the system will be using machine learning concepts pertaining to CNN and OpenCV, and may use other algorithms such as Naive Bayes and k-Nearest Neighbors to supplement the classification tasks, particularly for assessing mango ripeness, bruise detection, and size determination. The system will be built on an embedded framework, integrating a Raspberry Pi microcontroller to control the RaspberryPi camera, actuators, LED lights, and motors. A user-friendly GUI will also be utilized to ensure users can customize the prioritization of the mango sorting system.

3.4 Conceptual Framework Background




Fig. 3.2 Conceptual Framework Diagram.

The conceptual framework seen in figure 3.2 illustrates the key components involved in the Carabao Mango Sorter and Grader system. At the center, the system is represented as the core element, surrounded by six interconnected components: Carabao Mango (Mangifera indica L.), Embedded Systems, Machine Learning, Computer Vision, User



613 Priority-Based Formula, and Training and Testing of the Model. These elements represent
 614 the different technologies, methodologies, and considerations required for the development
 615 and operation of the sorter and grader. The diagram provides an overview of how various
 616 disciplines contribute to the project's functionality.

617 **3.5 Software Concepts**

618 **3.5.1 Thresholding**

619 **3.5.2 Object Size Calculation**

620 The size of the mango can be determined given:

$$\text{Real World Dimension} = \frac{\text{Pixel Dimension} \times \text{Distance from Camera to Object}}{\text{Focal Length}} \quad (3.1)$$

$$D(p, d, f) = \frac{p \cdot d}{f} \quad (3.2)$$

621 where $D(p, d, f)$ is the real world dimension of the object, p is the pixel dimension
 622 of the object, d is the distance from the camera to the object, and f is the focal length of
 623 the camera.



	Predicted Positive	Predicted Negative
Actual Positive	TP	FN
Actual Negative	FP	TN

TABLE 3.1 CONFUSION MATRIX EXAMPLE

624 **3.5.3 Convolutional Neural Network**625 **3.5.4 Classification Report**626 **3.5.4.1 Confusion Matrix**

627 A confusion matrix is a table that visualizes the performance of a classification model. For
 628 a binary classification problem, it has four components:

- 629 • True Positives (TP): Cases correctly predicted as positive
- 630 • True Negatives (TN): Cases correctly predicted as negative
- 631 • False Positives (FP): Cases incorrectly predicted as positive. (Type I error)
- 632 • False Negatives (FN): Cases incorrectly predicted as negative (Type II error)

633 **3.5.4.2 Precision**

$$\text{Precision} = \frac{TP}{TP + FP} \quad (3.3)$$

634 Precision measures how many of the predicted positives are actually positive. It answers
 635 the question: "When the model predicts the positive class, how often is it correct?" High
 636 precision means low false positives.



637

3.5.4.3 Recall

$$\text{Recall} = \frac{TP}{TP + FN} \quad (3.4)$$

638

Recall, which is also called sensitivity, measures how many of the actual positives were correctly identified. It answers the question: "Of all the actual positive cases, how many did the model catch?" High recall means low false negatives.

641

3.5.4.4 F1 Score

$$F_1 = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}} \quad (3.5)$$

642

The F1 score is the harmonic mean of precision and recall. It provides a single metric that balances both concerns. This is particularly useful when you need to find a balance between precision and recall, as optimizing for one often decreases the other.

645

3.5.4.5 Accuracy

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN} \quad (3.6)$$

646

Accuracy measures the proportion of correct predictions (both true positives and true negatives) among the total cases. While intuitive, accuracy can be misleading with imbalanced datasets.



649 **3.6 Hardware Concepts**

650 **3.6.1 Camera Module**

651 **3.6.2 4 Channel Relay**

652 **3.6.3 1:3 Pulley Belt**

653 **3.7 Summary**

654 Overall, chapter 3 establishes key concepts and theoretical considerations that form the
655 foundation of the Carabao mango sorter and grading system. It discusses and connects
656 each component together, explaining how each component such as the RaspberryPi and
657 DC motors work together to create a system that utilizes machine learning and computer
658 vision techniques to classify mangoes based on user priority.



659

Chapter 4

660

DESIGN CONSIDERATIONS



661 Likewise, the objective of chapter 4 is to describe the researcher's design consideration
662 when developing and testing the prototype. For an overview of the design of the prototype,
663 the researchers considered different computer vision models in classifying the ripeness
664 and bruises together with other algorithms to determine the size of the mango. Likewise,
665 the hardware design was also taken into consideration where the physical design of the
666 conveyor belt was taken into account.

667 **4.1 Introduction**

668 This chapter discusses the design considerations for the mango sorting and grading system,
669 focusing on the technical and engineering decisions required for its development. The
670 design process aims to create a scalable, efficient, and user-friendly system that leverages
671 machine learning for accurate mango classification.

672 **4.2 System Architecture**

673 The system architecture is represented through a block diagram, showcasing modules
674 such as image acquisition, preprocessing, feature extraction, machine learning model, and
675 grading output. Each module is described in detail, emphasizing its role in the overall
676 system. For instance, the image acquisition module uses high-resolution cameras to capture
677 mango images, while the preprocessing module enhances image quality for better feature
678 extraction.

679 In figure 4.1 presents the electronic circuit diagram, designed using Proteus. The
680 diagram illustrates a system where a Raspberry Pi 4 serves as the central control unit,




Fig. 4.1 Hardware Schematic

681 managing four motors through a relay mechanism. The Raspberry Pi 4, represented by
 682 a rectangular box on the left, showcases various pin connections, including GPIO pins,
 683 power supply pins (5V and 3V3), ground pins (GND), and communication pins (TXD,
 684 RXD, SDA, SCL).

685 In the center of the diagram, an 18-pin integrated circuit labeled "ULN2803A" is
 686 depicted. This component, a Darlington transistor array, likely functions as a buffer,
 687 providing the necessary current to drive the relays. Four relays, designated as RL1, RL2,
 688 RL3, and RL4, are positioned on the right side of the diagram, each connected to a motor
 689 (represented by a circle with an "M" inside) and a +12V power source. Additionally, four
 690 resistors are placed between the ULN2803A and the relays, serving to limit current. The
 691 circuit section containing these resistors is labeled "4 Channel Relay Driver," indicating its
 692 purpose.

693 The camera module is labeled "PICAMERA" is located in the top center of the diagram.
 694 It is represented by a square with a circle inside, symbolizing the camera lens. The camera



695 module is connected to the Raspberry Pi 4 through the CSI (Camera Serial Interface) pins.
 696 The overall circuit is designed for a 12V system, with the +12V power supply indicated at
 697 various points. The Raspberry Pi 4's GPIO pins are used to control the relays.

698 4.3 Hardware Considerations

699 The hardware components include high-resolution cameras, lighting systems for consistent
 700 image capture, and microcontrollers like Raspberry Pi or Arduino for system control,
 701 actuators like DC and stepper motors to move the mangoes. The choice of hardware is
 702 justified based on cost, performance, and compatibility with the software framework.

703 4.3.1 General Prototype Framework




Fig. 4.2 Prototype Framework



704

4.3.2 Prototype Flowchart




Fig. 4.3 Prototype Main Flowchart



705

4.3.3 Prototype 3D Model




Fig. 4.4 Initial 3D Model of the Prototype




Fig. 4.5 Raspberry Pi 4 Model B

706 **4.3.4 Hardware Specifications**707 **4.3.4.1 Raspberry Pi**

708 The Raspberry Pi 4 Model B is a compact, low-cost computer that serves as the system's
709 main processing unit. It was chosen for its balance of performance and affordability, making
710 it suitable for image processing tasks. Furthermore, it was selected for its compatibility
711 with various peripherals through the GPIO pins and USB-A ports together with its ease of
712 integration into the prototype.

713

714 **Specifications:**

- 715
- SoC: Broadcom BCM2711

- 716
- CPU: Quad-core ARM Cortex-A72 (64-bit)



- 717 • Clock Speed: 1.5 GHz (base, overclockable)
- 718 • RAM: 8GB LPDDR4-3200 SDRAM
- 719 • Wireless: Dual-band 2.4 GHz / 5 GHz Wi-Fi (802.11ac)
- 720 • Bluetooth: Bluetooth 5.0 (BLE support)
- 721 • Ethernet: Gigabit Ethernet (full throughput)
- 722 • USB: 2 x USB 3.0 ports and 2 x USB 2.0 ports
- 723 • Video Output: 2 x micro-HDMI ports (supports 4K @ 60Hz, dual 4K display capability)
- 724 • Audio: 3.5mm audio/video composite jack
- 725 • Storage: MicroSD card slot (supports booting via SD card or USB)
- 726 • GPIO: 40-pin GPIO header (backward-compatible with older models)
- 727 • Camera/Display: CSI (camera) and DSI (display) ports
- 728 • Power Input: USB-C (5V/3A recommended)
- 729 • Power Consumption: 3W idle, up to 7.5W under load

731 **4.3.4.2 Raspberry Pi Camera**

732 The Raspberry Pi Camera Module Version 2 is a high-quality camera module designed for
733 the Raspberry Pi platform. Likewise, it is capable of capturing still images at 8 megapixels,
734 and supports video recording at 1080p @ 30fps, 720p @ 60fps, and 480p @ 90fps. More-
735 over, it has a fixed-focus lens with a diagonal field of view of 62.2 degrees, and an optical




Fig. 4.6 Raspberry Pi Camera Module Version 2

736 format of 1/4 inch. Furthermore, it supports various Python libraries such as Picamera and
737 OpenCV for image capture and processing. As such, it was selected for its compact size,
738 ease of integration, and ability to capture high-resolution images.

739

740 **Specifications:**

- 741 • Sensor: Sony IMX219PQ 8-megapixel CMOS sensor.
- 742 • Still Images Resolution: 8 MP (3280 x 2464 pixels).
- 743 • Video Resolution: Supports up to 1080p @ 30fps, 720p @ 60fps, and 480p @ 90fps.
- 744 • Focus: Fixed-focus lens (manual focus adjustment not supported without physical
745 modification).
- 746 • Lens Size: 1/4-inch optical format.



- 747 • Field of View (FoV): Diagonal 62.2 degrees.
- 748 • Interface: Connected via 15-pin ribbon cable to the Raspberry Pi's CSI (Camera
749 Serial Interface) port.
- 750 • APIs/Libraries: Supports Python libraries such as Picamera and OpenCV for image
751 capture and processing.
- 752 • Dimensions: 25 mm x 24 mm x 9 mm.

753 **4.3.4.3 DC Motor**



Fig. 4.7 12 Volt DC Gear Motor

754 The 12 Volt DC Gear Motor is a compact, high-torque, and low-noise motor suitable for
755 a wide range of applications, including robotics, automation, and industrial control systems.
756 It features a spur gear design, which provides a high reduction ratio for increased torque
757 output. The motor is designed for continuous operation and has a low power consumption



De La Salle University

758 under standard load conditions. Likewise, it is also capable of withstanding high temperatures
759 and has a high reliability. This motor was selected for its high torque output, low power consumption, and compact size, making it ideal for the conveyor system.
760

761

762 **Specifications:**

- 763 • Gearbox Type: Spur gear design
764 • Operating Voltage: 12V (operational range: 6-12V)
765 • No-load Current Consumption: 0.8A
766 • Rated Current Draw: 3A (under standard load)
767 • No-load Speed: 282 RPM (maximum)
768 • Operating Speed: 248 RPM (under rated load)
769 • Torque Output: 18 kg-cm (rated)
770 • Stall Torque: 60 kg-cm (maximum)
771 • Power Rating: 50W (maximum)
772 • Unit Weight: 350 grams

773 **4.3.4.4 MicroSD Card**

774 The SanDisk Ultra MicroSD Card is a compact, high-capacity, and secure digital memory
775 card that is suitable for a wide range of applications, including digital cameras, smartphones,
776 and tablets. It features a high-speed data transfer rate, making it ideal for storing large



Fig. 4.8 SanDisk Ultra MicroSD Card

files such as images and videos. This card was selected for its high capacity, secure data protection, and ease of use, making it ideal for the storage system for the prototype.

Specifications:

- Capacity: 256GB
- Type: MicroSDXC (Secure Digital eXtended Capacity)
- Form Factor: MicroSD (11mm x 15mm x 1mm)
- File System: Pre-formatted exFAT

4.3.4.5 LED Lights

For the Light Emitting Diode (LED), they were used to provide consistent lighting for image capture, ensuring accurate color representation and feature extraction. The LED lights were selected for their energy efficiency, long lifespan, and ability to produce a



Fig. 4.9 LED Light Strip

789 uniform light output.

790

791 **Specifications:**

792 • Power Input: 5V DC (USB-powered, compatible with laptops, power banks, or USB
793 adapters).

794 • Waterproof Design: Suitable for indoor/outdoor use.

795 • LED Type: SMD 2835 (surface-mount diodes for high brightness and efficiency).

796 • Color Type: White (cool white)

797 • Length: 1m

798 • Beam Angle: 120°

799 • Operating Temperature: -25°C to 60°C.



- 800 • Storage Temperature: -40°C to 80°C.

801 **4.3.4.6 Power Supply**



Fig. 4.10 Bench Power Supply

802 The bench power supply is a versatile and adjustable power source used to provide
803 stable voltage and current for various electronic projects. It is designed for testing applica-
804 tions, allowing users to set specific voltage and current levels. This power supply was
805 selected for its versatility, ease of use, and ability to provide accurate voltage and current
806 control for the prototype.

807

808 **Specifications:**

- 809 • Type: SMPS (Switch-Mode Power Supply)
810 • Input: 110V AC, 50/60Hz (U.S. Standard)



- 811 • Output Range: 0-30V DC / 0-5A DC
- 812 • Voltage Precision: $\pm 0.010V$ (10 mV) resolution
- 813 • Current Precision: $\pm 0.001A$ (1 mA) resolution
- 814 • Power Precision: $\pm 0.1W$ resolution
- 815 • Weight: 5 lbs (2.27 kg)
- 816 • Dimensions: 11.1" x 4.92" x 6.14" (28.2 cm x 12.5 cm x 15.6 cm)
- 817 • Maximum Power: 195W
- 818 • Power Source: AC input only

819 **4.3.4.7 4 Channel Relay Module**




Fig. 4.11 4 Channel Relay Module



De La Salle University

820 The 4 Channel Relay Module is a compact and versatile relay board that allows for the
821 control of multiple devices using a single microcontroller. This module was selected for
822 its compact size, ease of use, and ability to control multiple devices simultaneously. It is
823 designed to be used with microcontrollers such as Arduino and Raspberry Pi, allowing for
824 easy integration into the prototype.

825

826 **Specifications:**

- 827 • Operating Voltage: 5V DC (compatible with Arduino, Raspberry Pi, and other
828 microcontrollers).
- 829 • Number of Relays: 4 independent channels.
- 830 • Relay Type: Electromechanical (mechanical switching).
- 831 • Max AC Load: 10A @ 250V AC (resistive).
- 832 • Max DC Load: 10A @ 30V DC (resistive).
- 833 • Contact Type: SPDT (Single Pole Double Throw) - NO (Normally Open), NC
834 (Normally Closed), COM (Common).
- 835 • Dimensions: 50mm x 70mm x 20mm
- 836 • Weight: 50-80 grams.
- 837 • Status LEDs: Individual LEDs for each relay (indicates ON/OFF state).
- 838 • Input Pins: 4 digital control pins (one per relay).
- 839 • Output Terminals: Screw terminals for connecting loads (NO/NC/COM).



840 **4.4 Software Considerations**

841 The software stack includes Python for programming PyTorch for machine learning and
842 OpenCV for image processing. These tools are selected for their robustness, ease of use,
843 and extensive community support, ensuring efficient system development.

844 **4.4.1 PyTorch**

845 **4.4.2 OpenCV**

846 **4.4.3 Tkinter**

847 **4.4.4 CustomTkinter**

848 **4.5 Security and Reliability Considerations**

849 Potential vulnerabilities, such as data corruption during image capture, are addressed
850 through redundancy and error-checking mechanisms. Reliability is ensured by implement-
851 ing fault-tolerant designs and rigorous testing protocols.

852 **4.6 Scalability and Efficiency Considerations**

853 The system is designed to handle large volumes of mangoes by optimizing the machine
854 learning model and using parallel processing techniques. Efficiency is improved through
855 techniques like model quantization and hardware acceleration.



856 4.7 User Interface

857 A User Interface (UI) is designed to display grading results, system status. Wireframes
858 illustrate the layout, ensuring usability and accessibility for operators. Likewise, a Graphical
859 User Interface (GUI) is also used to allow users to customize the system's grading priorities.

860 4.8 Constraints and Limitations

861 Challenges include variations in mango appearance due to lighting and environmental
862 factors. Trade-offs are made between model complexity and real-time performance to
863 balance accuracy and speed.

864 4.9 Technical Standards

865 The system adheres to industry standards for image processing and machine learning,
866 ensuring compatibility and interoperability with other systems.

867 4.10 Prototyping and Simulation

868 Prototypes are developed using tools like MATLAB and Simulink to simulate the system's
869 performance. These simulations help identify design flaws and optimize the system before
870 deployment.,



871 **4.11 Design Validation**

872 The design is validated through testing, including unit testing of individual modules and
873 integration testing of the entire system. Peer reviews and iterative improvements ensure the
874 system meets the desired performance metrics.

875 **4.12 Summary**

876 This chapter outlined the key design considerations, including system architecture, hardware
877 and software choices, and validation methods. These decisions are critical for developing a
878 reliable and efficient mango sorting and grading system.



879

Chapter 5

880

METHODOLOGY



TABLE 5.1 SUMMARY OF METHODS FOR REACHING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<ol style="list-style-type: none"> 1. Hardware design: Build an image acquisition system with a conveyor belt, LED lights, and Raspberry Pi Camera 2. Software design: Coded a Raspberry Pi application to grade and sort the Carabao mangoes 	Sec. 5.2 on p. 52
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<ol style="list-style-type: none"> 1. Hardware implementation: Design and build an image acquisition system prototype 	Sec. 5.3 on p. 52
SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	<ol style="list-style-type: none"> 1. Performance testing: Train and test the machine learning algorithm for classifying bruises and ripeness 2. Data collection: Gather our own Carabao mango dataset together with an online dataset 	Sec. 5.5 on p. 54

Continued on next page



Continued from previous page

Objectives	Methods	Locations
SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.	1. Algorithm development: To develop a code for the image acquisition system 2. Hardware design: To design a schematic for the microcontroller based system	Sec. 5.3 on p. 52
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	1. Formula development: Formulated an equation based on the inputted user priority and the predicted mango classification	Sec. 5.7 on p. 55
SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.	1. Performance testing: Train and test the machine learning algorithm for classifying bruises	Sec. 5.6.2 on p. 55
SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.	1. Performance testing: Train and test the machine learning algorithm for classifying ripeness	Sec. 5.6.1 on p. 55
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	1. Accuracy testing: Get the percent accuracy testing for getting the length and width of the Carabao mango	Sec. 5.6.3 on p. 55



881 **5.1 Introduction**

882 The methodology for this research outlines the development of the Carabao Mango sorter
883 using machine learning and computer vision. The sorting system uses a conveyor belt
884 system which delivers the mangoes into the image acquisition system. This system captures
885 the image of the mangoes which will then be going through the various stages of image
886 processing and classification into grades which will depend on the priority of the user.
887 This methodology ensures that the grading of the mangoes will be accurate while being
888 non-destructive.

889 **5.2 Research Approach**

890 This study applies the experimental approach for research in order to develop and properly
891 test the proposed system. The experimental approach of the methodology will allow the
892 researchers to fine-tune the parameters and other factors in the classification of mangoes in
893 order to get optimal results with high accuracy scores while maintaining the quality of the
894 mangoes. This approach will also allow for real-time data processing and classification
895 which will improve the previous static grading systems.

896 **5.3 Hardware Design**

897 The prototype consists of hardware and software components for automated mango sorting
898 and grading purposes. The hardware includes the conveyor belt system used to transfer
899 mangoes from scanning to sorting smoothly. A camera and lighting system are able
900 to collect high-resolution images for analysis. The DC motors and stepper motors are



901 responsible for driving the conveyor belt and sorting actuators. The entire system is
902 controlled by a microcontroller (Raspberry Pi 4b), coordinating actions of all components.
903 Sorting actuators then direct mangoes into selected bins based on their classification to
904 make sorting efficient.

905 **5.4 Software Design**

906 For the programming language used for the prototype and training and testing the CNN
907 model, Python was used for training and testing the CNN model and it was also used in the
908 microcontroller to run the application containing the UI and CNN model. PyTorch was the
909 main library used in using the EfficientNet model that is used in classifying the ripeness
910 and bruises of the mango. Likewise, tkinter is the used library when designing the UI in
911 Python.

912 Furthermore, the rest of the software components are of utmost importance to mango
913 classification. Image processing algorithms in OpenCV and CNN models extract features
914 such as color, size, and bruises that are known to determine quality parameters of mangoes.
915 Mangoes are classified based on ripeness and defects by using machine learning algorithms,
916 which further enhances accuracy using deep learning techniques. A user interface (UI) is
917 designed for users to control and observe the system in real time. Finally, the interface
918 programming of the microcontroller provides the necessary synchronization between
919 sensors, actuators, and motors throughout the sorting operation scenario.



920 **5.5 Data Collection Methods**

921 The system acquires high-resolution images of mangoes under pre-specified lighting conditions through systematic acquisition. Apart from that, this corpus of data is based on the real-time images acquired from the camera system, where classification operations are carried out based on real-time data. Pre-processing image operations such as flipping, rotating, resizing, normalization, and Gaussian blur are also carried out in order to enhance image clarity and feature detection. Then, the feature extraction process is carried out, where the intensity of color, shape, and texture are analyzed for the detection of characteristic features in terms of the mango. All these aspects lead to the creation of a reliable dataset for the machine learning algorithm that will allow the system to classify and grade mangoes more accurately.

931 **5.6 Testing and Evaluation Methods**

932 In a bid to ensure the mango sorting and grading system is accurate and reliable, there is intensive testing conducted at different levels. Unit testing is initially conducted on each component separately, for instance, the conveyor belt, sensors, and cameras, to ensure that each of the components works as expected when operating separately. After component testing on an individual basis, integration testing is conducted to ensure communication between hardware and software is correct to ensure the image processing system, motors, and sorting actuators work in concert as required. System testing is conducted to conduct overall system performance

940 testing in real-world conditions to ensure mangoes are accurately and efficiently sorted and graded.



942 To test system performance, various measures of performance are used to evaluate.
943 As seen on equation 3.6, accuracy score is used to measure the percentage of correctly
944 classified mangoes to ensure the system maintains high precision levels. Precision as seen
945 on equation 3.3 and recall as seen on equation 3.4 are used to measure consistency of
946 classification to determine if the system classifies different ripeness levels and defects
947 correctly. Furthermore, the F1 score formula as seen on equation 3.5 is used to evaluate the
948 performance of the model's classification.

949 A confusion matrix is used to measure correct and incorrect classification to ensure the
950 machine learning model is optimized and that minimum errors are achieved. Throughput
951 analysis is also used to determine the rate and efficiency of sorting to ensure that the
952 system maintains high capacity without bottlenecks to sort mangoes. Using these methods
953 of testing, the system is constantly optimized to ensure high-quality and reliable mango
954 classification.

955 **5.6.1 Ripeness Training and Testing**

956 **5.6.2 Bruises Training and Testing**

957 **5.6.3 Size Determination**

958 **5.7 Formula for User Priority**

959 **5.8 Ethical Considerations**

960 Ethical considerations ensure that the system is operated safely and responsibly. Data
961 privacy is ensured by securely storing and anonymizing extracted images and classification



962 data so that unauthorized access becomes impossible. The system is also eco-friendly
963 through non-destructive testing, saving mangoes while also ensuring that they are of good
964 quality. Safety in operations is also ensured by protecting moving parts to prevent mechani-
965 cal harm and incorporating fail-safes to securely stop operation in case of malfunction.
966 Addressing these concerns, the system is not only accurate and efficient but also secure,
967 eco-friendly, and safe for operators, thus a sustainable solution to automated mango sorting
968 and grading.

969 **5.9 Summary**

970 This chapter explained how to create an automatic Carabao mango sorter and grader using
971 machine learning and computer vision. The system integrates hardware and software
972 resources, including a conveyor belt, cameras, sensors, and actuators, to offer accurate,
973 real-time sorting by ripeness, size, and bruises. Various testing and evaluation processes
974 ensure its performance to offer reliability. Ethical issues are data privacy, environmental
975 sustainability, and operation safety. With enhanced efficiency, reduced human error, and
976 enhanced quality, this system provides an affordable, scalable, and non-destructive solution
977 to post-harvest mango classification in agricultural industries.



978

Chapter 6

979

RESULTS AND DISCUSSIONS



TABLE 6.1 SUMMARY OF METHODS FOR ACHIEVING THE OBJECTIVES

Objectives	Methods	Locations
GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning and computer vision techniques to assess ripeness, size, and bruises.	<p>Expected Results:</p> <ol style="list-style-type: none"> 1. Successfully developed a user-priority-based grading and sorting system using machine learning and computer vision which can assess the mangoes' ripeness, size and bruises. <p>Actual Results:</p> <ol style="list-style-type: none"> 1. More work needs to be done to fine tune the software components to achieve higher accuracy such as changing hyperparameters or using a newer version of EfficientNet 2. More work needs to be done to make the hardware component more robust such as by fixing the camera and LED lights in place 	Sec. 6.6 on p. 63
SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	<p>Expected Results:</p> <ol style="list-style-type: none"> 1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes. 2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes. 3. Successfully fixed the hardware components in place <p>Actual Results:</p> <ol style="list-style-type: none"> 1. Successfully integrated a conveyor belt with the image acquisition in order to achieve efficient flow of automated sorting and grading of the mangoes. 2. Successfully integrated LED strips to provide optimal lighting for image capturing of the mangoes. 3. Need to fix the hardware components in place 	Sec. 6.4 on p. 63

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
<p>SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruises classification of Carabao mangoes <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully achieved at least 93% accuracy for ripeness classification of Carabao mangoes 2. Successfully achieved at least 73% accuracy for bruise classification of Carabao Mangoes 	<p>Sec. 6.1 on p. 62</p>
<p>SO3: To create a microcontroller-based system to operate the image acquisition system, control the conveyor belt, and process the mango images through machine learning.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system 2. Successfully mounted the image acquisition system on the prototype 3. Successfully made the frame for the conveyor belt and image acquisition system to sit on <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully made a conveyor belt system to move the mangoes through the image acquisition system to the sorting system 2. Temporarily mounted the image acquisition system on the prototype 3. Successfully made the frame for the conveyor belt and image acquisition system to sit on 	<p>Sec. 6.4 on p. 63</p>

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	<p>Expected Results:</p> <ol style="list-style-type: none">1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango2. Successfully verified with qualified individual the results3. Successfully utilize the weighted equation to evaluate mango grade based on user priorities <p>Actual Results:</p> <ol style="list-style-type: none">1. Successfully grade mangoes based on the user priorities on the physical characteristics of the mango2. Successfully utilize the weighted equation to evaluate mango grade based on user priorities3. Need to look for a qualified person to evaluate the graded mango for ground truth	Sec. 6.3 on p. 63

Continued on next page

6. Results and Discussions



De La Salle University

Continued from previous page

Objectives	Methods	Locations
<p>SO5: To classify mango ripeness based on image data using machine learning algorithms such as kNN, k-mean, and Naïve Bayes.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Achieve at least 90% accuracy on performance metrics 2. Obtain performance metrics for kNN, k-mean, and Naive Bayes methods for comparison and show the superior performance of using CNN 3. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to detect ripeness based on color 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for ripeness classification of Carabao mangoes 	<p>Sec. 6.1.1 on p. 62</p>
<p>SO6: To classify mango size based on image data by getting its length and width using OpenCV, geometry, and image processing techniques.</p>	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Successfully classified mango size using computer vision techniques 2. Successfully tuned to have an accurate size with an 80 percent accuracy rating <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully classified mango size using computer vision techniques 2. Calculation of mango size is somewhat inaccurate and needs more fine tuning 	<p>Sec. 6.2 on p. 63</p>

Continued on next page



Continued from previous page

Objectives	Methods	Locations
SO7: To classify mango bruises based on image data by employing machine learning algorithms.	<p>Expected Results:</p> <ul style="list-style-type: none"> 1. Achieve at least 90% accuracy on performance metrics 2. Successfully fine tuned the CNN model to achieve the highest accuracy possible, choosing the best performing among EfficientNet b0-b7, and testing other CNN hyperparameters <p>Actual Results:</p> <ul style="list-style-type: none"> 1. Successfully trained a CNN model using EfficientNet-b0 and Adam Optimizer to bruises 2. Successfully achieved at least 90 percent accuracy, precision, recall, f1 score for bruise classification of Carabao mangoes 	Sec. 6.1.2 on p. 63

980

6.1 Training and Testing Results of the Model

981

6.1.1 Ripeness Classification Results

982

Add the F1-Score and etc here

EfficientNet Version	Precision	Recall	F1	Test Accuracy
b0	0.9841	0.9838	0.9838	0.98
b1	0.9876	0.9876	0.9876	0.99
b2	0.9802	0.9801	0.9801	0.98
b3	0.9709	0.968	0.9684	0.97
b4	0.9716	0.9699	0.9699	0.97
b5	0.93	0.93	0.93	0.93

TABLE 6.2 PERFORMANCE METRICS FOR DIFFERENT EFFICIENTNET VERSIONS

**983 6.1.2 Bruises Classification Results****984 6.2 Size Determination Results****985 6.3 User Priority Formula**

986 $B(P)$ and $R(P)$ and $S(P)$ are the User Priority-Based Grading for bruises, ripeness,
987 and size of the Carabao mango. Furthermore, $b(p)$ and $r(p)$ and $s(p)$ are the machine
988 learning's predictions for bruises, ripeness, and size of the Carabao mango. The formula
989 for the user priority is given by:

$$\text{User Priority} = b(P)B(P) + r(P)R(P) + s(P)S(P) \quad (6.1)$$

990 6.4 Physical Prototype

991 Add pictures of the hardware prototype here with description

992 6.5 Software Application

993 Show the raspberry pi app UI and demonstrate it here

994 6.6 Summary

995 Provide the gist of this chapter such that it reflects the contents and the message.



996

Chapter 7

997

CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIRECTIVES

998



999 7.1 Concluding Remarks

1000 In this Thesis, ...

1001 Put here the main points that should be known and learned about the work topic.
1002 Summarize or give the gist of the essential principles and inferences drawn from your
1003 results.

1004 7.2 Contributions

1005 The interrelated contributions and supplements that have been developed by the author(s)
1006 in this Thesis are listed as follows. Only those that are unique to the authors' work are
1007 included.

- 1008 • the ;
- 1009 • the ;
- 1010 • the ;

1011 7.3 Recommendations

1012 The researchers recommend...

1013 7.4 Future Prospects

1014 There are several prospects that may be extended for further studies. ... So the suggested
1015 topics are listed in the following.



1016 1. the

1017 2. the

1018 3. the

1019 Note that for ECE undergraduate theses, as per the directions of the thesis adviser,
1020 Recommendations and Future Directives will be removed for the hardbound copy but will
1021 be retained for database storage.



1022

REFERENCES

- 1023 Abbas, Q., Niazi, S., Iqbal, M., and Noureen, M. (2018). Mango Classification Using Texture &
1024 Shape Features. *IJCSNS International Journal of Computer Science and Network Security*, 18(8).
- 1025 Abu, M., Olympio, N. S., and Darko, J. O. (2021). Determination of Harvest Maturity for Mango
1026 (<i>Mangifera indica</i> L.) Fruit by Non-Destructive Criteria. *Agricultural Sciences*,
1027 12(10):1103–1118.
- 1028 Adam, J. A. P., Dato, K. S., Impelido, M. C. D., Tobias, R. G., and Pilueta, N. U. (2022). Non-
1029 destructive microcontroller-based carabao mango ripeness grader.
- 1030 Alejandro, A. B., Gonzales, J. P., Yap, J. P. C., and Linsangan, N. B. (2018). Grading and sorting of
1031 Carabao mangoes using probabilistic neural network. page 020065, Bandung, Indonesia.
- 1032 Amna, M. W. A., Guiqiang, L., and Muhammad Zuhair AKRAM, M. F. (2023). Machine vision-
1033 based automatic fruit quality detection and grading. *Frontiers of Agricultural Science and*
1034 *Engineering*, 0(0):0.
- 1035 Britannica (n.d.). Mango history cultivation and facts.
- 1036 Centino, M. F., Castano, M. C. N., and Ebo, J. B. F. (2020). The Current Status of Philippine Mango
1037 in the Global Value Chain.
- 1038 Chakraborty, S. K., Subeesh, A., Dubey, K., Jat, D., Chandel, N. S., Potdar, R., Rao, N. G., and
1039 Kumar, D. (2023). Development of an optimally designed real time automatic citrus fruit grading-
1040 sorting machine leveraging computer vision-based adaptive deep learning model. *Engineering*
1041 *Applications of Artificial Intelligence*, 120:105826.
- 1042 Co., Z. F. I. (n.d.). What is fruit sorting.
- 1043 D'Adamo, G. (2018). The determinants of export quality in the euro area. *Quarterly Report on the*
1044 *Euro Area (QREA)*, 17(1):23–31. Publisher: Directorate General Economic and Financial Affairs
1045 (DG ECFIN), European Commission.
- 1046 DBpedia (n.d.). About: Carabao.
- 1047 Guillergan, G., Sabay, R., Madrigal, D., and Bual, J. (2024). Naive Bayes Classifier in Grading
1048 Carabao Mangoes. *Technium: Romanian Journal of Applied Sciences and Technology*, 22:14–32.
- 1049 Guillermo, M. C. S., Naciongayo, D. S., and Galela, M. G. C. (2019). Determining ‘Carabao’
1050 Mango Ripeness Stages Using Three Image Processing Algorithms.
- 1051 Lacap, A., Bayogan, E. R., Secretaria, L., Joyce, D., Ekman, J., and Goldwater, A. (2021). Bruise
1052 Injury and Its Effect on ‘Carabao’ Mango Fruit Quality. *Philippine Journal of Science*, 150(6B).
- 1053 Patel, K. K., Khan, M. A., Kumar, Y., and Yadav, A. K. (2019). Novel Techniques in Post Harvest
1054 Management of Mango- An Overview. *South Asian Journal of Food Technology and Environment*,
1055 05(02):821–835.



De La Salle University

- 1056 Rizwan Iqbal, H. M. and Hakim, A. (2022). Classification and Grading of Harvested Mangoes
1057 Using Convolutional Neural Network. *International Journal of Fruit Science*, 22(1):95–109.
- 1058 Samaniego, L. A., De Jesus, L. C. M., Apostol, J. D., Betonio, D. C., Medalla, J. D. B., Peruda Jr,
1059 S. R., Brucal, S. G. E., and Yong, E. D. (2023). Carabao mango export quality checker using
1060 matlab image processing. *International Journal of Computing Sciences Research*, 7:2080–2094.
- 1061 Schulze, K., Nagle, M., Spreer, W., Mahayothee, B., and Müller, J. (2015). Development and
1062 assessment of different modeling approaches for size-mass estimation of mango fruits (*Mangifera*
1063 *indica* L., cv. ‘Nam Dokmai’). *Computers and Electronics in Agriculture*, 114:269–276.
- 1064 Supekar, A. D. and Wakode, M. (2020). Multi-Parameter Based Mango Grading Using Image
1065 Processing and Machine Learning Techniques. *INFOCOMP Journal of Computer Science*,
1066 19(2):175–187. Number: 2.
- 1067 Tomas, M. C., Celino, J. P. L., Escalambre, I. E., and Secreto, B. P. (2022). Detection of Overall
1068 Fruit Maturity of Local Fruits Using Support Vector Machine through Image Processing. In *2022*
1069 *12th International Conference on Software Technology and Engineering (ICSTE)*, pages 96–102.
- 1070 Veling, P. S. (2019). Mango Disease Detection by using Image Processing. *International Journal*
1071 *for Research in Applied Science and Engineering Technology*, 7(4):3717–3726.
- 1072 Zheng, B. and Huang, T. (2021). Mango Grading System Based on Optimized Convolutional Neural
1073 Network. *Mathematical Problems in Engineering*, 2021:1–11.

1074

Produced: March 31, 2025, 16:26



De La Salle University

1075

Appendix A STUDENT RESEARCH ETHICS CLEARANCE

1076

A. Student Research Ethics Clearance



De La Salle University

1077

RESEARCH ETHICS CLEARANCE FORM ¹ For Thesis Proposals	
Names of Student Researcher(s): BANAL, Kenan A. BAUTISTA, Francis Robert Miguel F. HERMOSURA, Don Humphrey L. SALAZAR, Daniel G	
College: GCOE	
Department: ECE	
Course: Computer Engineering	
Expected Duration of the Project: from: January 4 2025 to: January 4 2026	
Ethical considerations (The Ethics Checklists may be used as guides in determining areas for ethical concern/consideration)	
 To the best of my knowledge, the ethical issues listed above have been addressed in the research. Dr. Reggie C. Gustilo	
Name and Signature of Adviser/Mentor: Date: February 5, 2025	
Noted by: Dr. Argel Bandala	
Name and Signature of the Department Chairperson: Date: February 6, 2025	

¹ The same form can be used for the reports of completed projects. The appropriate heading need only be used.



De La Salle University

1078

Appendix B ANSWERS TO QUESTIONS TO THIS THESIS

1079



1080	<h2>B1 How important is the problem to practice?</h2>
1081	A possible answer to this question is the summary of your Significance of the Study, and
1082	that portion of the Problem Statement where you describe the ideal scenario for your
1083	intended audience.
1084	Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
1085	Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1086	ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1087	placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1088	Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
1089	tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1090	a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1091	Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1092	amet ipsum. Nunc quis urna dictum turpis accumsan semper.
1093	<h2>B2 How will you know if the solution/s that you will</h2>
1094	<h2>achieve would be better than existing ones?</h2>
1095	Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
1096	Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1097	ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1098	placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1099	Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
1100	tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1101	a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1102	Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1103	amet ipsum. Nunc quis urna dictum turpis accumsan semper.
1104	<h3>B2.1 How will you measure the improvement/s?</h3>
1105	Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
1106	Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
1107	ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1108	placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1109	Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
1110	tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1111	a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



1112 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1113 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.1 What is/are your basis/bases for the improvement/s?

1115 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1116 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1117 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1118 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1119 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1120 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1121 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1122 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1123 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.2 Why did you choose that/those basis/bases?

1125 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1126 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1127 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1128 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1129 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1130 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1131 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1132 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1133 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B2.1.3 How significant are your measure/s of the improvement/s?

1135 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1136 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1137 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1138 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1139 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1140 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1141 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1142 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1143 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1144 **B3 What is the difference of the solution/s from ex-**
 1145 **existing ones?**

1146 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1147 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1148 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1149 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1150 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1151 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1152 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1153 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1154 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1155 **B3.1 How is it different from previous and existing ones?**

1156 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1157 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1158 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1159 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1160 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1161 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1162 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1163 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1164 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1165 **B4 What are the assumptions made (that are behind
 1166 for your proposed solution to work)?**

1167 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1168 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1169 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1170 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1171 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1172 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1173 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1174 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1175 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B4.1 Will your proposed solution/s be sensitive to these assumptions?

1176 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1177 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1180 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1181 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1182 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1183 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1184 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1185 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1186 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B4.2 Can your proposed solution/s be applied to more general cases when some assumptions are eliminated? If so, how?

1187 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1188 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1189 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1190 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1191 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1192 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1193 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1194 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1195 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B5 What is the necessity of your approach / proposed solution/s?

1196 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1197 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1198 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1199 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1200 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1201 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1202 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1203 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1204 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1209 **B5.1 What will be the limits of applicability of your proposed so-**
 1210 **solution/s?**

1211 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1212 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1213 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1214 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1215 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1216 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1217 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1218 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1219 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1220 **B5.2 What will be the message of the proposed solution to**
 1221 **technical people? How about to non-technical managers and**
 1222 **business people?**

1223 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1224 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1225 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1226 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1227 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1228 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1229 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1230 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1231 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1232 **B6 How will you know if your proposed solution/s**
 1233 **is/are correct?**

1234 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1235 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1236 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1237 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1238 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1239 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1240 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



1241 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1242 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1243 **B6.1 Will your results warrant the level of mathematics used
 1244 (i.e., will the end justify the means)?**

1245 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1246 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1247 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1248 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1249 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1250 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1251 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1252 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1253 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1254 **B7 Is/are there an/_ alternative way/s to get to the
 1255 same solution/s?**

1256 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1257 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1258 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1259 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1260 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1261 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1262 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1263 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1264 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1265 **B7.1 Can you come up with illustrating examples, or even
 1266 better, counterexamples to your proposed solution/s?**

1267 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem.
 1268 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdier mi nec ante. Donec
 1269 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1270 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1271 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
 1272 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



1273 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1274 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1275 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B7.2 Is there an approximation that can arrive at essentially the same proposed solution/s more easily?

1278 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1279 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1280 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1281 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1282 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1283 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1284 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1285 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1286 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B8 If you were the examiner of your Thesis, how would you present the Thesis in another way? Give your remarks, especially for your methodology and the results and discussions.

1291 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1292 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec
 1293 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
 1294 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
 1295 Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla
 1296 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
 1297 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
 1298 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
 1299 amet ipsum. Nunc quis urna dictum turpis accumsan semper.

B8.1 What are the weaknesses of your Thesis, specifically your methodology and the results and discussions?

1300 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem.
 1301 Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec



De La Salle University

- 1304 ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus
1305 placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.
1306 Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla
1307 tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue
1308 a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.
1309 Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit
1310 amet ipsum. Nunc quis urna dictum turpis accumsan semper.



De La Salle University

1311

Appendix C REVISIONS TO THE PROPOSAL

1312

C. Revisions to the Proposal



De La Salle University

1313

PRO1 Panel Comments and Revisions – Appendix Z

PRO1 Panel Comments and Revisions

Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTIme=1731326444000

Passcode: +7qL6DZE

Panelist's Comments and Revisions	Action Taken	Page Number
Capture both two sides of the mango and not just one to remove error	The image capturing system would only capture the two sides of the mango which are the two largest surface areas of the skin.	18
How will you get large dataset with sweetness and how will you classify it?	Remove Sweetness in the SO	13
Size and weight are not the same.	Remove Weight in objectives but retained size in the SO4 and SO6	
Specify in the specific objectives that it will be automatic sorting	SO1: To make an image acquisition system with a conveyor belt for automatic sorting and grading mangoes.	13
Add what process will be used to get the size classification	SO6: To classify mango size by getting its length and width using OpenCV, geometry, and image processing techniques	13
Add what process the ripeness classification will be	SO5: To classify mango ripeness using kNN or nearest neighbors algorithm	13
Get rid of texture in the general objectives	Texture is removed in the SOs	13
Get rid of CNN in general objectives and replace with machine learning	CNN is removed and replaced with machine learning GO: To develop a user-priority-based grading and sorting system for Carabao mangoes, using machine learning to assess ripeness, size, and bruises.	13
Remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"	SO3: To create a microcontroller application to operate and control the prototype.	13
Remove SO4. No need for user testing	Removed user test and the new SO4 is SO4: To grade mangoes based on user priorities for size, ripeness, and bruises.	13
Fix IPO to the correct input and output	Input: Two side image of the Carabao Mango and the User Priority Attributes Process: Machine Learning Algorithm, Grading Formula, and CNN model using a microcontroller Output: Size, Ripeness, and Bruises	20

C. Revisions to the Proposal



De La Salle University

1314

PRO1 Panel Comments and Revisions – Appendix Z

	Classification with its Overall Grade	
Define bruises	The black or brown area of the mango that is visible on the skin of the mango.	6
Dataset should use at least 10,000 images	Added to expected deliverables SO2: To use a publicly available dataset of at least 10,000 mango images for classification of ripeness, and bruises.	14
Add to specific objectives the percentage accuracy	SO2: To get the precision, recall, F1 score, confusion matrix, and train and test accuracy metrics for classifying the ripeness and bruises with an accuracy score of at least 90%.	14
Weight sensor just adds complexity	removed all mention of load sensor, load cell. removed load cell methodology	39,40,41, 42,43,44 previousl y



1315

PRO1 Panel Comments and Revisions – Appendix Z

PRO1 Panel Comments and Revisions

Zoom Recording:

https://zoom.us/rec/share/mrn9zBtPz3bJ5laVcy2E8-iBno8A6fBRgOCacMrhmzLPCNO0IDxXBHiK_xzdicEb.MzbHGzrD7rL3tVgJ?startTim=e=1731326444000

Passcode: +?qL6DZE

Summary:

- Specific Objectives
- Add:
 - what process will be used to get the sweetness classification
 - what process the ripeness classification will be
 - what process will be used to get the size classification
 - Specify in the specific objectives that it will be automatic sorting
- Remove:
 - get rid of texture in the general objectives
 - get rid of cnn in general objectives and replace with machine learning
 - remove Raspberry Pi on the SO's and generalize to “to create a microcontroller based application”
 - remove SO4. No need for user testing

Comments:

*[00-00] time stamps from recording

- [15:00] Why only the top side of the mango? Isn't the point of automation to reduce human error? Then what about the bottom side wouldn't that just introduce another error if the mango happens to have defects on the bottom?
- [16:09] What is the load cell for? Size is not the same as weight. If size is taken from the weight wouldn't size be also taken from the image. If size then adding a load cell would just introduce more complexity, if weight then load cell is fine. reminder that size is not the same as weight.
- [17:36] When computer vision, state input and output parameters. Output parameters in this case would be sweetness, ripeness, size and bruising. Input parameters would be images.
- [18:12] No mention of how the dataset would be gathered. Would you be gather your own dataset or using a publicly available dataset
- [21:38] Fix IPO based on mention input and output parameters.
- [21:50] Dataset is lacking. Usually in machine learning at least 10,000 images. can take more than one image per mango. after taking an image of mango can make more out of the image using data augmentations.
- [22:48] Add to specific Objectives the mentioned 80%
- [23:09] Consultant that would grade the mangoes as a third party to remove biases. For both the testing and the training
- [24:55] How do you detect the sweetness of mangoes? Add these to the specific objectives. What are the categories of sweetness? Add these to specific objectives. How do



1316

PRO1 Panel Comments and Revisions – Appendix Z

you detect the correct categorization of sweetness? How to automate the classification of the sweetness.

- [33:10] Why is the dataset destructive but the testing non destructive? Clarify this further to avoid confusion.
- [35:09] What is the basis of sweetness using images? Clarify this further.
- [35:35] How would you know if the classifier is correct or not? What is your ground truth (for the sweetness)?
- [38:55] When can you say you are getting the top side of the mango? How would you know if the mango images showing the top side or the bottom side of both cheeks of the mango can be captured? If it doesn't matter then any side can be captured so why is it in the limitations that only the top side can be captured. Clarify the limitations.
- [48:10] What classifier would you use here? What features would you extract from the images?
- [52:07] Does it explain what process will be used to get the sweetness classification? Add it to the specific objectives
- [54:00] How will ripeness be classified? Will it use the same dataset as the sweetness classification did? How was ground truth obtained?
- [55:44] Why not the nearest neighbor? It is more fit in this scenario. Do not specify CNN in the objectives. The embedded systems as well, do not specify the Raspberry pi unless truly sure
- [57:30] Table is just image processing. Is there a specific objective that would describe how ripeness classification will be done? Add this to the specific objectives.
- [59:10] How is the weight obtained? Add it to the specific objectives. Remember that size is not proportional to weight. Size could be obtained from the image as the camera is from a fixed distance. Add to specific objectives how to get the size
- [1:00:00] get rid of texture in the general objectives. get rid of cnn in general objectives and replace with machine learning. as each parameter will use a different method.
- [1:04:00] remove Raspberry Pi on the SO's and generalize to "to create a microcontroller based application"
- [1:04:37] remove SO4. no more user testing
- [1:05:00] The formula used for grading the mangoes, is this used as industry standard? How do they measure the export quality of mango
- [1:07:00] Specify in the specific objectives that it will be automatic sorting

Here are my comments on my end :)

1. Ensure seamless integration between hardware (sensors, motors, etc.) and software (CNNs, Raspberry Pi). You can consider using a modular approach for easier troubleshooting.
2. How do you gather a comprehensive and diverse dataset for training your CNN. This will enhance the model's robustness and accuracy.
3. Make sure that the weight sensors are calibrated correctly to avoid measurement errors.

C. Revisions to the Proposal



De La Salle University

1317

PRO1 Panel Comments and Revisions – Appendix Z

4. Implement data augmentation techniques to enhance your image dataset, which can improve model generalization and accuracy.
5. Design an intuitive user interface for the Raspberry Pi application.
6. Besides precision, recall, and F1 score, consider incorporating confusion matrices to better understand model performance and error types.
7. Conduct user testing of the application to gather feedback on usability and functionality. This can lead to improvements in design and user experience. Consider how the system can be scaled or adapted for different fruits or larger processing volumes in the future.

Noted by:



Dr. Donabel de Veas Abuan
Chair of Panel

Date: November 11 2024

Note: Keep a copy of this Appendix. It is a requirement that has to be submitted in order to qualify for PRO3 Defense.



De La Salle University

1318

Appendix D REVISIONS TO THE FINAL

1319



- 1320 Make a table with the following columns for showing the summary of revisions to the
 1321 proposal based on the comments of the panel of examiners.
- 1322 1. Examiner
- 1323 2. Comment
- 1324 3. Summary of how the comment has been addressed
- 1325 4. Locations in the document where the changes have been reflected

TABLE D.1 SUMMARY OF REVISIONS TO THE THESIS

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Reggie C. Gustillo	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p> <p>First itemtext</p> <p>Second itemtext</p> <p>Last itemtext</p> <p>First itemtext</p> <p>Second itemtext</p>	<p>1. First itemtext</p> <p>2. Second itemtext</p> <p>3. Last itemtext</p> <p>4. First itemtext</p> <p>5. Second itemtext</p>	<p>Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ??</p>

Continued on next page



De La Salle University

Continued from previous page

Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Donable de Veas Abuan	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext First itemtext Second itemtext Last itemtext First itemtext Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???
Engr. Jose Martin Maningo	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext • First itemtext • Second itemtext • Last itemtext • First itemtext • Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???

Continued on next page



De La Salle University

Continued from previous page


Examiner	Comment	Summary of how the comment has been addressed	Locations
Dr. Alexander Co Abad	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???
Dr. Rafael W. Sison	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	1. First itemtext 2. Second itemtext 3. Last itemtext 4. First itemtext 5. Second itemtext	Sec. ?? on p. ??, Sec. ?? on p. ??, Fig. ?? on p. ???



1326

Appendix E VITA

1327




1328

Kenan A. Banal is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1329

1330




Francis Robert Miguel F. BAUTISTA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1331

1332

1333




Don Humphrey L. HERMOSURA is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1334

1335

1336



Daniel G. SALAZAR is currently taking up his B.Sc. Computer Engineering studies. He is passionate about software and hardware systems such as Vivado, Arduino, C, and Python.

1337

1338

1339



De La Salle University

1340

Appendix F ARTICLE PAPER(S)

1341

Article/Forum Paper Format

(IEEE LaTeX format)

Michael Shell, *Member, IEEE*, John Doe, *Fellow, OSA*, and Jane Doe, *Life Fellow, IEEE*

1342

Abstract—The abstract goes here. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Index Terms—Computer Society, IEEE, IEEEtran, journal, L^AT_EX, paper, template.

I. INTRODUCTION

THIS demo file is intended to serve as a “starter file” for IEEE article papers produced under L^AT_EX using IEEEtran.cls version 1.8b and later. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A. Subsection Heading Here

Subsection text here. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis

M. Shell was with the Department of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, 30332.
E-mail: see <http://www.michaelshell.org/contact.html>

J. Doe and J. Doe are with Anonymous University.



Fig. 1. Simulation results for the network.

TABLE I
AN EXAMPLE OF A TABLE

One	Two
Three	Four

sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1) Subsubsection Heading Here: Subsubsection text here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

II. CONCLUSION

The conclusion goes here.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra




Fig. 2. Simulation results for the network.

sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

APPENDIX A PROOF OF THE FIRST ZONKLAR EQUATION

Appendix one text goes here.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

APPENDIX B

Appendix two text goes here. [?].

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent

in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

ACKNOWLEDGMENT

The authors would like to thank...