

THE TODDLER BEHAVIOR WORKBOOK

Gentle Parenting Solutions for Ages 1-4

Understanding Tantrums, Building Connection,
and Raising Emotionally Intelligent Children

Behavior Tracking | Emotion Coaching Scripts
Routine Charts | Gentle Boundary Setting
Self-Regulation Milestones | Parent Self-Care

Daniel Tesfamariam

A Practical Workbook for Parents & Caregivers

Ages 1-4 | Gentle Parenting Approach

Copyright Notice

The Toddler Behavior Workbook:
Gentle Parenting Solutions for Ages 1-4

Copyright (c) 2025 Daniel Tesfamariam
All rights reserved.

No part of this publication may be reproduced, distributed,
or transmitted in any form without prior written permission.

This workbook is intended for personal use only.
It is not a substitute for professional therapy or
medical advice. If your child is experiencing severe
behavioral challenges, please consult a pediatrician
or child psychologist.

First Edition, 2025
Published independently via KDP

For bulk orders or licensing inquiries:
Contact the author through Amazon.

Understanding Toddler Brain Development

Why Their Brain Is Different From Ours:

The prefrontal cortex - the part of the brain responsible for impulse control, emotional regulation, planning, and reasoning - is NOT fully developed until approximately age 25.

In toddlers (ages 1-4), this area is barely beginning to form.

This means your toddler literally CANNOT:

- * Control impulses consistently
- * Manage big emotions without help
- * Think logically when upset
- * Understand consequences in the moment
- * See things from another person's perspective

Why Tantrums Are Normal and Developmentally Appropriate:

Tantrums are NOT a sign of bad parenting or a 'bad child.'

They are a sign that your child's emotional brain (the amygdala) is working perfectly - it's sending big feelings that the underdeveloped prefrontal cortex cannot yet regulate.

Think of it this way: Your toddler has an adult-sized gas pedal (emotions) but baby-sized brakes (self-regulation). They need YOU to be their external brakes until their own develop.

Key Takeaway:

Your job is not to stop tantrums. Your job is to help your child feel safe while experiencing big emotions, and to model the regulation skills they will eventually internalize.

Why Toddlers Have Tantrums

1. Big Emotions, Small Toolbox

Toddlers feel emotions just as intensely as adults - anger, joy, frustration, fear - but they have almost NO tools to manage them. They haven't learned words for feelings, deep breathing, or walking away. A tantrum IS their only tool right now.

2. Communication Frustration

Your toddler knows what they want but often cannot express it. Imagine being in a foreign country where nobody understands you - that frustration is what your toddler feels daily. Limited vocabulary + big needs = explosive behavior.

3. Independence vs. Capability Gap

Toddlers desperately want to do things themselves (pour milk, put on shoes, climb high) but their motor skills and cognitive abilities haven't caught up to their desires. This gap between 'I want to' and 'I can't yet' creates intense frustration.

4. Sensory Overload

Toddler nervous systems are still developing. Loud noises, bright lights, crowds, new textures, or too many transitions can overwhelm their system. When overwhelmed, they shut down or explode - this is a protective nervous system response, not misbehavior.

Remember:

Behind every challenging behavior is an unmet need or an underdeveloped skill. Our job is to figure out which one and help - not punish.

Tantrum Response Flowchart

Follow these steps when your toddler is having a tantrum:

STEP 1: Is My Child Safe?

Check for physical danger. Move objects, move child if needed.

STEP 2: Am I Calm?

Take 3 deep breaths. You cannot regulate a child if dysregulated.

STEP 3: Get Close & Low

Kneel to their level. Open body language. Soft eyes.

STEP 4: Validate the Emotion

Name what they feel: 'You're really frustrated right now.'

STEP 5: Set the Boundary (if needed)

'I won't let you hit. Hitting hurts. I'm keeping everyone safe.'

STEP 6: Wait

Do not rush. Do not lecture. Be present. Let the storm pass.

STEP 7: Co-Regulate

Offer comfort: hug, rocking, humming. Match their breathing.

STEP 8: Reconnect After

Once calm: 'That was hard. I'm here. Let's figure this out.'

Key Principles:

- * Connection before correction
- * All feelings are allowed; not all behaviors are allowed
- * You are the calm in their storm

Emotion Coaching Scripts (Page 1 of 5)

Scenario: Hitting

What they're feeling: Angry, frustrated, overwhelmed

What to SAY:

"I won't let you hit. You're mad! You can stomp your feet or hit this pillow."

What NOT to say:

"Stop hitting! What's wrong with you? Bad boy/girl!"

What to DO:

Block the hit gently. Stay calm. Offer an alternative physical outlet.

Scenario: Biting

What they're feeling: Frustrated, overstimulated, teething pain, exploring

What to SAY:

"Ouch, biting hurts! You're frustrated. Let's find something safe to bite."

What NOT to say:

"Bite them back so they know how it feels!"

What to DO:

Offer a teething toy. Remove from situation briefly. Stay neutral.

Emotion Coaching Scripts (Page 2 of 5)

Scenario: Not Sharing

What they're feeling: Possessive (developmentally normal), anxious about losing things

What to SAY:

"You're not ready to share that yet. That's okay. When you're done, it will be Maya's turn."

What NOT to say:

"Share right now or I'm taking it away!"

What to DO:

Teach turn-taking, not forced sharing. Use a timer for turns.

Scenario: Bedtime Resistance

What they're feeling: Fear of separation, not tired, need for control

What to SAY:

"I know you don't want bedtime. It's hard to stop playing. Would you like one more story or one more song?"

What NOT to say:

"Get in bed NOW or no dessert tomorrow!"

What to DO:

Offer limited choices. Keep routine consistent. Stay boring but present.

Emotion Coaching Scripts (Page 3 of 5)

Scenario: Food Refusal

What they're feeling: Asserting autonomy, sensory sensitivity, not hungry

What to SAY:

"You don't have to eat it. Your tummy will tell you when it's hungry."

What NOT to say:

"You're not leaving this table until you finish!"

What to DO:

Offer food without pressure. Let them explore. No short-order cooking.

Scenario: Separation Anxiety

What they're feeling: Fear, insecurity, developmental phase

What to SAY:

"You're scared I'm leaving. I always come back. Let's do our special goodbye."

What NOT to say:

"Just stop crying, I'll be right back! (while sneaking out)"

What to DO:

Create a goodbye ritual. Never sneak away. Keep goodbyes short and confident.

Emotion Coaching Scripts (Page 4 of 5)

Scenario: Sibling Conflict

What they're feeling: Jealousy, need for attention, boundary testing

What to SAY:

"You both want the truck. That's hard! Let's figure this out together."

What NOT to say:

"Why can't you just get along? Be nice to your sister!"

What to DO:

Sportscaster the conflict. Don't take sides. Coach problem-solving.

Scenario: Public Meltdowns

What they're feeling: Overstimulated, hungry, tired, embarrassed

What to SAY:

"This is too much right now. Let's find a quiet spot together."

What NOT to say:

"Everyone is looking at us. Stop it right now!"

What to DO:

Leave if possible. Ignore stares. Your child's needs > strangers' opinions.

Emotion Coaching Scripts (Page 5 of 5)

Scenario: Whining

What they're feeling: Unmet need, wants connection, tired, doesn't know how to ask

What to SAY:

"I want to help you. Can you use your regular voice to tell me?"

What NOT to say:

"I can't hear you when you whine! Stop that voice!"

What to DO:

Model the tone you want. Don't shame. Meet the underlying need.

Scenario: Defiance

What they're feeling: Asserting independence, testing boundaries, power struggle

What to SAY:

"You don't want to put your shoes on. I hear you. We need shoes outside. Red ones or blue ones?"

What NOT to say:

"Because I said so! Do it now or else!"

What to DO:

Offer choices within boundaries. Make it playful. Avoid power struggles.

Positive Reinforcement Tracker

Notice and name the good! Catch them being kind, patient, brave.
Specific praise > generic praise. 'You waited so patiently!' > 'Good job!'

Behavior Noticed	Praise Given	Child's Response

Tips: Be specific, immediate, and genuine. Describe the behavior, not the child.

Daily Routine Chart Builder

Toddlers thrive on predictability. Build your visual schedule below:

MORNING

- ☐ Wake up time: ____:____
- ☐ Diaper/potty
- ☐ Get dressed
- ☐ Breakfast
- ☐ Brush teeth

MIDDAY

- ☐ Morning activity/outing
- ☐ Snack time: ____:____
- ☐ Free play
- ☐ Lunch time: ____:____
- ☐ Quiet time/nap: ____:____

AFTERNOON

- ☐ Wake from nap: ____:____
- ☐ Snack time: ____:____
- ☐ Outdoor play
- ☐ Screen time (if any): ____ min
- ☐ Help with dinner

EVENING

- ☐ Dinner time: ____:____
- ☐ Bath time
- ☐ Pajamas
- ☐ Story/song
- ☐ Lights out: ____:____

Notes: Adjust times to fit your family. Consistency matters more than perfection.

Behavior Pattern Tracking (Page 1 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 2 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 3 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 4 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 5 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 6 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 7 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 8 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 9 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Behavior Pattern Tracking (Page 10 of 10)

Entry 1

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Entry 2

Date:

Time:

Trigger (what happened right before):

Behavior (what child did):

My Response (what I said/did):

What Worked:

What Didn't Work:

Pattern I Notice:

Reflection: What am I learning about my child's needs?

Gentle Boundary Setting Language

How to Say No With Empathy:

Boundaries are not mean. They are how children learn safety, structure, and what to expect. Deliver them with warmth and firmness.

Instead of: 'No!'

Try: 'I won't let you do that. Here's what you CAN do...'

Instead of: 'Stop it!'

Try: 'I'm going to help you stop. Your body is telling me you need help.'

Instead of: 'Because I said so'

Try: 'The rule is ____ because it keeps you safe.'

Instead of: 'You're being bad'

Try: 'You're having a hard time. I'm here to help.'

Instead of: 'If you don't stop...'

Try: 'When you're ready, we can ____.'

Instead of: 'Go to your room!'

Try: 'Let's go to our calm-down spot together.'

Instead of: 'I'm going to count to 3'

Try: 'I can see you need more time. I'll wait with you.'

Instead of: 'Big kids don't cry'

Try: 'It's okay to cry. I'll be right here.'

Instead of: 'You're fine'

Try: 'That was scary/hard. Tell me about it.'

Instead of: 'Share NOW'

Try: 'When you're all done, it will be their turn.'

Remember: Firm does not mean harsh. Kind does not mean permissive.

You can hold a boundary AND hold your child's emotions at the same time.

Self-Regulation Development Milestones

What to Expect at Each Age (Every child is different!)

Age 1 (12-18 months):

- * Beginning to understand 'no' (but cannot consistently follow it)
- * Tantrums begin as communication develops
- * Easily distracted/redirected
- * Separation anxiety peaks
- * Cannot share or take turns yet
- * Needs immediate comfort when distressed

Age 2 (18-30 months):

- * 'NO!' becomes a favorite word (healthy autonomy!)
- * Tantrums peak in frequency and intensity
- * Beginning to name some emotions with help
- * Parallel play (playing beside, not with, peers)
- * Can follow simple 1-step directions
- * Needs co-regulation for all big emotions

Age 3 (30-42 months):

- * Can start to use words for some feelings
- * Beginning to wait short periods
- * Starting cooperative play
- * Can follow 2-step directions
- * May use simple calming strategies with prompting
- * Tantrums decrease slightly but may get more intense

Age 4 (42-54 months):

- * Can identify basic emotions in self and others
- * Beginning to problem-solve simple conflicts
- * Can wait longer (with support)
- * Starting to internalize some regulation strategies
- * Can follow rules in structured settings
- * Still needs help with big emotions regularly

Parent Self-Care Check

Burnout Checklist - Check any that apply:

- ☐ I feel exhausted even after sleeping
- ☐ I dread waking up to another day of tantrums
- ☐ I yell more than I want to
- ☐ I feel guilty about my parenting daily
- ☐ I've lost interest in things I used to enjoy
- ☐ I feel touched out / overstimulated by my child
- ☐ I feel like I'm failing as a parent
- ☐ I have no time for myself at all
- ☐ I feel resentful toward my partner or child
- ☐ I cry more often than usual

If you checked 3+: You need support. This is not weakness.

Self-Compassion Reminders:

- * You are not a bad parent for having hard days.
- * Your child's behavior is not a reflection of your worth.
- * Repair is always possible. You can always try again.
- * Asking for help is brave, not weak.
- * You cannot pour from an empty cup.
- * Progress is not linear - for you OR your toddler.
- * Good enough parenting IS good parenting.
- * Your child needs a regulated parent, not a perfect one.

You are doing harder work than anyone gives you credit for.
Your child is lucky to have a parent who is trying this hard.